




B&G

PRICE LIST

SAILING ELECTRONICS

Zeus® SRX GH

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16322-001		Zeus® SRX-16. NEON™ OS, 16-inch Glass-bridge multi-function display. Qualcomm® 8-core processor. Full HD touchscreen. Gigabit Ethernet, WIFI, Video In and Out. Worldwide Base map. (C-MAP® DISCOVER™ X chart or REVEAL™ X chart required for navigation).	6999.00	8328.81
000-16321-001		Zeus® SRX-22. NEON™ OS, 22-inch Glass-bridge multi-function display. Qualcomm® 8-core processor. Full HD touchscreen. Gigabit Ethernet, WIFI, Video In and Out. Worldwide Base map. (C-MAP® DISCOVER™ X chart or REVEAL™ X chart required for navigation).	11499.00	13683.81
000-16516-001		OP-55™ Remote control, Portrait for NEON™ OS displays	448.80	534.07
000-16517-001		OP-55™ Remote control, Landscape. For NEON™ OS displays.	448.80	534.07

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	702.45	835.92
000-16550-001		M12 to five pin yellow Ethernet cable 1.8 m (6 ft)	114.45	136.20
000-13963-001		NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	1153.95	1373.20
000-15876-001		The IP CAM-1 marine grade 316 stainless steel IP camera. Powered by 12V DC or PoE.	586.95	698.47
000-16235-001		HS65, GNSS Compass with mount flat mount.	1199.00	1426.81
000-16556-001		NMEA 2000® cable for backbone extension or drop cable to connect an additional network device. 1.82 m (6-ft). Right angle connector.	68.25	81.22
000-15918-002		S3100H High-performance sonar module with HEAVE compensation. Two independent 1kW channels supporting 1 kW Low, Med, High, and High-Wide transducers. Support for high-frequency ActiveImaging HD transducers. MFDs will need compatible software.	943.95	1123.30
000-16555-001		NMEA 2000® cable for backbone extension or drop cable to connect an additional network device. 0.61 m (2-ft). Right angle connector.	51.45	61.23
000-16516-001		OP-55™ Remote control, Portrait for NEON™ OS displays	448.80	534.07
000-16551-001		M12 to five pin yellow Ethernet cable 5 m (16.4 ft)	135.45	161.19
000-16517-001		OP-55™ Remote control, Landscape. For NEON™ OS displays.	448.80	534.07
000-16558-001		Ethernet cable. M12 Straight to M12 right angle for NSO® 4, Zeus® SRX. 4.5 m (14.8 ft). Connector keyway for NSO 4, Zeus SRX.	192.15	228.66

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13335-001		NAC-2 Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	1701.87	2025.23
000-13337-001		NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer and Precision-9 Compass.	1421.88	1692.04
000-16328-001		USB audio adaptor, for NSO®4 & Zeus® SRX. Contains 1 x USB male to USB female 0.5 m (1.6 ft) AND USB Male to 3.5 mm audio jack 13.5 cm (5.3").	91.77	109.21
000-16329-001		USB to USB-A Female adapter cable	24.99	29.74
000-10029-001		NEP-2 Network Expansion Port (Ethernetverteiler mit 5 Ports)	324.45	386.10
000-13336-001		NAC-3 Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	2498.13	2972.77
000-13338-001		NAC-3 VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer and Precision-9 Compass.	2213.75	2634.36
000-16655-001		NAC-3 VRF. Performance VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, HS65 GNSS Compass, SteadySteer™ flow switch, backbone starter kit, 4m (15 ft) NMEA 2000 cable.	2999.00	3568.81
000-16656-001		NAC-3 RF. Performance Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, HS65 GNSS Compass, RF-25N Rudder Feedback unit, SteadySteer™ flow switch, backbone starter kit and 4m (15 ft) NMEA 2000 cable.	3390.00	4034.10
000-16008-001		NEP-3: Five port (M12) Gigabit Ethernet switch.	387.45	461.07
000-16075-001		Ethernet Cable - Green M12 8-pin male-male 1.8 m (6 ft)	38.85	46.23
000-13892-001		MI10 Dashmount microSD card reader: Dual microSD Chart Card reader: Note for NSO4 and Zeus SRX a 000-16329-001 USB C male to USB-C-A adapter, or similar third party adapter is required.	223.38	265.82
000-12745-001		OP50 / ZC2 Flush Mounting Bracket Kit	89.76	106.81
000-12744-001		OP50 / ZC2 Dash Mounting Kit	25.50	30.35
000-11142-001		SonarHub Module, with power cable and Ethernet cable 4.5m (15ft). Requires adapter 000-12571-001 or 000-13977-001 adapter cable to use Airmar Non-Chirp or Chirp 9-pin transducers.	680.40	809.68

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16554-001		Power cable. Right angle 10 pin connector for NSO® 4, Zeus® SRX. 3 m (9.8 ft). Four core cable.	103.95	123.70

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16627-001		Replacement rubber boot for rear mount of the Simrad® NSO® 4 and B&G Zeus® SRX. Sold in packs of ten.	9.99	11.89
000-12743-001		OP50 / ZC2 Suncover	14.28	16.99
000-12746-001		OP50 / ZC2 Dial Knob with grub screw	41.19	49.02

Zeus®³ GH

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15129-001		B&G Zeus³S Glass Helm 16" System Pack. Includes Zeus³S 16" Multifunction display, MI10 card reader and ZC2 controller: Designed specifically for blue water sailing, multihulls and superyachts, this premium, super-fast, large-screen, multifunction display sits at the heart of your fully integrated navigation system, and provides easy-to-use touchscreen and remote control options.	6750.46	8033.05
000-15130-001		B&G Zeus³S Glass Helm 19" System Pack. Includes Zeus³S 19" Multifunction display, MI10 card reader and ZC2 controller: Designed specifically for blue water sailing, multihulls and superyachts, this premium, super-fast, large-screen, multifunction display sits at the heart of your fully integrated navigation system, and provides easy-to-use touchscreen and remote control options.	7853.18	9345.28
000-15131-001		B&G Zeus³S Glass Helm 24" System Pack. Includes Zeus³S 24" Multifunction display, MI10 card reader and ZC2 controller: Designed specifically for blue water sailing, multihulls and superyachts, this premium, super-fast, large-screen, multifunction display sits at the heart of your fully integrated navigation system, and provides easy-to-use touchscreen and remote control options.	10820.47	12876.36
000-15048-001		B&G Zeus³S GH 16" Display Only: Designed specifically for blue water sailing, multihulls and superyachts, this premium, super-fast, large-screen, multifunction display sits at the heart of your fully integrated navigation system, and provides easy-to-use touchscreen and remote control options.	6187.78	7363.46
000-15050-001		B&G Zeus³S GH 19" Display Only: Designed specifically for blue water sailing, multihulls and superyachts, this premium, super-fast, large-screen, multifunction display sits at the heart of your fully integrated navigation system, and provides easy-to-use touchscreen and remote control options.	7323.60	8715.08
000-15052-001		B&G Zeus³S GH 24" Display Only: Designed specifically for blue water sailing, multihulls and superyachts, this premium, super-fast, large-screen, multifunction display sits at the heart of your fully integrated navigation system, and provides easy-to-use touchscreen and remote control options.	10224.68	12167.37
000-12365-001		B&G ZC2 Remote controller. (Portrait mount). For use with ZEUS ^{2/3} , ZEUS ^{2/3} Glass Helm and Vulcan MFD systems and brings simple and precise MFD control in even the roughest sea conditions.	448.80	534.07
000-12513-001		B&G ZC2 Remote controller. (Landscape mount) For use with ZEUS ^{2/3} , ZEUS ^{2/3} Glass Helm and Vulcan MFD systems and brings simple and precise MFD control in even the roughest sea conditions..	499.80	594.76

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	702.45	835.92
000-11674-001		ForwardScan™ Transducer Kit with Sleeve & Plug. 10m (33ft) Cable	807.45	960.87
000-15793-001		B&G V100-B Blackbox VHF Radio System - featuring a built-in GPS and Class B AIS transceiver, which allows you to see and be seen by AIS-equipped vessels. Stay connected from anywhere on board with up to 8 handsets (4 wired and 4 wireless) and 4 external speakers.	1652.70	1966.71
000-13294-001		Triton² Digital Display - Multi-purpose 4.1 inch colour sailing instrument and autopilot display.	540.75	643.49
000-14492-001		B&G V20S Class D DSC VHF Radio - The versatile V20S is ideal for a variety of boats from small yachts to larger cruisers and racing boats, and is designed to match the low-profile style of our chartplotters and accessories.	413.70	492.30
000-14380-001		The V3100 Class B AIS incorporates SOTDMA technology and increased transmission power to enhance transmission frequency, reliability, and range compared to standard Class B AIS. This 'black-box' solution integrates with MFD displays, and features industry-standard connectivity.	935.00	1112.65

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14382-001		WS310 Wired Wind Sensor with 20m (65.5ft) mast cable and interface for connection to the NMEA 2000® network.	576.45	685.98
000-14843-001		WS310 Wired Wind Sensor with 35m (115ft) mast cable and interface for connection to the NMEA 2000® network.	616.35	733.46
000-13963-001		NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	1153.95	1373.20
000-15876-001		The IP CAM-1 marine grade 316 stainless steel IP camera. Powered by 12V DC or PoE.	586.95	698.47
000-15644-001		B&G V100 Blackbox VHF Radio System - Stay safer on the water with the B&G V100 VHF marine radio. With up to 8 connected handsets (4 wired and 4 wireless) and 4 external speakers, stay connected from anywhere on board.	987.00	1174.53
000-14540-001		HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious sailors with smaller vessels.	2152.50	2561.48
000-16235-001		HS65, GNSS Compass with mount flat mount.	1199.00	1426.81
000-15974-001		Sail Performance sensor pack. Includes WS320 wind pack, DST-810 transducer, ZG100 GPS antenna, and Micro-C backbone kit and cables.	1498.35	1783.04
000-15134-001		Triton™ Edge Sailing Processor with NMEA 2000®, Ethernet and built-in Wi-Fi.	1585.50	1886.75
000-14539-001		HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	2530.50	3011.30
000-14383-001		WS320 Wireless Wind Sensor including Wireless Interface for connection to NMEA 2000® networks. For masts up to 25m in height.	691.95	823.42
000-14538-001		HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	2835.00	3373.65
000-13335-001		NAC-2 Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	1701.87	2025.23
000-13337-001		NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer and Precision-9 Compass.	1421.88	1692.04
000-10029-001		NEP-2 Network Expansion Port (Ethernetverteiler mit 5 Ports)	324.45	386.10
000-13336-001		NAC-3 Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	2498.13	2972.77

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13338-001		NAC-3 VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer and Precision-9 Compass.	2213.75	2634.36
000-0127-51		Ethernetkabel yellow 5 Pin 1.8 m (6 ft)	39.90	47.48
000-0127-29		Ethernetkabel yellow 5 Pin 4.5 m (15 ft)	58.80	69.97
000-16655-001		NAC-3 VRF Performance VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, HS65 GNSS Compass, SteadySteer™ flow switch, backbone starter kit, 4m (15 ft) NMEA 2000 cable.	2999.00	3568.81
000-16656-001		NAC-3 RF Performance Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, HS65 GNSS Compass, RF-25N Rudder Feedback unit, SteadySteer™ flow switch, backbone starter kit and 4m (15 ft) NMEA 2000 cable.	3390.00	4034.10
000-0127-30		Ethernetkabel yellow 5 Pin 7.7 m (25 ft)	82.95	98.71
000-0127-37		Ethernetkabel yellow 5 Pin 15.2 m (50 ft)	114.45	136.20
24005729		SimNet to Micro-C (male) cable that connects a SimNet product to a NMEA 2000® backbone. 0.5 m (1.6 ft)	39.90	47.48
000-14488-001		Spacer required if using the Heavy Duty Gimbal bracket kit (000-13547-001) to mount an NSO16 evo3 or ZEUS3-16 display.(not required for 19 and 24 " displays)	51.49	61.27
000-12397-001		StructureScan® 3D module only. Transom mount and Through-Hull transducers available separately.	680.40	809.68

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15050-001		B&G Zeus³S GH 19" Display Only: Designed specifically for blue water sailing, multihulls and superyachts, this premium, super-fast, large-screen, multifunction display sits at the heart of your fully integrated navigation system, and provides easy-to-use touchscreen and remote control options.	7323.60	8715.08
000-15052-001		B&G Zeus³S GH 24" Display Only: Designed specifically for blue water sailing, multihulls and superyachts, this premium, super-fast, large-screen, multifunction display sits at the heart of your fully integrated navigation system, and provides easy-to-use touchscreen and remote control options.	10224.68	12167.37
000-12365-001		B&G ZC2 Remote controller. (Portrait mount). For use with ZEUS²/³, ZEUS³/³ Glass Helm and Vulcan MFD systems and brings simple and precise MFD control in even the roughest sea conditions.	448.80	534.07
000-11246-001		RJ45-Yellow Round Ethernet adapter cable RJ45 Male / 5 Pin Female 10 cm (6")	25.20	29.99
000-15635-001		B&G Magnetic Suncover for 16" Monitor	131.58	156.58
000-14357-001		B&G Suncover for 16" Monitor	92.70	110.31

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14358-001		B&G Suncover for 19" Monitor	139.00	165.41
000-14359-001		B&G Suncover for 24" Monitor	149.00	177.31
000-11618-001		MO, NSO evo3 16/19/24 Rear mount bracket kit. Includes: dash seal for 16,19,24" and Bracket kit	64.26	76.47
000-13892-001		MI10 Dashmount microSD card reader: Dual microSD Chart Card reader: Note for NSO4 and Zeus SRX a 000-16329-001 USB C male to USB-C-A adapter, or similar third party adapter is required.	223.38	265.82
000-12743-001		OP50 / ZC2 Suncover	14.28	16.99
000-12744-001		OP50 / ZC2 Dash Mounting Kit	25.50	30.35
000-11614-001		MO, NSO evo3 16/19/24 Cable retention bracket	27.53	32.76

Zeus®^{2/3} GH MPU

Main Products

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15125-001	 Zeus ³ S MPU 1 x 16" Multi-Touch Monitor System base kit. Expand and integrate to build your preferred system including instrumentation, navigation, radar, sonar, autopilot, and more. Includes MPU, ZC2 Remote, MI10 Card Reader & ZG100 GPS Antenna.	7926.87	9432.98
000-11737-002	 B&G ZM19-T. 19" Multi-Touch monitor, HD widescreen 1366x768 resolution. High-bright 1000-nit monitor. HDMI, DVI, 2x Analog composite (BNC) video in.	5777.25	6874.93
000-11736-001	 B&G ZM16-T 15.6" Multi-Touch monitor with 1366x768 resolution. The 1000 nit peak brightness gives you a clear display even in direct sunlight, and the minimum brightness is extremely dim for night operation without blinding. Multiple video inputs and low-profile glass bridge design.	3938.70	4687.05
000-15046-001	 Zeus ³ S MPU - Expand and integrate to build your preferred system including instrumentation, navigation, radar, sonar, autopilot, and more.	5185.75	6171.04
000-15104-001	 Zeus ³ S MPU - Expand and integrate to build your preferred system including instrumentation, navigation, radar, sonar, autopilot, and more.	5316.75	6326.93

Accessories

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11674-001	 ForwardScan™ Transducer Kit with Sleeve & Plug. 10m (33ft) Cable	807.45	960.87
000-12607-001	 Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	702.45	835.92
000-14492-001	 B&G V20S Class D DSC VHF Radio - The versatile V20S is ideal for a variety of boats from small yachts to larger cruisers and racing boats, and is designed to match the low-profile style of our chartplotters and accessories.	413.70	492.30
000-13294-001	 Triton ² Digital Display - Multi-purpose 4.1 inch colour sailing instrument and autopilot display.	540.75	643.49
000-14380-001	 The V3100 Class B AIS incorporates SOTDMA technology and increased transmission power to enhance transmission frequency, reliability, and range compared to standard Class B AIS. This 'black-box' solution integrates with MFD displays, and features industry-standard connectivity.	935.00	1112.65
000-14382-001	 WS310 Wired Wind Sensor with 20m (65.5ft) mast cable and interface for connection to the NMEA 2000® network.	576.45	685.98
000-15793-001	 B&G V100-B Blackbox VHF Radio System - featuring a built-in GPS and Class B AIS transceiver, which allows you to see and be seen by AIS-equipped vessels. Stay connected from anywhere on board with up to 8 handsets (4 wired and 4 wireless) and 4 external speakers.	1652.70	1966.71
000-15644-001	 B&G V100 Blackbox VHF Radio System - Stay safer on the water with the B&G V100 VHF marine radio. With up to 8 connected handsets (4 wired and 4 wireless) and 4 external speakers, stay connected from anywhere on board.	987.00	1174.53
000-14540-001	 HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious sailors with smaller vessels.	2152.50	2561.48
000-15876-001	 The IP CAM-1 marine grade 316 stainless steel IP camera. Powered by 12V DC or PoE.	586.95	698.47

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14843-001		WS310 Wired Wind Sensor with 35m (115ft) mast cable and interface for connection to the NMEA 2000® network.	616.35	733.46
000-13963-001		NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	1153.95	1373.20
000-13284-001		ForwardScan™ Transducer Kit (Long-Stem) with Sleeve & Plug. 10m (33ft) Cable	1133.13	1348.42
000-11737-002		B&G ZM19-T. 19" Multi-Touch monitor, HD widescreen 1366x768 resolution. High-bright 1000-nit monitor. HDMI, DVI, 2x Analog composite (BNC) video in.	5777.25	6874.93
000-15134-001		Triton™ Edge Sailing Processor with NMEA 2000®, Ethernet and built-in Wi-Fi.	1585.50	1886.75
000-15974-001		Sail Performance sensor pack. Includes WS320 wind pack, DST-810 transducer, ZG100 GPS antenna, and Micro-C backbone kit and cables.	1498.35	1783.04
000-16235-001		HS65, GNSS Compass with mount flat mount.	1199.00	1426.81
000-11736-001		B&G ZM16-T 15.6" Multi-Touch monitor with 1366x768 resolution. The 1000 nit peak brightness gives you a clear display even in direct sunlight, and the minimum brightness is extremely dim for night operation without blinding. Multiple video inputs and low-profile glass bridge design.	3938.70	4687.05
000-14383-001		WS320 Wireless Wind Sensor including Wireless Interface for connection to NMEA 2000® networks. For masts up to 25m in height.	691.95	823.42
000-14539-001		HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	2530.50	3011.30
000-14538-001		HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	2835.00	3373.65
000-13335-001		NAC-2 Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	1701.87	2025.23
000-13337-001		NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer and Precision-9 Compass.	1421.88	1692.04
000-10029-001		NEP-2 Network Expansion Port (Ethernetverteiler mit 5 Ports)	324.45	386.10
000-13336-001		NAC-3 Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	2498.13	2972.77
000-13338-001		NAC-3 VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer and Precision-9 Compass.	2213.75	2634.36
000-0127-51		Ethernetkabel yellow 5 Pin 1.8 m (6 ft)	39.90	47.48

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-0127-29		Ethernetkabel yellow 5 Pin 4.5 m (15 ft)	58.80	69.97
000-16655-001		NAC-3 VRF. Performance VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, HS65 GNSS Compass, SteadySteer™ flow switch, backbone starter kit, 4m (15 ft) NMEA 2000 cable.	2999.00	3568.81
000-16656-001		NAC-3 RF. Performance Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, HS65 GNSS Compass, RF-25N Rudder Feedback unit, SteadySteer™ flow switch, backbone starter kit and 4m (15 ft) NMEA 2000 cable.	3390.00	4034.10
000-0127-30		Ethernetkabel yellow 5 Pin 7.7 m (25 ft)	82.95	98.71
000-0127-37		Ethernetkabel yellow 5 Pin 15.2 m (50 ft)	114.45	136.20
000-11246-001		RJ45-Yellow Round Ethernet adapter cable RJ45 Male / 5 Pin Female 10 cm (6")	25.20	29.99
24005729		SimNet to Micro-C (male) cable that connects a SimNet product to a NMEA 2000® backbone. 0.5 m (1.6 ft)	39.90	47.48
000-11248-001		HDMI monitor video cable 3 m (9.8 ft)	40.80	48.55
000-11249-001		HDMI monitor video cable 10 m (33 ft)	66.30	78.90
000-14488-001		Spacer required if using the Heavy Duty Gimbal bracket kit (000-13547-001) to mount an NSO16 evo3 or ZEUS3-16 display.(not required for 19 and 24 " displays)	51.49	61.27
000-11247-001		NSOevo2, NSOevo3S, Zeus2 and Zeus3S NMEA0183 and Touch Monitor Serial Cable. 2m (6.5 ft)	29.58	35.20
000-13892-001		MI10 Dashmount microSD card reader: Dual microSD Chart Card reader: Note for NSO4 and Zeus SRX a 000-16329-001 USB C male to USB-C-A adapter, or similar third party adapter is required.	223.38	265.82
000-11142-001		SonarHub Module, with power cable and Ethernet cable 4.5m (15ft). Requires adapter 000-12571-001 or 000-13977-001 adapter cable to use Airmar Non-Chirp or Chirp 9-pin transducers.	680.40	809.68
000-12397-001		StructureScan® 3D module only. Transom mount and Through-Hull transducers available separately.	680.40	809.68

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11246-001		RJ45-Yellow Round Ethernet adapter cable RJ45 Male / 5 Pin Female 10 cm (6")	25.20	29.99
000-14357-001		B&G Suncover for 16" Monitor	92.70	110.31

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14358-001		B&G Suncover for 19" Monitor	139.00	165.41
000-11618-001		MO, NSO evo3 16/19/24 Rear mount bracket kit. Includes: dash seal for 16,19,24" and Bracket kit	64.26	76.47
000-11247-001		NSOevo2, NSOevo3S, Zeus2 and Zeus3S NMEA0183 and Touch Monitor Serial Cable. 2m (6.5 ft)	29.58	35.20
000-13892-001		MI10 Dashmount microSD card reader: Dual microSD Chart Card reader: Note for NSO4 and Zeus SRX a 000-16329-001 USB C male to USB-C-A adapter, or similar third party adapter is required.	223.38	265.82
000-00128-001		4-pin Power Cable for modules and MFDs.	40.80	48.55
000-11614-001		MO, NSO evo3 16/19/24 Cable retention bracket	27.53	32.76

Zeus® SR

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16022-001		Zeus SR-10 MFD, World basemap. 10-inch SolarMAX™ high-definition display. Qualcomm® 8-core processor. Built-in GPS, Gigabit and 10/100 Ethernet, WIFI. A next-generation C-MAP® DISCOVER™ X or REVEAL X™ chart card is required.	2752.98	3276.05
000-16025-001		Zeus SR-12 MFD, World basemap. 12-inch SolarMAX™ high-definition display. Qualcomm® 8-core processor. Built-in GPS, Gigabit and 10/100 Ethernet, Video Out, WIFI. A next-generation C-MAP® DISCOVER™ X or REVEAL X™ chart card is required.	4078.98	4853.99
000-16028-001		Zeus SR-16 MFD, World basemap. 16-inch SolarMAX™ high-definition display. Qualcomm® 8-core processor. Built-in GPS, Gigabit and 10/100 Ethernet, Video Out, WIFI. A next-generation C-MAP® DISCOVER™ X or REVEAL X™ chart card is required.	5914.98	7038.83

Accessories


Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11048-002		The ZG100 GPS Antenna with Integrated Compass sensor providing Heading, Heel and Trim.	292.95	348.61
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	702.45	835.92
000-14380-001		The V3100 Class B AIS incorporates SOTDMA technology and increased transmission power to enhance transmission frequency, reliability, and range compared to standard Class B AIS. This 'black-box' solution integrates with MFD displays, and features industry-standard connectivity.	935.00	1112.65
000-14382-001		WS310 Wired Wind Sensor with 20m (65.5ft) mast cable and interface for connection to the NMEA 2000® network.	576.45	685.98
000-14471-001		B&G V60 fixed-mount DSC VHF Radio - Stay safe and connected with this VHF marine radio featuring a sleek design with removable fist mic, Class D DSC functionality, and built-in GPS.	723.45	860.91
000-14492-001		B&G V20S Class D DSC VHF Radio - The versatile V20S is ideal for a variety of boats from small yachts to larger cruisers and racing boats, and is designed to match the low-profile style of our chartplotters and accessories.	413.70	492.30
000-13294-001		Triton² Digital Display - Multi-purpose 4.1 inch colour sailing instrument and autopilot display.	540.75	643.49
000-15793-001		B&G V100-B Blackbox VHF Radio System - featuring a built-in GPS and Class B AIS transceiver, which allows you to see and be seen by AIS-equipped vessels. Stay connected from anywhere on board with up to 8 handsets (4 wired and 4 wireless) and 4 external speakers.	1652.70	1966.71
000-14540-001		HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious sailors with smaller vessels.	2152.50	2561.48
000-14474-001		B&G V60-B Marine VHF Radio - Stay safer on the water with this VHF marine radio featuring a built-in GPS and a full Class B AIS transmitter and receiver, which allows you to see and be seen by nearby AIS-equipped vessels.	1048.95	1248.25
000-15876-001		The IP CAM-1 marine grade 316 stainless steel IP camera. Powered by 12V DC or PoE.	586.95	698.47
000-13963-001		NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	1153.95	1373.20

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14843-001		WS310 Wired Wind Sensor with 35m (115ft) mast cable and interface for connection to the NMEA 2000® network.	616.35	733.46
000-15134-001		Triton™ Edge Sailing Processor with NMEA 2000®, Ethernet and built-in Wi-Fi.	1585.50	1886.75
000-15135-001		B&G Hercules Sailing Processor	2908.50	3461.12
000-15974-001		Sail Performance sensor pack. Includes WS320 wind pack, DST-810 transducer, ZG100 GPS antenna, and Micro-C backbone kit and cables.	1498.35	1783.04
000-16235-001		HS65, GNSS Compass with mount flat mount.	1199.00	1426.81
000-15137-001		HERCULES EXPANSION MODULE	1674.75	1992.95
000-14383-001		WS320 Wireless Wind Sensor including Wireless Interface for connection to NMEA 2000® networks. For masts up to 25m in height.	691.95	823.42
000-15648-001		B&G H100 wired handset and speaker for V100/V100-B VHF radios. Up to 4 wired handsets can be added to one system and 4 wired Speakers.	391.65	466.06
000-14819-001		B&G V60-B Marine VHF Radio - Stay safer on the water with this VHF marine radio featuring a built-in GPS and a full Class B AIS transmitter and receiver, which allows you to see and be seen by nearby AIS-equipped vessels. Includes GPS-500 GPS antenna for situations where the internal GPS don't get reception.	1153.95	1373.20
000-14539-001		HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	2530.50	3011.30
000-14538-001		HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	2835.00	3373.65
000-13335-001		NAC-2 Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	1701.87	2025.23
000-16557-001		Ethernet Cable. M12 Straight to M12 Right angle for NSS® 4, Zeus® SR. 5.0 m (16.4 ft).Connector keyway for NSS 4, Zeus SR	192.15	228.66
000-13337-001		NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer and Precision-9 Compass.	1421.88	1692.04
000-10029-001		NEP-2 Network Expansion Port (Ethernetverteiler mit 5 Ports)	324.45	386.10
000-13336-001		NAC-3 Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	2498.13	2972.77
000-13338-001		NAC-3 VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer and Precision-9 Compass.	2213.75	2634.36

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-0127-51		Ethernetkabel yellow 5 Pin 1.8 m (6 ft)	39.90	47.48
000-0127-29		Ethernetkabel yellow 5 Pin 4.5 m (15 ft)	58.80	69.97
000-16655-001		NAC-3 VRF. Performance VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, HS65 GNSS Compass, SteadySteer™ flow switch, backbone starter kit, 4m (15 ft) NMEA 2000 cable.	2999.00	3568.81
000-16656-001		NAC-3 RF. Performance Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, HS65 GNSS Compass, RF-25N Rudder Feedback unit, SteadySteer™ flow switch, backbone starter kit and 4m (15 ft) NMEA 2000 cable.	3390.00	4034.10
000-0127-30		Ethernetkabel yellow 5 Pin 7.7 m (25 ft)	82.95	98.71
000-16461-001		USB Video out (female) Video cable for NSS 4, Zeus SR	153.93	183.17
000-0127-37		Ethernetkabel yellow 5 Pin 15.2 m (50 ft)	114.45	136.20
000-16008-001		NEP-3: Five port (M12) Gigabit Ethernet switch.	387.45	461.07
000-16448-001		Ethernet Adapter cable Green M12M 8-pin - Yellow 5 pin female 0.37 m (1.2 ft)	72.45	86.22
000-16075-001		Ethernet Cable - Green M12 8-pin male-male 1.8 m (6 ft)	38.85	46.23
000-16076-001		Ethernet Cable - Green M12 8-pin male-male 5 m (16.5 ft)	59.85	71.22
000-15939-001		NMEA 0183® - NMEA 2000® converter. 1.8 m (6 ft) Micro-C to bare wire cable	192.15	228.66
000-16077-001		Ethernet Cable - Green M12 8-pin male-male 15 m (49.2 ft)	112.35	133.70
000-16458-001		16 Inch Gimbal Bracket - NSS 4, ZEUS SR	69.00	82.11
000-16078-001		Ethernet Cable - Green M12 8-pin male - RJ45 male 1.8 m (6 ft)	34.65	41.23
000-16079-001		Ethernet Cable - Green M12 8-pin male - RJ45 male 5 m (16.5 ft)	55.65	66.22
000-16080-001		Ethernet Cable - Green M12 8-pin male - RJ45 male 15 m (49.2 ft)	107.10	127.45

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11142-001	 SonarHub Module, with power cable and Ethernet cable 4.5m (15ft). Requires adapter 000-12571-001 or 000-13977-001 adapter cable to use Airmar Non-Chirp or Chirp 9-pin transducers.	680.40	809.68

Spare Parts

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16626-001	REPLACEMENT SD DOOR,NSS4 & ZEUS SR	11.21	13.34
000-16628-001	REAR MOUNT NUT - 10 PK,NSS4 & ZEUS SR	14.27	16.98
000-16515-001	 SD CARD DOOR REPLACEMENT NSS-4 / ZEUS SR	15.99	19.03
000-16460-001	 10 Inch Gimbal Bracket - NSS 4,ZEUS SR	50.00	59.50
000-16459-001	 12 Inch Gimbal Bracket - NSS 4,ZEUS SR	66.00	78.54
000-16457-001	 10 Inch Rear Mount Kit - NSS 4,ZEUS SR	50.00	59.50
000-16456-001	 12 Inch Rear Mount Kit - NSS 4,ZEUS SR	66.00	78.54
000-16455-001	 16 Inch Rear Mount Kit - NSS 4,ZEUS SR	69.00	82.11
000-16454-001	 ZEUS SR 10 SUNCOVER	45.90	54.62
000-16453-001	 ZEUS SR 12 SUNCOVER	61.20	72.83
000-16452-001	 ZEUS SR 16 SUNCOVER	54.76	65.16
000-00128-001	 4-pin Power Cable for modules and MFDs.	40.80	48.55

Zeus® 3/3S

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13245-001		B&G Zeus³-7 is an easy-to-use chartplotter navigation system for blue water cruisers and regatta racers, incorporating a 7-inch touchscreen display, high-performance electronics, and a wide range of functionality designed specifically for sailors. Includes World basemap chart.	1652.40	1966.36
000-15411-001		B&G Zeus³S-9 is an easy-to-use chartplotter navigation system for blue water cruisers and regatta racers, incorporating a 9-inch touchscreen display, high-performance electronics, and a wide range of functionality designed specifically for sailors. world base map charts.	2548.98	3033.29
000-15412-002		B&G Zeus³S-12 is an easy-to-use chartplotter navigation system for blue water cruisers and regatta racers, incorporating a 12-inch touchscreen display, high-performance electronics, and a wide range of functionality designed specifically for sailors. World basemap charts	3976.98	4732.61
000-15413-001		B&G Zeus³S-16 is an easy-to-use chartplotter navigation system for blue water cruisers and regatta racers, incorporating a 16-inch touchscreen display, high-performance electronics, and a wide range of functionality designed specifically for sailors. World base map.	6201.60	7379.90
000-15563-001		B&G Zeus³S-9 and Halo20+ Radar kit. The B&G Zeus³S-9 is an easy-to-use chartplotter navigation system for blue water cruisers and regatta racers, incorporating a 9-inch touchscreen display, high-performance electronics, and a wide range of functionality designed specifically for sailors. world base map charts.	4506.46	5362.69
000-15564-002		B&G Zeus³S-12 and Halo20+ Radar kit. The B&G Zeus³S-12 is an easy-to-use chartplotter navigation system for blue water cruisers and regatta racers, incorporating a 12-inch touchscreen display, high-performance electronics, and a wide range of functionality designed specifically for sailors. World basemap charts	5791.66	6892.08

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11674-001		ForwardScan™ Transducer Kit with Sleeve & Plug. 10m (33ft) Cable	807.45	960.87
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	702.45	835.92
000-13294-001		Triton² Digital Display - Multi-purpose 4.1 inch colour sailing instrument and autopilot display.	540.75	643.49
000-14492-001		B&G V20S Class D DSC VHF Radio - The versatile V20S is ideal for a variety of boats from small yachts to larger cruisers and racing boats, and is designed to match the low-profile style of our chartplotters and accessories.	413.70	492.30
000-14471-001		B&G V60 fixed-mount DSC VHF Radio - Stay safe and connected with this VHF marine radio featuring a sleek design with removable fist mic, Class D DSC functionality, and built-in GPS.	723.45	860.91
000-14382-001		WS310 Wired Wind Sensor with 20m (65.5ft) mast cable and interface for connection to the NMEA 2000® network.	576.45	685.98
000-14380-001		The V3100 Class B AIS incorporates SOTDMA technology and increased transmission power to enhance transmission frequency, reliability, and range compared to standard Class B AIS. This 'black-box' solution integrates with MFD displays, and features industry-standard connectivity.	935.00	1112.65
000-15793-001		B&G V100-B Blackbox VHF Radio System - featuring a built-in GPS and Class B AIS transceiver, which allows you to see and be seen by AIS-equipped vessels. Stay connected from anywhere on board with up to 8 handsets (4 wired and 4 wireless) and 4 external speakers.	1652.70	1966.71
000-15876-001		The IP CAM-1 marine grade 316 stainless steel IP camera. Powered by 12V DC or PoE.	586.95	698.47

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14540-001		HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious sailors with smaller vessels.	2152.50	2561.48
000-14474-001		B&G V60-B Marine VHF Radio - Stay safer on the water with this VHF marine radio featuring a built-in GPS and a full Class B AIS transmitter and receiver, which allows you to see and be seen by nearby AIS-equipped vessels.	1048.95	1248.25
000-15644-001		B&G V100 Blackbox VHF Radio System - Stay safer on the water with the B&G V100 VHF marine radio. With up to 8 connected handsets (4 wired and 4 wireless) and 4 external speakers, stay connected from anywhere on board.	987.00	1174.53
000-14843-001		WS310 Wired Wind Sensor with 35m (115ft) mast cable and interface for connection to the NMEA 2000® network.	616.35	733.46
000-13963-001		NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	1153.95	1373.20
000-15134-001		Triton™ Edge Sailing Processor with NMEA 2000®, Ethernet and built-in Wi-Fi.	1585.50	1886.75
000-15974-001		Sail Performance sensor pack. Includes WS320 wind pack, DST-810 transducer, ZG100 GPS antenna, and Micro-C backbone kit and cables.	1498.35	1783.04
000-16235-001		HS65, GNSS Compass with mount flat mount.	1199.00	1426.81
000-14383-001		WS320 Wireless Wind Sensor including Wireless Interface for connection to NMEA 2000® networks. For masts up to 25m in height.	691.95	823.42
000-14819-001		B&G V60-B Marine VHF Radio - Stay safer on the water with this VHF marine radio featuring a built-in GPS and a full Class B AIS transmitter and receiver, which allows you to see and be seen by nearby AIS-equipped vessels. Includes GPS-500 GPS antenna for situations where the internal GPS don't get reception.	1153.95	1373.20
000-14539-001		HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	2530.50	3011.30
000-15648-001		B&G H100 wired handset and speaker for V100/V100-B VHF radios. Up to 4 wired handsets can be added to one system and 4 wired Speakers.	391.65	466.06
000-14538-001		HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	2835.00	3373.65
000-13335-001		NAC-2 Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	1701.87	2025.23
000-13337-001		NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer and Precision-9 Compass.	1421.88	1692.04
000-10029-001		NEP-2 Network Expansion Port (Ethernetverteiler mit 5 Ports)	324.45	386.10
000-13336-001		NAC-3 Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	2498.13	2972.77

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13338-001		NAC-3 VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer and Precision-9 Compass.	2213.75	2634.36
000-0127-51		Ethernetkabel yellow 5 Pin 1.8 m (6 ft)	39.90	47.48
000-0127-29		Ethernetkabel yellow 5 Pin 4.5 m (15 ft)	58.80	69.97
000-16655-001		NAC-3 VRF Performance VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, HS65 GNSS Compass, SteadySteer™ flow switch, backbone starter kit, 4m (15 ft) NMEA 2000 cable.	2999.00	3568.81
000-16656-001		NAC-3 RF Performance Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, HS65 GNSS Compass, RF-25N Rudder Feedback unit, SteadySteer™ flow switch, backbone starter kit and 4m (15 ft) NMEA 2000 cable.	3390.00	4034.10
000-0127-30		Ethernetkabel yellow 5 Pin 7.7 m (25 ft)	82.95	98.71
000-0127-37		Ethernetkabel yellow 5 Pin 15.2 m (50 ft)	114.45	136.20
24005729		SimNet to Micro-C (male) cable that connects a SimNet product to a NMEA 2000® backbone. 0.5 m (1.6 ft)	39.90	47.48
000-00129-001		Video/Data Cable - Provides 2x Analog Composite Video Inputs (RCA Female) and a NMEA 0183 Interface.	44.88	53.41
000-12742-001		HDMI Cable with vibration resistant and waterproof connector on one end to connect to Navico MFDs with HDMI port.	70.38	83.75
000-12741-001		HDMI Cable with vibration resistant and waterproof connector on one end to connect to Navico MFDs with HDMI port.	117.30	139.59
000-13760-001		NSS16evo3/3S & ZEUS³/³S 16" Mounting Bracket (Metal)	100.98	120.17
000-12397-001		StructureScan® 3D module only. Transom mount and Through-Hull transducers available separately.	680.40	809.68

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13744-001		B&G Zeus³ 7" Sun cover	35.70	42.48
000-13745-001		B&G Zeus³/³S 9" Sun cover	29.58	35.20
000-13746-001		B&G Zeus³/³S 12" Sun cover	43.86	52.19

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13747-001		B&G Zeus³/³S 16" Sun cover	49.98	59.48
000-13748-001		NSSevo3 & ZEUS³ Chart Card Door	14.28	16.99
000-13749-001		NSSevo3 & ZEUS³ 7" Edge Bezels	18.36	21.85
000-13750-001		NSSevo3/3S & ZEUS³/³S 9" Edge Bezels	21.42	25.49
000-13751-001		NSSevo3/3S & ZEUS³/³S 12" Edge Bezels	25.50	30.35
000-13752-001		NSSevo3/3S & ZEUS³/³S 16" Edge Bezels	29.58	35.20
000-13753-001		NSSevo3 & ZEUS³ 7" Dash Mount Kit	27.54	32.77
000-13754-001		NSSevo3/3S & ZEUS³/³S 9" Dash Mount Kit	23.46	27.92
000-13755-001		NSSevo3/3S & ZEUS³/³S 12" Dash Mount Kit	45.90	54.62
000-13756-001		NSSevo3/3S & ZEUS³/³S 16" Dash Mount Kit	66.30	78.90
000-13758-001		NSSevo3/3S & ZEUS³/³S 9" Mounting Bracket (Plastic)	36.72	43.70
000-13759-001		NSSevo3/3S & ZEUS³/³S 12" Mounting Bracket	100.98	120.17
000-14317-001		Replacement Rotary knob for Simrad NSS evo3 & Zeus³ MFDs	22.44	26.70
000-13702-001		Gimbal mounting bracket for Simrad NSX 3009, GO9, NSS7 evo3., and B&G Vulcan9, Zeus3 7 (Plastic)	55.08	65.55
000-00128-001		4-pin Power Cable for modules and MFDs.	40.80	48.55
000-10467-001		NSS Kartenschachtklappe	15.00	17.85

Zeus® S

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15217-001		B&G Zeus S 7 Chartplotter GLOBAL. 7-inch SolarMAX™ high definition display. Built-in GPS, and WIFI, Built-in echosounder. Unique Sailing Modes and enhanced sailing features. A next-generation C-MAP® DISCOVER™ X or REVEAL X™ chart card is required.	1049.00	1248.31
000-15221-001		B&G Zeus S 9 Chartplotter GLOBAL. 9-inch SolarMAX™ high definition display. Built-in GPS, and WIFI, Built-in echosounder. Unique Sailing Modes and enhanced sailing features. A next-generation C-MAP® DISCOVER™ X or REVEAL X™ chart card is required.	1449.00	1724.31
000-15225-001		B&G Zeus S 12 Chartplotter GLOBAL. 12-inch SolarMAX™ high definition display. Built-in GPS, and WIFI, Built-in echosounder. Unique Sailing Modes and enhanced sailing features. A next-generation C-MAP® DISCOVER™ X or REVEAL X™ chart card is required.	2749.00	3271.31

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14471-001		B&G V60 fixed-mount DSC VHF Radio - Stay safe and connected with this VHF marine radio featuring a sleek design with removable fist mic, Class D DSC functionality, and built-in GPS.	723.45	860.91
000-14382-001		WS310 Wired Wind Sensor with 20m (65.5ft) mast cable and interface for connection to the NMEA 2000® network.	576.45	685.98
000-14492-001		B&G V20S Class D DSC VHF Radio - The versatile V20S is ideal for a variety of boats from small yachts to larger cruisers and racing boats, and is designed to match the low-profile style of our chartplotters and accessories.	413.70	492.30
000-13294-001		Triton² Digital Display - Multi-purpose 4.1 inch colour sailing instrument and autopilot display.	540.75	643.49
000-15793-001		B&G V100-B Blackbox VHF Radio System - featuring a built-in GPS and Class B AIS transceiver, which allows you to see and be seen by AIS-equipped vessels. Stay connected from anywhere on board with up to 8 handsets (4 wired and 4 wireless) and 4 external speakers.	1652.70	1966.71
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	702.45	835.92
000-15644-001		B&G V100 Blackbox VHF Radio System - Stay safer on the water with the B&G V100 VHF marine radio. With up to 8 connected handsets (4 wired and 4 wireless) and 4 external speakers, stay connected from anywhere on board.	987.00	1174.53
000-14540-001		HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious sailors with smaller vessels.	2152.50	2561.48
000-14474-001		B&G V60-B Marine VHF Radio - Stay safer on the water with this VHF marine radio featuring a built-in GPS and a full Class B AIS transmitter and receiver, which allows you to see and be seen by nearby AIS-equipped vessels.	1048.95	1248.25
000-15876-001		The IP CAM-1 marine grade 316 stainless steel IP camera. Powered by 12V DC or PoE.	586.95	698.47
000-13963-001		NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	1153.95	1373.20
000-14843-001		WS310 Wired Wind Sensor with 35m (115ft) mast cable and interface for connection to the NMEA 2000® network.	616.35	733.46

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15134-001		Triton™ Edge Sailing Processor with NMEA 2000®, Ethernet and built-in Wi-Fi.	1585.50	1886.75
000-15974-001		Sail Performance sensor pack. Includes WS320 wind pack, DST-810 transducer, ZG100 GPS antenna, and Micro-C backbone kit and cables.	1498.35	1783.04
000-16235-001		HS65, GNSS Compass with mount flat mount.	1199.00	1426.81
000-15611-001		B&G Nemesis® 9" Intelligent sailing display. The Ultimate sailing display providing visibility & versatility, complete customization and total integration.	2098.95	2497.75
000-15612-001		B&G Nemesis® 12" Intelligent sailing display. The Ultimate sailing display providing visibility & versatility, complete customization and total integration.	3148.95	3747.25
000-14383-001		WS320 Wireless Wind Sensor including Wireless Interface for connection to NMEA 2000® networks. For masts up to 25m in height.	691.95	823.42
000-15648-001		B&G H100 wired handset and speaker for V100/V100-B VHF radios. Up to 4 wired handsets can be added to one system and 4 wired Speakers.	391.65	466.06
000-14819-001		B&G V60-B Marine VHF Radio - Stay safer on the water with this VHF marine radio featuring a built-in GPS and a full Class B AIS transmitter and receiver, which allows you to see and be seen by nearby AIS-equipped vessels. Includes GPS-500 GPS antenna for situations where the internal GPS don't get reception.	1153.95	1373.20
000-14539-001		HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	2530.50	3011.30
000-15683-001		B&G Nemesis® Hub allows compact and straightforward connection of up to 3 Nemesis® displays at a key location (mast, helm etc) with a single Power/Ethernet cable run, and a simple interconnect cable from the hub to each display.	393.75	468.56
000-14538-001		HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	2835.00	3373.65
000-13335-001		NAC-2 Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	1701.87	2025.23
000-13337-001		NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer and Precision-9 Compass.	1421.88	1692.04
000-10029-001		NEP-2 Network Expansion Port (Ethernetverteiler mit 5 Ports)	324.45	386.10
000-13336-001		NAC-3 Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	2498.13	2972.77
000-13338-001		NAC-3 VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer and Precision-9 Compass.	2213.75	2634.36
000-0127-51		Ethernetkabel yellow 5 Pin 1.8 m (6 ft)	39.90	47.48

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-0127-29		Ethernetkabel yellow 5 Pin 4.5 m (15 ft)	58.80	69.97
000-16655-001		NAC-3 VRF. Performance VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, HS65 GNSS Compass, SteadySteer™ flow switch, backbone starter kit, 4m (15 ft) NMEA 2000 cable.	2999.00	3568.81
000-16656-001		NAC-3 RF. Performance Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, HS65 GNSS Compass, RF-25N Rudder Feedback unit, SteadySteer™ flow switch, backbone starter kit and 4m (15 ft) NMEA 2000 cable.	3390.00	4034.10
000-0127-30		Ethernetkabel yellow 5 Pin 7.7 m (25 ft)	82.95	98.71
000-0127-37		Ethernetkabel yellow 5 Pin 15.2 m (50 ft)	114.45	136.20

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15822-001		Corner bezel clips for NSX range of displays. Set of four corner clips	25.49	30.33
000-12372-001		Mounting bracket for Simrad NSX 3007, GO7 XSR, I3007, P3007, and B&G Vulcan 7R,	54.06	64.33
000-15819-001		B&G Zeus S 7 Suncover	35.70	42.48
000-15820-001		B&G Zeus S 9 Suncover	40.80	48.55
000-15821-001		B&G Zeus S 12 Suncover	61.20	72.83
000-13702-001		Gimbal mounting bracket for Simrad NSX 3009, GO9, NSS7 evo3, and B&G Vulcan9, Zeus3 7 (Plastic)	55.08	65.55
000-14148-001		U-BRACKET 12" GO, VULCAN, NSX, ZEUS S	79.00	94.01
000-00128-001		4-pin Power Cable for modules and MFDs.	40.80	48.55

Zeus® S UW

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16354-001		Zeus® S 3012 Ultrawide chartplotter ROW. 12-inch ultrawide SolarMAX™ IPS HD Display. Built-in GPS, WIFI. A C-MAP® DISCOVER™ X or REVEAL X™ chart card is required.	3058.98	3640.19
000-16356-001		Zeus® S 3015 Ultrawide chartplotter ROW. 15-inch ultrawide SolarMAX™ IPS HD Display. Built-in GPS, WIFI. A C-MAP® DISCOVER™ X or REVEAL X™ chart card is required	3772.98	4489.85

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14382-001		WS310 Wired Wind Sensor with 20m (65.5ft) mast cable and interface for connection to the NMEA 2000® network.	576.45	685.98
000-14471-001		B&G V60 fixed-mount DSC VHF Radio - Stay safe and connected with this VHF marine radio featuring a sleek design with removable fist mic, Class D DSC functionality, and built-in GPS.	723.45	860.91
000-13294-001		Triton² Digital Display - Multi-purpose 4.1 inch colour sailing instrument and autopilot display.	540.75	643.49
000-14492-001		B&G V20S Class D DSC VHF Radio - The versatile V20S is ideal for a variety of boats from small yachts to larger cruisers and racing boats, and is designed to match the low-profile style of our chartplotters and accessories.	413.70	492.30
000-15793-001		B&G V100-B Blackbox VHF Radio System - featuring a built-in GPS and Class B AIS transceiver, which allows you to see and be seen by AIS-equipped vessels. Stay connected from anywhere on board with up to 8 handsets (4 wired and 4 wireless) and 4 external speakers.	1652.70	1966.71
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	702.45	835.92
000-15876-001		The IP CAM-1 marine grade 316 stainless steel IP camera. Powered by 12V DC or PoE.	586.95	698.47
000-14540-001		HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious sailors with smaller vessels.	2152.50	2561.48
000-14474-001		B&G V60-B Marine VHF Radio - Stay safer on the water with this VHF marine radio featuring a built-in GPS and a full Class B AIS transmitter and receiver, which allows you to see and be seen by nearby AIS-equipped vessels.	1048.95	1248.25
000-15644-001		B&G V100 Blackbox VHF Radio System - Stay safer on the water with the B&G V100 VHF marine radio. With up to 8 connected handsets (4 wired and 4 wireless) and 4 external speakers, stay connected from anywhere on board.	987.00	1174.53
000-13963-001		NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	1153.95	1373.20
000-14843-001		WS310 Wired Wind Sensor with 35m (115ft) mast cable and interface for connection to the NMEA 2000® network.	616.35	733.46
000-15134-001		Triton™ Edge Sailing Processor with NMEA 2000®, Ethernet and built-in Wi-Fi.	1585.50	1886.75

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15974-001		Sail Performance sensor pack. Includes WS320 wind pack, DST-810 transducer, ZG100 GPS antenna, and Micro-C backbone kit and cables.	1498.35	1783.04
000-16235-001		HS65, GNSS Compass with mount flat mount.	1199.00	1426.81
000-15611-001		B&G Nemesis® 9" Intelligent sailing display. The Ultimate sailing display providing visibility & versatility, complete customization and total integration.	2098.95	2497.75
000-15612-001		B&G Nemesis® 12" Intelligent sailing display. The Ultimate sailing display providing visibility & versatility, complete customization and total integration.	3148.95	3747.25
000-14383-001		WS320 Wireless Wind Sensor including Wireless Interface for connection to NMEA 2000® networks. For masts up to 25m in height.	691.95	823.42
000-14819-001		B&G V60-B Marine VHF Radio - Stay safer on the water with this VHF marine radio featuring a built-in GPS and a full Class B AIS transmitter and receiver, which allows you to see and be seen by nearby AIS-equipped vessels. Includes GPS-500 GPS antenna for situations where the internal GPS don't get reception.	1153.95	1373.20
000-14539-001		HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	2530.50	3011.30
000-15648-001		B&G H100 wired handset and speaker for V100/V100-B VHF radios. Up to 4 wired handsets can be added to one system and 4 wired Speakers.	391.65	466.06
000-15683-001		B&G Nemesis® Hub allows compact and straightforward connection of up to 3 Nemesis® displays at a key location (mast, helm etc) with a single Power/Ethernet cable run, and a simple interconnect cable from the hub to each display.	393.75	468.56
000-14538-001		HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	2835.00	3373.65
000-13335-001		NAC-2 Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	1701.87	2025.23
000-13337-001		NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer and Precision-9 Compass.	1421.88	1692.04
000-10029-001		NEP-2 Network Expansion Port (Ethernetverteiler mit 5 Ports)	324.45	386.10
000-13336-001		NAC-3 Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	2498.13	2972.77
000-13338-001		NAC-3 VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer and Precision-9 Compass.	2213.75	2634.36
000-0127-51		Ethernetkabel yellow 5 Pin 1.8 m (6 ft)	39.90	47.48
000-0127-29		Ethernetkabel yellow 5 Pin 4.5 m (15 ft)	58.80	69.97

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16655-001		NAC-3 VRF. Performance VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, HS65 GNSS Compass, SteadySteer™ flow switch, backbone starter kit, 4m (15 ft) NMEA 2000 cable.	2999.00	3568.81
000-16656-001		NAC-3 RF. Performance Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, HS65 GNSS Compass, RF-25N Rudder Feedback unit, SteadySteer™ flow switch, backbone starter kit and 4m (15 ft) NMEA 2000 cable.	3390.00	4034.10
000-0127-30		Ethernetkabel yellow 5 Pin 7.7 m (25 ft)	82.95	98.71
000-0127-37		Ethernetkabel yellow 5 Pin 15.2 m (50 ft)	114.45	136.20
000-16217-001		NSX / ZeusS UW Gimbal Bracket	56.10	66.76
000-16220-001		NSX, ZeusS 3015UW Gimbal Bracket.	66.30	78.90

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16219-001		NSX/ZeusS 3012UW Rear mount kit. Includes 2x powder-coated brackets, 2x threaded studs, 8x thumb nuts, and a foam gasket.	71.40	84.97
000-16222-001		Simrad NSX 3015UW , B&G ZeusS UW Rear mount kit. Includes 2x powder-coated brackets, 2x threaded studs, 8x thumb nuts, and a foam gasket.	71.40	84.97
000-16358-001		Zeus® S Ultrawide-12 Suncover	61.20	72.83
000-16359-001		Zeus® S Ultrawide-15 Suncover	81.60	97.10
000-00128-001		4-pin Power Cable for modules and MFDs.	40.80	48.55

Vulcan

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14082-001		B&G Vulcan 7R 7-inch chartplotter and radar display with global basemap	630.00	749.70
000-13214-001		B&G Vulcan 9 FS: 9" Multifunction display. Super high-bright multi touch screen with built in NMEA 2000, GPS, Wi-Fi and ForwardScan (optional transducer required). Integrates to 3G/4G or Halo20/20+ radars. No transducer included. Global basemap chart	900.00	1071.00
000-15620-001		B&G Vulcan9 FS and Halo20 radar bundle. Global base map chart	2832.00	3370.08

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13561-001		Triton² Autopilot controller and Triton² Display Pack.	882.00	1049.58
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	702.45	835.92
000-11674-001		ForwardScan™ Transducer Kit with Sleeve & Plug. 10m (33ft) Cable	807.45	960.87
000-11738-001		DT800 Depth/Temp Sensor. Plastic thru-hull housing.	425.26	506.06
000-14382-001		WS310 Wired Wind Sensor with 20m (65.5ft) mast cable and interface for connection to the NMEA 2000® network.	576.45	685.98
000-15793-001		B&G V100-B Blackbox VHF Radio System - featuring a built-in GPS and Class B AIS transceiver, which allows you to see and be seen by AIS-equipped vessels. Stay connected from anywhere on board with up to 8 handsets (4 wired and 4 wireless) and 4 external speakers.	1652.70	1966.71
000-11852-001		Airmar IDST800L 235F B-122-RETR 6M	740.25	880.90
000-15644-001		B&G V100 Blackbox VHF Radio System - Stay safer on the water with the B&G V100 VHF marine radio. With up to 8 connected handsets (4 wired and 4 wireless) and 4 external speakers, stay connected from anywhere on board.	987.00	1174.53
000-13284-001		ForwardScan™ Transducer Kit (Long-Stem) with Sleeve & Plug. 10m (33ft) Cable	1133.13	1348.42
000-13296-001		Triton² Pilot Controller. This intuitive keypad can be combined with a B&G Triton² Display to create a fully-featured autopilot controller.	362.25	431.08
000-11518-001		Fluid Level Sensor - Connects to a standard suitable tank level sensor and transmits the tank level on the the NMEA 2000 network.	114.45	136.20
000-15134-001		Triton™ Edge Sailing Processor with NMEA 2000®, Ethernet and built-in Wi-Fi.	1585.50	1886.75

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15974-001		Sail Performance sensor pack. Includes WS320 wind pack, DST-810 transducer, ZG100 GPS antenna, and Micro-C backbone kit and cables.	1498.35	1783.04
000-16235-001		HS65, GNSS Compass with mount flat mount.	1199.00	1426.81
000-11520-001		Temperature Sensor - Can be mounted anywhere you want to monitor the temperature. Can be configured to output a variety of different temperature types.	124.95	148.69
000-14383-001		WS320 Wireless Wind Sensor including Wireless Interface for connection to NMEA 2000® networks. For masts up to 25m in height.	691.95	823.42
000-11521-001		Through-Hull Temperature Sensor - Mount through the hull of the vessel or wall of a tank you want to monitor the temperature inside. Can be configured to output a variety of different temperature types.	108.90	129.59
22098586		ST950 passive S/T sensor TH plastic with 1 m (7 ft) Pigtail (Connects speed to D800 (22098560))	122.85	146.19
000-12365-001		B&G ZC2 Remote controller. (Portrait mount). For use with ZEUS ^{2/3} , ZEUS ^{2/3} Glass Helm and Vulcan MFD systems and brings simple and precise MFD control in even the roughest sea conditions.	448.80	534.07
000-13335-001		NAC-2 Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	1701.87	2025.23
000-12513-001		B&G ZC2 Remote controller. (Landscape mount) For use with ZEUS ^{2/3} , ZEUS ^{2/3} Glass Helm and Vulcan MFD systems and brings simple and precise MFD control in even the roughest sea conditions..	499.80	594.76
000-13337-001		NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer and Precision-9 Compass.	1421.88	1692.04
000-13336-001		NAC-3 Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	2498.13	2972.77
000-13338-001		NAC-3 VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer and Precision-9 Compass.	2213.75	2634.36
000-16655-001		NAC-3 VRF. Performance VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, HS65 GNSS Compass, SteadySteer™ flow switch, backbone starter kit, 4m (15 ft) NMEA 2000 cable.	2999.00	3568.81
000-16656-001		NAC-3 RF. Performance Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, HS65 GNSS Compass, RF-25N Rudder Feedback unit, SteadySteer™ flow switch, backbone starter kit and 4m (15 ft) NMEA 2000 cable.	3390.00	4034.10
000-13714-001		Networked wind sensor for Triton2, Triton, IS42, IS40 and IS20 systems. Sensor only, does not include cable.	451.50	537.29
000-12374-001		Flush mount O'ring type seal for use with the Flush mount kit for GO7 & Vulcan 7 displays.	22.00	26.18
000-12373-001		Replacement panel / dashboard gasket for GO7 & Vulcan 7 displays	11.00	13.09

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-12366-001		FLUSH MOUNT KIT,GO7 & VULCAN 7 Note: If flush mounting the Go7 or Vulcan 7 you may need the specific sun cover for the flush mount installation method. For GO7 please order 000-12368-001 or for Vulcan order 000-12370-001).	30.59	36.40
000-13703-001		Auto-Stby Button - Metal. For a physical Auto/Stby button in systems with NAC-1 and NAC-2 Autopilot Computers.	51.45	61.23
000-12370-001		SUNCOVER,VULCAN 7 FLUSH MOUNT	22.66	26.97

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13172-001		Vulcan-5 Suncover	25.00	29.75
000-13171-001		GO5 & Vulcan-5 Power & N2K Cable	80.58	95.89
000-10027-001		Quick Release Bracket - GO5 / Vulcan5 / P2005 / I3005 / Mark / Elite	35.70	42.48
000-13170-001		Edge Bezel for P2005, I3005, GO5 & Vulcan-5	11.22	13.35
000-13169-001		Dash Mount kit for P2005, I3005, GO5 & Vulcan-5	14.28	16.99
000-13700-001		Replacement bezel for Simrad GO9 or B&G Vulcan9.	18.36	21.85
000-14148-001		U-BRACKET 12" GO, VULCAN, NSX, ZEUS S	79.00	94.01
000-00128-001		4-pin Power Cable for modules and MFDs.	40.80	48.55

Nemesis

Main Products

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16518-001	 Nemesis® 7 Intelligent sailing display. The Ultimate sailing display providing visibility & versatility, complete customization and total integration.	1363.95	1623.10
000-15611-001	 B&G Nemesis® 9" Intelligent sailing display. The Ultimate sailing display providing visibility & versatility, complete customization and total integration.	2098.95	2497.75
000-15612-001	 B&G Nemesis® 12" Intelligent sailing display. The Ultimate sailing display providing visibility & versatility, complete customization and total integration.	3148.95	3747.25
000-15683-001	 B&G Nemesis® Hub allows compact and straightforward connection of up to 3 Nemesis® displays at a key location (mast, helm etc) with a single Power/Ethernet cable run, and a simple interconnect cable from the hub to each display.	393.75	468.56

Accessories

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15134-001	 Triton™ Edge Sailing Processor with NMEA 2000®, Ethernet and built-in Wi-Fi.	1585.50	1886.75
000-15135-001	 B&G Hercules Sailing Processor	2908.50	3461.12
000-15137-001	 HERCULES EXPANSION MODULE	1674.75	1992.95
000-15683-001	 B&G Nemesis® Hub allows compact and straightforward connection of up to 3 Nemesis® displays at a key location (mast, helm etc) with a single Power/Ethernet cable run, and a simple interconnect cable from the hub to each display.	393.75	468.56
000-15893-001	 B&G Nemesis™ 9 Mast Bracket	294.00	349.86
000-15894-001	 B&G Nemesis™ 12 Mast Bracket	341.25	406.09
000-14547-001	 Power / Ethernet cable, 5 m (16.5 ft) for HALO dome radars and B&G Nemesis displays	80.85	96.21
000-14548-001	 Power / Ethernet cable, 10 m (33 ft) for HALO dome radars and B&G Nemesis displays	124.95	148.69
000-14549-001	 Power / Ethernet cable, 20 m (65.5 ft) for HALO dome radars and B&G Nemesis displays	187.95	223.66
000-14550-001	 Power / Ethernet cable, 30 m (98.5 ft) for HALO dome radars and B&G Nemesis displays	250.95	298.63
000-15740-001	 Nemesis™ Power & Ethernet Hub Interconnect cable. 60cm (2 ft). One required per display to be connected to the Hub.	72.45	86.22

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15739-001		NMEA 2000 cable 0.6 m (2 ft) Micro-C straight connector / 90 degree female connector.	35.70	42.48

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15822-001		Corner bezel clips for NSX range of displays. Set of four corner clips	25.49	30.33
000-15868-001		B&G Nemesis™ 9 Spare Suncover	42.00	49.98
000-15869-001		B&G Nemesis™ 12 Spare Suncover	63.00	74.97

Triton™ Edge

Main Products

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11548-002	 Triton™ Edge Sailing Processor Base Pack, Comes with Triton™ Edge Sailing Processor, Triton2 Instrument display, and Micro-C Backbone kit.	1998.68	2378.43
000-15134-001	 Triton™ Edge Sailing Processor with NMEA 2000®, Ethernet and built-in Wi-Fi.	1585.50	1886.75

Accessories

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13294-001	 Triton² Digital Display - Multi-purpose 4.1 inch colour sailing instrument and autopilot display.	540.75	643.49
000-15611-001	 B&G Nemesis® 9" Intelligent sailing display. The Ultimate sailing display providing visibility & versatility, complete customization and total integration.	2098.95	2497.75
000-15612-001	 B&G Nemesis® 12" Intelligent sailing display. The Ultimate sailing display providing visibility & versatility, complete customization and total integration.	3148.95	3747.25
000-0119-79	 N2K-T-RD - NMEA 2000® T-connector zur Netzwerkerweiterung	23.10	27.49
000-12612-001	 Low loss NMEA2000 4-way joiner. Connect four NMEA2000 Micro-C devices to the NMEA2000 Network.	75.60	89.96
000-0119-88	 N2KEXT-2RD - 0.61 m (2-ft) NMEA 2000® Netzwerkkabel	33.60	39.98
000-0127-53	 N2KEXT-6RD - 1.82 m (6-ft) NMEA 2000® Netzwerkkabel	52.50	62.48
000-0119-86	 N2KEXT-15RD - 4.55 m (15-ft) NMEA 2000® Netzwerkkabel	58.80	69.97
000-0119-83	 N2KEXT-25RD - 7.58 m (25-ft) NMEA 2000® Netzwerkkabel	82.95	98.71
000-0127-51	 Ethernetkabel yellow 5 Pin 1.8 m (6 ft)	39.90	47.48
000-0127-29	 Ethernetkabel yellow 5 Pin 4.5 m (15 ft)	58.80	69.97
000-0127-30	 Ethernetkabel yellow 5 Pin 7.7 m (25 ft)	82.95	98.71
000-0127-37	 Ethernetkabel yellow 5 Pin 15.2 m (50 ft)	114.45	136.20
000-11246-001	 RJ45-Yellow Round Ethernet adapter cable RJ45 Male / 5 Pin Female 10 cm (6")	25.20	29.99

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13294-001		Triton² Digital Display - Multi-purpose 4.1 inch colour sailing instrument and autopilot display.	540.75	643.49
000-15134-001		Triton™ Edge Sailing Processor with NMEA 2000®, Ethernet and built-in Wi-Fi.	1585.50	1886.75
000-10760-001		NMEA 2000 Micro-C Auto pilot network starter kit: Includes Network power cable, 4.5 m (15 ft) N2K cable, 3 x T-connectors, and 2 x network terminators.	94.50	112.46

Triton²

Main Products

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13294-001	 Triton ² Digital Display - Multi-purpose 4.1 inch colour sailing instrument and autopilot display.	540.75	643.49
000-14955-002	 Triton ² Speed / Depth / Wind Instrument pack. Includes Triton ² Instrument Display, DST810 Depth/Speed/Temperature sensor, WS310 Wired Wind Sensor and a NMEA 2000® starter kit.	1480.50	1761.80
000-14956-002	 Triton ² Speed / Depth / Wireless Wind Instrument pack. Includes Triton ² Instrument Display, DST810 Depth/Speed/Temperature transducer, WS320 Wireless Wind Sensor and a NMEA2000 starter kit.	1573.95	1873.00
000-14957-002	 Dual Triton ² Speed / Depth / Wireless Wind Instrument pack. Includes 2x Triton ² Instrument Display, DST810 Depth/Speed/Temperature transducer, WS320 Wireless Wind Sensor and a NMEA2000 starter kit.	2129.40	2533.99
000-13298-002	 Triton ² Speed / Depth instrument pack. Pack includes Triton ² Instrument Display, DST810 Depth/Speed/Temperature transducer and a NMEA2000 starter kit.	1057.35	1258.25

Accessories

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14382-001	 WS310 Wired Wind Sensor with 20m (65.5ft) mast cable and interface for connection to the NMEA 2000® network.	576.45	685.98
000-12607-001	 Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	702.45	835.92
000-13296-001	 Triton ² Pilot Controller. This intuitive keypad can be combined with a B&G Triton ² Display to create a fully-featured autopilot controller.	362.25	431.08
000-15134-001	 Triton™ Edge Sailing Processor with NMEA 2000®, Ethernet and built-in Wi-Fi.	1585.50	1886.75
000-15974-001	 Sail Performance sensor pack. Includes WS320 wind pack, DST-810 transducer, ZG100 GPS antenna, and Micro-C backbone kit and cables.	1498.35	1783.04
000-16235-001	 HS65, GNSS Compass with mount flat mount.	1199.00	1426.81
000-14383-001	 WS320 Wireless Wind Sensor including Wireless Interface for connection to NMEA 2000® networks. For masts up to 25m in height.	691.95	823.42
000-13249-001	 The low-current NAC-2 autopilot computer is ideal for smaller vessels, designed to run small hydraulic drives and mechanical drives for vessels up to 10 metres (33 feet) in length. Also provides solenoid output.	985.95	1173.28
000-13250-001	 The high-current NAC-3 autopilot computer is designed for vessels over 10 metres (33 feet) in length, with the ability to run heavy-duty hydraulic drive pumps & linear rams, and also provides solenoid output.	1731.45	2060.43
000-10614-001	 N2K, IS40 CABLE,MICRO-C,RIGHT ANGLE INTERCONNECT 0.4m (1.3 ft)	25.20	29.99

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13722-001		Suncover for B&G Triton² Display	26.25	31.24
000-13950-001		IS42 & Triton2 Installation Kit - Includes edge bezel, screws and guide tool.	19.95	23.74

Hercules

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15135-001		B&G Hercules Sailing Processor	2908.50	3461.12
000-15137-001		HERCULES EXPANSION MODULE	1674.75	1992.95

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15611-001		B&G Nemesis® 9" Intelligent sailing display. The Ultimate sailing display providing visibility & versatility, complete customization and total integration.	2098.95	2497.75
000-15137-001		HERCULES EXPANSION MODULE	1674.75	1992.95

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15135-001		B&G Hercules Sailing Processor	2908.50	3461.12
000-10760-001		NMEA 2000 Micro-C Auto pilot network starter kit: Includes Network power cable, 4.5 m (15 ft) N2K cable, 3 x T-connectors, and 2 x network terminators.	94.50	112.46

H5000

Main Products

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11725-001	 Allows expansion of an H5000 system to include additional analogue and pulse signals from compatible 3rd party sensors. H5000 provides options for these inputs to be assigned to a known function type or to be set up as a custom input with name defined by the user.	897.75	1068.32
000-11726-001	 H5000 Serial Expansion allows expansion of an H5000 system. Provides additional serial interfacing options. Typically used for interfacing B&G HGSC heading sensor, GPS sensors, 3rd party heading sensors and other NMEA 0183 devices.	897.75	1068.32
000-11551-001	 H5000 3D Motion Sensor Enables Motion Correction for Wind data on H5000 Hercules/Performance systems	1029.00	1224.51
000-11553-001	 H5000 Audible Alarm Module provides a configurable audible alarm connected anywhere on the network.	215.25	256.15
000-13323-001	 The H5000 Fastnet Interface provides a B&G supported solution for customers wishing to progressively upgrade H3000 systems and/or replace displays on an H3000 system with the latest H5000 Graphic displays.	204.75	243.65

Accessories

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14382-001	 WS310 Wired Wind Sensor with 20m (65.5ft) mast cable and interface for connection to the NMEA 2000® network.	576.45	685.98
000-11552-001	 H5000 Barometric Pressure Sensor provides High-Resolution measurement of Barometric Pressure to the system.	318.15	378.60
000-15134-001	 Triton™ Edge Sailing Processor with NMEA 2000®, Ethernet and built-in Wi-Fi.	1585.50	1886.75
000-15974-001	 Sail Performance sensor pack. Includes WS320 wind pack, DST-810 transducer, ZG100 GPS antenna, and Micro-C backbone kit and cables.	1498.35	1783.04
000-15611-001	 B&G Nemesis® 9" Intelligent sailing display. The Ultimate sailing display providing visibility & versatility, complete customization and total integration.	2098.95	2497.75
000-14383-001	 WS320 Wireless Wind Sensor including Wireless Interface for connection to NMEA 2000® networks. For masts up to 25m in height.	691.95	823.42
000-11725-001	 Allows expansion of an H5000 system to include additional analogue and pulse signals from compatible 3rd party sensors. H5000 provides options for these inputs to be assigned to a known function type or to be set up as a custom input with name defined by the user.	897.75	1068.32
000-11726-001	 H5000 Serial Expansion allows expansion of an H5000 system. Provides additional serial interfacing options. Typically used for interfacing B&G HGSC heading sensor, GPS sensors, 3rd party heading sensors and other NMEA 0183 devices.	897.75	1068.32
000-11760-001	 H5000 CPU UNLOCK CODE HYDRA TO PERF	2499.00	2973.81

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11759-001	 Missing Image	H5000 CPU UNLOCK CODE HERC TO PERF	1585.50	1886.75
000-11758-001	 Missing Image	H5000 CPU UNLOCK CODE HYDRA TO HERC	913.50	1087.07

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-12892-001		SUN COVER,H5000 DISPLAYS	21.00	24.99
000-15545-001	 Missing Image	Gasket for H5000 Graphic/Race Displays 5-pack	26.25	31.24
000-12614-001		H5000 Displays - Edge Cover Set	8.40	10.00
000-12899-001		USB port cover for H5000, AP44/48, A2004, IS42, and Triton 2	10.50	12.50
000-12897-001		GROMMET PACK,H5000 MODULES	40.95	48.73
000-12896-001		GROMMET PACK,H5000 CPU	17.30	20.59
000-12898-001		CONN PACK,H5000 EXPANSION MODULES	24.87	29.60
000-12894-001		CONN PACK,H5000 CPU	68.25	81.22

WTP3


Main Products

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15136-001	 Hercules® WTP Sailing Processor.	7854.00	9346.26
000-10316-001	 WTP3 Analogue Module - Provides analogue data acquisition, and includes a range of input and output options to support a wide variety of sensors.	1123.50	1336.97
000-10308-001	 WTP3 Serial Module - Provides serial data acquisition, and includes a range of input and output options to support a wide variety of sensors.	1123.50	1336.97

Accessories

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15137-001	 HERCULES EXPANSION MODULE	1674.75	1992.95
000-10396-001	 Kabel, MICRO-C, Metal, 0.4 m	29.46	35.06

Spare Parts





Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15136-001	 Hercules® WTP Sailing Processor.	7854.00	9346.26
000-10760-001	 NMEA 2000 Micro-C Auto pilot network starter kit: Includes Network power cable, 4.5 m (15 ft) N2K cable, 3 x T-connectors, and 2 x network terminators.	94.50	112.46
288-00-001	 Anschlußdose - 7 Anschlüsse	78.75	93.71
000-10403-001	 T-Joiner, Micro-C, Metal	36.26	43.14
BGH214015	 H3000 GFD/GPD Schutzkappen	26.25	31.24
000-10311-001	 WTP3 FastNet Cable - 2m (6.6ft)	115.36	137.28
000-10404-001	 MICRO-C,Kupplung mit weiblichem Eingang und Männlichem Ausgang	27.19	32.36

HVision

Main Products

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11087-001	 10/10HV display for H5000 or Triton systems.	629.43	749.02
000-11088-001	 20/20HV display for H5000 or Triton systems.	899.81	1070.77
000-11089-001	 30/30HV display for H5000 or Triton systems.	1784.48	2123.53
000-11090-001	 40/40HV display for H5000 or Triton systems.	3233.69	3848.09

Accessories

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15134-001	 Triton™ Edge Sailing Processor with NMEA 2000®, Ethernet and built-in Wi-Fi.	1585.50	1886.75
BGH220013	 20/20 HV Mast Halter (3-fach)	231.00	274.89
BGH220014	 20/20 HV Mast Halter (4-fach)	310.00	368.90
BGH220015	 20/20 HV Mast Halter (5-fach)	378.00	449.82
BGH291017	 20/20HV Rahmen (weiß)	61.00	72.59
BGH291018	 20/20HV Rahmen (Rot)	61.00	72.59
BGH291019	 20/20HV Rahmen (Grün)	61.00	72.59
Spare Parts			
Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15546-001	 Gasket for 20/20 HV Display 5-pack	22.05	26.24

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15547-001	 Missing Image	Gasket for 30/30 HV Display 5-pack	50.40	59.98
000-15548-001	 Missing Image	Gasket for 40/40 HV Display 5-pack	90.30	107.46
BGH281011	 Missing Image	40/40HV Rahmen (schwarz)	69.30	82.47
BGH284014	 Missing Image	40/40HV Sun Cover	38.85	46.23
BGH241011	 Missing Image	30/30HV Rahmen schwarz	63.00	74.97
BGH244014	 Missing Image	30/30HV Sun Cover	37.80	44.98
BGH291011	 Missing Image	20/20HV Rahmen (schwarz)	47.25	56.23
BGH324014	 Missing Image	10/10HV Sun Cover	21.00	24.99
BGH214015		H3000 GFD/GPD Schutzkappen	26.25	31.24

Analog

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11714-001		H5000 ANALOGUE AWA 360	724.50	862.16
000-11715-001		H5000 ANALOGUE TWA 360	724.50	862.16
000-11716-001		H5000 ANALOGUE AWS 0-50KT	724.50	862.16
000-11717-001		H5000 ANALOGUE TWS 0-50KT	724.50	862.16
000-11718-001		H5000 ANALOGUE MAG AWA	724.50	862.16
000-11719-001		H5000 ANALOGUE BOAT SPEED 12.5KT	724.50	862.16
000-11721-001		H5000 ANALOGUE BOAT SPEED 25KT	724.50	862.16
000-11720-001		H5000 ANALOGUE DEPTH 200M	724.50	862.16
000-11724-001		H5000 ANALOGUE FT/FATH DEPTH	724.50	862.16
000-11722-001		H5000 ANALOGUE HEADING	724.50	862.16
000-11723-001		H5000 ANALOGUE RUDDER ANGLE	724.50	862.16

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
24005729		SimNet to Micro-C (male) cable that connects a SimNet product to a NMEA 2000® backbone. 0.5 m (1.6 ft)	39.90	47.48
BGH301035		B&G SimNet Kabel 0.35m, gewinkelt	37.80	44.98

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
BGH234017		H3000 analog Schutzkappen	18.90	22.49

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
BGH301035		B&G SimNet Kabel 0.35m, gewinkelt	37.80	44.98
BGH231021		H3000 Analog: Echolot ft/fathoms	29.40	34.99
BGH234017		H3000 analog Schutzkappen	18.90	22.49

Sensor packs

Main Products

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15974-001	 Sail Performance sensor pack. Includes WS320 wind pack, DST-810 transducer, ZG100 GPS antenna, and Micro-C backbone kit and cables.	1498.35	1783.04

Spare Parts

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11048-002	 The ZG100 GPS Antenna with Integrated Compass sensor providing Heading, Heel and Trim.	292.95	348.61
000-15735-001	 DST-810 Depth/Speed/Temp Sensor. Plastic thru-hull housing.	461.88	549.64
000-14383-001	 WS320 Wireless Wind Sensor including Wireless Interface for connection to NMEA 2000® networks. For masts up to 25m in height.	691.95	823.42
000-10760-001	 NMEA 2000 Micro-C Auto pilot network starter kit: Includes Network power cable, 4.5 m (15 ft) N2K cable, 3 x T-connectors, and 2 x network terminators.	94.50	112.46
000-0127-53	 N2KEXT-6RD - 1.82 m (6-ft) NMEA 2000® Netzwirkkabel	52.50	62.48
000-0119-86	 N2KEXT-15RD - 4.55 m (15-ft) NMEA 2000® Netzwirkkabel	58.80	69.97

700 Series Wind

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14384-001		WS710 (0.8m) Vertical Wind Sensor Pack: Comes with 35m mast cable and junction box.	2404.50	2861.36
000-14385-001		WS720 (1050mm) Vertical Wind Sensor Pack: Comes with 35m mast cable and junction box	2898.00	3448.62
000-14386-001		WS730 (1450mm) Vertical Wind Sensor Pack. Comes with 35m mast cable and junction box.	3391.50	4035.89
000-14392-001		WS710 Vertical Wind Sensor Only (0.8m)	2247.00	2673.93
000-14393-001		WS720 Vertical Wind Sensor Only (1050mm)	2735.25	3254.95
000-14983-001		WS720S Ocean Spec Vertical Wind Sensor Only (1050mm)	3008.25	3579.82
000-14394-001		WS730 Vertical Wind Sensor Only (1450mm)	3234.00	3848.46
000-14984-001		WS730S Ocean Spec Vertical Wind Sensor Only (1450mm)	3549.00	4223.31
000-14395-001		WS740S Ocean Spec Vertical Wind Sensor Only (1800mm)	4137.00	4923.03

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14396-001		20m (65') mast cable with pre-molded connectors for the WS310 and WS700 series wired wind sensors.	124.95	148.69
000-14397-001		35m (115') mast cable with pre-molded connectors for the WS310 and WS700 series wired wind sensors.	145.95	173.68
000-14398-001		50m (164') mast cable with pre-molded connectors for the WS310 and WS700 series wired wind sensors.	551.57	656.37
000-14399-001		80m (262') mast cable with pre-molded connectors for the WS310 and WS700 series wired wind sensors.	854.39	1016.72
000-15090-001		WS700 Wired Interface. Converts NMEA 0183 wind data from the Masthead Unit to NMEA 2000@.	208.95	248.65
BGH030008		VMHU Top Mount Bracket	219.45	261.15
BGH030009		VMHU Face Mount Bracket	194.25	231.16

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15144-001		Wind vane assembly spare for WS300/700 series wind sensors. Inc. mounting nut.	50.40	59.98
000-15143-001		WS300/700 Support Moulding inc. O-Ring	17.85	21.24
000-14392-001		WS710 Vertical Wind Sensor Only (0.8m)	2247.00	2673.93
000-14393-001		WS720 Vertical Wind Sensor Only (1050mm)	2735.25	3254.95
000-15142-001		Replacement wind angle bearing for the WS300/700 series wind sensors.	87.15	103.71
000-14396-001		20m (65') mast cable with pre-molded connectors for the WS310 and WS700 series wired wind sensors.	124.95	148.69

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14397-001		35m (115') mast cable with pre-molded connectors for the WS310 and WS700 series wired wind sensors.	145.95	173.68
000-14394-001		WS730 Vertical Wind Sensor Only (1450mm)	3234.00	3848.46
000-15140-001		Wind Speed Cup spare for all B&G MHUs (508, 608, 213, VMHU, WS300, WS700)	32.55	38.73
000-14398-001		50m (164') mast cable with pre-molded connectors for the WS310 and WS700 series wired wind sensors.	551.57	656.37
000-14399-001		80m (262') mast cable with pre-molded connectors for the WS310 and WS700 series wired wind sensors.	854.39	1016.72
000-15139-001		Replacement PCB for WS700/310 series wind sensors.	312.90	372.35
213-10-038		Replacement wind speed bearing for all B&G MHUs (508, 608, 213, VMHU, WS300, WS700)	96.60	114.95
MHU-NUTS		Replacement mounting nuts for wind vane and cups for all B&G MHUs (508, 608, 213, VMHU, WS300, WS700)	21.00	24.99
BGH030008		VMHU Top Mount Bracket	219.45	261.15
BGH030009		VMHU Face Mount Bracket	194.25	231.16

Wind

Main Products




Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14382-001		WS310 Wired Wind Sensor with 20m (65.5ft) mast cable and interface for connection to the NMEA 2000® network.	576.45	685.98
000-14843-001		WS310 Wired Wind Sensor with 35m (115ft) mast cable and interface for connection to the NMEA 2000® network.	616.35	733.46
000-14383-001		WS320 Wireless Wind Sensor including Wireless Interface for connection to NMEA 2000® networks. For masts up to 25m in height.	691.95	823.42
000-14391-001		WS310 Wired Wind Sensor only.	476.70	567.27
000-14390-001		WS320 Wireless Wind Sensor only.	565.95	673.48
000-14396-001		20m (65') mast cable with pre-molded connectors for the WS310 and WS700 series wired wind sensors.	124.95	148.69
000-14397-001		35m (115') mast cable with pre-molded connectors for the WS310 and WS700 series wired wind sensors.	145.95	173.68
000-14398-001		50m (164') mast cable with pre-molded connectors for the WS310 and WS700 series wired wind sensors.	551.57	656.37
000-14399-001		80m (262') mast cable with pre-molded connectors for the WS310 and WS700 series wired wind sensors.	854.39	1016.72
000-15090-001		WS700 Wired Interface. Converts NMEA 0183 wind data from the Masthead Unit to NMEA 2000®.	208.95	248.65
000-14389-001		WS310 Wired Interface. Converts NMEA 0183 wind data from the Masthead Unit to NMEA 2000®.	162.75	193.67

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14396-001		20m (65') mast cable with pre-molded connectors for the WS310 and WS700 series wired wind sensors.	124.95	148.69
000-14397-001		35m (115') mast cable with pre-molded connectors for the WS310 and WS700 series wired wind sensors.	145.95	173.68
000-14398-001		50m (164') mast cable with pre-molded connectors for the WS310 and WS700 series wired wind sensors.	551.57	656.37
000-14399-001		80m (262') mast cable with pre-molded connectors for the WS310 and WS700 series wired wind sensors.	854.39	1016.72

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15090-001		WS700 Wired Interface. Converts NMEA 0183 wind data from the Masthead Unit to NMEA 2000®.	208.95	248.65
000-14389-001		WS310 Wired Interface. Converts NMEA 0183 wind data from the Masthead Unit to NMEA 2000®.	162.75	193.67
000-14388-001		The WS320 Wireless Interface: Spare Wireless Interface for the WS320 Wind Sensor system. Receives wireless signals from the WS320 and converts to NMEA 2000.	191.10	227.41

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15144-001		Wind vane assembly spare for WS300/700 series wind sensors. Inc. mounting nut.	50.40	59.98
000-15615-001		Replacement PCB for the WS320 wind sensor.	312.90	372.35
000-15143-001		WS300/700 Support Moulding inc. O-Ring	17.85	21.24
000-14391-001		WS310 Wired Wind Sensor only.	476.70	567.27
000-14396-001		20m (65') mast cable with pre-molded connectors for the WS310 and WS700 series wired wind sensors.	124.95	148.69
000-15142-001		Replacement wind angle bearing for the WS300/700 series wind sensors.	87.15	103.71
000-15140-001		Wind Speed Cup spare for all B&G MHUs (508, 608, 213, VMHU, WS300, WS700)	32.55	38.73
000-15141-001		Replacement battery for WS320 wireless wind sensor.	23.10	27.49
000-15139-001		Replacement PCB for WS700/310 series wind sensors.	312.90	372.35
213-10-038		Replacement wind speed bearing for all B&G MHUs (508, 608, 213, VMHU, WS300, WS700)	96.60	114.95
000-14389-001		WS310 Wired Interface. Converts NMEA 0183 wind data from the Masthead Unit to NMEA 2000®.	162.75	193.67
MHU-NUTS		Replacement mounting nuts for wind vane and cups for all B&G MHUs (508, 608, 213, VMHU, WS300, WS700)	21.00	24.99
000-14388-001		The WS320 Wireless Interface: Spare Wireless Interface for the WS320 Wind Sensor system. Receives wireless signals from the WS320 and converts to NMEA 2000.	191.10	227.41
000-13715-001		608 Wind Sensor spare PCB assembly. Compatible with 608 and 508 Wind Sensors	199.50	237.41
000-10573-001		IS20 Windfahnen Masthalterung	69.22	82.37
213-10-004		Windrichtung Lager (für 213 oder 496 Windmeßgeber)	87.15	103.71

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
213-10-056	 Missing Image Wind Fahne (für 213 oder 496 Windmeßgeber)	44.10	52.48

Speed/Depth

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11738-001		DT800 Depth/Temp Sensor. Plastic thru-hull housing.	425.26	506.06
000-11852-001		Airmar IDST800L 235F B-122-RETR 6M	740.25	880.90
000-15735-001		DST-810 Depth/Speed/Temp Sensor. Plastic thru-hull housing.	461.88	549.64
000-15736-001		DST-810 Depth/Speed/Temp Sensor. Bronze thru-hull housing	657.11	781.96
000-15735-002		DST-820 Depth/Speed/Temp Sensor. Plastic thru-hull housing. With Gen2 Paddlewheel, 6 m (20') NMEA 2000® cable.	439.89	523.47
000-15736-002		IDST-820 Depth/Speed/Temp Sensor. Bronze thru-hull housing. With Gen2 Paddlewheel, 6 m (20') NMEA 2000® cable.	625.82	744.73
22098586		ST950 passive S/T sensor TH plastic with 1 m (7 ft) Pigtail (Connects speed to D800 (22098560))	122.85	146.19

Spare Parts


Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-10567-001		P617V DST HSG VLV KIT	69.00	82.11
000-10568-001		Accessory plug assembly for DST800	29.58	35.20
000-10388-001		Ersatzteil Kit Paddelrad für DST800	36.75	43.73

Heading


Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	702.45	835.92
000-16235-001		HS65, GNSS Compass with mount flat mount.	1199.00	1426.81

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-0127-45		SimNet auf N2K Adapter-Kit - verbindet SimNet-Komponenten mit NMEA 2000® Netzwerk	124.44	148.08
000-10640-001		HS70 Power / NMEA0183 Kabel, 15m	347.00	412.93
000-10641-001		HS70 programming Kabel	414.00	492.66
000-10937-001		HS70 SERIAL-TO-N2K ADAPTER	143.00	170.17

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16297-001		Standard flat mount that ships with HS65 GNSS Compass. This can be used ad replacement.	77.70	92.46
BGH063001		Halcyon Gyro-Stabilised Kompassgeber Kabel	218.00	259.42
000-10641-001		HS70 programming Kabel	414.00	492.66
000-10937-001		HS70 SERIAL-TO-N2K ADAPTER	143.00	170.17

Environment

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16154-001		Airmar® 110WX WeatherStation® Sensor Only	1320.72	1571.66
000-11552-001		H5000 Barometric Pressure Sensor provides High-Resolution measurement of Barometric Pressure to the system.	318.15	378.60
000-11520-001		Temperature Sensor - Can be mounted anywhere you want to monitor the temperature. Can be configured to output a variety of different temperature types.	124.95	148.69
000-11521-001		Through-Hull Temperature Sensor - Mount through the hull of the vessel or wall of a tank you want to monitor the temperature inside. Can be configured to output a variety of different temperature types.	108.90	129.59

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11740-001		Airmar 110WX/ 120WX Cable 6 m (19.6 ft) (NMEA 2000 to Device cable)	95.48	113.62

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11740-001		Airmar 110WX/ 120WX Cable 6 m (19.6 ft) (NMEA 2000 to Device cable)	95.48	113.62

GPS

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11048-002		The ZG100 GPS Antenna with Integrated Compass sensor providing Heading, Heel and Trim.	292.95	348.61
000-11571-002		The ZG100 Antenna provides high accuracy position at a 10Hz update rate. Built in rate compass is perfect for for providing heading data for Radar Chart Overlay and for orienting charts in Head Up Mode. - Boatbuilder 6-pack.	292.95	348.61

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16564-001	 Missing Image	POLE MOUNT KIT GS25/ZG100/POINT-1	36.00	42.84
000-11148-001	 Missing Image	Pole Mount for GS25 / ZG100 / POINT-1	30.00	35.70

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16564-001	 Missing Image	POLE MOUNT KIT GS25/ZG100/POINT-1	36.00	42.84
000-11148-001	 Missing Image	Pole Mount for GS25 / ZG100 / POINT-1	30.00	35.70

Andere

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15940-001		NMEA 2000® Remote MOB Button. An emergency Man-Over-Board (MOB) button, which will trigger alerts across the NMEA2000® network.	175.35	208.67
000-11518-001		Fluid Level Sensor - Connects to a standard suitable tank level sensor and transmits the tank level on the the NMEA 2000 network.	114.45	136.20
000-15939-001		NMEA 0183® - NMEA 2000® converter. 1.8 m (6 ft) Micro-C to bare wire cable	192.15	228.66

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-12612-001		Low loss NMEA2000 4-way joiner. Connect four NMEA2000 Micro-C devices to the NMEA2000 Network.	75.60	89.96
000-0119-88		N2KEXT-2RD - 0.61 m (2-ft) NMEA 2000® Netzwirkkabel	33.60	39.98
000-0127-53		N2KEXT-6RD - 1.82 m (6-ft) NMEA 2000® Netzwirkkabel	52.50	62.48
000-0119-86		N2KEXT-15RD - 4.55 m (15-ft) NMEA 2000® Netzwirkkabel	58.80	69.97

Wind

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
BGH031001		Vertical Masthead Unit 810mm Only. Analog Wind Sensor for WPT3, H3000 and H5000.	2247.00	2673.93
BGH031002		Vertical Masthead Unit 1050mm Only. Analog Wind Sensor for WPT3, H3000 and H5000.	2735.25	3254.95
BGH031002/S		Vertical Masthead Unit Ocean Spec 1050mm Only. Analog Wind Sensor for WPT3, H3000 and H5000.	3045.00	3623.55
BGH031003		Vertical Masthead Unit 1450mm Only. Analog Wind Sensor for WPT3, H3000 and H5000.	3234.00	3848.46
BGH031003/S		Vertical Masthead Unit Ocean Spec 1450mm Only. Analog Wind Sensor for WPT3, H3000 and H5000.	3549.00	4223.31
BGH031010		Vertical Masthead Unit 1800mm Only. Analog Wind Sensor for WPT3, H3000 and H5000.	4147.50	4935.53
213-00-002		The 213 Masthead unit is an ocean-proven high performance wind sensor, providing raw wind speed and angle data to the instrument system. For H5000 and H3000.	1092.00	1299.48

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
BGH030006		36m extra leicht Mast Kabel (für 213 Vertikaler Windmeßgeber)	474.08	564.16
BGH030007		50m extra leicht Mast Kabel (für 213 Vertikaler Windmeßgeber)	596.00	709.24
BGH030008		VMHU Top Mount Bracket	219.45	261.15
BGH030009		VMHU Face Mount Bracket	194.25	231.16
178-0B-001		24m Mast Kabel und Halter (für 213 Windmeßgeber, Standart Version)	376.95	448.57
178-0D-001		36m Mast Kabel und Halter (für 213 Windmeßgeber, Standart Version)	462.00	549.78
178-0X-001		36m extra leicht Mast Kabel und Halter (für 213 Windmeßgeber, Standart Version)	598.50	712.22

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
213-10-038		Replacement wind speed bearing for all B&G MHUs (508, 608, 213, VMHU, WS300, WS700)	96.60	114.95
MHU-NUTS		Replacement mounting nuts for wind vane and cups for all B&G MHUs (508, 608, 213, VMHU, WS300, WS700)	21.00	24.99
178-30-023	 Missing Image	213 Kabel Mutter (Kabel an Halter)	66.15	78.72
213-10-003	 Missing Image	213 Windmeßgeber nur Gehäuse (Standart Version)	504.00	599.76
213-10-004	 Missing Image	Windrichtung Lager (für 213 oder 496 Windmeßgeber)	87.15	103.71
213-10-056	 Missing Image	Wind Fahne (für 213 oder 496 Windmeßgeber)	44.10	52.48
213-10-101	 Missing Image	213 Windmeßgeber Platine	376.95	448.57
MHU-MLDGS	 Missing Image	213/496 Aussengehäuse	65.10	77.47

Speed/Depth

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
SEN-SPD-HM		Loggeber Paket, Bronze Seebodengehäuse (H3000, H2000)	388.50	462.32
SEN-SPD-HP		Loggeber Paket, Kunststoff Seebodengehäuse (H3000, H2000)	261.45	311.13
SEN-SPD-HPF		Loggeber Paket, Kunststoff versenktem Seebodengehäuse (H3000, H2000)	199.50	237.41
SEN-DPT-A2M		Tiefensensor NMEA0183 - 235 kHz - Bronze geflanscht	656.25	780.94
SEN-DPT-A2P		Tiefensensor NMEA0183 - 235 kHz - Bronze geflanscht	733.95	873.40

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
SEN-HSG-M		Sensor Seebodengehäuse - Metal	252.00	299.88
SEN-HSG-P		Sensor Seebodengehäuse - Kunststoff	100.80	119.95
SEN-HSG-PF		Sensor Seebodengehäuse - Kunststoff versenkt	100.80	119.95
SEN-INSRT-SP2		Sensor Seebodengehäuse - Kunststoff versenkt	79.80	94.96
SEN-PLUG-SP2		Seebodengehäuse Blindstopfen (Echolot)	51.45	61.23
SEN-SPEED-H		Loggeber Paket, Kunststoff versenktem Seebodengehäuse (H3000, H2000)	219.45	261.15
SEN-SPRS-SPD		Paddelrad Loggeber Ersatzteilsatz (nach 1996 Airmar)	51.45	61.23
SEN-DEPTH-A2		Echolot-Sensor, aktiv NMEA0183 - 235 KHz - nur Sensor, ohne Kabel	943.95	1123.30
SEN-DEPTH-H		H3000 Tiefensensor mit 15m Kabel	229.95	273.64
SEN-PLUG-DPT		Seebodengehäuse Blindstopfen (Echolot)	51.45	61.23

Triton².

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13561-001		Triton ² Autopilot controller and Triton ² Display Pack.	882.00	1049.58
000-13296-001		Triton ² Pilot Controller. This intuitive keypad can be combined with a B&G Triton ² Display to create a fully-featured autopilot controller.	362.25	431.08
000-12316-001		WR10 Wireless Autopilot Remote. Includes NMEA2000 connected Bluetooth base station.	502.95	598.51
000-13249-001		The low-current NAC-2 autopilot computer is ideal for smaller vessels, designed to run small hydraulic drives and mechanical drives for vessels up to 10 metres (33 feet) in length. Also provides solenoid output.	985.95	1173.28
000-13335-001		NAC-2 Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	1701.87	2025.23
000-13337-001		NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer and Precision-9 Compass.	1421.88	1692.04
000-13250-001		The high-current NAC-3 autopilot computer is designed for vessels over 10 metres (33 feet) in length, with the ability to run heavy-duty hydraulic drive pumps & linear rams, and also provides solenoid output.	1731.45	2060.43
000-13336-001		NAC-3 Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	2498.13	2972.77
000-13338-001		NAC-3 VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer and Precision-9 Compass.	2213.75	2634.36
000-16655-001		NAC-3 VRF. Performance VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, HS65 GNSS Compass, SteadySteer™ flow switch, backbone starter kit, 4m (15 ft) NMEA 2000 cable.	2999.00	3568.81
000-16656-001		NAC-3 RF. Performance Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, HS65 GNSS Compass, RF-25N Rudder Feedback unit, SteadySteer™ flow switch, backbone starter kit and 4m (15 ft) NMEA 2000 cable.	3390.00	4034.10

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14439-001		NAC-1 / NAC-2 ONLY. The RF40 is a medium-duty rudder feedback unit designed specific for use with NAC-1 and NAC-2 autopilot computers. 3pin 15m (50ft) cable.	334.95	398.59
000-13561-001		Triton ² Autopilot controller and Triton ² Display Pack.	882.00	1049.58
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	702.45	835.92
000-13296-001		Triton ² Pilot Controller. This intuitive keypad can be combined with a B&G Triton ² Display to create a fully-featured autopilot controller.	362.25	431.08

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-10756-001		RF25N, Ruder Rückgeber Einheit: mit Übertragungs Gestänge und 5 m (16.5 ft) NMEA2000 Micro-C Kabel	351.00	417.69
000-16235-001		HS65, GNSS Compass with mount flat mount.	1199.00	1426.81
20193744		RF300 Frequency Rudder Feedback - 10m cable and transmission link assembly.	301.35	358.61
000-15444-002		PUMP-2: 12V DC: Reversible hydraulic gear pump. 0.8L (49 cu.in) / min. For cylinder displacement of 80 cc - 250 cc (4.9 - 15.2 cu.in). O-Ring Boss (ORB) connections. Includes 3 x ORB-5 to 9/16 UNF fittings. SteadySteer compatible. (NAC-2 / AC12 required).	754.95	898.39
000-15445-002		PUMP-3: 12V DC: Reversible hydraulic gear pump. 1.6L (98 cu.in) / min. For cylinder displacement of 160-550 cc (9.8 - 33.5 cu.in). O-Ring Boss (ORB) connections. Includes 3 x ORB-5 to 9/16 UNF fittings. SteadySteer compatible. (NAC-3 / AC42 required).	922.95	1098.31
000-12316-001		WR10 Wireless Autopilot Remote. Includes NMEA2000 connected Bluetooth base station.	502.95	598.51
000-13249-001		The low-current NAC-2 autopilot computer is ideal for smaller vessels, designed to run small hydraulic drives and mechanical drives for vessels up to 10 metres (33 feet) in length. Also provides solenoid output.	985.95	1173.28
000-15446-002		PUMP-4: 12V DC: Reversible hydraulic gear pump. 3.0L (183 cui) / min. For cylinder displacement of 290 - 960 cc (17.7 - 58.5 cu. in.). O-Ring Boss (ORB) connections. Includes 3 x ORB-5 to 9/16 UNF fittings. SteadySteer compatible. (NAC-3 / AC42 required).	1342.95	1598.11
000-15447-002		PUMP-5: 24V DC: Reversible hydraulic gear pump. 3.0L (183 cui) / min. For cylinder displacement of 290 - 960 cc (17.7 - 58.5 cu. in.). O-Ring Boss (ORB) connections. Includes 3 x ORB-5 to 9/16 UNF fittings. SteadySteer compatible. (NAC-3 / AC42 required).	1342.95	1598.11
RAM-T1-12V		Hydraulic Ram T1 12V High power, efficient drive units for maximum power with minimum consumption. Ram drives allow the Power Steer mode on the Pilot to be used in cases of manual steering failure. Fully Integrated hydraulic system, no external hoses, reservoirs etc.	1785.00	2124.15
RAM-T2-12V		Hydraulic Ram T2 12V High power, efficient drive units for maximum power with minimum consumption. Ram drives allow the Power Steer mode on the Pilot to be used in cases of manual steering failure. Fully Integrated hydraulic system, no external hoses, reservoirs etc.	2173.50	2586.47
000-13250-001		The high-current NAC-3 autopilot computer is designed for vessels over 10 metres (33 feet) in length, with the ability to run heavy-duty hydraulic drive pumps & linear rams, and also provides solenoid output.	1731.45	2060.43
RAM-T2-24V		Hydraulic Ram T2 24V High power, efficient drive units for maximum power with minimum consumption. Ram drives allow the Power Steer mode on the Pilot to be used in cases of manual steering failure. Fully Integrated hydraulic system, no external hoses, reservoirs etc.	2173.50	2586.47
RAM-T3-24V		Hydraulic Ram T3 24V Hydraulic Steering Systems combine a hydraulic cylinder with clutch, reversing pump and reservoir in a compact installation.	2919.00	3473.61
RAM-T4-24V		Hydraulik Doppelzylinder mit Dauerläuferpumpe - Typ 4, 24 Volt	9101.40	10830.67
21119896		DD15 Direct Drive unit for sailboats 30'-40' with electromagnetic clutch, lever with tiller pin and RF300 Rudder feedback. 12 V power supply (NAC-3 / H5000 required)	2362.50	2811.38
000-13697-001		SD10 Mechanical Drive unit for NAC-2 Autopilot computers. The Drive will suit sailboats 25'-37' with 6' steering cable with electromagnetic clutch with override function, built in Rudder feedback and 12 V power supply	1678.95	1997.95
000-10614-001		N2K, IS40 CABLE, MICRO-C, RIGHT ANGLE INTERCONNECT 0.4m (1.3 ft)	25.20	29.99

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14268-001	 Waterproof 4-core cable joiner for NAC-1, 2 and 3 Autopilot installations. Convenient way to connect your computer to the drive unit and ensure a waterproof connection.	28.35	33.74

Spare Parts

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14463-001	NAC-2 Spare Drive Cable - 2m (6.5 ft)	39.90	47.48
000-10756-001	 RF25N, Ruder Rückgeber Einheit: mit Übertragungs Gestänge und 5 m (16.5 ft) NMEA2000 Micro-C Kabel	351.00	417.69
000-16235-001	 HS65, GNSS Compass with mount flat mount.	1199.00	1426.81
000-13725-001	 Suncover for Simrad OP12 and B&G Triton ² Pilot controllers	14.70	17.49
000-10760-001	 NMEA 2000 Micro-C Auto pilot network starter kit: Includes Network power cable, 4.5 m (15 ft) N2K cable, 3 x T-connectors, and 2 x network terminators.	94.50	112.46
000-0119-86	 N2KEXT-15RD - 4.55 m (15-ft) NMEA 2000® Netzwirkabel	58.80	69.97
000-13250-001	 The high-current NAC-3 autopilot computer is designed for vessels over 10 metres (33 feet) in length, with the ability to run heavy-duty hydraulic drive pumps & linear rams, and also provides solenoid output.	1731.45	2060.43
000-12359-001	 WR10 BT-1 Base Station Only	282.45	336.12
000-12358-001	 WR10 Wireless Remote for Autopilot.	219.45	261.15
000-13952-001	 Triton ² Pilot & OP12 Installation Kit	14.70	17.49
000-14798-001	 NAC-2 Rudder feedback cable: Used to connect resistive rudder feedback units to either NAC-1 or NAC-2. 3 Pin connector to 3 bare wires. 2 m (6.5 ft)	39.90	47.48

H5000

Main Products

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11554-001	 H5000,Pilot Computer: The record-breaking B&G Pilot features dedicated steering modes and sailing algorithms including Gust Response, Recovery and High Wind Response. It's been proven in the toughest conditions and most testing environments and is ideal for short-handed cruisers or racers. Note: An H5000 Hydra, Hercules or Performance CPU is required to steer to wind	2373.00	2823.87
000-11544-001	 H5000 Pilot Controller	625.80	744.70

Accessories

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11544-001	 H5000 Pilot Controller	625.80	744.70
000-10756-001	 RF25N, Ruder Rückgeber Einheit: mit Übertragungs Gestänge und 5 m (16.5 ft) NMEA2000 Micro-C Kabel	351.00	417.69
20193744	 RF300 Frequency Rudder Feedback - 10m cable and transmission link assembly.	301.35	358.61
000-13902-001	 Hydraulic Ram T0 12V - The RAM T0 Hydraulic linear actuator combines a cylinder, pump, motor, clutch, and reservoir in a pre-filled, sealed unit. Designed to be used on vessels fitted with mechanical primary steering that can be back-driven.	1617.00	1924.23
RAM-T1-12V	 Hydraulic Ram T1 12V High power, efficient drive units for maximum power with minimum consumption. Ram drives allow the Power Steer mode on the Pilot to be used in cases of manual steering failure. Fully Integrated hydraulic system, no external hoses, reservoirs etc.	1785.00	2124.15
RAM-T2-12V	 Hydraulic Ram T2 12V High power, efficient drive units for maximum power with minimum consumption. Ram drives allow the Power Steer mode on the Pilot to be used in cases of manual steering failure. Fully Integrated hydraulic system, no external hoses, reservoirs etc.	2173.50	2586.47
RAM-T2-24V	 Hydraulic Ram T2 24V High power, efficient drive units for maximum power with minimum consumption. Ram drives allow the Power Steer mode on the Pilot to be used in cases of manual steering failure. Fully Integrated hydraulic system, no external hoses, reservoirs etc.	2173.50	2586.47
000-11726-001	 H5000 Serial Expansion allows expansion of an H5000 system. Provides additional serial interfacing options. Typically used for interfacing B&G HGSC heading sensor, GPS sensors, 3rd party heading sensors and other NMEA 0183 devices.	897.75	1068.32
000-13788-001	 Hydraulic Ram T3 12V Hydraulic Steering Systems combine a hydraulic cylinder with clutch, reversing pump and reservoir in a compact installation.	2919.00	3473.61
RAM-T3-24V	 Hydraulic Ram T3 24V Hydraulic Steering Systems combine a hydraulic cylinder with clutch, reversing pump and reservoir in a compact installation.	2919.00	3473.61
RAM-T4-24V	 Hydraulik Doppelzylinder mit Dauerläuferpumpe - Typ 4, 24 Volt	9101.40	10830.67

Spare Parts

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-12893-001	SUN COVER,H5000 PILOT KEYPAD	22.05	26.24
000-12615-001	 H5000 Pilot Controller Edge Cover Set	8.40	10.00

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-12895-001	CONNECTOR PACK (Green),H5000 PILOT CPU	124.95	148.69

Sensoren

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14439-001		NAC-1 / NAC-2 ONLY. The RF40 is a medium-duty rudder feedback unit designed specific for use with NAC-1 and NAC-2 autopilot computers. 3pin 15m (50ft) cable.	334.95	398.59
000-10756-001		RF25N, Ruder Rückgeber Einheit: mit Übertragungs Gestänge und 5 m (16.5 ft) NMEA2000 Micro-C Kabel	351.00	417.69
20193744		RF300 Frequency Rudder Feedback - 10m cable and transmission link assembly.	301.35	358.61

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
20193678		RF300 Transmission Lever Assembly	72.45	86.22

Antriebe

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15444-002		PUMP-2: 12V DC: Reversible hydraulic gear pump. 0.8L (49 cu.in) / min. For cylinder displacement of 80 cc - 250 cc (4.9 - 15.2 cu.in). O-Ring Boss (ORB) connections. Includes 3 x ORB-5 to 9/16 UNF fittings. SteadySteer compatible. (NAC-2 / AC12 required).	754.95	898.39
000-15445-002		PUMP-3: 12V DC: Reversible hydraulic gear pump. 1.6L (98 cu.in) / min. For cylinder displacement of 160-550 cc (9.8 - 33.5 cu.in). O-Ring Boss (ORB) connections. Includes 3 x ORB-5 to 9/16 UNF fittings. SteadySteer compatible. (NAC-3 / AC42 required).	922.95	1098.31
000-15446-002		PUMP-4: 12V DC: Reversible hydraulic gear pump. 3.0L (183 cui) / min. For cylinder displacement of 290 - 960 cc (17.7 - 58.5 cu. in.). O-Ring Boss (ORB) connections. Includes 3 x ORB-5 to 9/16 UNF fittings. SteadySteer compatible. (NAC-3 / AC42 required).	1342.95	1598.11
000-15447-002		PUMP-5: 24V DC: Reversible hydraulic gear pump. 3.0L (183 cui) / min. For cylinder displacement of 290 - 960 cc (17.7 - 58.5 cu. in.). O-Ring Boss (ORB) connections. Includes 3 x ORB-5 to 9/16 UNF fittings. SteadySteer compatible. (NAC-3 / AC42 required).	1342.95	1598.11
000-13902-001		Hydraulic Ram T0 12V - The RAM T0 Hydraulic linear actuator combines a cylinder, pump, motor, clutch, and reservoir in a pre-filled, sealed unit. Designed to be used on vessels fitted with mechanical primary steering that can be back-driven.	1617.00	1924.23
RAM-T1-12V		Hydraulic Ram T1 12V High power, efficient drive units for maximum power with minimum consumption. Ram drives allow the Power Steer mode on the Pilot to be used in cases of manual steering failure. Fully Integrated hydraulic system, no external hoses, reservoirs etc.	1785.00	2124.15
RAM-T2-12V		Hydraulic Ram T2 12V High power, efficient drive units for maximum power with minimum consumption. Ram drives allow the Power Steer mode on the Pilot to be used in cases of manual steering failure. Fully Integrated hydraulic system, no external hoses, reservoirs etc.	2173.50	2586.47
RAM-T2-24V		Hydraulic Ram T2 24V High power, efficient drive units for maximum power with minimum consumption. Ram drives allow the Power Steer mode on the Pilot to be used in cases of manual steering failure. Fully Integrated hydraulic system, no external hoses, reservoirs etc.	2173.50	2586.47
000-13788-001		Hydraulic Ram T3 12V Hydraulic Steering Systems combine a hydraulic cylinder with clutch, reversing pump and reservoir in a compact installation.	2919.00	3473.61
RAM-T3-24V		Hydraulic Ram T3 24V Hydraulic Steering Systems combine a hydraulic cylinder with clutch, reversing pump and reservoir in a compact installation.	2919.00	3473.61
RAM-T4-24V		Hydraulik Doppelzylinder mit Dauerläuferpumpe - Typ 4, 24 Volt	9101.40	10830.67
21119896		DD15 Direct Drive unit for sailboats 30'-40' with electromagnetic clutch, lever with tiller pin and RF300 Rudder feedback. 12 V power supply (NAC-3 / H5000 required)	2362.50	2811.38
000-13697-001		SD10 Mechanical Drive unit for NAC-2 Autopilot computers. The Dive will suit sailboats 25'-37' with 6' steering cable with electromagnetic clutch with override function, built in Rudder feedback and 12 V power supply	1678.95	1997.95

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15944-001		Autopilot fitting adaptor kit. Contains 3 x ORB-5 to 1/4" NPT adaptors	52.50	62.48
000-15949-001		ORB hose fitting kit for MKII Pumps 1, 2, 3, 4 & 5, including SteadySteer	597.45	710.97
000-15942-001		Autopilot ORB hose fitting kit for MKII Pumps 1, 2, 3, 4 & 5	177.45	211.17

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
44172096	 DL2030 Draglink for DD15. Length: 200-300 mm. 7.9" – 11.8"	387.45	461.07
44172088	 DL3040 Draglink for DD15. Length: 300-400 mm. 11.8" - 15.7".	366.45	436.08
44172104	 DL4050 Draglink for DD15. Length: 400-500 mm. 15.7" - 19.7".	334.95	398.59

Spare Parts


Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
20997953	 RPU80/100/150/160/200 Seal Kit. Works for all motor types and pump sizes.	101.85	121.20
20193744	 RF300 Frequency Rudder Feedback - 10m cable and transmission link assembly.	301.35	358.61
21118617	 RPU80 Motor Brushes - Framco	60.90	72.47
000-15858-001	 PUMP-X Motor Brushes - Autopilot pump brush kit for PUMP-2,3,4 & 5. 2Pcs. Note: Not for Pump-1	68.25	81.22
000-13960-001	 Brush replacements for RPU80, RPU160 and RPU300 pumps with Parvalux motors.	87.15	103.71
MOTOR-SPARE-1	 Ersatzmotor für T1/T2-12V	556.50	662.24
RAM-BRSH-T2	 Ersatz Bürsten für T3 und T4 Antriebe (Für T4 2 Satz erforderlich)	152.25	181.18
RAM-SPRS-T1	 Ersatzteilsatz für RAM-T1-12V, RAM-T2-12V, RAM-T2-24V	373.80	444.82
RAM-SPRS-T3	 Ersatzteilsatz für RAM-T3-24V	537.60	639.74

Halo

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14540-001		HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious sailors with smaller vessels.	2152.50	2561.48
000-14539-001		HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	2530.50	3011.30
000-14538-001		HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	2835.00	3373.65

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	702.45	835.92
000-11465-001		HALO Antenna Only - 4ft	1360.62	1619.14
000-16235-001		HS65, GNSS Compass with mount flat mount.	1199.00	1426.81
000-11466-001		HALO Antenna Only - 6ft	1920.63	2285.55
000-11464-001		HALO Antenna Only - 3ft	1048.95	1248.25
000-10795-001		SC20 Mast mount kit for HALO 20/20+ and Broadband Dome Radars.	628.95	748.45
000-10904-001		Radar-Verlängerungskabel 2 m für Broadband Radarantennen	69.30	82.47
000-14547-001		Power / Ethernet cable, 5 m (16.5 ft) for HALO dome radars and B&G Nemesis displays	80.85	96.21
000-10905-001		Radar-Verlängerungskabel 5 m für Broadband Radarantennen	80.85	96.21
000-14548-001		Power / Ethernet cable, 10 m (33 ft) for HALO dome radars and B&G Nemesis displays	124.95	148.69
000-14551-001		Enables re-use of the existing BR24/3G/4G cable onboard when upgrading to a HALO Dome radar.	68.25	81.22
000-14549-001		Power / Ethernet cable, 20 m (65.5 ft) for HALO dome radars and B&G Nemesis displays	187.95	223.66
000-14550-001		Power / Ethernet cable, 30 m (98.5 ft) for HALO dome radars and B&G Nemesis displays	250.95	298.63
000-11246-001		RJ45-Yellow Round Ethernet adapter cable RJ45 Male / 5 Pin Female 10 cm (6")	25.20	29.99

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
LMB-A1		LMB-A1 Selbstjustierende Radarhalterung zur rückwärtigen Backstagsmontage 3G/4G	1725.00	2052.75
000-14072-001		VelocityTrack™ technology provides instant visual feedback on the motion of moving radar targets in relation to your boat. This powerful add-on offers yet another way for Halo™ radar to improve your situational awareness and reduce your risk of collision. Using the Doppler effect, the VelocityTrack™ feature is able to detect motion on the first radar sweep for a useful view straight from standby. This feature is available for any new or existing Halo™ radar system via the purchase of a one-time unlock code. Radar system requires a heading sensor with 10 Hz output or greater. This needs to be connected to the RI12	578.55	688.47

Spare Parts


Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11465-001		HALO Antenna Only - 4ft	1360.62	1619.14
000-11466-001		HALO Antenna Only - 6ft	1920.63	2285.55
000-11464-001		HALO Antenna Only - 3ft	1048.95	1248.25
000-12514-001		HALO Pedestal, Spare mounting kit. Includes -4 x Bolt, HEX, M12x35, 316 s/s: 4 x Bolt, HEX, M12x50, 316 s/s: -4 x Washer, Flat, M12x36x3, 316 s/s: -4 x Washer, Spring, M12, 316 s/s: -8 x Washer, Isolating M12x38 Nylon	69.30	82.47
000-12515-001		HALO Antenna - Spare Mounting Kit. M8 Dome Nuts, M8 Spring Washers, M8x16x1.2 Flat Washers. 316 SS, 4pcs each.	43.05	51.23
000-14552-001		Ethernet adapter cable, RJ45 F to 5 Pin male, 1.5 m (4.9 ft). Ships with water proof boot.	44.10	52.48
000-11246-001		RJ45-Yellow Round Ethernet adapter cable RJ45 Male / 5 Pin Female 10 cm (6")	25.20	29.99

Module

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15918-002		S3100H High-performance sonar module with HEAVE compensation. Two independent 1kW channels supporting 1 kW Low, Med, High, and High-Wide transducers. Support for high-frequency ActiveImaging HD transducers. MFDs will need compatible software.	943.95	1123.30
000-11142-001		SonarHub Module, with power cable and Ethernet cable 4.5m (15ft). Requires adapter 000-12571-001 or 000-13977-001 adapter cable to use Airmar Non-Chirp or Chirp 9-pin transducers.	680.40	809.68
000-12397-001		StructureScan® 3D module only. Transom mount and Through-Hull transducers available separately.	680.40	809.68

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11674-001		ForwardScan™ Transducer Kit with Sleeve & Plug. 10m (33ft) Cable	807.45	960.87
000-13915-001		P319 - Plastic 600W Thru-Hull 50/200kHz Depth/Temperature. Black 9-pin connector and 10m (33ft) cable.	204.07	242.84
000-14804-001		B744V - Bronze 600W Smart Thru Hull 50/200 Khz Depth/Temperature Transducer. 9pin sonar connector and 10m cable. NMEA2000 Speed/Temperature paddle wheel insert.	881.63	1049.14
000-13284-001		ForwardScan™ Transducer Kit (Long-Stem) with Sleeve & Plug. 10m (33ft) Cable	1133.13	1348.42
000-13946-001		B45 - Bronze 600W Through-Hull 50/200 kHz Depth and Temperature transducer. Black 9 pin connector with 10m cable. (33ft)	373.57	444.55
000-13784-001		SS60 (0°) - Stainless Steel 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	500.69	595.82
000-13785-001		SS60 (12°) - Stainless Steel 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	496.92	591.33
000-13786-001		SS60 (20°) - Stainless Steel 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	496.92	591.33
000-13942-001		P79 - Plastic 600 W In-Hull 50/200 kHz Depth Only. Black 9 pin connector with 10m cable. (33ft)	207.98	247.50
000-13911-001		SS75H - Stainless Steel 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	1077.23	1281.90

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13912-001		SS75H - Stainless Steel 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	1077.23	1281.90
000-13913-001		SS75H - Stainless Steel 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	1077.23	1281.90
000-13908-001		SS75M - Stainless Steel 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	1123.94	1337.49
000-13909-001		SS75M - Stainless Steel 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	1123.94	1337.49
000-13910-001		SS75M - Stainless Steel 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	1123.94	1337.49
000-13916-001		SS164 (0°) - Stainless Steel 1kW Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	1540.52	1833.22
000-13917-001		SS164 (12°) - Stainless Steel 1kW Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	1540.52	1833.22
000-13918-001		SS164 (20°) - Stainless Steel 1kW Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	1540.52	1833.22
000-16075-001		Ethernet Cable - Green M12 8-pin male-male 1.8 m (6 ft)	38.85	46.23
000-16076-001		Ethernet Cable - Green M12 8-pin male-male 5 m (16.5 ft)	59.85	71.22
000-16077-001		Ethernet Cable - Green M12 8-pin male-male 15 m (49.2 ft)	112.35	133.70
000-11460-001		Stainless steel StructureScan™ HD Sonar thru-hull transducer with Y-cable. (pair). Cable length 7.6 m (25 ft)	1993.95	2372.80
000-13560-001		StructureScan 3D Dual Stainless Steel Thru-Hull Transducers. Cable length 7.6 m (25 ft)	2776.20	3303.68
000-16078-001		Ethernet Cable - Green M12 8-pin male - RJ45 male 1.8 m (6 ft)	34.65	41.23
000-16079-001		Ethernet Cable - Green M12 8-pin male - RJ45 male 5 m (16.5 ft)	55.65	66.22

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13977-001		Connects an XID Airmar CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with Airmar 9pin XID transducers.	40.95	48.73
000-16080-001		Ethernet Cable - Green M12 8-pin male - RJ45 male 15 m (49.2 ft)	107.10	127.45
000-10802-001		StructureScan™ HD Skimmer Heckmontagegeber 455/800 kHz	325.49	387.33
000-00099-006		Extension cable for 9-pin transducers. *For optimum performance do not use more than 1 extension per installation.	91.34	108.69

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-0127-29		Ethernetkabel yellow 5 Pin 4.5 m (15 ft)	58.80	69.97
000-00128-001		4-pin Power Cable for modules and MFDs.	40.80	48.55
000-10802-001		StructureScan™ HD Skimmer Heckmontagegeber 455/800 kHz	325.49	387.33

ForwardScan™

Main Products

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11674-001	 ForwardScan™ Transducer Kit with Sleeve & Plug. 10m (33ft) Cable	807.45	960.87
000-13284-001	 ForwardScan™ Transducer Kit (Long-Stem) with Sleeve & Plug. 10m (33ft) Cable	1133.13	1348.42

Accessories


Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-00099-006	 Extension cable for 9-pin transducers. *For optimum performance do not use more than 1 extension per installation.	91.34	108.69

Spare Parts

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11669-001	 ForwardScan™ Sleeve and Plug Only (No Transducer)	282.45	336.12
000-12231-001	 ForwardScan™ Fairing Block Only	46.19	54.97
000-12230-001	 ForwardScan™ Plug Only	35.70	42.48
000-12232-001	 ForwardScan™ O-Ring (Color of supplied O-Ring may vary from shown)	19.95	23.74
000-11675-001	 ForwardScan™ Transducer Only. With 10m (33ft) Cable	577.50	687.23
000-13578-001	 ForwardScan™ Long-Stem Housing Only	481.95	573.52
000-13579-001	ForwardScan™ Long-Stem Fairing Block Only	82.95	98.71

Transducer

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13915-001		P319 - Plastic 600W Thru-Hull 50/200kHz Depth/Temperature. Black 9-pin connector and 10m (33ft) cable.	204.07	242.84
000-14804-001		B744V - Bronze 600W Smart Thru Hull 50/200 Khz Depth/Temperature Transducer. 9pin sonar connector and 10m cable. NMEA2000 Speed/Temperature paddle wheel insert.	881.63	1049.14
000-13946-001		B45 - Bronze 600W Through-Hull 50/200 kHz Depth and Temperature transducer. Black 9 pin connector with 10m cable. (33ft)	373.57	444.55
000-13784-001		SS60 (0°) - Stainless Steel 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	500.69	595.82
000-13785-001		SS60 (12°) - Stainless Steel 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	496.92	591.33
000-13786-001		SS60 (20°) - Stainless Steel 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	496.92	591.33
000-13942-001		P79 - Plastic 600 W In-Hull 50/200 kHz Depth Only. Black 9 pin connector with 10m cable. (33ft)	207.98	247.50
000-13911-001		SS75H - Stainless Steel 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	1077.23	1281.90
000-13912-001		SS75H - Stainless Steel 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	1077.23	1281.90
000-13913-001		SS75H - Stainless Steel 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	1077.23	1281.90
000-13908-001		SS75M - Stainless Steel 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	1123.94	1337.49
000-13909-001		SS75M - Stainless Steel 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	1123.94	1337.49
000-13910-001		SS75M - Stainless Steel 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	1123.94	1337.49
000-13916-001		SS164 (0°) - Stainless Steel 1kW Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	1540.52	1833.22
000-13917-001		SS164 (12°) - Stainless Steel 1kW Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	1540.52	1833.22

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13918-001		SS164 (20°) - Stainless Steel 1kW Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	1540.52	1833.22
000-16239-001		Active Imaging™ HD Thru-Hull (Single) Transducer. Direct connection to HDS® PRO and Simrad NSSevo4. For SideScan FishReveal, an S3100 or S3100H is required. Lowrance HDS® LIVE, HDS Carbon, and Elite FS™. Simrad® NSSevo3(S), NSOevo3(S), and NSX require an S3100 or S3100H	996.45	1185.78
000-16240-001		Active Imaging™ HD Thru-Hull Fish Reveal (Dual) Transducers. Directly compatible with Lowrance HDS® PRO and Simrad NSSevo4. For SideScan FishReveal, an S3100 or S3100H is required. With a S3100 or S3100H module compatible with: Lowrance HDS® LIVE, HDS Carbon, and Elite FS™. Simrad® NSSevo3(S), NSOevo3(S), and NSX	1825.95	2172.88
000-16241-001		Active Imaging™ HD Thru-Hull (Dual) Transducer STARBOARD	1048.95	1248.25
000-16242-001		Active Imaging™ HD Thru-Hull (Dual) Transducer PORT	1048.95	1248.25
000-11460-001		Stainless steel StructureScan™ HD Sonar thru-hull transducer with Y-cable. (pair). Cable length 7.6 m (25 ft)	1993.95	2372.80
000-13560-001		StructureScan 3D Dual Stainless Steel Thru-Hull Transducers. Cable length 7.6 m (25 ft)	2776.20	3303.68
000-13977-001		Connects an XID Airmar CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with Airmar 9pin XID transducers.	40.95	48.73

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16295-001		Transducer, Network cable pulling tools	26.24	31.23
000-13977-001		Connects an XID Airmar CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with Airmar 9pin XID transducers.	40.95	48.73
000-00099-006		Extension cable for 9-pin transducers. *For optimum performance do not use more than 1 extension per installation.	91.34	108.69

V100

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15793-001		B&G V100-B Blackbox VHF Radio System - featuring a built-in GPS and Class B AIS transceiver, which allows you to see and be seen by AIS-equipped vessels. Stay connected from anywhere on board with up to 8 handsets (4 wired and 4 wireless) and 4 external speakers.	1652.70	1966.71
000-15644-001		B&G V100 Blackbox VHF Radio System - Stay safer on the water with the B&G V100 VHF marine radio. With up to 8 connected handsets (4 wired and 4 wireless) and 4 external speakers, stay connected from anywhere on board.	987.00	1174.53
000-15648-001		B&G H100 wired handset and speaker for V100/V100-B VHF radios. Up to 4 wired handsets can be added to one system and 4 wired Speakers.	391.65	466.06
000-15650-001		B&G H100 wired handset for V100/V100-B VHF radios. Up to 4 wired handsets can be added to one system.	324.45	386.10
000-15651-001		SP100: External VHF speaker. 10W @ 4 Ohms. Comes with an attached twin core 2 m (6.5 ft) cable.	99.75	118.70

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16055-001		VHF antenna mount. Heavy-duty stainless steel fold-down antenna mount. With attached 7 m (23 ft) cable. Fastfit connector	124.95	148.69
000-15648-001		B&G H100 wired handset and speaker for V100/V100-B VHF radios. Up to 4 wired handsets can be added to one system and 4 wired Speakers.	391.65	466.06
000-15650-001		B&G H100 wired handset for V100/V100-B VHF radios. Up to 4 wired handsets can be added to one system.	324.45	386.10
000-13612-001		NSPL-500 AIS/VHF Antenna Splitter - Enables use of one VHF antenna on the vessel for both VHF and AIS.	282.45	336.12
000-14476-001		B&G H60 Wireless Handset - Take remote control of your B&G V60 VHF radio, and enjoy the power of a fixed-mount system with the convenience of a handheld. Easily carried and simple to use, this wireless handset gives you total freedom of movement on board your yacht.	282.45	336.12
000-15651-001		SP100: External VHF speaker. 10W @ 4 Ohms. Comes with an attached twin core 2 m (6.5 ft) cable.	99.75	118.70
000-14924-001		10m Extension Cable for RS40, RS40-B, V60, V60B and Link-9 VHF Fist Mics, and H100/HS100 Handsets.	57.75	68.72
000-13613-001		GPS-500 - GPS antenna for Navico AIS transceivers and VHF systems. 10 m (33 ft) cable with SMA connector.	156.45	186.18
000-14968-001		Navico 1710 VHF antenna, 2.5 m (8 ft) ultraglass, quickfit @ 6dB BLACK	92.40	109.96

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15657-001		NRS-1/ NRS-2 Bulkhead WiFi Antenna Mount Cable - 6m - For mounting the WiFi antenna in more suitable location if reception from antenna on Blackbox is not adequate.	135.45	161.19
000-15656-001		HS100/H100 Handset cable with bulkhead mount 20m (65.5 ft)	114.45	136.20
AA000355		UKW-Antenne Gfk 240 cm	93.45	111.21
AA000358		UKW-Antenne Gfk 100 cm	51.45	61.23
AA000223		Antennenhalterung Kunststoff mit 5 m Kabel	56.70	67.47
AA000224		Antennenhalterung Edelstahl mit 5 m Kabel	124.95	148.69
AA000352		UKW-Antenne Mastmontage	78.75	93.71
AA000400		VHF extension cable 5 m (16 ft)	30.45	36.24
AA000401		VHF mast cable 30 m (98 ft) for 1720 whip antenna. With Quick Fit Connector one end and Masthead connector on the other.	93.45	111.21
000-15859-001		VHF ANTENNA, 1Meter Back Fiberglass Stainless Steel, Quick fit fitting.	89.25	106.21

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15650-001		B&G H100 wired handset for V100/V100-B VHF radios. Up to 4 wired handsets can be added to one system.	324.45	386.10
000-15651-001		SP100: External VHF speaker. 10W @ 4 Ohms. Comes with an attached twin core 2 m (6.5 ft) cable.	99.75	118.70
000-13613-001		GPS-500 - GPS antenna for Navico AIS transceivers and VHF systems. 10 m (33 ft) cable with SMA connector.	156.45	186.18
000-15642-001		NRS-2 Marine VHF Radio with built in AIS Class B transceiver. Black box only	1405.95	1673.08
000-15641-001		NRS-1 Marine VHF Radio. Black box only	786.45	935.88

V60

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14471-001		B&G V60 fixed-mount DSC VHF Radio - Stay safe and connected with this VHF marine radio featuring a sleek design with removable fist mic, Class D DSC functionality, and built-in GPS.	723.45	860.91
000-14474-001		B&G V60-B Marine VHF Radio - Stay safer on the water with this VHF marine radio featuring a built-in GPS and a full Class B AIS transmitter and receiver, which allows you to see and be seen by nearby AIS-equipped vessels.	1048.95	1248.25
000-14819-001		B&G V60-B Marine VHF Radio - Stay safer on the water with this VHF marine radio featuring a built-in GPS and a full Class B AIS transmitter and receiver, which allows you to see and be seen by nearby AIS-equipped vessels. Includes GPS-500 GPS antenna for situations where the internal GPS don't get reception.	1153.95	1373.20
000-14476-001		B&G H60 Wireless Handset - Take remote control of your B&G V60 VHF radio, and enjoy the power of a fixed-mount system with the convenience of a handheld. Easily carried and simple to use, this wireless handset gives you total freedom of movement on board your yacht.	282.45	336.12

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16055-001		VHF antenna mount. Heavy-duty stainless steel fold-down antenna mount. With attached 7 m (23 ft) cable. Fastfit connector	124.95	148.69
000-14476-001		B&G H60 Wireless Handset - Take remote control of your B&G V60 VHF radio, and enjoy the power of a fixed-mount system with the convenience of a handheld. Easily carried and simple to use, this wireless handset gives you total freedom of movement on board your yacht.	282.45	336.12
000-13612-001		NSPL-500 AIS/VHF Antenna Splitter - Enables use of one VHF antenna on the vessel for both VHF and AIS.	282.45	336.12
000-15651-001		SP100: External VHF speaker. 10W @ 4 Ohms. Comes with an attached twin core 2 m (6.5 ft) cable.	99.75	118.70
000-14923-001		5m Extension Cable for RS40, RS40-B, V60, V60B and Link-9 VHF Fist Mics, and H100/HS100 Handsets.	46.20	54.98
000-14924-001		10m Extension Cable for RS40, RS40-B, V60, V60B and Link-9 VHF Fist Mics, and H100/HS100 Handsets.	57.75	68.72
000-13613-001		GPS-500 - GPS antenna for Navico AIS transceivers and VHF systems. 10 m (33 ft) cable with SMA connector.	156.45	186.18
000-14968-001		Navico 1710 VHF antenna, 2.5 m (8 ft) ultraglass, quickfit @ 6dB BLACK	92.40	109.96
AA000355		UKW-Antenne Gfk 240 cm	93.45	111.21

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
AA000358		UKW-Antenne Gfk 100 cm	51.45	61.23
AA000223		Antennenhalterung Kunststoff mit 5 m Kabel	56.70	67.47
AA000224		Antennenhalterung Edelstahl mit 5 m Kabel	124.95	148.69
AA000352		UKW-Antenne Mastmontage	78.75	93.71
AA000400		VHF extension cable 5 m (16 ft)	30.45	36.24
AA000401		VHF mast cable 30 m (98 ft) for 1720 whip antenna. With Quick Fit Connector one end and Masthead connector on the other.	93.45	111.21
000-10378-001		VKIT-9 Einbausatz für versenkten Einbau RS10, RS12 und RS25	10.58	12.59
000-15859-001		VHF ANTENNA, 1 Meter Back Fiberglass Stainless Steel, Quick fit fitting.	89.25	106.21
000-14066-001		VHF Interface - Type 6. For Simrad RS20/RS40, B&G V20/V60, Lowrance Link-9, Link-6 S	92.40	109.96

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14913-001		V60 VHF Suncover	23.10	27.49
000-14922-001		B&G V60 Remote Mountable Fist Mic. Can be connected to the front or rear of the radio, and optional extension cable allows the radio and mic to be mounted in separate locations.	80.85	96.21
000-14919-001		RS40/V60 Bulkhead Fist Mic Mounting Clip	9.45	11.25
000-14917-001		RS40/V60 VHF Mounting bracket with Knobs and Screws	28.35	33.74
000-14915-001		RS40/V60 VHF Flush Mounting kit: Includes teplate, Gasket, Bezels and screws	12.60	14.99
000-14925-001		HS40/H60 VHF Wireless handset Inductive charging cradle	57.75	68.72

V20

Main Products

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14492-001	 B&G V20S Class D DSC VHF Radio - The versatile V20S is ideal for a variety of boats from small yachts to larger cruisers and racing boats, and is designed to match the low-profile style of our chartplotters and accessories.	413.70	492.30

Accessories

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16055-001	 VHF antenna mount. Heavy-duty stainless steel fold-down antenna mount. With attached 7 m (23 ft) cable. Fastfit connector	124.95	148.69
000-14968-001	 Navico 1710 VHF antenna, 2.5 m (8 ft) ultraglass, quickfit @ 6dB BLACK	92.40	109.96
AA000355	 UKW-Antenne Gfk 240 cm	93.45	111.21
AA000358	 UKW-Antenne Gfk 100 cm	51.45	61.23
AA000223	 Antennenhalterung Kunststoff mit 5 m Kabel	56.70	67.47
AA000224	 Antennenhalterung Edelstahl mit 5 m Kabel	124.95	148.69
AA000352	 UKW-Antenne Mastmontage	78.75	93.71
AA000400	 VHF extension cable 5 m (16 ft)	30.45	36.24
000-15859-001	 VHF ANTENNA, 1Meter Back Fiberglass Stainless Steel, Quick fit fitting.	89.25	106.21
000-14056-001	 V20 Suncover	20.59	24.50
000-14066-001	 VHF Interface - Type 6. For Simrad RS20/RS40, B&G V20/V60, Lowrance Link-9, Link-6 S	92.40	109.96
000-14059-001	 RS20/V20 Flush Mount Kit	12.60	14.99

Spare Parts

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14261-001	 RS20/V20 Mounting Bracket	34.65	41.23

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14263-001		RS20/V20 Mounting Bracket Knobs	16.80	19.99
000-14056-001		V20 Suncover	20.59	24.50
000-14262-001		RS20/V20 Fist Mic Clip	9.45	11.25

Class B

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14380-001		The V3100 Class B AIS incorporates SOTDMA technology and increased transmission power to enhance transmission frequency, reliability, and range compared to standard Class B AIS. This 'black-box' solution integrates with MFD displays, and features industry-standard connectivity.	935.00	1112.65
000-13963-001		NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	1153.95	1373.20
000-13609-001		NAIS-500 class B AIS with GPS-500 GPS antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	870.45	1035.84
000-13612-001		NSPL-500 AIS/VHF Antenna Splitter - Enables use of one VHF antenna on the vessel for both VHF and AIS.	282.45	336.12

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16055-001		VHF antenna mount. Heavy-duty stainless steel fold-down antenna mount. With attached 7 m (23 ft) cable. Fastfit connector	124.95	148.69
000-13612-001		NSPL-500 AIS/VHF Antenna Splitter - Enables use of one VHF antenna on the vessel for both VHF and AIS.	282.45	336.12
000-14968-001		Navico 1710 VHF antenna, 2.5 m (8 ft) ultraglass, quickfit @ 6dB BLACK	92.40	109.96
AA000355		UKW-Antenne Gfk 240 cm	93.45	111.21
AA000358		UKW-Antenne Gfk 100 cm	51.45	61.23
AA000223		Antennenhalterung Kunststoff mit 5 m Kabel	56.70	67.47
AA000224		Antennenhalterung Edelstahl mit 5 m Kabel	124.95	148.69
AA000352		UKW-Antenne Mastmontage	78.75	93.71
AA000400		VHF extension cable 5 m (16 ft)	30.45	36.24
AA000401		VHF mast cable 30 m (98 ft) for 1720 whip antenna. With Quick Fit Connector one end and Masthead connector on the other.	93.45	111.21
000-15859-001		VHF ANTENNA, 1Meter Back Fiberglass Stainless Steel, Quick fit fitting.	89.25	106.21

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13959-001		NAIS500/400 & Naviop OP-BOX Power & Serial Cable	61.95	73.72
000-13613-001		GPS-500 - GPS antenna for Navico AIS transceivers and VHF systems. 10 m (33 ft) cable with SMA connector.	156.45	186.18
000-14806-001		V3100 Power cable, 1.8 m (6ft)	32.00	38.08
000-14807-001		V3100 NMEA 0183 Cable 1.8 m (6ft)	32.00	38.08
000-13611-001		NAIS-500 class B AIS module only. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	828.45	985.86

Cameras

Main Products

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15876-001	 The IP CAM-1 marine grade 316 stainless steel IP camera. Powered by 12V DC or PoE.	586.95	698.47

Accessories

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14552-001	 Ethernet adapter cable, RJ45 F to 5 Pin male, 1.5 m (4.9 ft). Ships with water proof boot.	44.10	52.48

Micro-C

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16556-001		NMEA 2000® cable for backbone extension or drop cable to connect an additional network device. 1.82 m (6-ft). Right angle connector.	68.25	81.22
000-16555-001		NMEA 2000® cable for backbone extension or drop cable to connect an additional network device. 0.61 m (2-ft). Right angle connector.	51.45	61.23
000-10760-001		NMEA 2000 Micro-C Auto pilot network starter kit: Includes Network power cable, 4.5 m (15 ft) N2K cable, 3 x T-connectors, and 2 x network terminators.	94.50	112.46
000-0119-79		N2K-T-RD - NMEA 2000® T-connector zur Netzwerkerweiterung	23.10	27.49
000-12612-001		Low loss NMEA2000 4-way joiner. Connect four NMEA2000 Micro-C devices to the NMEA2000 Network.	75.60	89.96
000-0119-88		N2KEXT-2RD - 0.61 m (2-ft) NMEA 2000® Netzwirkkabel	33.60	39.98
000-0127-53		N2KEXT-6RD - 1.82 m (6-ft) NMEA 2000® Netzwirkkabel	52.50	62.48
000-0119-86		N2KEXT-15RD - 4.55 m (15-ft) NMEA 2000® Netzwirkkabel	58.80	69.97
000-0119-83		N2KEXT-25RD - 7.58 m (25-ft) NMEA 2000® Netzwirkkabel	82.95	98.71
000-14376-001		NMEA 2000 Micro-C Medium duty cable. 2 m (6.5 ft) Low loss 18 gauge cable recommended for network backbone runs	82.95	98.71
000-14377-001		NMEA 2000 Micro-C Medium duty cable. 6 m (19.7 ft) Low loss 18 gauge cable recommended for network backbone runs	103.95	123.70
000-14378-001		NMEA 2000 Micro-C Medium duty cable. 10 m (33 ft) Low loss 18 gauge cable recommended for network backbone runs	135.45	161.19
000-14379-001		NMEA 2000 Micro-C Medium duty cable. 20 m (65.6 ft) Low loss 18-gauge cable recommended for network backbone runs resulting in a more robust network. Cables are identified by orange locking collars.	166.95	198.67
000-10614-001		N2K, IS40 CABLE,MICRO-C,RIGHT ANGLE INTERCONNECT 0.4m (1.3 ft)	25.20	29.99
000-15739-001		NMEA 2000 cable 0.6 m (2 ft) Micro-C straight connector / 90 degree female connector.	35.70	42.48
000-10403-001		T-Joiner, Micro-C, Metal	36.26	43.14
000-10396-001		Kabel, MICRO-C, Metal, 0.4 m	29.46	35.06
000-0127-52		TR-120-KIT - Set (2Stück) NMEA 2000® Abschlusswiderstände	23.10	27.49

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-0119-75		N2K-PWR-RD - NMEA 2000® Power Note (Kabel und T-Verbinder) zum erweitern von älteren Lowrance Geräten ans HDS	63.54	75.61
000-10828-001		CZONE™ Network Bridge Interface - Designed to isolate sections of the NMEA 2000 network to decrease standby current draw. Can be used for Isolation when bridging between two CAN networks.	329.00	391.51
000-12259-001		Network power isolator. Separates separately powered sections of the NMEA2000 network while letting data through.	42.00	49.98
000-0127-45		SimNet auf N2K Adapter-Kit - verbindet SimNet-Komponenten mit NMEA 2000® Netzwerk	124.44	148.08
24005729		SimNet to Micro-C (male) cable that connects a SimNet product to a NMEA 2000® backbone. 0.5 m (1.6 ft)	39.90	47.48
000-10757-001		Kabel 20 m (66 ft) NMEA2000 Wind-Masteinheit (Micro-C male - Simnet)	100.80	119.95
000-10758-001		Kabel 35 m (66 ft) NMEA2000 Wind-Masteinheit (Micro-C male - Simnet)	139.65	166.18

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
24005729		SimNet to Micro-C (male) cable that connects a SimNet product to a NMEA 2000® backbone. 0.5 m (1.6 ft)	39.90	47.48

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
44172260		SimNet joiner yellow without terminator	22.05	26.24
000-13714-001		Networked wind sensor for Triton2, Triton, IS42, IS40 and IS20 systems. Sensor only, does not include cable.	451.50	537.29
000-10573-001		IS20 Windfahnen Masthalterung	69.22	82.37
24005729		SimNet to Micro-C (male) cable that connects a SimNet product to a NMEA 2000® backbone. 0.5 m (1.6 ft)	39.90	47.48

Ethernet

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16494-001		CABLE M12M5PF ETH ADP CONN2 10PK Boatbuilder Pack. Price is for one cable.	69.00	82.11
000-16550-001		M12 to five pin yellow Ethernet cable 1.8 m (6 ft)	114.45	136.20
000-16551-001		M12 to five pin yellow Ethernet cable 5 m (16.4 ft)	135.45	161.19
000-16495-001		Ethernet cable. M12 TO RJ45 female 1.5 m (5 ft)	80.85	96.21
000-16558-001		Ethernet cable. M12 Straight to M12 right angle for NSO® 4, Zeus® SRX. 4.5 m (14.8 ft). Connector keyway for NSO 4, Zeus SRX.	192.15	228.66
000-16557-001		Ethernet Cable. M12 Straight to M12 Right angle for NSS® 4, Zeus® SR. 5.0 m (16.4 ft). Connector keyway for NSS 4, Zeus SR	192.15	228.66
000-10029-001		NEP-2 Network Expansion Port (Ethernetverteiler mit 5 Ports)	324.45	386.10
000-16144-001		Ethernet Cable -Yellow 5-Pin Male-Male - 0.6 m (2 ft)	26.24	31.23
000-0127-51		Ethernetkabel yellow 5 Pin 1.8 m (6 ft)	39.90	47.48
000-0127-29		Ethernetkabel yellow 5 Pin 4.5 m (15 ft)	58.80	69.97
000-0127-30		Ethernetkabel yellow 5 Pin 7.7 m (25 ft)	82.95	98.71
000-0127-37		Ethernetkabel yellow 5 Pin 15.2 m (50 ft)	114.45	136.20
000-14552-001		Ethernet adapter cable, RJ45 F to 5 Pin male, 1.5 m (4.9 ft). Ships with water proof boot.	44.10	52.48
000-11246-001		RJ45-Yellow Round Ethernet adapter cable RJ45 Male / 5 Pin Female 10 cm (6")	25.20	29.99
000-16008-001		NEP-3: Five port (M12) Gigabit Ethernet switch.	387.45	461.07
000-16448-001		Ethernet Adapter cable Green M12M 8-pin - Yellow 5 pin female 0.37 m (1.2 ft)	72.45	86.22
000-16075-001		Ethernet Cable - Green M12 8-pin male-male 1.8 m (6 ft)	38.85	46.23

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16076-001		Ethernet Cable - Green M12 8-pin male-male 5 m (16.5 ft)	59.85	71.22
000-16077-001		Ethernet Cable - Green M12 8-pin male-male 15 m (49.2 ft)	112.35	133.70
000-16078-001		Ethernet Cable - Green M12 8-pin male - RJ45 male 1.8 m (6 ft)	34.65	41.23
000-16079-001		Ethernet Cable - Green M12 8-pin male - RJ45 male 5 m (16.5 ft)	55.65	66.22
000-16080-001		Ethernet Cable - Green M12 8-pin male - RJ45 male 15 m (49.2 ft)	107.10	127.45
000-0127-56		Adapter cable: Ethernet yellow 5 pin male to RJ45 female, 2m (6.5ft)	44.10	52.48

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16295-001		Transducer, Network cable pulling tools	26.24	31.23
000-16495-001		Ethernet cable. M12 TO RJ45 female 1.5 m (5 ft)	80.85	96.21
000-13335-001		NAC-2 Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	1701.87	2025.23
000-0127-51		Ethernetkabel yellow 5 Pin 1.8 m (6 ft)	39.90	47.48
000-0127-29		Ethernetkabel yellow 5 Pin 4.5 m (15 ft)	58.80	69.97
000-0127-30		Ethernetkabel yellow 5 Pin 7.7 m (25 ft)	82.95	98.71
000-0127-37		Ethernetkabel yellow 5 Pin 15.2 m (50 ft)	114.45	136.20
000-16448-001		Ethernet Adapter cable Green M12M 8-pin - Yellow 5 pin female 0.37 m (1.2 ft)	72.45	86.22
000-16075-001		Ethernet Cable - Green M12 8-pin male-male 1.8 m (6 ft)	38.85	46.23

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16076-001		Ethernet Cable - Green M12 8-pin male-male 5 m (16.5 ft)	59.85	71.22
000-16077-001		Ethernet Cable - Green M12 8-pin male-male 15 m (49.2 ft)	112.35	133.70
000-16078-001		Ethernet Cable - Green M12 8-pin male - RJ45 male 1.8 m (6 ft)	34.65	41.23
000-16079-001		Ethernet Cable - Green M12 8-pin male - RJ45 male 5 m (16.5 ft)	55.65	66.22
000-16080-001		Ethernet Cable - Green M12 8-pin male - RJ45 male 15 m (49.2 ft)	107.10	127.45

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-00128-001		4-pin Power Cable for modules and MFDs.	40.80	48.55

Fastnet

Main Products

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
239-00-099	 Missing Image FastNet Terminator Kit	14.00	16.66
135-0A-170	Fastnet Kabel, 2m	18.00	21.42

Misc

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
135-0A-097	 Missing Image	MastBasis Prozessor Kabel (Wind) 9m	57.75	68.72
135-0B-096	 Missing Image	Stromkabel 15m - 0.5mm2, 2-adrig (auch Autopilot Relais Kabel)	48.00	57.12
288-00-001	 Missing Image	Anschlußdose - 7 Anschlüsse	78.75	93.71

Naviop Kits

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14666-001		Naviop LOOP S Digital Switching System Kit - Simple, yet powerful control and monitoring features through an integrated sidebar on an MFD showing dedicated functions. 8 fused relay controlled channels + 8 fused channels.	1144.23	1361.63
000-14665-001		Naviop LOOP S+ Digital Switching System Kit - Simple, yet powerful control and monitoring features through an integrated sidebar on an MFD showing dedicated functions. 16 fused relay controlled channels + 16 fused channels.	1976.98	2352.61
000-14664-001		Naviop LOOP M+ Digital Switching System Kit - A customized monitoring and control system sporting dedicated pages with a clear view of power board status, down to the single fuse or relay. 8 fused relay controlled channels + 8 fused channels.	1771.50	2108.09
000-14663-001		Naviop LOOP M+ Digital Switching System Kit - A customized monitoring and control system sporting dedicated pages with a clear view of power board status, down to the single fuse or relay. 16 fused relay controlled channels + 16 fused channels.	2809.74	3343.59

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15212-001		Naviop OP-BOX - LOOP M / M+ - Processing and protocols Unit with PLC programming capability.	1029.00	1224.51
BERMINI-USAA-1M		Naviop OP-BOX USB Cable	67.57	80.41
31M-316-0		Naviop EGON+ 12V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only	913.50	1087.07
31M-335-0		Naviop EGON+ 24V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only	913.50	1087.07
31M-336-0		Naviop EGON+ Power 12V DC - 8 channels Fuse+Relay	913.50	1087.07
31M-337-0		Naviop EGON+ Power - 24V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only	913.50	1087.07
000-14844-001		Naviop EGON+ 12VDC Replacement Relay	25.93	30.86
C-EGON-01		Naviop EGON Power and CAN Cable - CAN ID 2	81.90	97.46
C-EGON-02		Naviop EGON Power and CAN Cable - CAN ID 2	81.90	97.46
C-EGON-03		Naviop EGON Power and CAN Cable - CAN ID 3	81.90	97.46
C-EGON-04		Naviop EGON Power and CAN Cable - CAN ID 4	81.90	97.46

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14901-001		Naviop EGON Plug Set- Includes 1x Blue connector, 1x Green connector, 1x Grey connector, 1x Black Connector, 24x EGON Power Contacts, 24x Cable Seals.	51.45	61.23
C-28576		Naviop CAN Drop Cable NA30	61.95	73.72
C-28574		Naviop CAN Drop Cable for NOVA+ - 1.2m	58.80	69.97
C-34686		Axial DB9 Male Cable for RS323/485 - 2m	32.03	38.12
C-DAU-CABLE		Naviop Wiring Harness for DAU Units - 2m	110.25	131.20
DAU-B-128		Naviop DAU Bridge - CAN ID 128	1102.50	1311.98
DAU-E-136		Naviop DAU Easy - CAN ID 136	1102.50	1311.98
DAU-E-137		Naviop DAU Easy - CAN ID 137	1102.50	1311.98
NA05-0003		Naviop SE NOVA+ Light Board - NOVA+ is a solid state lighting control board designed specifically for use in marine environments, and enables dimmable lighting control of up to 8 separate circuits, each of them being protected by a pull-out fuse. Naviop-CAN connection to the monitoring and control system is available. Only for Naviop LOOP-P Systems.	976.50	1162.04
NA05-0003-H		Naviop SE NOVA+ Light Board w/ Harness - NOVA+ is a solid state lighting control board designed specifically for use in marine environments, and enables dimmable lighting control of up to 8 separate circuits, each of them being protected by a pull-out fuse. Naviop-CAN connection to the monitoring and control system is available. Only for Naviop LOOP-P Systems.	997.50	1187.03

Naviop Parts

Main Products


Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15756-001		Naviop OP-BOX Programmable 1GHz	1338.75	1593.11
000-15212-001		Naviop OP-BOX - LOOP M / M+ - Processing and protocols Unit with PLC programming capability.	1029.00	1224.51
BERMINI-USAA-1M		Naviop OP-BOX USB Cable	67.57	80.41
000-13959-001		NAIS500/400 & Naviop OP-BOX Power & Serial Cable	61.95	73.72
000-14991-001		Naviop AT30 Protocol Converter - N2K To Naviop CAN Gateway for bridging the vessels NMEA2000 network to the Naviop Digital Switching system.	292.95	348.61
31M-316-0		Naviop EGON+ 12V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only	913.50	1087.07
31M-335-0		Naviop EGON+ 24V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only	913.50	1087.07
31M-336-0		Naviop EGON+ Power 12V DC - 8 channels Fuse+Relay	913.50	1087.07
31M-337-0		Naviop EGON+ Power - 24V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only	913.50	1087.07
000-14844-001		Naviop EGON+ 12VDC Replacement Relay	25.93	30.86
C-EGON-01		Naviop EGON Power and CAN Cable - CAN ID 2	81.90	97.46
C-EGON-02		Naviop EGON Power and CAN Cable - CAN ID 2	81.90	97.46
C-EGON-03		Naviop EGON Power and CAN Cable - CAN ID 3	81.90	97.46
C-EGON-04		Naviop EGON Power and CAN Cable - CAN ID 4	81.90	97.46
000-14901-001		Naviop EGON Plug Set- Includes 1x Blue connector, 1x Green connector, 1x Grey connector, 1x Black Connector, 24x EGON Power Contacts, 24x Cable Seals.	51.45	61.23
C-28576		Naviop CAN Drop Cable NA30	61.95	73.72

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
C-28574		Naviop CAN Drop Cable for NOVA+ - 1.2m	58.80	69.97
C-34686		Axial DB9 Male Cable for RS323/485 - 2m	32.03	38.12
C-DAU-CABLE		Naviop Wiring Harness for DAU Units - 2m	110.25	131.20
DAU-B-128		Naviop DAU Bridge - CAN ID 128	1102.50	1311.98
DAU-E-136		Naviop DAU Easy - CAN ID 136	1102.50	1311.98
DAU-E-137		Naviop DAU Easy - CAN ID 137	1102.50	1311.98
NA05-0003		Naviop SE NOVA+ Light Board - NOVA+ is a solid state lighting control board designed specifically for use in marine environments, and enables dimmable lighting control of up to 8 separate circuits, each of them being protected by a pull-out fuse. Naviop-CAN connection to the monitoring and control system is available. Only for Naviop LOOP-P Systems.	976.50	1162.04
NA05-0003-H		Naviop SE NOVA+ Light Board w/ Harness - NOVA+ is a solid state lighting control board designed specifically for use in marine environments, and enables dimmable lighting control of up to 8 separate circuits, each of them being protected by a pull-out fuse. Naviop-CAN connection to the monitoring and control system is available. Only for Naviop LOOP-P Systems.	997.50	1187.03

REVEAL™

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
M-AF-Y209-MS		REVEAL: M-AF-Y209-MS South & East Africa	199.00	236.81
M-AF-Y210-MS		REVEAL: M-AF-Y210-MS West Africa	199.00	236.81
M-EM-Y076-MS		REVEAL: M-EM-Y076-MS South-West European Coasts	199.00	236.81
M-EM-Y111-MS		REVEAL: M-EM-Y111-MS East Mediterranean, Caspian Seas	199.00	236.81
M-EN-Y070-MS		REVEAL: M-EN-Y070-MS Central Europe Inland	199.00	236.81
M-EN-Y299-MS		C-MAP REVEAL - M-EN-Y299-MS - Baltic Sea	199.00	236.81
M-EN-Y300-MS		C-MAP REVEAL - M-EN-Y300-MS - North Sea & Denmark	199.00	236.81
M-EN-Y326-MS		C-MAP REVEAL - M-EN-Y326-MS - Finland Lakes	199.00	236.81
M-EN-Y580-MS		C-MAP REVEAL - M-EN-Y580-MS - Scandinavia Inland	199.00	236.81
M-EW-Y065-MS		REVEAL: M-EW-Y065-MS France Coastal & Inland	199.00	236.81
M-EW-Y226-MS		REVEAL: M-EW-Y226-MS United Kingdom	199.00	236.81
M-EW-Y227-MS		REVEAL: M-EW-Y227-MS North-West European Coasts	199.00	236.81
M-EW-Y228-MS		REVEAL: M-EW-Y228-MS West European Coasts	199.00	236.81
M-ME-Y204-MS		REVEAL: M-ME-Y204-MS Red Sea to The Gulf & Seychelles Islands	199.00	236.81
M-RS-Y013-MS		REVEAL: M-RS-Y013-MS Kamchatka Peninsula & Kuril Islands	199.00	236.81
M-RS-Y202-MS		REVEAL: M-RS-Y202-MS Russian Federation – North West	199.00	236.81
M-RS-Y203-MS		REVEAL: M-RS-Y203-MS Russian Federation – North Central	199.00	236.81

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
M-RS-Y204-MS		REVEAL: M-RS-Y204-MS Russian Federation – North East	199.00	236.81
M-RS-Y207-MS		REVEAL: M-RS-Y207-MS Hokkaido and Sakhalin Islands	199.00	236.81

DISCOVER™

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
M-AF-Y214-MS		DISCOVER: M-AF-Y214-MS Cape Verde & Guinea Bissau	129.00	153.51
M-AF-Y200-MS		DISCOVER: M-AF-Y200-MS Cameroon to South Africa	129.00	153.51
M-AF-Y201-MS		DISCOVER: M-AF-Y201-MS South Africa to Mozambique	129.00	153.51
M-AF-Y220-MS		DISCOVER: M-AF-Y220-MS Pemba to Mogadishu	129.00	153.51
M-EM-Y040-MS		DISCOVER: M-EM-Y040-MS Italian Lakes & Po River	129.00	153.51
M-EM-Y200-MS		DISCOVER: M-EM-Y200-MS West Mediterranean	129.00	153.51
M-EM-Y201-MS		DISCOVER: M-EM-Y201-MS Central Mediterranean	129.00	153.51
M-EM-Y202-MS		DISCOVER: M-EM-Y202-MS Mediterranean South Central	129.00	153.51
M-EM-Y203-MS		DISCOVER: M-EM-Y203-MS Adriatic & Ionian Seas	129.00	153.51
M-EM-Y204-MS		DISCOVER: M-EM-Y204-MS Aegean Sea & Sea of Marmara	129.00	153.51
M-EM-Y205-MS		DISCOVER: M-EM-Y205-MS Black Sea & Sea of Azov	129.00	153.51
M-EM-Y206-MS		DISCOVER: M-EM-Y206-MS Mediterranean South East	129.00	153.51
M-EN-Y200-MS		C-MAP DISCOVER: M-EN-Y200-MS Bodø - Kirkenes	129.00	153.51
M-EN-Y201-MS		DISCOVER: M-EN-Y201-MS Kristiansund - Finnsnes	129.00	153.51
M-EN-Y202-MS		DISCOVER: M-EN-Y202-MS Bergen to Brandsfjorden	129.00	153.51
M-EN-Y203-MS		DISCOVER: M-EN-Y203-MS Farsund to Måløy	129.00	153.51
M-EN-Y204-MS		DISCOVER: M-EN-Y204-MS Fiskebäckskil to Lyndgal	129.00	153.51


Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
M-EN-Y205-MS		DISCOVER: M-EN-Y205-MS Karlskrona to Emden	129.00	153.51
M-EN-Y206-MS		DISCOVER: M-EN-Y206-MS Torkov to Larvik	129.00	153.51
M-EN-Y207-MS		DISCOVER: M-EN-Y207-MS Malmö to Valdemarsvik	129.00	153.51
M-EN-Y208-MS		DISCOVER: M-EN-Y208-MS Västervik to Valdemarsvik	129.00	153.51
M-EN-Y209-MS		DISCOVER: M-EN-Y209-MS Gulf of Bothnia	129.00	153.51
M-EN-Y210-MS		DISCOVER: M-EN-Y210-MS Scandinavia Inland Waters	129.00	153.51
M-EN-Y211-MS		DISCOVER: M-EN-Y211-MS Finland Lakes	129.00	153.51
M-EN-Y212-MS		DISCOVER: M-EN-Y212-MS Gulf of Finland & Åland Islands Archipelago	129.00	153.51
M-EN-Y213-MS		DISCOVER: M-EN-Y213-MS Latvia, Lithuania & Russia	129.00	153.51
M-EN-Y214-MS		DISCOVER: M-EN-Y214-MS Polish Coast & Inland	129.00	153.51
M-EN-Y215-MS		DISCOVER: M-EN-Y215-MS Germany & Netherlands Inland	129.00	153.51
M-EN-Y216-MS		DISCOVER: M-EN-Y216-MS Benelux Inland & Coastal	129.00	153.51
M-EN-Y217-MS		DISCOVER: M-EN-Y217-MS Central Europe Inland	129.00	153.51
M-EN-Y218-MS		DISCOVER: M-EN-Y218-MS Iceland, Faroe, Shetland & Orkney Islands	129.00	153.51
M-EN-Y630-MS		DISCOVER: M-EN-Y630-MS Pechenga to Lumbovskiy Gulf	129.00	153.51
M-EW-Y206-MS		DISCOVER: M-EW-Y206-MS French Inland Waters	129.00	153.51
M-EW-Y207-MS		DISCOVER: M-EW-Y207-MS Bay of Biscay	129.00	153.51
M-EW-Y208-MS		DISCOVER: M-EW-Y208-MS Portugal & Galicia	129.00	153.51

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
M-EW-Y209-MS		DISCOVER: M-EW-Y209-MS Canary Island to Gibraltar	129.00	153.51
M-ME-Y200-MS		DISCOVER: M-ME-Y200-MS Red Sea	129.00	153.51
M-ME-Y201-MS		DISCOVER: M-ME-Y201-MS Persian Gulf to Oman	129.00	153.51
M-RS-Y009-MS		DISCOVER: M-RS-Y009-MS Kyongsong Man to Plastun	129.00	153.51
M-RS-Y221-MS		DISCOVER: M-RS-Y221-MS White Sea	129.00	153.51
M-EW-Y060-MS		DISCOVER: M-EW-Y060-MS Central & West Europe	199.00	236.81
M-RS-Y240-MS		DISCOVER: M-RS-Y240-MS Tauyskaya Bay	83.00	98.77
M-AF-Y003-MS		DISCOVER: M-AF-Y003-MS Antarctica	199.00	236.81
M-AF-Y050-MS		DISCOVER: M-AF-Y050-MS Africa & Arabian Sea	199.00	236.81
M-EM-Y045-MS		DISCOVER: M-EM-Y045-MS Southern Europe	199.00	236.81
M-EN-Y040-MS		DISCOVER: M-EN-Y040-MS Greenland	199.00	236.81
M-EN-Y050-MS		DISCOVER: M-EN-Y050-MS Northern & Central Europe	199.00	236.81
M-EN-Y055-MS		DISCOVER: M-EN-Y055-MS Baltic Sea	199.00	236.81
M-EW-Y200-MS		DISCOVER: M-EW-Y200-MS United Kingdom & Ireland	150.86	179.53

DISCOVER™ X

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
M-AF-T-050-D-MS		AF-T-050-D-MS - DISCOVER X Africa, Arabic Sea	199.18	237.02
M-AF-T-209-D-MS		AF-T-209-D-MS - DISCOVER X South and East Africa	130.33	155.09
M-AF-T-210-D-MS		AF-T-210-D-MS - DISCOVER X West Africa	130.33	155.09
M-EM-T-045-D-MS		EM-T-045-D-MS - DISCOVER X Southern Europe	199.18	237.02
M-EM-T-076-D-MS		EM-T-076-D-MS - DISCOVER X West Mediterranean	130.33	155.09
M-EM-T-111-D-MS		EM-T-111-D-MS - DISCOVER X East Mediterranean	130.33	155.09
M-EM-T-112-D-MS		EM-T-112-D-MS - DISCOVER X Black and Caspian Seas	130.33	155.09
M-EN-T-050-D-MS		EN-T-050-D-MS - DISCOVER X Northern, Central Europe	199.18	237.02
M-EN-T-055-D-MS		EN-T-055-D-MS - DISCOVER X Sweden, Finland Baltic Sea	199.18	237.02
M-EN-T-200-D-MS		EN-T-200-D-MS - DISCOVER X Skagerrak, Kattegatt and Baltic Sea	130.33	155.09
M-EN-T-218-D-MS		EN-T-218-D-MS - DISCOVER X Greenland and Iceland	130.33	155.09
M-EN-T-040-D-MS		EN-T-040-D-MS - DISCOVER X Greenland	199.18	237.02
M-EN-T-300-D-MS		EN-T-300-D-MS - DISCOVER X North Sea	130.33	155.09

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
M-EN-T-326-D-MS		EN-T-326-D-MS - DISCOVER X Finland Inland and Baltic Sea	130.33	155.09
M-EN-T-580-D-MS		EN-T-580-D-MS - DISCOVER X Scandinavia Inland	130.33	155.09
M-EW-T-060-D-MS		EW-T-060-D-MS - DISCOVER X Central-West Europe	199.18	237.02
M-EW-T-226-D-MS		EW-T-226-D-MS - DISCOVER X United Kingdom	130.33	155.09
M-EW-T-227-D-MS		EW-T-227-D-MS - DISCOVER X North-West Europe	130.33	155.09
M-EW-T-228-D-MS		EW-T-228-D-MS - DISCOVER X West European Coasts	130.33	155.09
M-RS-T-013-D-MS		RS-T-013-D-MS - DISCOVER X Kamchatka Peninsula and Kuril Islands	130.33	155.09
M-RS-T-202-D-MS		RS-T-202-D-MS - DISCOVER X Russian Federation North West	130.33	155.09
M-RS-T-204-D-MS		RS-T-204-D-MS - DISCOVER X Russian Federation North East	130.33	155.09
M-RS-T-210-D-MS		RS-T-210-D-MS - DISCOVER X West Russia Inland	130.33	155.09
M-RS-T-211-D-MS		RS-T-211-D-MS - DISCOVER X East Russia Inland	130.33	155.09

REVEAL™ X COASTAL

Main Products


Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
M-AF-T-209-R-MS		AF-T-209-R-MS - REVEAL X South and East Africa	204.10	242.88
M-AF-T-210-R-MS		AF-T-210-R-MS - REVEAL X West Africa	204.10	242.88
M-EM-T-076-R-MS		EM-T-076-R-MS - REVEAL X West Mediterranean	204.10	242.88
M-EM-T-111-R-MS		EM-T-111-R-MS - REVEAL X East Mediterranean	204.10	242.88
M-EM-T-112-R-MS		EM-T-112-R-MS - REVEAL X Black and Caspian Seas	204.10	242.88
M-EN-T-200-R-MS		EN-T-200-R-MS - REVEAL X Skagerak, Kattegatt and Baltic Sea	204.10	242.88
M-EN-T-218-R-MS		EN-T-218-R-MS - REVEAL X Greenland and Iceland	204.10	242.88
M-EN-T-300-R-MS		EN-T-300-R-MS - REVEAL X North Sea	204.10	242.88
M-EN-T-326-R-MS		EN-T-326-R-MS - REVEAL X Finland Inland and Baltic Sea	204.10	242.88
M-EN-T-580-R-MS		EN-T-580-R-MS - REVEAL X Scandinavia Inland	204.10	242.88
M-EW-T-226-R-MS		EW-T-226-R-MS - REVEAL X United Kingdom	204.10	242.88
M-EW-T-227-R-MS		EW-T-227-R-MS - REVEAL X North-West Europe	204.10	242.88
M-EW-T-228-R-MS		EW-T-228-R-MS - REVEAL X West European Coasts	204.10	242.88



Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
M-ME-T-204-R-MS		ME-T-204-R-MS - REVEAL X Red Sea, The Gulf and Seychelles Is.	204.10	242.88
M-RS-T-013-R-MS		RS-T-013-R-MS - REVEAL X Kamchatka Peninsula and Kuril Islands	204.10	242.88

Navigation

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16554-001		Power cable. Right angle 10 pin connector for NSO® 4, Zeus® SRX. 3 m (9.8 ft). Four core cable.	103.95	123.70
000-16626-001		REPLACEMENT SD DOOR,NSS4 & ZEUS SR	11.21	13.34
000-16628-001		REAR MOUNT NUT - 10 PK,NSS4 & ZEUS SR	14.27	16.98
000-16627-001		Replacement rubber boot for rear mount of the Simrad® NSO® 4 and B&G Zeus® SRX. Sold in packs of ten.	9.99	11.89
000-16328-001		USB audio adaptor, for NSO®4 & Zeus® SRX. Contains 1 x USB male to USB female 0.5 m (1.6 ft) AND USB Male to 3.5 mm audio jack 13.5 cm (5.3").	91.77	109.21
000-16329-001		USB to USB-A Female adapter cable	24.99	29.74
000-16514-001		CAP-2 MFD CONNECTOR CAP SET. CAP-1 Pack + USB A + USB C + HDM	32.63	38.83
000-16461-001		USB Video out (female) Video cable for NSS 4, Zeus SR	153.93	183.17
000-16219-001		NSX/ZeusS 3012UW Rear mount kit. Includes 2x powder-coated brackets, 2x threaded studs, 8x thumb nuts, and a foam gasket.	71.40	84.97
000-16217-001		NSX / ZeusS UW Gimbal Bracket	56.10	66.76
000-16220-001		NSX, ZeusS 3015UW Gimbal Bracket.	66.30	78.90
000-16222-001		Simrad NSX 3015UW , B&G ZeusS UW Rear mount kit. Includes 2x powder-coated brackets, 2x threaded studs, 8x thumb nuts, and a foam gasket.	71.40	84.97
000-16515-001		SD CARD DOOR REPLACEMENT NSS-4 / ZEUS SR	15.99	19.03
000-16460-001		10 Inch Gimbal Bracket - NSS 4,ZEUS SR	50.00	59.50
000-16459-001		12 Inch Gimbal Bracket - NSS 4,ZEUS SR	66.00	78.54
000-16458-001		16 Inch Gimbal Bracket - NSS 4,ZEUS SR	69.00	82.11
000-16457-001		10 Inch Rear Mount Kit - NSS 4,ZEUS SR	50.00	59.50
000-16456-001		12 Inch Rear Mount Kit - NSS 4,ZEUS SR	66.00	78.54
000-16455-001		16 Inch Rear Mount Kit - NSS 4,ZEUS SR	69.00	82.11

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16454-001		ZEUS SR 10 SUNCOVER	45.90	54.62
000-16453-001		ZEUS SR 12 SUNCOVER	61.20	72.83
000-16452-001		ZEUS SR 16 SUNCOVER	54.76	65.16
000-16358-001		Zeus@ S Ultrawide-12 Suncover	61.20	72.83
000-16359-001		Zeus@ S Ultrawide-15 Suncover	81.60	97.10
000-13172-001		Vulcan-5 Suncover	25.00	29.75
000-14228-001		Vulcan 7R Suncover	35.70	42.48
000-13701-001		Vulcan 9 Suncover	40.80	48.55
000-14152-001		Vulcan 12 Suncover	60.00	71.40
000-12374-001		Flush mount O'ring type seal for use with the Flush mount kit for GO7 & Vulcan 7 displays.	22.00	26.18
000-12373-001		Replacement panel / dashboard gasket for GO7 & Vulcan 7 displays	11.00	13.09
000-12372-001		Mounting bracket for Simrad NSX 3007, GO7 XSR, I3007, P3007, and B&G Vulcan 7R,	54.06	64.33
000-12366-001		FLUSH MOUNT KIT,GO7 & VULCAN 7 Note: If flush mounting the Go7 or Vulcan 7 you may need the specific sun cover for the flush mount installation method. For GO7 please order 000-12368-001 or for Vulcan order 000-12370-001).	30.59	36.40
000-15819-001		B&G Zeus S 7 Suncover	35.70	42.48
000-15820-001		B&G Zeus S 9 Suncover	40.80	48.55
000-15821-001		B&G Zeus S 12 Suncover	61.20	72.83
000-13744-001		B&G Zeus³ 7" Sun cover	35.70	42.48

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13745-001		B&G Zeus³/³S 9" Sun cover	29.58	35.20
000-13746-001		B&G Zeus³/³S 12" Sun cover	43.86	52.19
000-13747-001		B&G Zeus³/³S 16" Sun cover	49.98	59.48
000-15635-001		B&G Magnetic Suncover for 16" Monitor	131.58	156.58
000-14357-001		B&G Suncover for 16" Monitor	92.70	110.31
000-15636-001		B&G Magnetic Suncover for 19" Monitor	151.98	180.86
000-14358-001		B&G Suncover for 19" Monitor	139.00	165.41
000-15637-001		B&G Magnetic Suncover for 24" Monitor	190.00	226.10
000-14359-001		B&G Suncover for 24" Monitor	149.00	177.31
000-11248-001		HDMI monitor video cable 3 m (9.8 ft)	40.80	48.55
000-11249-001		HDMI monitor video cable 10 m (33 ft)	66.30	78.90
000-00129-001		Video/Data Cable - Provides 2x Analog Composite Video Inputs (RCA Female) and a NMEA 0183 Interface.	44.88	53.41
000-12742-001		HDMI Cable with vibration resistant and waterproof connector on one end to connect to Navico MFDs with HDMI port.	70.38	83.75
000-12741-001		HDMI Cable with vibration resistant and waterproof connector on one end to connect to Navico MFDs with HDMI port.	117.30	139.59
000-13748-001		NSSevo3 & ZEUS³ Chart Card Door	14.28	16.99
000-13749-001		NSSevo3 & ZEUS³ 7" Edge Bezels	18.36	21.85
000-13750-001		NSSevo3/3S & ZEUS³/³S 9" Edge Bezels	21.42	25.49

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13751-001		NSSevo3/3S & ZEUS ³ /S 12" Edge Bezels	25.50	30.35
000-13752-001		NSSevo3/3S & ZEUS ³ /S 16" Edge Bezels	29.58	35.20
000-13753-001		NSSevo3 & ZEUS ³ 7" Dash Mount Kit	27.54	32.77
000-13754-001		NSSevo3/3S & ZEUS ³ /S 9" Dash Mount Kit	23.46	27.92
000-13755-001		NSSevo3/3S & ZEUS ³ /S 12" Dash Mount Kit	45.90	54.62
000-13756-001		NSSevo3/3S & ZEUS ³ /S 16" Dash Mount Kit	66.30	78.90
000-13758-001		NSSevo3/3S & ZEUS ³ /S 9" Mounting Bracket (Plastic)	36.72	43.70
000-13759-001		NSSevo3/3S & ZEUS ³ /S 12" Mounting Bracket	100.98	120.17
000-13760-001		NSS16evo3/3S & ZEUS ³ /S 16" Mounting Bracket (Metal)	100.98	120.17
000-14317-001		Replacement Rotary knob for Simrad NSS evo3 & Zeus ³ MFDs	22.44	26.70
000-13547-001		Extra heavy duty Gimbal bracket for desk-mounting the M5000 IMO Monitors, Simrad MO-Series Touch Monitors, B&G ZM-Series Monitors as well as NSO evo3S MFD and Zeus3S Glass Helm Displays.	579.00	689.01
000-11618-001		MO, NSO evo3 16/19/24,Rear mount bracket kit. Includes: dash seal for 16,19,24" and Bracket kit	64.26	76.47
000-14488-001		Spacer required if using the Heavy Duty Gimbal bracket kit (000-13547-001) to mount an NSO16 evo3 or ZEUS3-16 display.(not required for 19 and 24 " displays)	51.49	61.27
000-13171-001		GO5 & Vulcan-5 Power & N2K Cable	80.58	95.89
000-10027-001		Quick Release Bracket - GO5 / Vulcan5 / P2005 / I3005 / Mark / Elite	35.70	42.48
000-13170-001		Edge Bezel for P2005, I3005, GO5 & Vulcan-5	11.22	13.35
000-13169-001		Dash Mount kit for P2005, I3005, GO5 & Vulcan-5	14.28	16.99
000-14230-001		Edge Bezel for GO7 XSR, Vulcan 7R, I3007 & P3007	17.34	20.63

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14229-001		Dash Mount Kit for GO7 XSR, Vulcan 7R, I3007 & P3007	22.44	26.70
000-13699-001		GO9 XSE & Vulcan 9 Dash Mount Kit	22.44	26.70
000-13700-001		Replacement bezel for Simrad GO9 or B&G Vulcan9.	18.36	21.85
000-13702-001		Gimbal mounting bracket for Simrad NSX 3009, GO9, NSS7 evo3,, and B&G Vulcan9, Zeus3 7 (Plastic)	55.08	65.55
000-14247-001		GO12 & Vulcan 12 Edge Bezel	22.00	26.18
000-14148-001		U-BRACKET 12" GO, VULCAN, NSX, ZEUS S	79.00	94.01
000-11247-001		NSOevo2, NSOevo3S, Zeus2 and Zeus3S NMEA0183 and Touch Monitor Serial Cable. 2m (6.5 ft)	29.58	35.20
000-13892-001		MI10 Dashmount microSD card reader: Dual microSD Chart Card reader: Note for NSO4 and Zeus SRX a 000-16329-001 USB C male to USB-C-A adapter, or similar third party adapter is required.	223.38	265.82
000-12743-001		OP50 / ZC2 Suncover	14.28	16.99
000-12746-001		OP50 / ZC2 Dial Knob with grub screw	41.19	49.02
000-12745-001		OP50 / ZC2 Flush Mounting Bracket Kit	89.76	106.81
000-12744-001		OP50 / ZC2 Dash Mounting Kit	25.50	30.35
000-13703-001		Auto-Stby Button - Metal. For a physical Auto/Stby button in systems with NAC-1 and NAC-2 Autopilot Computers.	51.45	61.23
000-15475-001		WM-4 SIRIUS SAT WEATHER ETHERNET EXT 5M	54.60	64.97

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	702.45	835.92
000-16235-001		HS65, GNSS Compass with mount flat mount.	1199.00	1426.81
000-16329-001		USB to USB-A Female adapter cable	24.99	29.74



Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13338-001		NAC-3 VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer and Precision-9 Compass.	2213.75	2634.36
000-00129-001		Video/Data Cable - Provides 2x Analog Composite Video Inputs (RCA Female) and a NMEA 0183 Interface.	44.88	53.41
000-14488-001		Spacer required if using the Heavy Duty Gimbal bracket kit (000-13547-001) to mount an NSO16 evo3 or ZEUS3-16 display.(not required for 19 and 24 " displays)	51.49	61.27




Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-10467-001		NSS Kartenschachtklappe	15.00	17.85

Instrumente

Main Products

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-12892-001	SUN COVER,H5000 DISPLAYS	21.00	24.99
000-12893-001	SUN COVER,H5000 PILOT KEYPAD	22.05	26.24
000-15822-001	 Corner bezel clips for NSX range of displays. Set of four corner clips	25.49	30.33
000-13725-001	 Suncover for Simrad OP12 and B&G Triton² Pilot controllers	14.70	17.49
000-15868-001	 B&G Nemesis™ 9 Spare Suncover	42.00	49.98
000-15869-001	 B&G Nemesis™ 12 Spare Suncover	63.00	74.97
000-15893-001	 B&G Nemesis™ 9 Mast Bracket	294.00	349.86
000-15894-001	 B&G Nemesis™ 12 Mast Bracket	341.25	406.09
000-14547-001	 Power / Ethernet cable, 5 m (16.5 ft) for HALO dome radars and B&G Nemesis displays	80.85	96.21
000-14548-001	 Power / Ethernet cable, 10 m (33 ft) for HALO dome radars and B&G Nemesis displays	124.95	148.69
000-14549-001	 Power / Ethernet cable, 20 m (65.5 ft) for HALO dome radars and B&G Nemesis displays	187.95	223.66
000-14550-001	 Power / Ethernet cable, 30 m (98.5 ft) for HALO dome radars and B&G Nemesis displays	250.95	298.63
000-15545-001	 Gasket for H5000 Graphic/Race Displays 5-pack	26.25	31.24
000-15740-001	 Nemesis™ Power & Ethernet Hub Interconnect cable. 60cm (2 ft). One required per display to be connected to the Hub.	72.45	86.22
000-15546-001	 Gasket for 20/20 HV Display 5-pack	22.05	26.24
BGH320001	 10/10HV Display Pack for H3000 and WTP3 systems.	565.95	673.48
BGH290001	 20/20HV Display Pack for H3000 and WTP3 systems	1270.50	1511.90

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
BGH240001		30/30HV Display Pack for H3000 and WTP3 systems.	2467.50	2936.33
BGH280001		40/40HV Display Pack for H3000 and WTP3 systems	4084.50	4860.56
000-15547-001		Gasket for 30/30 HV Display 5-pack	50.40	59.98
000-15548-001		Gasket for 40/40 HV Display 5-pack	90.30	107.46
000-13722-001		Suncover for B&G Triton² Display	26.25	31.24
000-13950-001		IS42 & Triton2 Installation Kit - Includes edge bezel, screws and guide tool.	19.95	23.74
000-13952-001		Triton2 Pilot & OP12 Installation Kit	14.70	17.49
000-12614-001		H5000 Displays - Edge Cover Set	8.40	10.00
000-12615-001		H5000 Pilot Controller Edge Cover Set	8.40	10.00
037-03195		FFD Elastomeric	28.00	33.32
037-03607		20/20 Elastomeric	15.00	17.85
239-30-068		Display Mounting Gasket (FFD, 20/20 mk. 1	5.00	5.95
000-10568-001		Accessory plug assembly for DST800	29.58	35.20
000-11740-001		Airmar 110WX/ 120WX Cable 6 m (19.6 ft) (NMEA 2000 to Device cable)	95.48	113.62
000-10388-001		Ersatzteil Kit Paddelrad für DST800	36.75	43.73
000-10862-001		TRITON DISPLAY MAIN MOUNTING KIT	28.00	33.32
000-12899-001		USB port cover for H5000, AP44/48, A2004, IS42, and Triton 2	10.50	12.50
000-12897-001		GROMMET PACK,H5000 MODULES	40.95	48.73
000-12896-001		GROMMET PACK,H5000 CPU	17.30	20.59
000-12895-001		CONNECTOR PACK (Green),H5000 PILOT CPU	124.95	148.69
000-12898-001		CONN PACK,H5000 EXPANSION MODULES	24.87	29.60

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-12894-001	CONN PACK,H5000 CPU	68.25	81.22

Accessories

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16295-001	 Transducer, Network cable pulling tools	26.24	31.23
BGH301035	 B&G SimNet Kabel 0.35m, gewinkelt	37.80	44.98
BGH220013	 20/20 HV Mast Halter (3-fach)	231.00	274.89
BGH220014	 20/20 HV Mast Halter (4-fach)	310.00	368.90
BGH220015	 20/20 HV Mast Halter (5-fach)	378.00	449.82
BGH291017	 20/20HV Rahmen (weiß)	61.00	72.59
BGH291018	 20/20HV Rahmen (Rot)	61.00	72.59
BGH291019	 20/20HV Rahmen (Grün)	61.00	72.59



Spare Parts

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
BGH281011	 40/40HV Rahmen (schwarz)	69.30	82.47
BGH284014	 40/40HV Sun Cover	38.85	46.23
BGH241011	 30/30HV Rahmen schwarz	63.00	74.97
BGH244014	 30/30HV Sun Cover	37.80	44.98
BGH291001	 20/20HV Display only	1145.00	1362.55

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
BGH291011	 Missing Image	20/20HV Rahmen (schwarz)	47.25	56.23
BGH321011	 Missing Image	10/10HV Bezel (schwarz)	28.35	33.74
BGH324014	 Missing Image	10/10HV Sun Cover	21.00	24.99
BGH231021	 Missing Image	H3000 Analog: Echolot ft/fathoms	29.40	34.99
BGH234017		H3000 analog Schutzkappen	18.90	22.49

Sensoren

Main Products





Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15144-001		Wind vane assembly spare for WS300/700 series wind sensors. Inc. mounting nut.	50.40	59.98
000-16297-001		Standard flat mount that ships with HS65 GNSS Compass. This can be used ad replacement.	77.70	92.46
000-15615-001		Replacement PCB for the WS320 wind sensor.	312.90	372.35
000-15143-001		WS300/700 Support Moulding inc. O-Ring	17.85	21.24
000-11675-001		ForwardScan™ Transducer Only. With 10m (33ft) Cable	577.50	687.23
000-15142-001		Replacement wind angle bearing for the WS300/700 series wind sensors.	87.15	103.71
000-15140-001		Wind Speed Cup spare for all B&G MHUs (508, 608, 213, VMHU, WS300, WS700)	32.55	38.73
000-15141-001		Replacement battery for WS320 wireless wind sensor.	23.10	27.49
000-13578-001		ForwardScan™ Long-Stem Housing Only	481.95	573.52
000-15139-001		Replacement PCB for WS700/310 series wind sensors.	312.90	372.35
213-10-038		Replacement wind speed bearing for all B&G MHUs (508, 608, 213, VMHU, WS300, WS700)	96.60	114.95
MHU-NUTS		Replacement mounting nuts for wind vane and cups for all B&G MHUs (508, 608, 213, VMHU, WS300, WS700)	21.00	24.99
000-14388-001		The WS320 Wireless Interface: Spare Wireless Interface for the WS320 Wind Sensor system. Receives wireless signals from the WS320 and converts to NMEA 2000.	191.10	227.41
000-13715-001		608 Wind Sensor spare PCB assembly. Compatible with 608 and 508 Wind Sensors	199.50	237.41
000-13714-001		Networked wind sensor for Triton2, Triton, IS42, IS40 and IS20 systems. Sensor only, does not include cable.	451.50	537.29
275-00-031		XTL Fin - Bronze Bolzen, erweiterte Länge, Log und Echolot	2650.00	3153.50
275-00-045		XTL Fin - VA Bolzen, Standart Länge, nur Log	2450.00	2915.50
000-13579-001		ForwardScan™ Long-Stem Fairing Block Only	82.95	98.71
BGH033004		V-Mast Head Unit Cable Loom assembly (for 810 mm (32"))	130.00	154.70

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13716-001		Bracket Kit - Water Level or Antenna Mount	6.18	7.35
000-10573-001		IS20 Windfahnen Masthalterung	69.22	82.37
000-0127-54		Stromkabel BSM-1, LSS-2	48.96	58.26

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-10757-001		Kabel 20 m (66 ft) NMEA2000 Wind-Masteinheit (Micro-C male - Simnet)	100.80	119.95
000-10758-001		Kabel 35 m (66 ft) NMEA2000 Wind-Masteinheit (Micro-C male - Simnet)	139.65	166.18
178-0B-001		24m Mast Kabel und Halter (für 213 Windmeßgeber, Standart Version)	376.95	448.57
178-0D-001		36m Mast Kabel und Halter (für 213 Windmeßgeber, Standart Version)	462.00	549.78
178-0X-001		36m extra leicht Mast Kabel und Halter (für 213 Windmeßgeber, Standart Version)	598.50	712.22


Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-12232-001		ForwardScan™ O-Ring (Color of supplied O-Ring may vary from shown)	19.95	23.74
000-15140-001		Wind Speed Cup spare for all B&G MHUs (508, 608, 213, VMHU, WS300, WS700)	32.55	38.73
213-10-038		Replacement wind speed bearing for all B&G MHUs (508, 608, 213, VMHU, WS300, WS700)	96.60	114.95
MHU-NUTS		Replacement mounting nuts for wind vane and cups for all B&G MHUs (508, 608, 213, VMHU, WS300, WS700)	21.00	24.99
000-13715-001		608 Wind Sensor spare PCB assembly. Compatible with 608 and 508 Wind Sensors	199.50	237.41
000-13714-001		Networked wind sensor for Triton2, Triton, IS42, IS40 and IS20 systems. Sensor only, does not include cable.	451.50	537.29
000-10573-001		IS20 Windfahnen Masthalterung	69.22	82.37
178-30-023		213 Kabel Mutter (Kabel an Halter)	66.15	78.72
213-10-003		213 Windmeßgeber nur Gehäuse (Standart Version)	504.00	599.76

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
213-10-004	 Missing Image	Windrichtung Lager (für 213 oder 496 Windmeßgeber)	87.15	103.71
213-10-056	 Missing Image	Wind Fahne (für 213 oder 496 Windmeßgeber)	44.10	52.48
213-10-101	 Missing Image	213 Windmeßgeber Platine	376.95	448.57
MHU-MLDGS	 Missing Image	213/496 Aussengehäuse	65.10	77.47
SEN-DEPTH-A2	 Missing Image	Echolot-Sensor, aktiv NMEA0183 - 235 KHz - nur Sensor, ohne Kabel	943.95	1123.30
SEN-DEPTH-H	 Missing Image	H3000 Tiefensensor mit 15m Kabel	229.95	273.64
SEN-PLUG-DPT	 Missing Image	Seebodengehäuse Blindstopfen (Echolot)	51.45	61.23
BGH063001	 Missing Image	Halcyon Gyro-Stabilised Kompassgeber Kabel	218.00	259.42

Radar

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11465-001		HALO Antenna Only - 4ft	1360.62	1619.14
000-11466-001		HALO Antenna Only - 6ft	1920.63	2285.55
000-11464-001		HALO Antenna Only - 3ft	1048.95	1248.25
000-10795-001		SC20 Mast mount kit for HALO 20/20+ and Broadband Dome Radars.	628.95	748.45
000-10904-001		Radar-Verlängerungskabel 2 m für Broadband Radarantennen	69.30	82.47
000-10905-001		Radar-Verlängerungskabel 5 m für Broadband Radarantennen	80.85	96.21
000-14551-001		Enables re-use of the existing BR24/3G/4G cable onboard when upgrading to a HALO Dome radar.	68.25	81.22
000-12514-001		HALO Pedestal, Spare mounting kit. Includes -4 x Bolt, HEX, M12x35, 316 s/s: 4 x Bolt, HEX, M12x50, 316 s/s: -4 x Washer, Flat, M12x36x3, 316 s/s: -4 x Washer, Spring, M12, 316 s/s: -8 x Washer, Isolating M12x38 Nylon	69.30	82.47
000-12515-001		HALO Antenna - Spare Mounting Kit. M8 Dome Nuts, M8 Spring Washers, M8x16x1.2 Flat Washers. 316 SS, 4pcs each.	43.05	51.23

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14551-001		Enables re-use of the existing BR24/3G/4G cable onboard when upgrading to a HALO Dome radar.	68.25	81.22

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-12514-001		HALO Pedestal, Spare mounting kit. Includes -4 x Bolt, HEX, M12x35, 316 s/s: 4 x Bolt, HEX, M12x50, 316 s/s: -4 x Washer, Flat, M12x36x3, 316 s/s: -4 x Washer, Spring, M12, 316 s/s: -8 x Washer, Isolating M12x38 Nylon	69.30	82.47
000-12515-001		HALO Antenna - Spare Mounting Kit. M8 Dome Nuts, M8 Spring Washers, M8x16x1.2 Flat Washers. 316 SS, 4pcs each.	43.05	51.23

Autopilot/Steering

Main Products

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14463-001	NAC-2 Spare Drive Cable - 2m (6.5 ft)	39.90	47.48
TPPK329	TP22/32 & WP32 MAIN PCB	189.00	224.91
20997953	 RPU80/100/150/160/200 Seal Kit. Works for all motor types and pump sizes.	101.85	121.20
21118617	 RPU80 Motor Brushes - Framco	60.90	72.47
21118633	 RPU160 Motor Brushes - Framco	69.00	82.11
21118625	 RPU Motor Brushes - Framco for RPU300	69.00	82.11
21118666	 RPU Motor Brushes - Lemac for RPU80/160	85.05	101.21
21118682	 RPU Motor Brushes - Lemac (Long) for RPU300	135.45	161.19
000-13960-001	 Brush replacements for RPU80, RPU160 and RPU300 pumps with Parvalux motors.	87.15	103.71
000-15942-001	 Autopilot ORB hose fitting kit for MKII Pumps 1, 2, 3, 4 & 5	177.45	211.17
000-14464-001	NAC-1 & NAC-2 Power Cable - 2m	39.90	47.48
000-12359-001	 WR10 BT-1 Base Station Only	282.45	336.12
000-12358-001	 WR10 Wireless Remote for Autopilot.	219.45	261.15

Accessories

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14268-001	 Waterproof 4-core cable joiner for NAC-1, 2 and 3 Autopilot installations. Convenient way to connect your computer to the drive unit and ensure a waterproof connection.	28.35	33.74



Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
20997953		RPU80/100/150/160/200 Seal Kit. Works for all motor types and pump sizes.	101.85	121.20
21118617		RPU80 Motor Brushes - Framco	60.90	72.47
21118633		RPU160 Motor Brushes - Framco	69.00	82.11
21118625		RPU Motor Brushes - Framco for RPU300	69.00	82.11
21118666		RPU Motor Brushes - Lemac for RPU80/160	85.05	101.21
21118682		RPU Motor Brushes - Lemac (Long) for RPU300	135.45	161.19
000-13960-001		Brush replacements for RPU80, RPU160 and RPU300 pumps with Parvalux motors.	87.15	103.71

Komunikation

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14261-001		RS20/V20 Mounting Bracket	34.65	41.23
000-14913-001		V60 VHF Suncover	23.10	27.49
000-14922-001		B&G V60 Remote Mountable Fist Mic. Can be connected to the front or rear of the radio, and optional extension cable allows the radio and mic to be mounted in separate locations.	80.85	96.21
000-14919-001		RS40/V60 Bulkhead Fist Mic Mounting Clip	9.45	11.25
000-14917-001		RS40/V60 VHF Mounting bracket with Knobs and Screws	28.35	33.74
000-14915-001		RS40/V60 VHF Flush Mounting kit.:Includes teplate, Gasket, Bezels and screws	12.60	14.99
000-14925-001		HS40/H60 VHF Wireless handset Inductive charging cradle	57.75	68.72
000-14923-001		5m Extension Cable for RS40, RS40-B, V60, V60B and Link-9 VHF Fist Mics, and H100/HS100 Handsets.	46.20	54.98
000-14924-001		10m Extension Cable for RS40, RS40-B, V60, V60B and Link-9 VHF Fist Mics, and H100/HS100 Handsets.	57.75	68.72
000-13613-001		GPS-500 - GPS antenna for Navico AIS transceivers and VHF systems. 10 m (33 ft) cable with SMA connector.	156.45	186.18
000-15642-001		NRS-2 Marine VHF Radio with built in AIS Class B transceiver. Black box only	1405.95	1673.08
000-15657-001		NRS-1/ NRS-2 Bulkhead WiFi Antenna Mount Cable - 6m - For mounting the WiFi antenna in more suitable location if reception from antenna on Blackbox is not adequate.	135.45	161.19
000-15653-001		CR100 Mounting cradle for HS100 & H100 VHF radio handsets	21.00	24.99
000-15656-001		HS100/H100 Handset cable with bulkhead mount 20m (65.5 ft)	114.45	136.20
000-11727-001		RS90/V90 20m (65 ft) Handset cable. Includes phoenix connector and bulkhead mount	89.51	106.51
AA000355		UKW-Antenne Gfk 240 cm	93.45	111.21

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
AA000358		UKW-Antenne Gfk 100 cm	51.45	61.23
AA000223		Antennenhalterung Kunststoff mit 5 m Kabel	56.70	67.47
AA000224		Antennenhalterung Edelstahl mit 5 m Kabel	124.95	148.69
AA000352		UKW-Antenne Mastmontage	78.75	93.71
AA000400		VHF extension cable 5 m (16 ft)	30.45	36.24
AA000401		VHF mast cable 30 m (98 ft) for 1720 whip antenna. With Quick Fit Connector one end and Masthead connector on the other.	93.45	111.21
000-15641-001		NRS-1 Marine VHF Radio. Black box only	786.45	935.88
000-10378-001		VKIT-9 Einbausatz für versenkten Einbau RS10, RS12 und RS25	10.58	12.59
000-11564-001		BC-10 VHF Charger w/ US Power Adapter for HH36 and LINK-2 VHF.	56.65	67.41
000-11562-001		BC-10 VHF Charger w/ 12V CIG Plug for HH36 and LINK-2 VHF.	39.66	47.19
000-15859-001		VHF ANTENNA, 1Meter Back Fiberglass Stainless Steel, Quick fit fitting.	89.25	106.21
000-14806-001		V3100 Power cable, 1.8 m (6ft)	32.00	38.08
000-14807-001		V3100 NMEA 0183 Cable 1.8 m (6ft)	32.00	38.08
000-14263-001		RS20/V20 Mounting Bracket Knobs	16.80	19.99
000-14056-001		V20 Suncover	20.59	24.50
000-14066-001		VHF Interface - Type 6. For Simrad RS20/RS40, B&G V20/V60, Lowrance Link-9, Link-6 S	92.40	109.96

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14059-001	 RS20/V20 Flush Mount Kit	12.60	14.99

Accessories

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16055-001	 VHF antenna mount. Heavy-duty stainless steel fold-down antenna mount. With attached 7 m (23 ft) cable. Fastfit connector	124.95	148.69
000-14923-001	 5m Extension Cable for RS40, RS40-B, V60, V60B and Link-9 VHF Fist Mics, and H100/HS100 Handsets.	46.20	54.98
000-14924-001	 10m Extension Cable for RS40, RS40-B, V60, V60B and Link-9 VHF Fist Mics, and H100/HS100 Handsets.	57.75	68.72
000-11727-001	 RS90/V90 20m (65 ft) Handset cable. Includes phoenix connector and bulkhead mount	89.51	106.51
AA000223	 Antennenhalterung Kunststoff mit 5 m Kabel	56.70	67.47
AA000224	 Antennenhalterung Edelstahl mit 5 m Kabel	124.95	148.69
AA000400	 VHF extension cable 5 m (16 ft)	30.45	36.24
AA000401	 VHF mast cable 30 m (98 ft) for 1720 whip antenna. With Quick Fit Connector one end and Masthead connector on the other.	93.45	111.21

Echo Sounder

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11669-001		ForwardScan™ Sleeve and Plug Only (No Transducer)	282.45	336.12
000-16295-001		Transducer, Network cable pulling tools	26.24	31.23
000-12231-001		ForwardScan™ Fairing Block Only	46.19	54.97
000-12230-001		ForwardScan™ Plug Only	35.70	42.48
000-12232-001		ForwardScan™ O-Ring (Color of supplied O-Ring may vary from shown)	19.95	23.74
000-11224-001		FAIRING LSS HD BRONZE TRANSDUCER SPARE	109.19	129.94
000-10567-001		P617V DST HSG VLV KIT	69.00	82.11
000-11040-001		Adapts LSS-1 transducers to HDS Gen2 Touch units and to LSS-HD modules.	108.90	129.59

Netzwerk

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
24005910		SimNet power cable without terminator 2 m (6.6 ft) -yellow tip	51.45	61.23
24005829		SimNet cable 0.3 m (1 ft)	32.55	38.73
24005837		SimNet cable 2 m (6.6 ft)	57.75	68.72
24005845		SimNet cable 5 m (16 ft)	68.25	81.22
24005852		SimNet cable 10 m (33 ft) note: for simNet backbone only	124.95	148.69
24005860		SimNet 3 Prong Multi-joiner	30.45	36.24
24005886		SimNet protection plug	5.25	6.25
24005894		SimNet termination plug	26.25	31.24
24005902		SimNet power cable with terminator 2 m (6.6 ft) -red tip	35.70	42.48
24006199		Micro-C female to SimNet 1.0 m (3.2 ft) cable that connects a NMEA 2000® product to a SimNet backbone	36.75	43.73
24006298		SimNet 7 Prong Multi-joiner	114.45	136.20
24006306		SimNet bulkhead T-connector	78.75	93.71
24006413		Micro-C female to SimNet 4 m (13 ft) cable that connects a NMEA 2000® product to a SimNet backbone	72.45	86.22
44172260		SimNet joiner yellow without terminator	22.05	26.24
44172278		SimNet joiner red with terminator	21.00	24.99
000-00020-001		ST10 Simnet Programmier Toolkit	397.95	473.56

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
SIMKIT-1		SimNet Starter Kit-1	125.40	149.23
000-10438-001		Ethernet-Adapter Direkt RJ45 M auf yellow 5 pin	38.85	46.23
000-11584-001		NMEA0183 Serial Cable - LTW 8 Way - 10M	55.08	65.55

Andere

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16055-001		VHF antenna mount. Heavy-duty stainless steel fold-down antenna mount. With attached 7 m (23 ft) cable. Fastfit connector	124.95	148.69
000-15944-001		Autopilot fitting adaptor kit. Contains 3 x ORB-5 to 1/4" NPT adaptors	52.50	62.48
000-15949-001		ORB hose fitting kit for MKII Pumps 1, 2, 3, 4 & 5, including SteadySteer	597.45	710.97
000-15858-001		PUMP-X Motor Brushes - Autopilot pump brush kit for PUMP-2,3,4 & 5. 2Pcs. Note: Not for Pump-1	68.25	81.22
000-14968-001		Navico 1710 VHF antenna, 2.5 m (8 ft) ultraglass, quickfit @ 6dB BLACK	92.40	109.96
000-14495-001		V90S Blackbox VHF with AIS (receive only) Conforms to new EU Standard	709.67	844.51
000-14798-001		NAC-2 Rudder feedback cable: Used to connect resistive rudder feedback units to either NAC-1 or NAC-2. 3 Pin connector to 3 bare wires. 2 m (6.5 ft)	39.90	47.48
000-14352-001		SERVICE PACK FOR SIMNET TERMINATOR	12.46	14.83
000-14268-001		Waterproof 4-core cable joiner for NAC-1, 2 and 3 Autopilot installations. Convenient way to connect your computer to the drive unit and ensure a waterproof connection.	28.35	33.74
000-14060-001		LINK-6 Mounting Bracket	34.65	41.23
000-14064-001		LINK-6 Mounting Bracket Knobs	16.80	19.99
BGH301035		B&G SimNet Kabel 0.35m, gewinkelt	37.80	44.98
000-12265-001		VMHU MAST CABLE 80M	1000.39	1190.46
000-12266-001		213 MAST CABLE,80M	1000.39	1190.46
213-10-003		213 Windmeßgeber nur Gehäuse (Standart Version)	504.00	599.76
000-14503-001		LINKPRO SERVICE TOOL	219.00	260.61

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16055-001		VHF antenna mount. Heavy-duty stainless steel fold-down antenna mount. With attached 7 m (23 ft) cable. Fastfit connector	124.95	148.69
AA000223		Antennenhalterung Kunststoff mit 5 m Kabel	56.70	67.47
AA000224		Antennenhalterung Edelstahl mit 5 m Kabel	124.95	148.69
AA000400		VHF extension cable 5 m (16 ft)	30.45	36.24
BGH301035		B&G SimNet Kabel 0.35m, gewinkelt	37.80	44.98

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
BGH231021		H3000 Analog: Echolot ft/fathoms	29.40	34.99
BGH234017		H3000 analog Schutzkappen	18.90	22.49

Voll-Version

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
BGH140001	 Missing Image	Deckman C-MAP Version mit USB	1329.00	1581.51
BGH140010	 Missing Image	Deckman Upgrade +1 Version	498.75	593.51