

MARINE ELECTRONICS

PRICE LIST

Navigation Systems / Autopilot / Communications & Safety / Instruments

NSO® 4

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16320-001		NSO® 4-16. NEON™ OS, 16-inch Glass-bridge multi-function display. Qualcomm® 8-core processor. Full HD touchscreen. Gigabit Ethernet, WIFI, Video In and Out. Worldwide base map (C-MAP® DISCOVER™ X chart or REVEAL™ X chart required for navigation).	6629.00	7888.51
000-16559-001		NSO® 4-16. NEON™ OS, 16-inch Glass-bridge multi-function display. Qualcomm® 8-core processor. Full HD touchscreen. Gigabit Ethernet, WIFI, Video In and Out. Next-generation C-MAP® DISCOVER™ X chart included.	6629.00	7888.51
000-16319-001		NSO® 4-22. NEON™ OS, 22-inch Glass-bridge multi-function display. Qualcomm® 8-core processor. Full HD touchscreen. Gigabit Ethernet, WIFI, Video In and Out. Worldwide base map.(C-MAP® DISCOVER™ X chart or REVEAL™ X chart required for navigation).	11219.00	13350.61
000-16318-001		NSO® 4-24. NEON™ OS, 24-inch Glass-bridge multi-function display. Qualcomm® 8-core processor. Full HD touchscreen. Gigabit Ethernet, WIFI, Video In and Out. Worldwide Base map. (C-MAP® DISCOVER™ X chart or REVEAL™ X chart required for navigation).	13259.00	15778.21

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16516-001		OP-55™ Remote control, Portrait for NEON™ OS displays. (NSX, NSS4 requires version 2.5 or above and custom key programing in 2.6)	458.00	545.02
000-16075-001		Ethernet Cable - Green M12 8-pin male-male 1.8 m (6 ft)	39.63	47.16
000-14473-001		Simrad RS40-B Marine VHF Radio - Stay safer on the water with this VHF Marine Radio. See and be seen by nearby AIS-equipped vessels thanks the integrated Class B AIS transceiver, and add up to two optional wireless handsets.	1070.00	1273.30
000-15792-001		Simrad RS100-B Blackbox VHF Radio with integrated Class-B AIS transceiver and GPS. Kit includes NRS-2 VHF Blackbox module with Class B AIS built-in, GPS-500 antenna, one HS100 wired handset, and one SP100 speaker.	1686.00	2006.34
000-11749-001		Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit , Standby-Auto button and Micro-C network components.	1766.00	2101.54
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	716.00	852.04
000-13285-001		IS42 Instrument - This multi-purpose instrument display features a colour screen that's designed for optimal visibility in all conditions. See wind data, boat speed, depth, engine information, autopilot status, AIS data and more at a glance.	552.00	656.88
000-13260-001		S5100 High-performance CHIRP sonar module. Three fully independent channels able to deliver high-resolution sonar coverage across multiple depth ranges, precision-focused for offshore sportfishing anglers.	1736.00	2065.84
000-11043-002		GS25 Antenna with built-in rate compass. 10 Hz position update rate. Built-in rate compass is perfect for providing heading data for Radar Chart Overlay and for orienting charts in Head-Up Mode. Note: This heading sensor is not recommended for MARPA or Autopilot control! Please use the Precision 9 for this.	299.00	355.81
000-15643-001		Simrad RS100 Blackbox VHF radio system. Kit includes NRS-1 VHF Blackbox module, one HS100 wired handset, and one SP100 speaker.	1007.00	1198.33
000-14818-001		Simrad RS40-B Marine VHF Radio - Stay safer on the water with this VHF Marine Radio. See and be seen by nearby AIS-equipped vessels thanks the integrated Class B AIS transceiver, and add up to two optional wireless handsets. Includes with GPS500 GPS antenna.	1177.00	1400.63
000-15876-001		The IP CAM-1 marine grade 316 stainless steel IP camera. Powered by 12V DC or PoE.	599.00	712.81

Navigation Systems

SIMRAD

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15918-002		S3100H High-performance sonar module with HEAVE compensation. Two independent 1kW channels supporting 1 kW Low, Med, High, and High-Wide transducers. Support for high-frequency ActiveImaging HD transducers. MFDs will need compatible software.	963.00	1145.97
000-16517-001		OP-55™ Remote control, Landscape. For NEON™ OS displays.(NSX, NSS4 requires version 2.5 or above and custom key programing in 2.6)	458.00	545.02
000-16235-001		HS65, GNSS Compass with mount flat mount.	1223.00	1455.37
000-15758-001		HALO 2003: 50W Pulse Compression Radar System. Comes with HALO 50W Pedestal, 3ft Antenna, RI-50 Power Supply and 20 m (65.5 ft) Cable.	6795.00	8086.05
000-15759-001		HALO 2004: 50W Pulse Compression Radar System. Comes with HALO 50W Pedestal, 4ft Antenna, RI-50 Power Supply and 20 m (65.5 ft) Cable.	7331.00	8723.89
000-16328-001		USB audio adaptor, for NSO®4 & Zeus® SRX. Contains 1 x USB male to USB female 0.5 m (1.6 ft) AND USB Male to 3.5 mm audio jack 13.5 cm (5.3").	93.61	111.39
000-16143-001		HS75 GPS Compass - Ideal heading source for non-SOLAS professional vessels like Search and Rescue, Patrol, Fishing, Workboats and more. Provides solid 0.75° RMS heading accuracy in a compact unit. Supports GPS, GLONASS, Galileo, BeiDou, QZSS for increased accuracy across the world.	2676.00	3184.44
000-11142-001		SonarHub Module, with power cable and Ethernet cable 4.5m (15ft). Requires adapter 000-12571-001 or 000-13977-001 adapter cable to use Airmar Non-Chirp or Chirp 9-pin transducers.	694.00	825.86
000-13963-001		NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	1177.00	1400.63
000-14470-001		RS40 Marine VHF Radio - Stay safe and connected with this VHF marine radio featuring removable fist mic, Class D DSC functionality, and built-in GPS. Keep track of nearby AIS-equipped vessels with an integrated AIS receiver, and add up to two optional wireless handsets.	738.00	878.22
000-16558-001		Ethernet cable. M12 Straight to M12 right angle for NSO® 4, Zeus® SRX. 4.5 m (14.8 ft).Connector keyway for NSO 4, Zeus SRX.	196.00	233.24
000-15760-001		HALO 2006: 50W Pulse Compression Radar System. Comes with HALO 50W Pedestal, 6ft Antenna, RI-50 Power Supply and 20 m (65.5 ft) Cable.	7920.00	9424.80
000-16652-001		NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass, Pump-2 and SteadySteer™ flow switch.	2734.00	3253.46
000-16329-001		USB to USB-A Female adapter cable	25.49	30.33
000-13892-001		MI10 Dashmount microSD card reader: Dual microSD Chart Card reader: Note for NSO4 and Zeus SRX a 000-16329-001 USB C male to USB-C-A adapter, or similar third party adapter is required.	228.00	271.32
000-15621-001		NAC-D AUTOPILOT COMPUTER. NAC™ -D is a digital steering autopilot solution for Electronic Vessel Control Systems (steering systems with a digital interface). It allows automatic switching between two speed profiles, delivering optimal steering performance at both low and high speeds.	1145.00	1362.55
000-13892-002		MI10 Dashmount microSD card reader: Dual microSD Chart Card reader with USB adaptor for NSS4, Zeus SR / NSO4, Zeus SRX.	240.00	285.60

Navigation Systems

SIMRAD

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15763-001		HALO 3004: 130W Pulse Compression Radar System. Comes with HALO 130W Pedestal, 4ft Antenna, RI-50 Power Supply and 20 m (65.5 ft) Cable.	8991.00	10699.29
000-15764-001		HALO 3006: 130W Pulse Compression Radar System. Comes with HALO 130W Pedestal, 6ft Antenna, RI-50 Power Supply and 20 m (65.5 ft) Cable.	9527.00	11337.13
000-16657-001		AP44 VRF. Precision VRF medium capacity pack. Comprising of AP44 controller, NAC-2 autopilot computer, Precision 9 compass, PUMP-2 hydraulic pump (MKII) and SteadySteer™ flow switch.	3397.00	4042.43
000-10029-001		NEP-2 Network Expansion Port (Ethernetverteiler mit 5 Ports)	331.00	393.89
000-16555-001		NMEA 2000® cable for backbone extension or drop cable to connect an additional network device. 0.61 m (2-ft). Right angle connector.	52.48	62.45
000-16504-001		AP44 VRF medium capacity pack MKII. Comprising of AP44 controller, NAC-2 autopilot computer, HS65 Satellite compass, PUMP-2 hydraulic pump (MKII), and SteadySteer™ flow switch	3728.00	4436.32
000-16495-001		Ethernet cable. M12 TO RJ45 female 1.5 m (5 ft)	82.47	98.14
000-16656-001		NAC-3 RF. Performance Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, HS65 GNSS Compass, RF-25N Rudder Feedback unit, SteadySteer™ flow switch, backbone starter kit and 4m (15 ft) NMEA 2000 cable.	3458.00	4115.02
000-16008-001		NEP-3: Five port (M12) Gigabit Ethernet switch.	395.00	470.05
000-16556-001		NMEA 2000® cable for backbone extension or drop cable to connect an additional network device. 1.82 m (6-ft). Right angle connector.	69.62	82.84
000-16655-001		NAC-3 VRF. Performance VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, HS65 GNSS Compass, SteadySteer™ flow switch, backbone starter kit, 4m (15 ft) NMEA 2000 cable.	3059.00	3640.21
000-16550-001		M12 to five pin yellow Ethernet cable 1.8 m (6 ft)	117.00	139.23
000-16551-001		M12 to five pin yellow Ethernet cable 5 m (16.4 ft)	138.00	164.22
000-16505-001		AP44 VRF high capacity pack. Comprising of AP44 controller, HS65 GNSS compass,PUMP-3 hydraulic pump (MKII) and NAC-3 autopilot computer and SteadySteer™ Flow Switch	5066.00	6028.54
000-14537-001		HALO20 Radar - A cost-effective compact 20" Radar dome. 24 NM range and 24 RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.	2196.00	2613.24
000-14536-001		HALO20+ Radar - A compact 20" powerful 25 W Solid-State Radar, delivering 60 RPM at short range and up to 36 NM range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards both at close and long ranges simultaneously.	2581.00	3071.39
000-14535-001		HALO24 Radar - A 24" powerful 25 W Solid-State Radar, delivering 60 RPM at short range and up to 48 NM range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards both at close and long ranges simultaneously.	2892.00	3441.48

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14491-001		Simrad RS20S Class D DSC VHF Radio - The versatile RS20S is ideal for a variety of boats from small RIBs to larger cruisers, and is designed to match the low-profile style of our glass bridge displays and accessories.	422.00	502.18

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16332-001		Power cable. Right angle 10 pin connector for NSO® 4, Zeus® SRX. 3 m (9.8 ft). Four core cable.	99.00	117.81
000-16340-001		Magnetic suncover NSO® 4-16 MFD	179.00	213.01
000-16341-001		Magnetic suncover NSO® 4-22 MFD	205.00	243.95
000-16342-001		Magnetic suncover NSO® 4-24 MFD	232.00	276.08
000-16627-001		Replacement rubber boot for rear mount of the Simrad® NSO® 4 and B&G Zeus® SRX. Sold in packs of ten.	10.19	12.13
000-16333-001		Rear mount kit. NSO® 4, Zeus® SRX - x 2	49.00	58.31

NSS® 4

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16013-001		NSS 4-10 MFD, 10-inch SolarMAX™ high-definition display. Qualcomm® 8-core processor. Built-in dual channel 1 kW echosounder, GPS, Gigabit and 10/100 Ethernet, WIFI. World basemap. A next-generation C-MAP® DISCOVER™ X or REVEAL X™ chart card is required.	2808.00	3341.52
000-16275-001		NSS 4-10 MFD, NO SONAR, No Chart. 10-inch SolarMAX™ high-definition display. Qualcomm® 8-core processor. Built-in GPS, Gigabit and 10/100 Ethernet, WIFI. World basemap. A next-generation C-MAP® DISCOVER™ X or REVEAL X™ chart card is required.	2600.00	3094.00
000-16016-001		NSS 4-12 MFD, 12-inch SolarMAX™ high-definition display. Qualcomm® 8-core processor. Built-in dual channel 1 kW echosounder, Gigabit and 10/100 Ethernet, GPS, Video Out / Video In (or USB), WIFI. World basemap. A next-generation C-MAP® DISCOVER™ X or REVEAL X™ chart card is required.	4161.00	4951.59
000-16276-001		NSS 4-12 MFD, NO SONAR, No Chart. 12-inch SolarMAX™ high-definition display. Qualcomm® 8-core processor. Built-in GPS, Gigabit and 10/100 Ethernet, Video in / out, WIFI. World basemap. A next-generation C-MAP® DISCOVER™ X or REVEAL X™ chart card is required.	3744.00	4455.36
000-16019-001		NSS 4-16 MFD, 16-inch SolarMAX™ high-definition display. Qualcomm® 8-core processor. Built-in GPS, Gigabit and 10/100 Ethernet, Video Out / Video In (or USB), WIFI. World basemap. A next-generation C-MAP® DISCOVER™ X or REVEAL X™ chart card is required.	6033.00	7179.27
000-16277-001		NSS 4-16 MFD, NO SONAR, No Chart. 16-inch SolarMAX™ high-definition display. Qualcomm® 8-core processor. Built-in GPS, Gigabit and 10/100 Ethernet, Video In / Out, WIFI. World basemap. A next-generation C-MAP® DISCOVER™ X or REVEAL X™ chart card is required.	5513.00	6560.47

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16075-001		Ethernet Cable - Green M12 8-pin male-male 1.8 m (6 ft)	39.63	47.16
000-15792-001		Simrad RS100-B Blackbox VHF Radio with integrated Class-B AIS transceiver and GPS. Kit includes NRS-2 VHF Blackbox module with Class B AIS built-in, GPS-500 antenna, one HS100 wired handset, and one SP100 speaker.	1686.00	2006.34
000-14473-001		Simrad RS40-B Marine VHF Radio - Stay safer on the water with this VHF Marine Radio. See and be seen by nearby AIS-equipped vessels thanks the integrated Class B AIS transceiver, and add up to two optional wireless handsets.	1070.00	1273.30
000-13260-001		S5100 High-performance CHIRP sonar module. Three fully independent channels able to deliver high-resolution sonar coverage across multiple depth ranges, precision-focused for offshore sportfishing anglers.	1736.00	2065.84
000-13285-001		IS42 Instrument - This multi-purpose instrument display features a colour screen that's designed for optimal visibility in all conditions. See wind data, boat speed, depth, engine information, autopilot status, AIS data and more at a glance.	552.00	656.88
000-11749-001		Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit , Standby-Auto button and Micro-C network components.	1766.00	2101.54
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	716.00	852.04
000-16554-001	Missing Image	Power cable. Right angle 4 pin connector for NSS® 4, Zeus® SR	106.00	126.14
000-11043-002		GS25 Antenna with built-in rate compass. 10 Hz position update rate. Built-in rate compass is perfect for providing heading data for Radar Chart Overlay and for orienting charts in Head-Up Mode. Note: This heading sensor is not recommended for MARPA or Autopilot control! Please use the Precision 9 for this.	299.00	355.81

Navigation Systems

SIMRAD

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14818-001		Simrad RS40-B Marine VHF Radio - Stay safer on the water with this VHF Marine Radio. See and be seen by nearby AIS-equipped vessels thanks the integrated Class B AIS transceiver, and add up to two optional wireless handsets. Includes with GPS500 GPS antenna.	1177.00	1400.63
000-15643-001		Simrad RS100 Blackbox VHF radio system. Kit includes NRS-1 VHF Blackbox module, one HS100 wired handset, and one SP100 speaker.	1007.00	1198.33
000-15876-001		The IP CAM-1 marine grade 316 stainless steel IP camera. Powered by 12V DC or PoE.	599.00	712.81
000-15918-002		S3100H High-performance sonar module with HEAVE compensation. Two independent 1kW channels supporting 1 kW Low, Med, High, and High-Wide transducers. Support for high-frequency ActiveImaging HD transducers. MFDs will need compatible software.	963.00	1145.97
000-16235-001		HS65, GNSS Compass with mount flat mount.	1223.00	1455.37
000-15758-001		HALO 2003: 50W Pulse Compression Radar System. Comes with HALO 50W Pedestal, 3ft Antenna, RI-50 Power Supply and 20 m (65.5 ft) Cable.	6795.00	8086.05
000-15759-001		HALO 2004: 50W Pulse Compression Radar System. Comes with HALO 50W Pedestal, 4ft Antenna, RI-50 Power Supply and 20 m (65.5 ft) Cable.	7331.00	8723.89
000-16143-001		HS75 GPS Compass - Ideal heading source for non-SOLAS professional vessels like Search and Rescue, Patrol, Fishing, Workboats and more. Provides solid 0.75° RMS heading accuracy in a compact unit. Supports GPS, GLONASS, Galileo, BeiDou, QZSS for increased accuracy across the world.	2676.00	3184.44
000-11142-001		SonarHub Module, with power cable and Ethernet cable 4.5m (15ft). Requires adapter 000-12571-001 or 000-13977-001 adapter cable to use Airmar Non-Chirp or Chirp 9-pin transducers.	694.00	825.86
000-13963-001		NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	1177.00	1400.63
000-14470-001		RS40 Marine VHF Radio - Stay safe and connected with this VHF marine radio featuring removable fist mic, Class D DSC functionality, and built-in GPS. Keep track of nearby AIS-equipped vessels with an integrated AIS receiver, and add up to two optional wireless handsets.	738.00	878.22
000-15760-001		HALO 2006: 50W Pulse Compression Radar System. Comes with HALO 50W Pedestal, 6ft Antenna, RI-50 Power Supply and 20 m (65.5 ft) Cable.	7920.00	9424.80
000-16652-001		NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass, Pump-2 and SteadySteer™ flow switch.	2734.00	3253.46
000-16557-001		Ethernet Cable. M12 Straight to M12 Right angle for NSS® 4, Zeus® SR. 5.0 m (16.4 ft).Connector keyway for NSS 4, Zeus SR	196.00	233.24
000-16461-001		USB Video out (female) Video cable for NSS 4, Zeus SR	157.00	186.83
000-15621-001		NAC-D AUTOPILOT COMPUTER. NAC™ -D is a digital steering autopilot solution for Electronic Vessel Control Systems (steering systems with a digital interface). It allows automatic switching between two speed profiles, delivering optimal steering performance at both low and high speeds.	1145.00	1362.55
000-13892-002		MI10 Dashmount microSD card reader: Dual microSD Chart Card reader with USB adaptor for NSS4, Zeus SR / NSO4, Zeus SRX.	240.00	285.60

Navigation Systems

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15763-001		HALO 3004: 130W Pulse Compression Radar System. Comes with HALO 130W Pedestal, 4ft Antenna, RI-50 Power Supply and 20 m (65.5 ft) Cable.	8991.00	10699.29
000-15764-001		HALO 3006: 130W Pulse Compression Radar System. Comes with HALO 130W Pedestal, 6ft Antenna, RI-50 Power Supply and 20 m (65.5 ft) Cable.	9527.00	11337.13
000-16657-001		AP44 VRF. Precision VRF medium capacity pack. Comprising of AP44 controller, NAC-2 autopilot computer, Precision 9 compass, PUMP-2 hydraulic pump (MKII) and SteadySteer™ flow switch.	3397.00	4042.43
000-10029-001		NEP-2 Network Expansion Port (Ethernetverteiler mit 5 Ports)	331.00	393.89
000-16504-001		AP44 VRF medium capacity pack MKII. Comprising of AP44 controller, NAC-2 autopilot computer, HS65 Satellite compass, PUMP-2 hydraulic pump (MKII), and SteadySteer™ flow switch	3728.00	4436.32
000-16495-001		Ethernet cable. M12 TO RJ45 female 1.5 m (5 ft)	82.47	98.14
000-16656-001		NAC-3 RF. Performance Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, HS65 GNSS Compass, RF-25N Rudder Feedback unit, SteadySteer™ flow switch, backbone starter kit and 4m (15 ft) NMEA 2000 cable.	3458.00	4115.02
000-16655-001		NAC-3 VRF. Performance VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, HS65 GNSS Compass, SteadySteer™ flow switch, backbone starter kit, 4m (15 ft) NMEA 2000 cable.	3059.00	3640.21
000-16505-001		AP44 VRF high capacity pack. Comprising of AP44 controller, HS65 GNSS compass,PUMP-3 hydraulic pump (MKII) and NAC-3 autopilot computer and SteadySteer™ Flow Switch	5066.00	6028.54
000-16458-001		16 Inch Gimbal Bracket - NSS 4,ZEUS SR	70.38	83.75
000-14537-001		HALO20 Radar - A cost-effective compact 20" Radar dome. 24 NM range and 24 RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.	2196.00	2613.24
000-14536-001		HALO20+ Radar - A compact 20" powerful 25 W Solid-State Radar, delivering 60 RPM at short range and up to 36 NM range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards both at close and long ranges simultaneously.	2581.00	3071.39
000-14535-001		HALO24 Radar - A 24" powerful 25 W Solid-State Radar, delivering 60 RPM at short range and up to 48 NM range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards both at close and long ranges simultaneously.	2892.00	3441.48
000-14491-001		Simrad RS20S Class D DSC VHF Radio - The versatile RS20S is ideal for a variety of boats from small RIBs to larger cruisers, and is designed to match the low-profile style of our glass bridge displays and accessories.	422.00	502.18

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16626-001		REPLACEMENT SD DOOR,NSS4 & ZEUS SR	11.43	13.61
000-16628-001		REAR MOUNT NUT - 10 PK,NSS4 & ZEUS SR	14.56	17.32
000-16515-001	Missing Image	SD CARD DOOR REPLACEMENT NSS-4 / ZEUS SR	16.31	19.41

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16460-001		10 Inch Gimbal Bracket - NSS 4,ZEUS SR	51.00	60.69
000-16459-001		12 Inch Gimbal Bracket - NSS 4,ZEUS SR	67.32	80.11
000-16457-001		10 Inch Rear Mount Kit - NSS 4,ZEUS SR	51.00	60.69
000-16456-001		12 Inch Rear Mount Kit - NSS 4,ZEUS SR	67.32	80.11
000-16455-001		16 Inch Rear Mount Kit - NSS 4,ZEUS SR	70.38	83.75
000-16451-001		NSS 4-10 Suncover	46.82	55.71
000-16450-001		NSS 4-12 Suncover	62.42	74.28
000-16449-001		NSS 4-16 Suncover	55.86	66.47
000-00128-001		4-pin Power Cable for modules and MFDs.	41.62	49.52

NSX®

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15215-001		NSX 3007 - Smart Chartplotter / fishfinder. No Transducer. No Chart. 7-inch SolarMAX™ high definition display, Built-in echosounder, GPS, and WIFI. A next-generation C-MAP® DISCOVER™ X or REVEAL X™ chart card is required.	1070.00	1273.30
000-15368-001		NSX 3007 - Smart Chartplotter / fishfinder. Active Imaging™ 3-in-1 transducer. No Chart. 7-inch SolarMAX™ high definition display, Built-in echosounder, GPS, and WIFI. A next-generation C-MAP® DISCOVER™ X or REVEAL X™ chart card is required.	1325.00	1576.75
000-15374-001		NSX 3007 - Smart Chartplotter / fishfinder. HDI Skimmer med/high 455/800 kHz transducer. No Chart. 7-inch SolarMAX™ high definition display, Built-in echosounder, GPS, and WIFI. A next-generation C-MAP® DISCOVER™ X or REVEAL X™ chart card is required.	1172.00	1394.68
000-15219-001		NSX 3009 - Smart Chartplotter / fishfinder. No Transducer. No Chart. 9-inch SolarMAX™ high definition display, Built-in echosounder, GPS, and WIFI. A next-generation C-MAP® DISCOVER™ X or REVEAL X™ chart card is required.	1478.00	1758.82
000-15369-001		NSX 3009 - Smart Chartplotter / fishfinder. Active Imaging™ 3-in-1 transducer. No Chart. 9-inch SolarMAX™ high definition display, Built-in echosounder, GPS, and WIFI. A next-generation C-MAP® DISCOVER™ X or REVEAL X™ chart card is required.	1733.00	2062.27
000-15375-001		NSX 3009 - Smart Chartplotter / fishfinder. HDI Skimmer med/high 455/800 kHz transducer. No Chart. 9-inch SolarMAX™ high definition display, Built-in echosounder, GPS, and WIFI. A next-generation C-MAP® DISCOVER™ X or REVEAL X™ chart card is required.	1580.00	1880.20
000-15223-001		NSX 3012 - Smart Chartplotter / fishfinder. No Transducer. No Chart. 12-inch SolarMAX™ high definition display, Built-in echosounder, GPS, and WIFI. A next-generation C-MAP® DISCOVER™ X or REVEAL X™ chart card is required.	2804.00	3336.76
000-15370-001		NSX 3012 - Smart Chartplotter / fishfinder. Active Imaging™ 3-in-1 transducer. No Chart. 12-inch SolarMAX™ high definition display, Built-in echosounder, GPS, and WIFI. A next-generation C-MAP® DISCOVER™ X or REVEAL X™ chart card is required.	3059.00	3640.21

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16516-001		OP-55™ Remote control, Portrait for NEON™ OS displays. (NSX, NSS4 requires version 2.5 or above and custom key programing in 2.6)	458.00	545.02
000-15792-001		Simrad RS100-B Blackbox VHF Radio with integrated Class-B AIS transceiver and GPS. Kit includes NRS-2 VHF Blackbox module with Class B AIS built-in, GPS-500 antenna, one HS100 wired handset, and one SP100 speaker.	1686.00	2006.34
000-14473-001		Simrad RS40-B Marine VHF Radio - Stay safer on the water with this VHF Marine Radio. See and be seen by nearby AIS-equipped vessels thanks the integrated Class B AIS transceiver, and add up to two optional wireless handsets.	1070.00	1273.30
000-13260-001		S5100 High-performance CHIRP sonar module. Three fully independent channels able to deliver high-resolution sonar coverage across multiple depth ranges, precision-focused for offshore sportfishing anglers.	1736.00	2065.84
000-11749-001		Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit , Standby-Auto button and Micro-C network components.	1766.00	2101.54
000-13285-001		IS42 Instrument - This multi-purpose instrument display features a colour screen that's designed for optimal visibility in all conditions. See wind data, boat speed, depth, engine information, autopilot status, AIS data and more at a glance.	552.00	656.88
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	716.00	852.04
000-11043-002		GS25 Antenna with built-in rate compass. 10 Hz position update rate. Built-in rate compass is perfect for providing heading data for Radar Chart Overlay and for orienting charts in Head-Up Mode. Note: This heading sensor is not recommended for MARPA or Autopilot control! Please use the Precision 9 for this.	299.00	355.81

Navigation Systems

SIMRAD

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14818-001		Simrad RS40-B Marine VHF Radio - Stay safer on the water with this VHF Marine Radio. See and be seen by nearby AIS-equipped vessels thanks the integrated Class B AIS transceiver, and add up to two optional wireless handsets. Includes with GPS500 GPS antenna.	1177.00	1400.63
000-15643-001		Simrad RS100 Blackbox VHF radio system. Kit includes NRS-1 VHF Blackbox module, one HS100 wired handset, and one SP100 speaker.	1007.00	1198.33
000-15876-001		The IP CAM-1 marine grade 316 stainless steel IP camera. Powered by 12V DC or PoE.	599.00	712.81
000-16517-001		OP-55™ Remote control, Landscape. For NEON™ OS displays.(NSX, NSS4 requires version 2.5 or above and custom key programing in 2.6)	458.00	545.02
000-16235-001		HS65, GNSS Compass with mount flat mount.	1223.00	1455.37
000-15918-002		S3100H High-performance sonar module with HEAVE compensation. Two independent 1kW channels supporting 1 kW Low, Med, High, and High-Wide transducers. Support for high-frequency ActiveImaging HD transducers. MFDs will need compatible software.	963.00	1145.97
000-15758-001		HALO 2003: 50W Pulse Compression Radar System. Comes with HALO 50W Pedestal, 3ft Antenna, RI-50 Power Supply and 20 m (65.5 ft) Cable.	6795.00	8086.05
000-15759-001		HALO 2004: 50W Pulse Compression Radar System. Comes with HALO 50W Pedestal, 4ft Antenna, RI-50 Power Supply and 20 m (65.5 ft) Cable.	7331.00	8723.89
000-16143-001		HS75 GPS Compass - Ideal heading source for non-SOLAS professional vessels like Search and Rescue, Patrol, Fishing, Workboats and more. Provides solid 0.75° RMS heading accuracy in a compact unit. Supports GPS, GLONASS, Galileo, BeiDou, QZSS for increased accuracy across the world.	2676.00	3184.44
000-11142-001		SonarHub Module, with power cable and Ethernet cable 4.5m (15ft). Requires adapter 000-12571-001 or 000-13977-001 adapter cable to use Airmar Non-Chirp or Chirp 9-pin transducers.	694.00	825.86
000-13963-001		NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	1177.00	1400.63
000-14470-001		RS40 Marine VHF Radio - Stay safe and connected with this VHF marine radio featuring removable fist mic, Class D DSC functionality, and built-in GPS. Keep track of nearby AIS-equipped vessels with an integrated AIS receiver, and add up to two optional wireless handsets.	738.00	878.22
000-15760-001		HALO 2006: 50W Pulse Compression Radar System. Comes with HALO 50W Pedestal, 6ft Antenna, RI-50 Power Supply and 20 m (65.5 ft) Cable.	7920.00	9424.80
000-16652-001		NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass, Pump-2 and SteadySteer™ flow switch.	2734.00	3253.46
000-13892-001		MI10 Dashmount microSD card reader: Dual microSD Chart Card reader: Note for NSO4 and Zeus SRX a 000-16329-001 USB C male to USB-C-A adapter, or similar third party adapter is required.	228.00	271.32
000-15621-001		NAC-D AUTOPILOT COMPUTER. NAC™ -D is a digital steering autopilot solution for Electronic Vessel Control Systems (steering systems with a digital interface). It allows automatic switching between two speed profiles, delivering optimal steering performance at both low and high speeds.	1145.00	1362.55
000-15763-001		HALO 3004: 130W Pulse Compression Radar System. Comes with HALO 130W Pedestal, 4ft Antenna, RI-50 Power Supply and 20 m (65.5 ft) Cable.	8991.00	10699.29

Navigation Systems

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15764-001		HALO 3006: 130W Pulse Compression Radar System. Comes with HALO 130W Pedestal, 6ft Antenna, RI-50 Power Supply and 20 m (65.5 ft) Cable.	9527.00	11337.13
000-16657-001		AP44 VRF. Precision VRF medium capacity pack. Comprising of AP44 controller, NAC-2 autopilot computer, Precision 9 compass, PUMP-2 hydraulic pump (MKII) and SteadySteer™ flow switch.	3397.00	4042.43
000-10029-001		NEP-2 Network Expansion Port (Ethernetverteiler mit 5 Ports)	331.00	393.89
000-16504-001		AP44 VRF medium capacity pack MKII. Comprising of AP44 controller, NAC-2 autopilot computer, HS65 Satellite compass, PUMP-2 hydraulic pump (MKII), and SteadySteer™ flow switch	3728.00	4436.32
000-16656-001		NAC-3 RF. Performance Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, HS65 GNSS Compass, RF-25N Rudder Feedback unit, SteadySteer™ flow switch, backbone starter kit and 4m (15 ft) NMEA 2000 cable.	3458.00	4115.02
000-16655-001		NAC-3 VRF. Performance VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, HS65 GNSS Compass, SteadySteer™ flow switch, backbone starter kit, 4m (15 ft) NMEA 2000 cable.	3059.00	3640.21
000-16505-001		AP44 VRF high capacity pack. Comprising of AP44 controller, HS65 GNSS compass,PUMP-3 hydraulic pump (MKII) and NAC-3 autopilot computer and SteadySteer™ Flow Switch	5066.00	6028.54
000-14537-001		HALO20 Radar - A cost-effective compact 20" Radar dome. 24 NM range and 24 RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.	2196.00	2613.24
000-14536-001		HALO20+ Radar - A compact 20" powerful 25 W Solid-State Radar, delivering 60 RPM at short range and up to 36 NM range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards both at close and long ranges simultaneously.	2581.00	3071.39
000-14535-001		HALO24 Radar - A 24" powerful 25 W Solid-State Radar, delivering 60 RPM at short range and up to 48 NM range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards both at close and long ranges simultaneously.	2892.00	3441.48
000-14491-001		Simrad RS20S Class D DSC VHF Radio - The versatile RS20S is ideal for a variety of boats from small RIBs to larger cruisers, and is designed to match the low-profile style of our glass bridge displays and accessories.	422.00	502.18



Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14489-001		ActiveImaging™ 3-IN-1 combines the new Active Imaging sonar with traditional Medium/High CHIRP sonar for easy single transducer installation. 7.6m (25ft) cable with 9 pin connector.	388.00	461.72
000-12728-001		HDI Skimmer med/high (455/800 kHz) transducer. 9 pin Black X-Sonic Connector. Cable Length 6 m (20 ft)	155.00	184.45
000-00128-001		4-pin Power Cable for modules and MFDs.	41.62	49.52
000-15816-001		NSX 3007 Suncover	36.41	43.33
000-15817-001		NSX 3009 Suncover	41.62	49.52
000-15818-001		NSX 3012 Suncover	62.42	74.28

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-12372-001		Mounting bracket for Simrad NSX 3007, GO7 XSR, I3007, P3007, and B&G Vulcan 7R,	55.14	65.62
000-14148-001		U-BRACKET 12" GO, VULCAN, NSX, ZEUS S	80.58	95.89
000-13702-001		Gimbal mounting bracket for Simrad NSX 3009, GO9, NSS7 evo3,, and B&G Vulcan9, Zeus3 7 (Plastic)	56.18	66.86
000-15823-001		NSX 3007 Dash mount kit. Contains gasket and four screws and cutout template	26.00	30.94
000-15824-001		NSX 3009 Dash mount kit. Contains gasket and four screws and cutout template	26.00	30.94
000-15825-001		NSX 3012 Dash mount kit. Contains gasket and four screws and cutout template	50.98	60.67
000-15822-001		Corner bezel clips for NSX range of displays. Set of four corner clips	26.00	30.94

NSX® ULTRAWIDE

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16215-001		NSX 3012UW, Smart chartplotter / fishfinder. 12-inch ultrawide high-definition display. Built-in echosounder, GPS, and WIFI. A C-MAP® DISCOVER™ X or REVEAL X™ chart card is required. No transsducer.	3059.00	3640.21
000-16279-001		NSX 3012UW, Smart chartplotter / fishfinder. 12-inch ultrawide high-definition display. Built-in echosounder, GPS, and WIFI. With Active Imaging™ 3-in-1 transducer. A C-MAP® DISCOVER™ X or REVEAL X™ chart card is required.	3212.00	3822.28
000-16212-001		NSX 3015UW, Smart chartplotter / fishfinder. 15-inch ultrawide high-definition display. Built-in echosounder, GPS, and WIFI. A C-MAP® DISCOVER™ X or REVEAL X™ chart card is required. No transsducer.	3773.00	4489.87
000-16278-001		NSX 3015UW, Smart chartplotter / fishfinder. 15-inch ultrawide high-definition display. Built-in echosounder, GPS, and WIFI. With Active Imaging™ 3-in-1 transducer.A DISCOVER™ X or REVEAL X™ chart card is required.	3824.00	4550.56

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16516-001		OP-55™ Remote control, Portrait for NEON™ OS displays. (NSX, NSS4 requires version 2.5 or above and custom key programing in 2.6)	458.00	545.02
000-15792-001		Simrad RS100-B Blackbox VHF Radio with integrated Class-B AIS transceiver and GPS. Kit includes NRS-2 VHF Blackbox module with Class B AIS built-in, GPS-500 antenna, one HS100 wired handset, and one SP100 speaker.	1686.00	2006.34
000-14473-001		Simrad RS40-B Marine VHF Radio - Stay safer on the water with this VHF Marine Radio. See and be seen by nearby AIS-equipped vessels thanks the integrated Class B AIS transceiver, and add up to two optional wireless handsets.	1070.00	1273.30
000-13260-001		S5100 High-performance CHIRP sonar module. Three fully independent channels able to deliver high-resolution sonar coverage across multiple depth ranges, precision-focused for offshore sportfishing anglers.	1736.00	2065.84
000-11749-001		Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit , Standby-Auto button and Micro-C network components.	1766.00	2101.54
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	716.00	852.04
000-13285-001		IS42 Instrument - This multi-purpose instrument display features a colour screen that's designed for optimal visibility in all conditions. See wind data, boat speed, depth, engine information, autopilot status, AIS data and more at a glance.	552.00	656.88
000-11043-002		GS25 Antenna with built-in rate compass. 10 Hz position update rate. Built-in rate compass is perfect for providing heading data for Radar Chart Overlay and for orienting charts in Head-Up Mode. Note: This heading sensor is not recommended for MARPA or Autopilot control! Please use the Precision 9 for this.	299.00	355.81
000-14818-001		Simrad RS40-B Marine VHF Radio - Stay safer on the water with this VHF Marine Radio. See and be seen by nearby AIS-equipped vessels thanks the integrated Class B AIS transceiver, and add up to two optional wireless handsets. Includes with GPS500 GPS antenna.	1177.00	1400.63
000-15643-001		Simrad RS100 Blackbox VHF radio system. Kit includes NRS-1 VHF Blackbox module, one HS100 wired handset, and one SP100 speaker.	1007.00	1198.33
000-15876-001		The IP CAM-1 marine grade 316 stainless steel IP camera. Powered by 12V DC or PoE.	599.00	712.81

Navigation Systems

SIMRAD

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16517-001		OP-55™ Remote control, Landscape. For NEON™ OS displays.(NSX, NSS4 requires version 2.5 or above and custom key programing in 2.6)	458.00	545.02
000-16235-001		HS65, GNSS Compass with mount flat mount.	1223.00	1455.37
000-15918-002		S3100H High-performance sonar module with HEAVE compensation. Two independent 1kW channels supporting 1 kW Low, Med, High, and High-Wide transducers. Support for high-frequency ActiveImaging HD transducers. MFDs will need compatible software.	963.00	1145.97
000-15758-001		HALO 2003: 50W Pulse Compression Radar System. Comes with HALO 50W Pedestal, 3ft Antenna, RI-50 Power Supply and 20 m (65.5 ft) Cable.	6795.00	8086.05
000-15759-001		HALO 2004: 50W Pulse Compression Radar System. Comes with HALO 50W Pedestal, 4ft Antenna, RI-50 Power Supply and 20 m (65.5 ft) Cable.	7331.00	8723.89
000-16143-001		HS75 GPS Compass - Ideal heading source for non-SOLAS professional vessels like Search and Rescue, Patrol, Fishing, Workboats and more. Provides solid 0.75° RMS heading accuracy in a compact unit. Supports GPS, GLONASS, Galileo, BeiDou, QZSS for increased accuracy across the world.	2676.00	3184.44
000-11142-001		SonarHub Module, with power cable and Ethernet cable 4.5m (15ft). Requires adapter 000-12571-001 or 000-13977-001 adapter cable to use Airmar Non-Chirp or Chirp 9-pin transducers.	694.00	825.86
000-13963-001		NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	1177.00	1400.63
000-14470-001		RS40 Marine VHF Radio - Stay safe and connected with this VHF marine radio featuring removable fist mic, Class D DSC functionality, and built-in GPS. Keep track of nearby AIS-equipped vessels with an integrated AIS receiver, and add up to two optional wireless handsets.	738.00	878.22
000-15760-001		HALO 2006: 50W Pulse Compression Radar System. Comes with HALO 50W Pedestal, 6ft Antenna, RI-50 Power Supply and 20 m (65.5 ft) Cable.	7920.00	9424.80
000-16652-001		NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass, Pump-2 and SteadySteer™ flow switch.	2734.00	3253.46
000-13892-001		MI10 Dashmount microSD card reader: Dual microSD Chart Card reader: Note for NSO4 and Zeus SRX a 000-16329-001 USB C male to USB-C-A adapter, or similar third party adapter is required.	228.00	271.32
000-15621-001		NAC-D AUTOPILOT COMPUTER. NAC™ -D is a digital steering autopilot solution for Electronic Vessel Control Systems (steering systems with a digital interface). It allows automatic switching between two speed profiles, delivering optimal steering performance at both low and high speeds.	1145.00	1362.55
000-15763-001		HALO 3004: 130W Pulse Compression Radar System. Comes with HALO 130W Pedestal, 4ft Antenna, RI-50 Power Supply and 20 m (65.5 ft) Cable.	8991.00	10699.29
000-15764-001		HALO 3006: 130W Pulse Compression Radar System. Comes with HALO 130W Pedestal, 6ft Antenna, RI-50 Power Supply and 20 m (65.5 ft) Cable.	9527.00	11337.13
000-16657-001		AP44 VRF. Precision VRF medium capacity pack. Comprising of AP44 controller, NAC-2 autopilot computer, Precision 9 compass, PUMP-2 hydraulic pump (MKII) and SteadySteer™ flow switch.	3397.00	4042.43
000-10029-001		NEP-2 Network Expansion Port (Ethernetverteiler mit 5 Ports)	331.00	393.89

Navigation Systems

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16504-001		AP44 VRF medium capacity pack MKII. Comprising of AP44 controller, NAC-2 autopilot computer, HS65 Satellite compass, PUMP-2 hydraulic pump (MKII), and SteadySteer™ flow switch	3728.00	4436.32
000-16656-001		NAC-3 RF. Performance Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, HS65 GNSS Compass, RF-25N Rudder Feedback unit, SteadySteer™ flow switch, backbone starter kit and 4m (15 ft) NMEA 2000 cable.	3458.00	4115.02
000-16655-001		NAC-3 VRF. Performance VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, HS65 GNSS Compass, SteadySteer™ flow switch, backbone starter kit, 4m (15 ft) NMEA 2000 cable.	3059.00	3640.21
000-16505-001		AP44 VRF high capacity pack. Comprising of AP44 controller, HS65 GNSS compass,PUMP-3 hydraulic pump (MKII) and NAC-3 autopilot computer and SteadySteer™ Flow Switch	5066.00	6028.54
000-14537-001		HALO20 Radar - A cost-effective compact 20" Radar dome. 24 NM range and 24 RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.	2196.00	2613.24
000-14536-001		HALO20+ Radar - A compact 20" powerful 25 W Solid-State Radar, delivering 60 RPM at short range and up to 36 NM range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards both at close and long ranges simultaneously.	2581.00	3071.39
000-14535-001		HALO24 Radar - A 24" powerful 25 W Solid-State Radar, delivering 60 RPM at short range and up to 48 NM range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards both at close and long ranges simultaneously.	2892.00	3441.48
000-14491-001		Simrad RS20S Class D DSC VHF Radio - The versatile RS20S is ideal for a variety of boats from small RIBs to larger cruisers, and is designed to match the low-profile style of our glass bridge displays and accessories.	422.00	502.18

Spare Parts


Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14489-001		ActiveImaging™ 3-IN-1 combines the new Active Imaging sonar with traditional Medium/High CHIRP sonar for easy single transducer installation. 7.6m (25ft) cable with 9 pin connector.	388.00	461.72
000-16218-001		NSX 3012UW Suncover	62.42	74.28
000-16219-001		NSX/ZeusS 3012UW Rear mount kit. Includes 2x powder-coated brackets, 2x threaded studs, 8x thumb nuts, and a foam gasket.	72.83	86.67
000-16221-001		NSX 3015UW Suncover	83.23	99.05
000-16222-001		Simrad NSX 3015UW , B&G ZeusS UW Rear mount kit. Includes 2x powder-coated brackets, 2x threaded studs, 8x thumb nuts, and a foam gasket.	72.83	86.67
000-00128-001		4-pin Power Cable for modules and MFDs.	41.62	49.52

Fernbedienungen

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16516-001		OP-55™ Remote control, Portrait for NEON™ OS displays. (NSX, NSS4 requires version 2.5 or above and custom key programing in 2.6)	458.00	545.02
000-16517-001		OP-55™ Remote control, Landscape. For NEON™ OS displays.(NSX, NSS4 requires version 2.5 or above and custom key programing in 2.6)	458.00	545.02
000-12364-001		OP50 wired MFD remote controller. (Portrait mount) For use with Simrad NSS and NSO MFD systems and brings simple and precise MFD control in even the roughest sea conditions.	458.00	545.02
000-12512-001		OP50 wired MFD remote controller. (Landscape mount) For use with Simrad NSS and NSO MFD systems and brings simple and precise MFD control in even the roughest sea conditions.	458.00	545.02
000-13892-001		MI10 Dashmount microSD card reader: Dual microSD Chart Card reader: Note for NSO4 and Zeus SRX a 000-16329-001 USB C male to USB-C-A adapter, or similar third party adapter is required.	228.00	271.32
000-13892-002		MI10 Dashmount microSD card reader: Dual microSD Chart Card reader with USB adaptor for NSS4, Zeus SR / NSO4, Zeus SRX.	240.00	285.60

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16329-001		USB to USB-A Female adapter cable	25.49	30.33
000-12744-001		OP50 / ZC2 Dash Mounting Kit	26.01	30.95
000-12745-001		OP50 / ZC2 Flush Mounting Bracket Kit	91.56	108.95

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16329-001		USB to USB-A Female adapter cable	25.49	30.33
000-12743-001		OP50 / ZC2 Suncover	14.57	17.33
000-12744-001		OP50 / ZC2 Dash Mounting Kit	26.01	30.95
000-12746-001		OP50 / ZC2 Dial Knob with grub screw	41.19	49.02

NSO® evo3S™

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15126-001		NSO evo3S 16" MFD System Pack - High performance all-in-one multifunctional display. Integrate with radar, autopilot, sonar modules and much more via Ethernet and NMEA2000. Includes MI10 Card reader, OP50 Remote, and GS25 GPS Antenna.	6885.00	8193.15
000-15127-001		NSO evo3S 19" MFD System Pack - High performance all-in-one multifunctional display. Integrate with radar, autopilot, sonar modules and much more via Ethernet and NMEA2000. Includes MI10 Card reader, OP50 Remote, and GS25 GPS Antenna.	8010.00	9531.90
000-15128-001		NSO evo3S 24" MFD System Pack - High performance all-in-one multifunctional display. Integrate with radar, autopilot, sonar modules and much more via Ethernet and NMEA2000. Includes MI10 Card reader, OP50 Remote, and GS25 GPS Antenna.	11037.00	13134.03
000-15047-001		NSO evo3S 16" MFD Display Only - High performance all-in-one multifunctional display. Integrate with radar, autopilot, sonar modules and much more via Ethernet and NMEA2000.	6312.00	7511.28
000-15051-001		NSO evo3S 24" MFD Display Only - High performance all-in-one multifunctional display. Integrate with radar, autopilot, sonar modules and much more via Ethernet and NMEA2000.	10429.00	12410.51
000-15049-001		NSO evo3S 19" MFD Display Only - High performance all-in-one multifunctional display. Integrate with radar, autopilot, sonar modules and much more via Ethernet and NMEA2000.	7470.00	8889.30

Accessories


Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15792-001		Simrad RS100-B Blackbox VHF Radio with integrated Class-B AIS transceiver and GPS. Kit includes NRS-2 VHF Blackbox module with Class B AIS built-in, GPS-500 antenna, one HS100 wired handset, and one SP100 speaker.	1686.00	2006.34
000-14473-001		Simrad RS40-B Marine VHF Radio - Stay safer on the water with this VHF Marine Radio. See and be seen by nearby AIS-equipped vessels thanks the integrated Class B AIS transceiver, and add up to two optional wireless handsets.	1070.00	1273.30
000-13285-001		IS42 Instrument - This multi-purpose instrument display features a colour screen that's designed for optimal visibility in all conditions. See wind data, boat speed, depth, engine information, autopilot status, AIS data and more at a glance.	552.00	656.88
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	716.00	852.04
000-14380-001		The V3100 Class B AIS incorporates SOTDMA technology and increased transmission power to enhance transmission frequency, reliability, and range compared to standard Class B AIS. This 'black-box' solution integrates with MFD displays, and features industry-standard connectivity.	954.00	1135.26
000-11043-002		GS25 Antenna with built-in rate compass. 10 Hz position update rate. Built-in rate compass is perfect for providing heading data for Radar Chart Overlay and for orienting charts in Head-Up Mode. Note: This heading sensor is not recommended for MARPA or Autopilot control! Please use the Precision 9 for this.	299.00	355.81
000-15643-001		Simrad RS100 Blackbox VHF radio system. Kit includes NRS-1 VHF Blackbox module, one HS100 wired handset, and one SP100 speaker.	1007.00	1198.33
000-15876-001		The IP CAM-1 marine grade 316 stainless steel IP camera. Powered by 12V DC or PoE.	599.00	712.81
000-16235-001		HS65, GNSS Compass with mount flat mount.	1223.00	1455.37

Navigation Systems

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16143-001		HS75 GPS Compass - Ideal heading source for non-SOLAS professional vessels like Search and Rescue, Patrol, Fishing, Workboats and more. Provides solid 0.75° RMS heading accuracy in a compact unit. Supports GPS, GLONASS, Galileo, BeiDou, QZSS for increased accuracy across the world.	2676.00	3184.44
000-12364-001		OP50 wired MFD remote controller. (Portrait mount) For use with Simrad NSS and NSO MFD systems and brings simple and precise MFD control in even the roughest sea conditions.	458.00	545.02
000-14470-001		RS40 Marine VHF Radio - Stay safe and connected with this VHF marine radio featuring removable fist mic, Class D DSC functionality, and built-in GPS. Keep track of nearby AIS-equipped vessels with an integrated AIS receiver, and add up to two optional wireless handsets.	738.00	878.22
000-12512-001		OP50 wired MFD remote controller. (Landscape mount) For use with Simrad NSS and NSO MFD systems and brings simple and precise MFD control in even the roughest sea conditions.	458.00	545.02
000-12395-001		StructureScan® 3D Module and Transom mount Transducer kit.	1157.00	1376.83
000-14536-001		HALO20+ Radar - A compact 20" powerful 25 W Solid-State Radar, delivering 60 RPM at short range and up to 36 NM range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards both at close and long ranges simultaneously.	2581.00	3071.39
000-14535-001		HALO24 Radar - A 24" powerful 25 W Solid-State Radar, delivering 60 RPM at short range and up to 48 NM range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards both at close and long ranges simultaneously.	2892.00	3441.48
000-14488-001	Missing Image	Spacer required if using the Heavy Duty Gimbal bracket kit (000-13547-001) to mount an NSO16 evo3 or ZEUS3-16 display.(not required for 19 and 24 " displays)	51.49	61.27
000-13547-001		Extra heavy duty Gimbal bracket for desk-mounting the M5000 IMO Monitors, Simrad MO-Series Touch Monitors, B&G ZM-Series Monitors as well as NSO evo3S MFD and Zeus3S Glass Helm Displays.	591.00	703.29

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11043-002		GS25 Antenna with built-in rate compass. 10 Hz position update rate. Built-in rate compass is perfect for providing heading data for Radar Chart Overlay and for orienting charts in Head-Up Mode. Note: This heading sensor is not recommended for MARPA or Autopilot control! Please use the Precision 9 for this.	299.00	355.81
000-12364-001		OP50 wired MFD remote controller. (Portrait mount) For use with Simrad NSS and NSO MFD systems and brings simple and precise MFD control in even the roughest sea conditions.	458.00	545.02
000-13892-001		MI10 Dashmount microSD card reader: Dual microSD Chart Card reader: Note for NSO4 and Zeus SRX a 000-16329-001 USB C male to USB-C-A adapter, or similar third party adapter is required.	228.00	271.32
000-11246-001		RJ45-Yellow Round Ethernet adapter cable RJ45 Male / 5 Pin Female 10 cm (6")	25.70	30.59
000-15632-001		Magnetic Suncover for SIMRAD MO16 Monitor and NSO evo3S MFD	134.00	159.46
000-15633-001		Magnetic Suncover for 19" SIMRAD Monitor and NSOevo3S MFD	155.00	184.45
000-15634-001		Magnetic Suncover for 24" SIMRAD Monitor and NSOevo3S MFD	198.00	235.62
000-11620-001		16" Edge Bezels for Monitors and MFDs. Check compatability in description.	61.38	73.05

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11621-001		19" Edge Bezels for Monitors and MFDs. Check compatability in description.	50.98	60.67
000-11622-001		24" Edge Bezels for Monitors and MFDs. Check compatability in description.	61.38	73.05
000-11614-001		MO, NSO evo3 16/19/24 Cable retention bracket	27.53	32.76
000-11618-001		MO, NSO evo3 16/19/24,Rear mount bracket kit. Includes: dash seal for 16,19,24" and Bracket kit	65.55	78.00

NSO® MPU

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15115-001		NSO evo3S MPU 1 x 16" Multi-Touch Monitor System base kit. Expand and integrate to build your preferred system including navigation, radar, sonar, autopilot, and more.	7854.00	9346.26
000-15121-001		NSO evo3S MPU 2 x 16" Multi-Touch Monitor System base kit. Expand and integrate to build your preferred system including navigation, radar, sonar, autopilot, and more.	10339.00	12303.41
000-15117-001		NSO evo3S MPU 1 x 19" Multi-Touch Monitor System base kit. Expand and integrate to build your preferred system including navigation, radar, sonar, autopilot, and more.	9322.00	11093.18
000-15123-001		NSO evo3S MPU 2 x 19" Multi-Touch Monitor System base kit. Expand and integrate to build your preferred system including navigation, radar, sonar, autopilot, and more.	13053.00	15533.07
000-15119-001		NSO evo3S MPU 1 x 24" Multi-Touch Monitor System base kit. Expand and integrate to build your preferred system including navigation, radar, sonar, autopilot, and more.	11058.00	13159.02
000-15045-001		NSO evo3S MPU - Multi-Display Blackbox MFD solution. Can drive two independent displays, supporting both touch and non-touch monitors. Expand and integrate to build your preferred system including navigation, radar, sonar, autopilot, and more.	4237.00	5042.03
000-15101-001		NSO evo3S MPU - Multi-Display Blackbox MFD solution. Can drive two independent displays, supporting both touch and non-touch monitors. Expand and integrate to build your preferred system including navigation, radar, sonar, autopilot, and more.	4237.00	5042.03

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11260-001		MO16-T - 15.6" Multi-Touch monitor with 1366x768 resolution. The 1000 nit peak brightness gives you a clear display even in direct sunlight, and the minimum brightness is extremely dim for night operation without blinding. Multiple video inputs and low-profile glass bridge design.	3030.00	3605.70
000-15792-001		Simrad RS100-B Blackbox VHF Radio with integrated Class-B AIS transceiver and GPS. Kit includes NRS-2 VHF Blackbox module with Class B AIS built-in, GPS-500 antenna, one HS100 wired handset, and one SP100 speaker.	1686.00	2006.34
000-14473-001		Simrad RS40-B Marine VHF Radio - Stay safer on the water with this VHF Marine Radio. See and be seen by nearby AIS-equipped vessels thanks the integrated Class B AIS transceiver, and add up to two optional wireless handsets.	1070.00	1273.30
000-13285-001		IS42 Instrument - This multi-purpose instrument display features a colour screen that's designed for optimal visibility in all conditions. See wind data, boat speed, depth, engine information, autopilot status, AIS data and more at a glance.	552.00	656.88
000-11749-001		Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit , Standby-Auto button and Micro-C network components.	1766.00	2101.54
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	716.00	852.04
000-13260-001		S5100 High-performance CHIRP sonar module. Three fully independent channels able to deliver high-resolution sonar coverage across multiple depth ranges, precision-focused for offshore sportfishing anglers.	1736.00	2065.84
000-14380-001		The V3100 Class B AIS incorporates SOTDMA technology and increased transmission power to enhance transmission frequency, reliability, and range compared to standard Class B AIS. This 'black-box' solution integrates with MFD displays, and features industry-standard connectivity.	954.00	1135.26

Navigation Systems

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11043-002		GS25 Antenna with built-in rate compass. 10 Hz position update rate. Built-in rate compass is perfect for providing heading data for Radar Chart Overlay and for orienting charts in Head-Up Mode. Note: This heading sensor is not recommended for MARPA or Autopilot control! Please use the Precision 9 for this.	299.00	355.81
000-14818-001		Simrad RS40-B Marine VHF Radio - Stay safer on the water with this VHF Marine Radio. See and be seen by nearby AIS-equipped vessels thanks the integrated Class B AIS transceiver, and add up to two optional wireless handsets. Includes with GPS500 GPS antenna.	1177.00	1400.63
000-15643-001		Simrad RS100 Blackbox VHF radio system. Kit includes NRS-1 VHF Blackbox module, one HS100 wired handset, and one SP100 speaker.	1007.00	1198.33
000-15876-001		The IP CAM-1 marine grade 316 stainless steel IP camera. Powered by 12V DC or PoE.	599.00	712.81
000-11262-002		MO19-T - 19" Multi-Touch monitor, HD widescreen 1920 x 1080 resolution. High-bright 1000-nit monitor. HDMI, DVI, 2x Analog composite (BNC) video in.	4495.00	5349.05
000-16235-001		HS65, GNSS Compass with mount flat mount.	1223.00	1455.37
000-11264-001		MO24-T - 24" Multi-Touch monitor with 1920x1080 resolution. The 1000 nit peak brightness gives you a clear display even in direct sunlight, and the minimum brightness is extremely dim for night operation without blinding. Multiple video inputs and low-profile glass bridge design.	6403.00	7619.57
000-12364-001		OP50 wired MFD remote controller. (Portrait mount) For use with Simrad NSS and NSO MFD systems and brings simple and precise MFD control in even the roughest sea conditions.	458.00	545.02
000-16143-001		HS75 GPS Compass - Ideal heading source for non-SOLAS professional vessels like Search and Rescue, Patrol, Fishing, Workboats and more. Provides solid 0.75° RMS heading accuracy in a compact unit. Supports GPS, GLONASS, Galileo, BeiDou, QZSS for increased accuracy across the world.	2676.00	3184.44
000-11142-001		SonarHub Module, with power cable and Ethernet cable 4.5m (15ft). Requires adapter 000-12571-001 or 000-13977-001 adapter cable to use Airmar Non-Chirp or Chirp 9-pin transducers.	694.00	825.86
000-14470-001		RS40 Marine VHF Radio - Stay safe and connected with this VHF marine radio featuring removable fist mic, Class D DSC functionality, and built-in GPS. Keep track of nearby AIS-equipped vessels with an integrated AIS receiver, and add up to two optional wireless handsets.	738.00	878.22
000-13963-001		NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	1177.00	1400.63
000-13284-001		ForwardScan™ Transducer Kit (Long-Stem) with Sleeve & Plug. 10m (33ft) Cable	1156.00	1375.64
000-12512-001		OP50 wired MFD remote controller. (Landscape mount) For use with Simrad NSS and NSO MFD systems and brings simple and precise MFD control in even the roughest sea conditions.	458.00	545.02
000-12395-001		StructureScan® 3D Module and Transom mount Transducer kit.	1157.00	1376.83
000-16652-001		NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass, Pump-2 and SteadySteer™ flow switch.	2734.00	3253.46
000-13892-001		MI10 Dashmount microSD card reader: Dual microSD Chart Card reader: Note for NSO4 and Zeus SRX a 000-16329-001 USB C male to USB-C-A adapter, or similar third party adapter is required.	228.00	271.32



Navigation Systems

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-12397-001		StructureScan® 3D module only. Transom mount and Through-Hull transducers available separately.	694.00	825.86
000-15621-001		NAC-D AUTOPILOT COMPUTER. NAC™ -D is a digital steering autopilot solution for Electronic Vessel Control Systems (steering systems with a digital interface). It allows automatic switching between two speed profiles, delivering optimal steering performance at both low and high speeds.	1145.00	1362.55
000-16657-001		AP44 VRF. Precision VRF medium capacity pack. Comprising of AP44 controller, NAC-2 autopilot computer, Precision 9 compass, PUMP-2 hydraulic pump (MKII) and SteadySteer™ flow switch.	3397.00	4042.43
000-10029-001		NEP-2 Network Expansion Port (Ethernetverteiler mit 5 Ports)	331.00	393.89
000-16504-001		AP44 VRF medium capacity pack MKII. Comprising of AP44 controller, NAC-2 autopilot computer, HS65 Satellite compass, PUMP-2 hydraulic pump (MKII), and SteadySteer™ flow switch	3728.00	4436.32
000-16656-001		NAC-3 RF. Performance Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, HS65 GNSS Compass, RF-25N Rudder Feedback unit, SteadySteer™ flow switch, backbone starter kit and 4m (15 ft) NMEA 2000 cable.	3458.00	4115.02
000-16655-001		NAC-3 VRF. Performance VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, HS65 GNSS Compass, SteadySteer™ flow switch, backbone starter kit, 4m (15 ft) NMEA 2000 cable.	3059.00	3640.21
000-11246-001		RJ45-Yellow Round Ethernet adapter cable RJ45 Male / 5 Pin Female 10 cm (6")	25.70	30.59
000-16505-001		AP44 VRF high capacity pack. Comprising of AP44 controller, HS65 GNSS compass,PUMP-3 hydraulic pump (MKII) and NAC-3 autopilot computer and SteadySteer™ Flow Switch	5066.00	6028.54
000-14537-001		HALO20 Radar - A cost-effective compact 20" Radar dome. 24 NM range and 24 RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.	2196.00	2613.24
000-14536-001		HALO20+ Radar - A compact 20" powerful 25 W Solid-State Radar, delivering 60 RPM at short range and up to 36 NM range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards both at close and long ranges simultaneously.	2581.00	3071.39
000-14535-001		HALO24 Radar - A 24" powerful 25 W Solid-State Radar, delivering 60 RPM at short range and up to 48 NM range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards both at close and long ranges simultaneously.	2892.00	3441.48
000-13547-001		Extra heavy duty Gimbal bracket for desk-mounting the M5000 IMO Monitors, Simrad MO-Series Touch Monitors, B&G ZM-Series Monitors as well as NSO evo3S MFD and Zeus3S Glass Helm Displays.	591.00	703.29
000-11247-001		NSOevo2, NSOevo3S, Zeus2 and Zeus3S NMEA0183 and Touch Monitor Serial Cable. 2m (6.5 ft)	30.17	35.90
000-11248-001		HDMI monitor video cable 3 m (9.8 ft)	41.62	49.52
000-11249-001		HDMI monitor video cable 10 m (33 ft)	67.63	80.47

Navigation Systems

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14491-001		Simrad RS20S Class D DSC VHF Radio - The versatile RS20S is ideal for a variety of boats from small RIBs to larger cruisers, and is designed to match the low-profile style of our glass bridge displays and accessories.	422.00	502.18

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11043-002		GS25 Antenna with built-in rate compass. 10 Hz position update rate. Built-in rate compass is perfect for providing heading data for Radar Chart Overlay and for orienting charts in Head-Up Mode. Note: This heading sensor is not recommended for MARPA or Autopilot control! Please use the Precision 9 for this.	299.00	355.81
24006413		Micro-C female to SimNet 4 m (13 ft) cable that connects a NMEA 2000® product to a SimNet backbone	73.90	87.94
000-11264-001		MO24-T - 24" Multi-Touch monitor with 1920x1080 resolution. The 1000 nit peak brightness gives you a clear display even in direct sunlight, and the minimum brightness is extremely dim for night operation without blinding. Multiple video inputs and low-profile glass bridge design.	6403.00	7619.57
000-12364-001		OP50 wired MFD remote controller. (Portrait mount) For use with Simrad NSS and NSO MFD systems and brings simple and precise MFD control in even the roughest sea conditions.	458.00	545.02
000-13892-001		MI10 Dashmount microSD card reader: Dual microSD Chart Card reader: Note for NSO4 and Zeus SRX a 000-16329-001 USB C male to USB-C-A adapter, or similar third party adapter is required.	228.00	271.32
000-11246-001		RJ45-Yellow Round Ethernet adapter cable RJ45 Male / 5 Pin Female 10 cm (6")	25.70	30.59
000-00128-001		4-pin Power Cable for modules and MFDs.	41.62	49.52
000-11622-001		24" Edge Bezels for Monitors and MFDs. Check compatability in description.	61.38	73.05
000-11614-001		MO, NSO evo3 16/19/24 Cable retention bracket	27.53	32.76
000-11619-001	Missing Image	MO16/19/24 Dash Seal Kit	7.59	9.03
000-11623-001		MO16/19/24 Air Inlet Filters - 5pcs	12.36	14.71
000-11624-001		MO16/19/24 Air Inlet Cover	6.46	7.69
000-11625-001		MO16/19/24 Connector Kit - Power and Serial	19.77	23.52
000-11618-001		MO, NSO evo3 16/19/24,Rear mount bracket kit. Includes: dash seal for 16,19,24" and Bracket kit	65.55	78.00
000-11247-001		NSOevo2, NSOevo3S, Zeus2 and Zeus3S NMEA0183 and Touch Monitor Serial Cable. 2m (6.5 ft)	30.17	35.90
000-11248-001		HDMI monitor video cable 3 m (9.8 ft)	41.62	49.52

Monitors

Main Products



Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11260-001		MO16-T - 15.6" Multi-Touch monitor with 1366x768 resolution. The 1000 nit peak brightness gives you a clear display even in direct sunlight, and the minimum brightness is extremely dim for night operation without blinding. Multiple video inputs and low-profile glass bridge design.	3030.00	3605.70
000-11262-002		MO19-T - 19" Multi-Touch monitor, HD widescreen 1920 x 1080 resolution. High-bright 1000-nit monitor. HDMI, DVI, 2x Analog composite (BNC) video in.	4495.00	5349.05
000-11264-001		MO24-T - 24" Multi-Touch monitor with 1920x1080 resolution. The 1000 nit peak brightness gives you a clear display even in direct sunlight, and the minimum brightness is extremely dim for night operation without blinding. Multiple video inputs and low-profile glass bridge design.	6403.00	7619.57

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11043-002		GS25 Antenna with built-in rate compass. 10 Hz position update rate. Built-in rate compass is perfect for providing heading data for Radar Chart Overlay and for orienting charts in Head-Up Mode. Note: This heading sensor is not recommended for MARPA or Autopilot control! Please use the Precision 9 for this.	299.00	355.81
000-15632-001		Magnetic Suncover for SIMRAD MO16 Monitor and NSO evo3S MFD	134.00	159.46
000-15633-001		Magnetic Suncover for 19" SIMRAD Monitor and NSOevo3S MFD	155.00	184.45
000-15634-001		Magnetic Suncover for 24" SIMRAD Monitor and NSOevo3S MFD	198.00	235.62
000-14488-001	Missing Image	Spacer required if using the Heavy Duty Gimbal bracket kit (000-13547-001) to mount an NSO16 evo3 or ZEUS3-16 display.(not required for 19 and 24 " displays)	51.49	61.27
000-13547-001		Extra heavy duty Gimbal bracket for desk-mounting the M5000 IMO Monitors, Simrad MO-Series Touch Monitors, B&G ZM-Series Monitors as well as NSO evo3S MFD and Zeus3S Glass Helm Displays.	591.00	703.29
000-11615-001		MO16 VESA Mount Bracket Kit	77.38	92.09
000-11247-001		NSOevo2, NSOevo3S, Zeus2 and Zeus3S NMEA0183 and Touch Monitor Serial Cable. 2m (6.5 ft)	30.17	35.90
000-11248-001		HDMI monitor video cable 3 m (9.8 ft)	41.62	49.52
000-11249-001		HDMI monitor video cable 10 m (33 ft)	67.63	80.47

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11620-001		16" Edge Bezels for Monitors and MFDs. Check compatability in description.	61.38	73.05
000-11621-001		19" Edge Bezels for Monitors and MFDs. Check compatability in description.	50.98	60.67
000-11622-001		24" Edge Bezels for Monitors and MFDs. Check compatability in description.	61.38	73.05

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11614-001		MO, NSO evo3 16/19/24 Cable retention bracket	27.53	32.76
000-11619-001	Missing Image	MO16/19/24 Dash Seal Kit	7.59	9.03
000-11623-001		MO16/19/24 Air Inlet Filters - 5pcs	12.36	14.71
000-11624-001		MO16/19/24 Air Inlet Cover	6.46	7.69
000-11625-001		MO16/19/24 Connector Kit - Power and Serial	19.77	23.52
000-11618-001		MO, NSO evo3 16/19/24,Rear mount bracket kit. Includes: dash seal for 16,19,24" and Bracket kit	65.55	78.00

NSS EVO 3S™

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13597-001		NSS7 evo3 - All in one multifunctional display. Built-in dual channel CHIRP sonar, GPS and WIFI. Support for chart options, Radars, Autopilot, Instrumentation and much more.	1606.00	1911.14
000-13237-001		NSS7 evo3 - All in one multifunctional display. Built-in dual channel CHIRP sonar, GPS and WIFI. Support for chart options, Radars, Autopilot, Instrumentation and much more.	1606.00	1911.14
000-15405-001		NSS9 evo3S is an all-in-one MFD, with built-in dual channel CHIRP sonar, GPS and WIFI. Support for chart options, Radars, Autopilot, Instrumentation and much more.	2600.00	3094.00
000-15551-001		NSS9 evo3S is an all-in-one MFD, with built-in dual channel CHIRP sonar, GPS and WIFI. Support for chart options, Radars, Autopilot, Instrumentation and much more.	2600.00	3094.00
000-15406-002		NSS12 evo3S is an all-in-one MFD, with built-in dual channel CHIRP sonar, GPS and WIFI. Support for chart options, Radars, Autopilot, Instrumentation and much more.	3911.00	4654.09
000-15552-002		NSS12 evo3S is an all-in-one MFD, with built-in dual-channel CHIRP sonar, GPS, and WIFI. No Chart. BOAT BUILDER	3911.00	4654.09
000-15407-001		NSS16 evo3S is an all-in-one MFD, with built-in dual channel CHIRP sonar, GPS and WIFI. Support for chart options, Radars, Autopilot, Instrumentation and much more.	5721.00	6807.99
000-15556-001		NSS9 evo3S and Halo20+ Radar bundle. NSS9 evo3S Includes World Basemap.	4597.00	5470.43
000-15557-002		NSS12 evo3S and HALO20+ Radar bundle. NSS12 evo3S includes world basemap.	5907.00	7029.33

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15792-001		Simrad RS100-B Blackbox VHF Radio with integrated Class-B AIS transceiver and GPS. Kit includes NRS-2 VHF Blackbox module with Class B AIS built-in, GPS-500 antenna, one HS100 wired handset, and one SP100 speaker.	1686.00	2006.34
000-14473-001		Simrad RS40-B Marine VHF Radio - Stay safer on the water with this VHF Marine Radio. See and be seen by nearby AIS-equipped vessels thanks the integrated Class B AIS transceiver, and add up to two optional wireless handsets.	1070.00	1273.30
000-13285-001		IS42 Instrument - This multi-purpose instrument display features a colour screen that's designed for optimal visibility in all conditions. See wind data, boat speed, depth, engine information, autopilot status, AIS data and more at a glance.	552.00	656.88
000-11749-001		Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit , Standby-Auto button and Micro-C network components.	1766.00	2101.54
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	716.00	852.04
000-13260-001		S5100 High-performance CHIRP sonar module. Three fully independent channels able to deliver high-resolution sonar coverage across multiple depth ranges, precision-focused for offshore sportfishing anglers.	1736.00	2065.84

Navigation Systems

SIMRAD

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11043-002		GS25 Antenna with built-in rate compass. 10 Hz position update rate. Built-in rate compass is perfect for providing heading data for Radar Chart Overlay and for orienting charts in Head-Up Mode. Note: This heading sensor is not recommended for MARPA or Autopilot control! Please use the Precision 9 for this.	299.00	355.81
000-14818-001		Simrad RS40-B Marine VHF Radio - Stay safer on the water with this VHF Marine Radio. See and be seen by nearby AIS-equipped vessels thanks the integrated Class B AIS transceiver, and add up to two optional wireless handsets. Includes with GPS500 GPS antenna.	1177.00	1400.63
000-15643-001		Simrad RS100 Blackbox VHF radio system. Kit includes NRS-1 VHF Blackbox module, one HS100 wired handset, and one SP100 speaker.	1007.00	1198.33
000-15876-001		The IP CAM-1 marine grade 316 stainless steel IP camera. Powered by 12V DC or PoE.	599.00	712.81
000-15758-001		HALO 2003: 50W Pulse Compression Radar System. Comes with HALO 50W Pedestal, 3ft Antenna, RI-50 Power Supply and 20 m (65.5 ft) Cable.	6795.00	8086.05
000-16235-001		HS65, GNSS Compass with mount flat mount.	1223.00	1455.37
000-15759-001		HALO 2004: 50W Pulse Compression Radar System. Comes with HALO 50W Pedestal, 4ft Antenna, RI-50 Power Supply and 20 m (65.5 ft) Cable.	7331.00	8723.89
000-12364-001		OP50 wired MFD remote controller. (Portrait mount) For use with Simrad NSS and NSO MFD systems and brings simple and precise MFD control in even the roughest sea conditions.	458.00	545.02
000-16143-001		HS75 GPS Compass - Ideal heading source for non-SOLAS professional vessels like Search and Rescue, Patrol, Fishing, Workboats and more. Provides solid 0.75° RMS heading accuracy in a compact unit. Supports GPS, GLONASS, Galileo, BeiDou, QZSS for increased accuracy across the world.	2676.00	3184.44
000-11142-001		SonarHub Module, with power cable and Ethernet cable 4.5m (15ft). Requires adapter 000-12571-001 or 000-13977-001 adapter cable to use Airmar Non-Chirp or Chirp 9-pin transducers.	694.00	825.86
000-13963-001		NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	1177.00	1400.63
000-14470-001		RS40 Marine VHF Radio - Stay safe and connected with this VHF marine radio featuring removable fist mic, Class D DSC functionality, and built-in GPS. Keep track of nearby AIS-equipped vessels with an integrated AIS receiver, and add up to two optional wireless handsets.	738.00	878.22
000-12512-001		OP50 wired MFD remote controller. (Landscape mount) For use with Simrad NSS and NSO MFD systems and brings simple and precise MFD control in even the roughest sea conditions.	458.00	545.02
000-15760-001		HALO 2006: 50W Pulse Compression Radar System. Comes with HALO 50W Pedestal, 6ft Antenna, RI-50 Power Supply and 20 m (65.5 ft) Cable.	7920.00	9424.80
000-12395-001		StructureScan® 3D Module and Transom mount Transducer kit.	1157.00	1376.83
000-16652-001		NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass, Pump-2 and SteadySteer™ flow switch.	2734.00	3253.46
000-12397-001		StructureScan® 3D module only. Transom mount and Through-Hull transducers available separately.	694.00	825.86

Navigation Systems

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15621-001		NAC-D AUTOPILOT COMPUTER. NAC™ -D is a digital steering autopilot solution for Electronic Vessel Control Systems (steering systems with a digital interface). It allows automatic switching between two speed profiles, delivering optimal steering performance at both low and high speeds.	1145.00	1362.55
000-15763-001		HALO 3004: 130W Pulse Compression Radar System. Comes with HALO 130W Pedestal, 4ft Antenna, RI-50 Power Supply and 20 m (65.5 ft) Cable.	8991.00	10699.29
000-15764-001		HALO 3006: 130W Pulse Compression Radar System. Comes with HALO 130W Pedestal, 6ft Antenna, RI-50 Power Supply and 20 m (65.5 ft) Cable.	9527.00	11337.13
000-16657-001		AP44 VRF. Precision VRF medium capacity pack. Comprising of AP44 controller, NAC-2 autopilot computer, Precision 9 compass, PUMP-2 hydraulic pump (MKII) and SteadySteer™ flow switch.	3397.00	4042.43
000-10029-001		NEP-2 Network Expansion Port (Ethernetverteiler mit 5 Ports)	331.00	393.89
000-16504-001		AP44 VRF medium capacity pack MKII. Comprising of AP44 controller, NAC-2 autopilot computer, HS65 Satellite compass, PUMP-2 hydraulic pump (MKII), and SteadySteer™ flow switch	3728.00	4436.32
000-16656-001		NAC-3 RF. Performance Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, HS65 GNSS Compass, RF-25N Rudder Feedback unit, SteadySteer™ flow switch, backbone starter kit and 4m (15 ft) NMEA 2000 cable.	3458.00	4115.02
000-16655-001		NAC-3 VRF. Performance VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, HS65 GNSS Compass, SteadySteer™ flow switch, backbone starter kit, 4m (15 ft) NMEA 2000 cable.	3059.00	3640.21
000-16505-001		AP44 VRF high capacity pack. Comprising of AP44 controller, HS65 GNSS compass,PUMP-3 hydraulic pump (MKII) and NAC-3 autopilot computer and SteadySteer™ Flow Switch	5066.00	6028.54
000-14537-001		HALO20 Radar - A cost-effective compact 20" Radar dome. 24 NM range and 24 RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.	2196.00	2613.24
000-14536-001		HALO20+ Radar - A compact 20" powerful 25 W Solid-State Radar, delivering 60 RPM at short range and up to 36 NM range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards both at close and long ranges simultaneously.	2581.00	3071.39
000-14535-001		HALO24 Radar - A 24" powerful 25 W Solid-State Radar, delivering 60 RPM at short range and up to 48 NM range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards both at close and long ranges simultaneously.	2892.00	3441.48
000-13760-001		NSS16evo3/3S & ZEUS³/³S 16" Mounting Bracket (Metal)	103.00	122.57
000-00129-001		Video/Data Cable - Provides 2x Analog Composite Video Inputs (RCA Female) and a NMEA 0183 Interface.	45.78	54.48
000-14491-001		Simrad RS20S Class D DSC VHF Radio - The versatile RS20S is ideal for a variety of boats from small RIBs to larger cruisers, and is designed to match the low-profile style of our glass bridge displays and accessories.	422.00	502.18

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-00128-001		4-pin Power Cable for modules and MFDs.	41.62	49.52

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13740-001		NSS7 evo3 Sun Cover	32.25	38.38
000-13741-001		NSS9 evo3/evo3S Sun Cover	31.21	37.14
000-13743-001		NSS16 evo3/evo3S Sun Cover	46.82	55.71
000-13742-001		NSS12 evo3/evo3S Sun Cover	42.66	50.76
000-10467-001		NSS Kartenschachtklappe	15.30	18.21
000-13702-001		Gimbal mounting bracket for Simrad NSX 3009, GO9, NSS7 evo3,, and B&G Vulcan9, Zeus3 7 (Plastic)	56.18	66.86
000-13758-001		NSSevo3/3S & ZEUS³/³S 9" Mounting Bracket (Plastic)	37.45	44.57
000-13759-001		NSSevo3/3S & ZEUS³/³S 12" Mounting Bracket	103.00	122.57
000-13749-001		NSSevo3 & ZEUS³ 7" Edge Bezels	18.73	22.29
000-13750-001		NSSevo3/3S & ZEUS³/³S 9" Edge Bezels	21.85	26.00
000-13751-001		NSSevo3/3S & ZEUS³/³S 12" Edge Bezels	26.01	30.95
000-13752-001		NSSevo3/3S & ZEUS³/³S 16" Edge Bezels	30.17	35.90
000-13748-001		NSSevo3 & ZEUS³ Chart Card Door	14.57	17.33
000-13753-001		NSSevo3 & ZEUS³ 7" Dash Mount Kit	28.09	33.43
000-13754-001		NSSevo3/3S & ZEUS³/³S 9" Dash Mount Kit	23.93	28.48
000-13755-001		NSSevo3/3S & ZEUS³/³S 12" Dash Mount Kit	46.82	55.71
000-13756-001		NSSevo3/3S & ZEUS³/³S 16" Dash Mount Kit	67.63	80.47
000-14317-001		Replacement Rotary knob for Simrad NSS evo3 & Zeus³ MFDs	22.89	27.24

GO

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14448-001		Simrad GO7 XSR – 7'' Multifunctional Display with built in Echosounder, GPS and Wi-Fi. Super-bright, multi-touch widescreen display with NMEA 2000 and Radar interface.	643.00	765.17
000-14446-001		Simrad GO7 XSR – 7'' Multifunctional Display with built in Echosounder, GPS and Wi-Fi. Super-bright, multi-touch widescreen display with NMEA 2000 and Radar interface. Includes M/H HDI Transducer.	714.00	849.66
000-14839-001		Simrad GO7 XSR – 7'' Multifunctional Display with built in Echosounder, GPS and Wi-Fi. Super-bright, multi-touch widescreen display with NMEA 2000 and Radar interface. Includes Active Imaging 3-in-1 transducer.	847.00	1007.93
000-14444-001		Simrad GO9 XSE – 9'' Multifunctional Display with built in Echosounder, GPS and Wi-Fi. Super-bright, multi-touch widescreen display with NMEA 2000 and Radar interface.	969.00	1153.11
000-14445-001		Simrad GO9 XSE – 9'' Multifunctional Display with built in Echosounder, GPS and Wi-Fi. Super-bright, multi-touch widescreen display with NMEA 2000 and Radar interface. Includes M/H HDI Transducer.	1019.00	1212.61
000-14841-001		Simrad GO9 XSE – 9'' Multifunctional Display with built in Echosounder, GPS and Wi-Fi. Super-bright, multi-touch widescreen display with NMEA 2000 and Radar interface. Includes Active Imaging 3-in-1 transducer.	1121.00	1333.99
000-15618-001		Simrad GO9 XSE - w/ Active Imaging 3-in-1 Transducer and Halo20+ Radar bundle.	3219.00	3830.61


Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15792-001		Simrad RS100-B Blackbox VHF Radio with integrated Class-B AIS transceiver and GPS. Kit includes NRS-2 VHF Blackbox module with Class B AIS built-in, GPS-500 antenna, one HS100 wired handset, and one SP100 speaker.	1686.00	2006.34
000-14473-001		Simrad RS40-B Marine VHF Radio - Stay safer on the water with this VHF Marine Radio. See and be seen by nearby AIS-equipped vessels thanks the integrated Class B AIS transceiver, and add up to two optional wireless handsets.	1070.00	1273.30
000-12568-001		TotalScan™ Transducer with Medium/High Chirp and 455/800kHz Down and SideScan. 7m (24ft) Cable.	388.00	461.72
000-13919-001		P66 - Plastic 600W 50/200kHz Transom Mount Depth and Temperature transducer. 9pin connector and 6 m (19.6 ft) cable.	204.00	242.76
000-13285-001		IS42 Instrument - This multi-purpose instrument display features a colour screen that's designed for optimal visibility in all conditions. See wind data, boat speed, depth, engine information, autopilot status, AIS data and more at a glance.	552.00	656.88
000-11749-001		Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit , Standby-Auto button and Micro-C network components.	1766.00	2101.54
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	716.00	852.04
000-11674-001		ForwardScan™ Transducer Kit with Sleeve & Plug. 10m (33ft) Cable	824.00	980.56

Navigation Systems

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13907-001		Through-Hull Bronze HDI Transducer. 50/200kHz 455/800 kHz DownScan. Black 9 Pin pin connector and 10m (33ft) cable.	609.00	724.71
000-11043-002		GS25 Antenna with built-in rate compass. 10 Hz position update rate. Built-in rate compass is perfect for providing heading data for Radar Chart Overlay and for orienting charts in Head-Up Mode. Note: This heading sensor is not recommended for MARPA or Autopilot control! Please use the Precision 9 for this.	299.00	355.81
000-13906-001		Through-Hull Bronze HDI Transducer. 50/200kHz 455/800 kHz DownScan. Black 9 Pin pin connector and 10m (33ft) cable.	609.00	724.71
000-13944-001		TM150M - Plastic 300W Transom Mount Medium-Chirp Transducer. 9pin connector and 12m (40ft) cable.	431.00	512.89
000-14818-001		Simrad RS40-B Marine VHF Radio - Stay safer on the water with this VHF Marine Radio. See and be seen by nearby AIS-equipped vessels thanks the integrated Class B AIS transceiver, and add up to two optional wireless handsets. Includes with GPS500 GPS antenna.	1177.00	1400.63
000-15643-001		Simrad RS100 Blackbox VHF radio system. Kit includes NRS-1 VHF Blackbox module, one HS100 wired handset, and one SP100 speaker.	1007.00	1198.33
000-13313-001		Connects older 7 pin blue plug transducers to displays with 9pin transducer ports.	35.33	42.05
000-16235-001		HS65, GNSS Compass with mount flat mount.	1223.00	1455.37
000-12364-001		OP50 wired MFD remote controller. (Portrait mount) For use with Simrad NSS and NSO MFD systems and brings simple and precise MFD control in even the roughest sea conditions.	458.00	545.02
000-13905-001		Through-Hull Bronze HDI Transducer. 50/200kHz 455/800 kHz DownScan. Black 9 Pin pin connector and 10m (33ft) cable.	609.00	724.71
000-13703-001		Auto-Stby Button - Metal. For a physical Auto/Stby button in systems with NAC-1 and NAC-2 Autopilot Computers.	52.48	62.45
000-13284-001		ForwardScan™ Transducer Kit (Long-Stem) with Sleeve & Plug. 10m (33ft) Cable	1156.00	1375.64
000-13963-001		NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	1177.00	1400.63
000-14470-001		RS40 Marine VHF Radio - Stay safe and connected with this VHF marine radio featuring removable fist mic, Class D DSC functionality, and built-in GPS. Keep track of nearby AIS-equipped vessels with an integrated AIS receiver, and add up to two optional wireless handsets.	738.00	878.22
000-12512-001		OP50 wired MFD remote controller. (Landscape mount) For use with Simrad NSS and NSO MFD systems and brings simple and precise MFD control in even the roughest sea conditions.	458.00	545.02
000-11518-001		Fluid Level Sensor - Connects to a standard suitable tank level sensor and transmits the tank level on the the NMEA 2000 network.	117.00	139.23
000-13998-001		TM185M - Plastic 1kW Transom-Mounted Medium Chirp Depth and Temperature transducer. 9-pin connector and 12m (40ft) cable.	1398.00	1663.62

Navigation Systems

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15880-001		XSONIC AIRMAR P19 20 DEGREE: single, tilted, 200/83 kHz, transducer. Fixed 20° tilted version for 16° to 24° hull deadrise	189.00	224.91
000-12395-001		StructureScan® 3D Module and Transom mount Transducer kit.	1157.00	1376.83
000-16652-001		NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass, Pump-2 and SteadySteer™ flow switch.	2734.00	3253.46
000-12571-001		Connects a non-CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with transducers that have an analog temperature sensor.	48.20	57.35
000-13997-001		TM185HW - Plastic 1kW Transom-Mounted High-Wide Chirp Depth and Temperature transducer. 9-pin connector and 12m (40ft) cable.	1692.00	2013.48
000-14259-001		TotalScan™ Through-Hull Transducer with Low/High Chirp and 455/800kHz Down and SideScan.	825.00	981.75
000-13946-001		B45 - Bronze 600W Through-Hull 50/200 kHz Depth and Temperature transducer. Black 9 pin connector with 12m (40ft) cable	381.00	453.39
000-13714-001		Networked wind sensor for Triton2, Triton, IS42, IS40 and IS20 systems. Sensor only, does not include cable.	461.00	548.59
000-14257-001		TotalScan™ Through-Hull Transducer with Medium/High Chirp and 455/800kHz Down and SideScan.	825.00	981.75
000-00099-006		Extension cable for 9-pin transducers. *For optimum performance do not use more than 1 extension per installation.	93.17	110.87
000-15621-001		NAC-D AUTOPILOT COMPUTER. NAC™ -D is a digital steering autopilot solution for Electronic Vessel Control Systems (steering systems with a digital interface). It allows automatic switching between two speed profiles, delivering optimal steering performance at both low and high speeds.	1145.00	1362.55
000-13784-001		SS60 (0°) - Stainless Steel 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 12m (40ft) cable.	511.00	608.09
000-10029-001		NEP-2 Network Expansion Port (Ethernetverteiler mit 5 Ports)	331.00	393.89
000-16657-001		AP44 VRF. Precision VRF medium capacity pack. Comprising of AP44 controller, NAC-2 autopilot computer, Precision 9 compass, PUMP-2 hydraulic pump (MKII) and SteadySteer™ flow switch.	3397.00	4042.43
000-16504-001		AP44 VRF medium capacity pack MKII. Comprising of AP44 controller, NAC-2 autopilot computer, HS65 Satellite compass, PUMP-2 hydraulic pump (MKII), and SteadySteer™ flow switch	3728.00	4436.32
000-12728-001		HDI Skimmer med/high (455/800 kHz) transducer. 9 pin Black X-Sonic Connector. Cable Length 6 m (20 ft)	155.00	184.45
000-14489-001		ActiveImaging™ 3-IN-1 combines the new Active Imaging sonar with traditional Medium/High CHIRP sonar for easy single transducer installation. 7.6m (25ft) cable with 9 pin connector.	388.00	461.72

Navigation Systems

SIMRAD

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14814-001		ActiveImaging™ 3-IN-1 combines the new Active Imaging sonar with traditional Medium/High CHIRP sonar for easy single transducer installation. 1.8m (6ft) cable with 9 pin connector.	388.00	461.72
000-12569-001		HDI Skimmer L/H 455/800 xSonic 9-pin - Black - 6m (20 ft) Cable	305.00	362.95
000-16656-001		NAC-3 RF. Performance Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, HS65 GNSS Compass, RF-25N Rudder Feedback unit, SteadySteer™ flow switch, backbone starter kit and 4m (15 ft) NMEA 2000 cable.	3458.00	4115.02
000-14490-001		ActiveImaging™ 2-IN-1 Transducer - Provides Active Imaging technology for SideScan and DownScan while leaving you free to select other transducer options for for Traditional/Chirp Sonar. 7.6m (25 ft) cable with 9 pin connector.	329.00	391.51
000-13785-001		SS60 (12°) - Stainless Steel 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 12m (40ft) cable.	507.00	603.33
000-10976-001		HDI Skimmer® transducer 83/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 6m (20 ft)	155.00	184.45
000-11738-001		DT800 Depth/Temp Sensor. Plastic thru-hull housing.	434.00	516.46
000-13786-001		SS60 (20°) - Stainless Steel 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 12m (40ft) cable.	507.00	603.33
000-16655-001		NAC-3 VRF. Performance VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, HS65 GNSS Compass, SteadySteer™ flow switch, backbone starter kit, 4m (15 ft) NMEA 2000 cable.	3059.00	3640.21
000-10977-001		HDI Skimmer® transducer 50/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 6 m (20 ft)	305.00	362.95
000-11852-001		Airmar IDST800L 235F B-122-RETR 6M	755.00	898.45
000-16505-001		AP44 VRF high capacity pack. Comprising of AP44 controller, HS65 GNSS compass,PUMP-3 hydraulic pump (MKII) and NAC-3 autopilot computer and SteadySteer™ Flow Switch	5066.00	6028.54
000-0106-77		HST - DFSBL 50/200 kHz Heckmontage-Geber Tiefe/Temperatur - blauer 7 pin Stecker	166.00	197.54
000-0106-72		HST - WSBL 83/200 kHz Heckmontage Geber Tiefe/Temp mit blauem 7 pin Stecker	82.46	98.12
000-13911-001		SS75H - Stainless Steel 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	1099.00	1307.81
000-13912-001		SS75H - Stainless Steel 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 12m (40ft) cable.	1099.00	1307.81

Navigation Systems

SIMRAD

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13913-001		SS75H - Stainless Steel 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 12m (40ft) cable.	1099.00	1307.81
000-13908-001		SS75M - Stainless Steel 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	1146.00	1363.74
000-13909-001		SS75M - Stainless Steel 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	1146.00	1363.74
000-13910-001		SS75M - Stainless Steel 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	1146.00	1363.74
000-13942-001		P79 - Plastic 600 W In-Hull 50/200 kHz Depth Only. Black 9 pin connector with 12m cable. (40ft)	212.00	252.28
000-13922-001		B150M - Bronze 300W Medium-Chirp Thru-Hull Depth/Temperature Transducer. 9pin connector with 12m (40ft) cable.	594.00	706.86
000-13921-001		B150M - Bronze 300W Medium-Chirp Thru-Hull Depth/Temperature Transducer. 9pin connector with 12m (40ft) cable.	594.00	706.86
000-13920-001		B150M - Bronze 300W Medium-Chirp Thru-Hull Depth/Temperature Transducer. 9pin connector with 12m (40ft) cable.	594.00	706.86
000-13918-001		SS164 (20°) - Stainless Steel 1kW Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 12m (40ft) cable.	1571.00	1869.49
000-13917-001		SS164 (12°) - Stainless Steel 1kW Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 12m (40ft) cable.	1571.00	1869.49
000-13916-001		SS164 (0°) - Stainless Steel 1kW Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 12m (40ft) cable.	1571.00	1869.49
000-13780-001		SS175H-W - Stainless Steel 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	2154.00	2563.26
000-14537-001		HALO20 Radar - A cost-effective compact 20" Radar dome. 24 NM range and 24 RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.	2196.00	2613.24
000-14536-001		HALO20+ Radar - A compact 20" powerful 25 W Solid-State Radar, delivering 60 RPM at short range and up to 36 NM range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards both at close and long ranges simultaneously.	2581.00	3071.39
000-13781-001		SS175H-W - Stainless Steel 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	2154.00	2563.26
000-12602-001		Flat Mount Bracket for Active Imaging, TotalScan and StructureScan 3D skimmer transducers.	70.68	84.10


Navigation Systems

SIMRAD

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14535-001		HALO24 Radar - A 24" powerful 25 W Solid-State Radar, delivering 60 RPM at short range and up to 48 NM range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards both at close and long ranges simultaneously.	2892.00	3441.48
000-13782-001		SS175H-W - Stainless Steel 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	2154.00	2563.26
000-13777-001		SS175M - Stainless Steel 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	1906.00	2268.14
000-13778-001		SS175M - Stainless Steel 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	1906.00	2268.14
000-13779-001		SS175M - Stainless Steel 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	1906.00	2268.14
000-13774-001		SS175L - Stainless Steel 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	2353.00	2800.07
000-13775-001		SS175L - Stainless Steel 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	2353.00	2800.07
000-13776-001		SS175L - Stainless Steel 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	2353.00	2800.07
000-13964-001		B258 - Bronze 1kW Fairing-Block Through-Hull 50/200 kHz Depth/Temperature Transducer. Black 9pin connector and 12m (40ft) cable.	1175.00	1398.25
000-13915-001		P319 - Plastic 600W Thru-Hull 50/200kHz Depth/Temperature. Black 9-pin connector and 12m (40ft) cable.	208.00	247.52
000-12366-001		FLUSH MOUNT KIT,GO7 & VULCAN 7 Note: If flush mounting the Go7 or Vulcan 7 you may need the specific sun cover for the flush mount installation method. For GO7 please order 000-12368-001 or for Vulcan order 000-12370-001).	30.59	36.40
000-14491-001		Simrad RS20S Class D DSC VHF Radio - The versatile RS20S is ideal for a variety of boats from small RIBs to larger cruisers, and is designed to match the low-profile style of our glass bridge displays and accessories.	422.00	502.18

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14489-001		ActiveImaging™ 3-IN-1 combines the new Active Imaging sonar with traditional Medium/High CHIRP sonar for easy single transducer installation. 7.6m (25ft) cable with 9 pin connector.	388.00	461.72
000-12728-001		HDI Skimmer med/high (455/800 kHz) transducer. 9 pin Black X-Sonic Connector. Cable Length 6 m (20 ft)	155.00	184.45
000-00128-001		4-pin Power Cable for modules and MFDs.	41.62	49.52
000-13171-001		GO5 & Vulcan-5 Power & N2K Cable	82.19	97.81

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14227-001		Suncover for GO7 XSR, P3007 and I3007.	36.41	43.33
000-13698-001		Suncover for Simrad GO9 XSE	41.62	49.52
000-14147-001		GO12 Suncover	62.42	74.28
000-10467-001		NSS Kartenschachtklappe	15.30	18.21
000-10027-001		Quick Release Bracket - GO5 / Vulcan5 / P2005 / I3005 / Mark / Elite	36.41	43.33
000-12372-001		Mounting bracket for Simrad NSX 3007, GO7 XSR, I3007, P3007, and B&G Vulcan 7R,	55.14	65.62
000-14148-001		U-BRACKET 12" GO, VULCAN, NSX, ZEUS S	80.58	95.89
000-13702-001		Gimbal mounting bracket for Simrad NSX 3009, GO9, NSS7 evo3,, and B&G Vulcan9, Zeus3 7 (Plastic)	56.18	66.86
000-13170-001		Edge Bezel for P2005, I3005, GO5 & Vulcan-5	11.44	13.62
000-13700-001		Replacement bezel for Simrad GO9 or B&G Vulcan9.	18.73	22.29
000-14230-001		Edge Bezel for GO7 XSR, Vulcan 7R, I3007 & P3007	17.69	21.05
000-14247-001		GO12 & Vulcan 12 Edge Bezel	22.44	26.70
000-13169-001		Dash Mount kit for P2005, I3005, GO5 & Vulcan-5	14.57	17.33
000-14229-001		Dash Mount Kit for GO7 XSR, Vulcan 7R, I3007 & P3007	22.89	27.24
000-14246-001		GO12/V12 DASH MOUNT KIT	33.66	40.06
000-13699-001		GO9 XSE & Vulcan 9 Dash Mount Kit	22.89	27.24

R2009/R3016

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-12186-001		R2009 is a dedicated control unit for Simrad Radars and features an integrated 9" portrait display. R2009 offers versatile flush or bracket-mount installation options and intuitive keypad-based operation for reliable control in all conditions.	1682.00	2001.58
000-12188-001		R3016 is a dedicated control unit for Simrad Radars and features an integrated 16" widescreen display. R3016 offers versatile flush or bracket-mount installation options and intuitive keypad-based operation for reliable control in all conditions.	3931.00	4677.89
000-15717-001		Simrad R2009 HALO20+ kit is a dedicated 9" portrait Radar Control Unit and HALO20+ Pulse Compression Radar. Kit includes R2009 radar control unit, HALO20+ Radome and Interconnection cable 10 m (33 ft).	3706.00	4410.14
000-16105-001		Simrad R2009 HALO™2003 kit is a dedicated 9" portrait Radar Control Unit and HALO 2003 Pulse Compression Radar. The kit includes an R2009 radar control unit, Halo 200X pedestal with 3ft antenna, RI-50 interface, Interconnection cable 20m (66 ft), and 1.8 m (6 ft) Ethernet cable.	7211.00	8581.09
000-16106-001		Simrad R3016 HALO 2003 kit is a dedicated 16" widescreen Radar Control Unit and HALO 2003 Pulse Compression Radar. Kit includes R3016 radar control unit, Halo 200X pedestal and 3ft antenna, RI-50 interface, Interconnection cable 20m (66 ft), and 1.8 m (6 ft) Ethernet cable.	9415.00	11203.85
000-16107-001		Simrad R3016 HALO 2004 kit is a dedicated 16" widescreen Radar Control Unit and HALO 2004 Pulse Compression Radar. Kit includes R3016 radar control unit, HALO 200X pedestal and 4 ft antenna, RI-50 interface, Interconnection cable 20m (66 ft), 1.8 m (6 ft) Ethernet cable.	9843.00	11713.17
000-16108-001		Simrad R3016 HALO 3004 kit is a dedicated 16" widescreen Radar Control Unit and HALO 3004 Pulse Compression Radar. Kit includes R3016 radar control unit, Halo 300X pedestal and 4ft antenna, RI-50 interface, Interconnection cable 20m (66 ft), 1.8 m (6 ft) Ethernet cable.	11169.00	13291.11
000-16109-001		Simrad R3016 HALO 3006 kit is a dedicated 16" widescreen Radar Control Unit and HALO 3006 Pulse Compression Radar. Kit includes R3016 radar control unit, Halo 300X pedestal with 6 ft antenna, RI-50 interface, Interconnection cable 20m (66 ft), 1.8 m (6 ft) Ethernet cable.	11628.00	13837.32
000-13958-001		O2000 Radar remote controller for R2009, R3016 and R5000 PRO radars. NMEA2000 connectivity.	495.00	589.05

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	716.00	852.04
000-11260-001		MO16-T - 15.6" Multi-Touch monitor with 1366x768 resolution. The 1000 nit peak brightness gives you a clear display even in direct sunlight, and the minimum brightness is extremely dim for night operation without blinding. Multiple video inputs and low-profile glass bridge design.	3030.00	3605.70
000-11464-001		HALO Antenna Only - 3ft	1070.00	1273.30
000-16235-001		HS65, GNSS Compass with mount flat mount.	1223.00	1455.37
000-11043-002		GS25 Antenna with built-in rate compass. 10 Hz position update rate. Built-in rate compass is perfect for providing heading data for Radar Chart Overlay and for orienting charts in Head-Up Mode. Note: This heading sensor is not recommended for MARPA or Autopilot control! Please use the Precision 9 for this.	299.00	355.81
000-11466-001		HALO Antenna Only - 6ft	1959.00	2331.21
000-16143-001		HS75 GPS Compass - Ideal heading source for non-SOLAS professional vessels like Search and Rescue, Patrol, Fishing, Workboats and more. Provides solid 0.75° RMS heading accuracy in a compact unit. Supports GPS, GLONASS, Galileo, BeiDou, QZSS for increased accuracy across the world.	2676.00	3184.44

Radar

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13958-001		O2000 Radar remote controller for R2009, R3016 and R5000 PRO radars. NMEA2000 connectivity.	495.00	589.05
000-0127-51		Ethernetkabel yellow 5 Pin 1.8 m (6 ft)	40.70	48.43
000-0127-29		Ethernetkabel yellow 5 Pin 4.5 m (15 ft)	59.98	71.37
000-0127-30		Ethernetkabel yellow 5 Pin 7.7 m (25 ft)	84.61	100.68
000-0127-37		Ethernetkabel yellow 5 Pin 15.2 m (50 ft)	117.00	139.23
000-11246-001		RJ45-Yellow Round Ethernet adapter cable RJ45 Male / 5 Pin Female 10 cm (6")	25.70	30.59
000-10904-001	Missing Image	Radar-Verlängerungskabel 2 m für Broadband Radarantennen	69.30	82.47
000-10905-001	Missing Image	Radar-Verlängerungskabel 5 m für Broadband Radarantennen	80.85	96.21
000-12393-001		High speed NMEA 0183 Serial cable 2m (6 ft)	56.10	66.76
000-14535-001		HALO24 Radar - A 24" powerful 25 W Solid-State Radar, delivering 60 RPM at short range and up to 48 NM range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards both at close and long ranges simultaneously.	2892.00	3441.48
000-12741-001		HDMI Cable with vibration resistant and waterproof connector on one end to connect to Navico MFDs with HDMI port.	120.00	142.80
000-11247-001		NSOevo2, NSOevo3S, Zeus2 and Zeus3S NMEA0183 and Touch Monitor Serial Cable. 2m (6.5 ft)	30.17	35.90

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-12413-001		Suncover for S2009, and R2009	70.38	83.75
000-12411-001		S2009, S3009 & R2009 Bracket mount kit: Includes bracket, 2 x Knobs and Screws	100.98	120.17
000-12519-001		S2009, S3009 & R2009 Spare Edge Bezels	19.38	23.06
000-12520-001		S2016 & R3016 Edge Bezels	18.36	21.85

Radar

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-12410-001		S2016 & R3016 Dash Mounting Kit	35.70	42.48
000-12414-001		S2016 & R3016 Suncover	29.58	35.20
000-12412-001		S2016 & R3016 Bracket mounting kit.	183.00	217.77
000-12401-001	Missing Image	R2009 & R3016 Keypad Kit	96.90	115.31

Halo Open Array

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15758-001		HALO 2003: 50W Pulse Compression Radar System. Comes with HALO 50W Pedestal, 3ft Antenna, RI-50 Power Supply and 20 m (65.5 ft) Cable.	6795.00	8086.05
000-15759-001		HALO 2004: 50W Pulse Compression Radar System. Comes with HALO 50W Pedestal, 4ft Antenna, RI-50 Power Supply and 20 m (65.5 ft) Cable.	7331.00	8723.89
000-15760-001		HALO 2006: 50W Pulse Compression Radar System. Comes with HALO 50W Pedestal, 6ft Antenna, RI-50 Power Supply and 20 m (65.5 ft) Cable.	7920.00	9424.80
000-15947-001		HALO 200X: 50W Pulse Compression Radar System. Comes with RI-50 HALO 50W Pedestal, Power Supply and 10 m (33 ft) Cable. NO ANTENNA!	6206.00	7385.14
000-15761-001		HALO 200X: 50W Pulse Compression Radar System. Comes with HALO 50W Pedestal, RI-50 Power Supply and 20 m (65.5 ft) Cable. NO ANTENNA!	6260.00	7449.40
000-15763-001		HALO 3004: 130W Pulse Compression Radar System. Comes with HALO 130W Pedestal, 4ft Antenna, RI-50 Power Supply and 20 m (65.5 ft) Cable.	8991.00	10699.29
000-15764-001		HALO 3006: 130W Pulse Compression Radar System. Comes with HALO 130W Pedestal, 6ft Antenna, RI-50 Power Supply and 20 m (65.5 ft) Cable.	9527.00	11337.13
000-15948-001		HALO 300X: 130W Pulse Compression Radar System. Comes with HALO 130W Pedestal, RI-50 Power Supply and 10 m (33 ft) Cable. NO ANTENNA!	7866.00	9360.54
000-15765-001		HALO 300X: 130W Pulse Compression Radar System. Comes with HALO 130W Pedestal, RI-50 Power Supply and 20 m (65.5 ft) Cable. NO ANTENNA!	7920.00	9424.80

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11464-001		HALO Antenna Only - 3ft	1070.00	1273.30
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	716.00	852.04
000-11465-001		HALO Antenna Only - 4ft	1388.00	1651.72
000-16235-001		HS65, GNSS Compass with mount flat mount.	1223.00	1455.37
000-11466-001		HALO Antenna Only - 6ft	1959.00	2331.21
000-16143-001		HS75 GPS Compass - Ideal heading source for non-SOLAS professional vessels like Search and Rescue, Patrol, Fishing, Workboats and more. Provides solid 0.75° RMS heading accuracy in a compact unit. Supports GPS, GLONASS, Galileo, BeiDou, QZSS for increased accuracy across the world.	2676.00	3184.44
000-15767-001		HALO 2000 & 3000 Power and Ethernet Cable - 10 m (33 ft)	127.00	151.13
000-15768-001		HALO 2000 & 3000 Power and Ethernet Cable - 20 m (65.5 ft)	277.00	329.63

Radar

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15769-001		HALO 2000 & 3000 Power and Ethernet Cable - 30 m (98.5 ft)	320.00	380.80
000-11246-001		RJ45-Yellow Round Ethernet adapter cable RJ45 Male / 5 Pin Female 10 cm (6")	25.70	30.59
000-10904-001	Missing Image	Radar-Verlängerungskabel 2 m für Broadband Radarantennen	69.30	82.47
000-10905-001	Missing Image	Radar-Verlängerungskabel 5 m für Broadband Radarantennen	80.85	96.21

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11464-001		HALO Antenna Only - 3ft	1070.00	1273.30
000-11465-001		HALO Antenna Only - 4ft	1388.00	1651.72
000-11466-001		HALO Antenna Only - 6ft	1959.00	2331.21
000-15757-001		RI-50: HALO Radar Power Supply for HALO 2000 & 3000 series radars	637.00	758.03
000-15762-001		HALO 200X 50W Pulse Compression Radar: Pedestal Only	5510.00	6556.90
000-15766-001		HALO 300X 130W Pulse Compression Radar: Pedestal Only	7117.00	8469.23
000-15767-001		HALO 2000 & 3000 Power and Ethernet Cable - 10 m (33 ft)	127.00	151.13
000-15768-001		HALO 2000 & 3000 Power and Ethernet Cable - 20 m (65.5 ft)	277.00	329.63
000-11246-001		RJ45-Yellow Round Ethernet adapter cable RJ45 Male / 5 Pin Female 10 cm (6")	25.70	30.59
000-12515-001		HALO Antenna - Spare Mounting Kit. M8 Dome Nuts, M8 Spring Washers, M8x16x1.2 Flat Washers. 316 SS, 4pcs each.	43.91	52.25
000-12514-001		HALO Pedestal, Spare mounting kit. Includes -4 x Bolt, HEX, M12x35, 316 s/s: 4 x Bolt, HEX, M12x50, 316 s/s: -4 x Washer, Flat, M12x36x3, 316 s/s: -4 x Washer, Spring, M12, 316 s/s: -8 x Washer, Isolating M12x38 Nylon	70.69	84.12

Halo Dome Radars

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14537-001		HALO20 Radar - A cost-effective compact 20" Radar dome. 24 NM range and 24 RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.	2196.00	2613.24
000-14536-001		HALO20+ Radar - A compact 20" powerful 25 W Solid-State Radar, delivering 60 RPM at short range and up to 36 NM range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards both at close and long ranges simultaneously.	2581.00	3071.39
000-14535-001		HALO24 Radar - A 24" powerful 25 W Solid-State Radar, delivering 60 RPM at short range and up to 48 NM range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards both at close and long ranges simultaneously.	2892.00	3441.48

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	716.00	852.04
000-16235-001		HS65, GNSS Compass with mount flat mount.	1223.00	1455.37
LMB-A1		LMB-A1 Selbstjustierende Radarhalterung zur rückwärtigen Backstagsmontage 3G/4G	1725.00	2052.75
000-10795-001		SC20 Mast mount kit for HALO 20/20+ and Broadband Dome Radars.	642.00	763.98
000-16495-001		Ethernet cable. M12 TO RJ45 female 1.5 m (5 ft)	82.47	98.14
000-14551-001		Enables re-use of the existing BR24/3G/4G cable onboard when upgrading to a HALO Dome radar.	69.62	82.84
000-14547-001		Power / Ethernet cable, 5 m (16.5 ft) for HALO dome radars and B&G Nemesis displays	82.47	98.14
000-14548-001		Power / Ethernet cable, 10 m (33 ft) for HALO dome radars and B&G Nemesis displays	127.00	151.13
000-14549-001		Power / Ethernet cable, 20 m (65.5 ft) for HALO dome radars and B&G Nemesis displays	192.00	228.48
000-14550-001		Power / Ethernet cable, 30 m (98.5 ft) for HALO dome radars and B&G Nemesis displays	256.00	304.64

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14552-001		Ethernet adapter cable, RJ45 F to 5 Pin male, 1.5 m (4.9 ft). Ships with water proof boot.	44.98	53.53
000-14548-001		Power / Ethernet cable, 10 m (33 ft) for HALO dome radars and B&G Nemesis displays	127.00	151.13

Radar spares

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11464-001		HALO Antenna Only - 3ft	1070.00	1273.30
000-11465-001		HALO Antenna Only - 4ft	1388.00	1651.72
000-11466-001		HALO Antenna Only - 6ft	1959.00	2331.21
000-15757-001		RI-50: HALO Radar Power Supply for HALO 2000 & 3000 series radars	637.00	758.03
000-15762-001		HALO 200X 50W Pulse Compression Radar: Pedestal Only	5510.00	6556.90
000-15766-001		HALO 300X 130W Pulse Compression Radar: Pedestal Only	7117.00	8469.23
000-15767-001		HALO 2000 & 3000 Power and Ethernet Cable - 10 m (33 ft)	127.00	151.13
000-15768-001		HALO 2000 & 3000 Power and Ethernet Cable - 20 m (65.5 ft)	277.00	329.63
000-15769-001		HALO 2000 & 3000 Power and Ethernet Cable - 30 m (98.5 ft)	320.00	380.80
000-10795-001		SC20 Mast mount kit for HALO 20/20+ and Broadband Dome Radars.	642.00	763.98
000-14551-001		Enables re-use of the existing BR24/3G/4G cable onboard when upgrading to a HALO Dome radar.	69.62	82.84
000-14547-001		Power / Ethernet cable, 5 m (16.5 ft) for HALO dome radars and B&G Nemesis displays	82.47	98.14
000-14548-001		Power / Ethernet cable, 10 m (33 ft) for HALO dome radars and B&G Nemesis displays	127.00	151.13
000-14549-001		Power / Ethernet cable, 20 m (65.5 ft) for HALO dome radars and B&G Nemesis displays	192.00	228.48
000-14550-001		Power / Ethernet cable, 30 m (98.5 ft) for HALO dome radars and B&G Nemesis displays	256.00	304.64
000-10904-001	Missing Image	Radar-Verlängerungskabel 2 m für Broadband Radarantennen	69.30	82.47
000-10905-001	Missing Image	Radar-Verlängerungskabel 5 m für Broadband Radarantennen	80.85	96.21
000-12515-001		HALO Antenna - Spare Mounting Kit. M8 Dome Nuts, M8 Spring Washers, M8x16x1.2 Flat Washers. 316 SS, 4pcs each.	43.91	52.25

Radar

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14440-001		RI-12Cable accessories kit: Phoenix connector 4 pin 3.8 mm, Phoenix connector 4 pin 5 mm, Micro-C T joiner	25.75	30.64
000-12393-001		High speed NMEA 0183 Serial cable 2m (6 ft)	56.10	66.76
000-12514-001		HALO Pedestal, Spare mounting kit. Includes -4 x Bolt, HEX, M12x35, 316 s/s: 4 x Bolt, HEX, M12x50, 316 s/s: -4 x Washer, Flat, M12x36x3, 316 s/s: -4 x Washer, Spring, M12, 316 s/s: -8 x Washer, Isolating M12x38 Nylon	70.69	84.12
000-12414-001		S2016 & R3016 Suncover	29.58	35.20
000-12412-001		S2016 & R3016 Bracket mounting kit.	183.00	217.77
000-12401-001	Missing Image	R2009 & R3016 Keypad Kit	96.90	115.31

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	716.00	852.04
000-11464-001		HALO Antenna Only - 3ft	1070.00	1273.30
000-16295-001		Transducer, Network cable pulling tools	26.76	31.85
000-16235-001		HS65, GNSS Compass with mount flat mount.	1223.00	1455.37
000-11465-001		HALO Antenna Only - 4ft	1388.00	1651.72
000-11043-002		GS25 Antenna with built-in rate compass. 10 Hz position update rate. Built-in rate compass is perfect for providing heading data for Radar Chart Overlay and for orienting charts in Head-Up Mode. Note: This heading sensor is not recommended for MARPA or Autopilot control! Please use the Precision 9 for this.	299.00	355.81
000-11466-001		HALO Antenna Only - 6ft	1959.00	2331.21
000-16143-001		HS75 GPS Compass - Ideal heading source for non-SOLAS professional vessels like Search and Rescue, Patrol, Fishing, Workboats and more. Provides solid 0.75° RMS heading accuracy in a compact unit. Supports GPS, GLONASS, Galileo, BeiDou, QZSS for increased accuracy across the world.	2676.00	3184.44
000-15767-001		HALO 2000 & 3000 Power and Ethernet Cable - 10 m (33 ft)	127.00	151.13
000-15768-001		HALO 2000 & 3000 Power and Ethernet Cable - 20 m (65.5 ft)	277.00	329.63
000-15769-001		HALO 2000 & 3000 Power and Ethernet Cable - 30 m (98.5 ft)	320.00	380.80
000-0127-29		Ethernetkabel yellow 5 Pin 4.5 m (15 ft)	59.98	71.37

Radar


Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-0127-30		Ethernetkabel yellow 5 Pin 7.7 m (25 ft)	84.61	100.68
000-0127-37		Ethernetkabel yellow 5 Pin 15.2 m (50 ft)	117.00	139.23
000-14551-001		Enables re-use of the existing BR24/3G/4G cable onboard when upgrading to a HALO Dome radar.	69.62	82.84

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-0127-51		Ethernetkabel yellow 5 Pin 1.8 m (6 ft)	40.70	48.43
000-11246-001		RJ45-Yellow Round Ethernet adapter cable RJ45 Male / 5 Pin Female 10 cm (6")	25.70	30.59
000-12515-001		HALO Antenna - Spare Mounting Kit. M8 Dome Nuts, M8 Spring Washers, M8x16x1.2 Flat Washers. 316 SS, 4pcs each.	43.91	52.25
000-12514-001		HALO Pedestal, Spare mounting kit. Includes -4 x Bolt, HEX, M12x35, 316 s/s: 4 x Bolt, HEX, M12x50, 316 s/s: -4 x Washer, Flat, M12x36x3, 316 s/s: -4 x Washer, Spring, M12, 316 s/s: -8 x Washer, Isolating M12x38 Nylon	70.69	84.12

S2009/S2016

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-12185-001		Simrad S2009 Dedicated Fish Finder. 9" portrait display. Single 7-pin Sonar port, supporting a large variety of transducers up to 1kW. For expanded features and higher power transducers, S5100 sonar module can be added.	1125.00	1338.75

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11260-001		MO16-T - 15.6" Multi-Touch monitor with 1366x768 resolution. The 1000 nit peak brightness gives you a clear display even in direct sunlight, and the minimum brightness is extremely dim for night operation without blinding. Multiple video inputs and low-profile glass bridge design.	3030.00	3605.70
000-13260-001		S5100 High-performance CHIRP sonar module. Three fully independent channels able to deliver high-resolution sonar coverage across multiple depth ranges, precision-focused for offshore sportfishing anglers.	1736.00	2065.84
000-11142-001		SonarHub Module, with power cable and Ethernet cable 4.5m (15ft). Requires adapter 000-12571-001 or 000-13977-001 adapter cable to use Airmar Non-Chirp or Chirp 9-pin transducers.	694.00	825.86
000-16143-001		HS75 GPS Compass - Ideal heading source for non-SOLAS professional vessels like Search and Rescue, Patrol, Fishing, Workboats and more. Provides solid 0.75° RMS heading accuracy in a compact unit. Supports GPS, GLONASS, Galileo, BeiDou, QZSS for increased accuracy across the world.	2676.00	3184.44
000-13977-001		Connects an XID Airmar CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with Airmar 9pin XID transducers.	41.77	49.71
000-12571-001		Connects a non-CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with transducers that have an analog temperature sensor.	48.20	57.35
000-0127-51		Ethernetkabel yellow 5 Pin 1.8 m (6 ft)	40.70	48.43
000-0127-29		Ethernetkabel yellow 5 Pin 4.5 m (15 ft)	59.98	71.37
000-0127-30		Ethernetkabel yellow 5 Pin 7.7 m (25 ft)	84.61	100.68
000-10976-001		HDI Skimmer® transducer 83/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 6m (20 ft)	155.00	184.45
000-0127-37		Ethernetkabel yellow 5 Pin 15.2 m (50 ft)	117.00	139.23
000-10977-001		HDI Skimmer® transducer 50/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 6 m (20 ft)	305.00	362.95
000-0099-93		XT-12BL Geber Verlängerungskabel 7-pin blauer Stecker	52.47	62.44
000-0106-77		HST - DFSBL 50/200 kHz Heckmontage-Geber Tiefe/Temperatur - blauer 7 pin Stecker	166.00	197.54

Echolot

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-0106-72		HST - WSBL 83/200 kHz Heckmontage Geber Tiefe/Temp mit blauem 7 pin Stecker	82.46	98.12
000-0099-94		XT-20BL 6m Geberverlängerungskabel	52.47	62.44
000-10046-001		BSM-1 Adapterkabel 7pin blauer Stecker an offene Enden	31.06	36.96
000-12393-001		High speed NMEA 0183 Serial cable 2m (6 ft)	56.10	66.76
000-0106-73		PD - WBL 83/200 kHz Durchbruch/Trolling Motor Geber Tiefe - blauer 7 pin Stecker	97.45	115.97
000-12741-001		HDMI Cable with vibration resistant and waterproof connector on one end to connect to Navico MFDs with HDMI port.	120.00	142.80
000-11247-001		NSOevo2, NSOevo3S, Zeus2 and Zeus3S NMEA0183 and Touch Monitor Serial Cable. 2m (6.5 ft)	30.17	35.90

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-12413-001		Suncover for S2009, and R2009	70.38	83.75
000-12411-001		S2009, S3009 & R2009 Bracket mount kit: Includes bracket, 2 x Knobs and Screws	100.98	120.17
000-12519-001		S2009, S3009 & R2009 Spare Edge Bezels	19.38	23.06
000-12520-001		S2016 & R3016 Edge Bezels	18.36	21.85
000-12410-001		S2016 & R3016 Dash Mounting Kit	35.70	42.48
000-12412-001		S2016 & R3016 Bracket mounting kit.	183.00	217.77

Sonar Modules

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13260-001		S5100 High-performance CHIRP sonar module. Three fully independent channels able to deliver high-resolution sonar coverage across multiple depth ranges, precision-focused for offshore sportfishing anglers.	1736.00	2065.84
000-15918-002		S3100H High-performance sonar module with HEAVE compensation. Two independent 1kW channels supporting 1 kW Low, Med, High, and High-Wide transducers. Support for high-frequency ActiveImaging HD transducers. MFDs will need compatible software.	963.00	1145.97
000-11142-001		SonarHub Module, with power cable and Ethernet cable 4.5m (15ft). Requires adapter 000-12571-001 or 000-13977-001 adapter cable to use Airmar Non-Chirp or Chirp 9-pin transducers.	694.00	825.86
000-12395-001		StructureScan® 3D Module and Transom mount Transducer kit.	1157.00	1376.83
000-12397-001		StructureScan® 3D module only. Transom mount and Through-Hull transducers available separately.	694.00	825.86

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11674-001		ForwardScan™ Transducer Kit with Sleeve & Plug. 10m (33ft) Cable	824.00	980.56
000-13919-001		P66 - Plastic 600W 50/200kHz Transom Mount Depth and Temperature transducer. 9pin connector and 6 m (19.6 ft) cable.	204.00	242.76
000-13907-001		Through-Hull Bronze HDI Transducer. 50/200kHz 455/800 kHz DownScan. Black 9 Pin pin connector and 10m (33ft) cable.	609.00	724.71
000-16075-001		Ethernet Cable - Green M12 8-pin male-male 1.8 m (6 ft)	39.63	47.16
000-16062-001		ActiveImaging™ HD 3-IN-1 delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer. Comes with a 7.6m (25ft) cable with a 9-pin connector. Compatibility: Direct connect to Simrad NSS4, Lowrance HDS PRO, or to an S3100 module. For Lowrance HDS Live, Carbon, Elite FS, and Simrad NSS evo3(S) / NSOevo3(S) displays, an S3100 sonar module is required.	481.00	572.39
000-16061-001		ActiveImaging™ HD 3-in-1 (High/Wide)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.	588.00	699.72
000-16076-001		Ethernet Cable - Green M12 8-pin male-male 5 m (16.5 ft)	61.05	72.65
000-13313-001		Connects older 7 pin blue plug transducers to displays with 9pin transducer ports.	35.33	42.05
000-13906-001		Through-Hull Bronze HDI Transducer. 50/200kHz 455/800 kHz DownScan. Black 9 Pin pin connector and 10m (33ft) cable.	609.00	724.71

Echolot

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13944-001		TM150M - Plastic 300W Transom Mount Medium-Chirp Transducer. 9pin connector and 12m (40ft) cable.	431.00	512.89
000-13905-001		Through-Hull Bronze HDI Transducer. 50/200kHz 455/800 kHz DownScan. Black 9 Pin pin connector and 10m (33ft) cable.	609.00	724.71
000-13284-001		ForwardScan™ Transducer Kit (Long-Stem) with Sleeve & Plug. 10m (33ft) Cable	1156.00	1375.64
000-13977-001		Connects an XID Airmar CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with Airmar 9pin XID transducers.	41.77	49.71
000-15482-001		TM165HW - Plastic 600W Transom-Mounted High-Wide Chirp Depth and Temperature transducer. 9-pin connector and 12m (40ft) cable.	746.00	887.74
000-16077-001		Ethernet Cable - Green M12 8-pin male-male 15 m (49.2 ft)	115.00	136.85
000-16060-001		ActiveImaging™ HD 3-in-1 (Medium/High)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.	534.00	635.46
000-16063-001		ActiveImaging™ HD 2-in-1 Transducer. Provides ActiveImaging HD technology for SideScan and DownScan while leaving you free to select other transducer options for Traditional/Chirp Sonar. 7.6m (25 ft) cable with 9-pin connector. Compatibility: Direct connect to Simrad NSS4, Lowrance HDS PRO. For Lowrance HDS Live, Carbon, Elite FS, and Simrad NSS4, NSS evo3(S) / NSOevo3(S) displays, an S3100 sonar module is required.	395.00	470.05
000-15880-001		XSONIC AIRMAR P19 20 DEGREE: single, tilted, 200/83 kHz, transducer. Fixed 20° tilted version for 16° to 24° hull deadrise	189.00	224.91
000-13998-001		TM185M - Plastic 1kW Transom-Mounted Medium Chirp Depth and Temperature transducer. 9-pin connector and 12m (40ft) cable.	1398.00	1663.62
000-13997-001		TM185HW - Plastic 1kW Transom-Mounted High-Wide Chirp Depth and Temperature transducer. 9-pin connector and 12m (40ft) cable.	1692.00	2013.48
000-13946-001		B45 - Bronze 600W Through-Hull 50/200 kHz Depth and Temperature transducer. Black 9 pin connector with 12m (40ft) cable	381.00	453.39
000-12571-001		Connects a non-CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with transducers that have an analog temperature sensor.	48.20	57.35
000-00099-006		Extension cable for 9-pin transducers. *For optimum performance do not use more than 1 extension per installation.	93.17	110.87
000-13904-001		TM260 - Plastic 1kW Transom-Mounted 50/200kHz Depth and Temperature transducer. 9-pin connector and 12m (40ft) cable.	1474.00	1754.06

Echolot

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13784-001		SS60 (0°) - Stainless Steel 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 12m (40ft) cable.	511.00	608.09
000-16078-001		Ethernet Cable - Green M12 8-pin male - RJ45 male 1.8 m (6 ft)	35.34	42.06
000-16079-001		Ethernet Cable - Green M12 8-pin male - RJ45 male 5 m (16.5 ft)	56.76	67.55
000-13770-001		TM275LH-W - Plastic 1kW Transom-Mounted Low/High-Wide Depth and Temperature transducer. Dual 9-pin connectors and 12m (40ft) cable.	2561.00	3047.59
000-14489-001		ActiveImaging™ 3-IN-1 combines the new Active Imaging sonar with traditional Medium/High CHIRP sonar for easy single transducer installation. 7.6m (25ft) cable with 9 pin connector.	388.00	461.72
000-16080-001		Ethernet Cable - Green M12 8-pin male - RJ45 male 15 m (49.2 ft)	109.00	129.71
000-0127-51		Ethernetkabel yellow 5 Pin 1.8 m (6 ft)	40.70	48.43
000-0127-29		Ethernetkabel yellow 5 Pin 4.5 m (15 ft)	59.98	71.37
000-13262-001		Dual 9-Pin Wiring Block Sonar Adapter, to connect a bare-wire transducer to a 9pin sonar module or display.	534.00	635.46
000-13785-001		SS60 (12°) - Stainless Steel 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 12m (40ft) cable.	507.00	603.33
000-10976-001		HDI Skimmer® transducer 83/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 6m (20 ft)	155.00	184.45
000-0127-30		Ethernetkabel yellow 5 Pin 7.7 m (25 ft)	84.61	100.68
000-10977-001		HDI Skimmer® transducer 50/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 6 m (20 ft)	305.00	362.95
000-0127-37		Ethernetkabel yellow 5 Pin 15.2 m (50 ft)	117.00	139.23
000-13786-001		SS60 (20°) - Stainless Steel 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 12m (40ft) cable.	507.00	603.33
000-12752-001		Transducer Extension Cables for StructureScan® 3D - 10ft (3m)	127.00	151.13

Echolot

SIMRAD

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-0099-93		XT-12BL Geber Verlängerungskabel 7-pin blauer Stecker	52.47	62.44
000-0106-77		HST - DFSBL 50/200 kHz Heckmontage-Geber Tiefe/Temperatur - blauer 7 pin Stecker	166.00	197.54
000-0106-72		HST - WSBL 83/200 kHz Heckmontage Geber Tiefe/Temp mit blauem 7 pin Stecker	82.46	98.12
000-0099-94		XT-20BL 6m Geberverlängerungskabel	52.47	62.44
000-14885-001		9 Pin 50/200 kHz transom-mount skimmer depth/temp - black 9 pin connector	167.00	198.73
000-13911-001		SS75H - Stainless Steel 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	1099.00	1307.81
000-10046-001		BSM-1 Adapterkabel 7pin blauer Stecker an offene Enden	31.06	36.96
000-14884-001		High speed skimmer 83/200 kHz transom-mount skimmer depth/temp - Black 9 pin connector	98.52	117.24
000-13912-001		SS75H - Stainless Steel 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 12m (40ft) cable.	1099.00	1307.81
000-13913-001		SS75H - Stainless Steel 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 12m (40ft) cable.	1099.00	1307.81
000-13908-001		SS75M - Stainless Steel 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	1146.00	1363.74
000-13909-001		SS75M - Stainless Steel 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	1146.00	1363.74
000-13910-001		SS75M - Stainless Steel 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	1146.00	1363.74
000-13942-001		P79 - Plastic 600 W In-Hull 50/200 kHz Depth Only. Black 9 pin connector with 12m cable. (40ft)	212.00	252.28
000-13922-001		B150M - Bronze 300W Medium-Chirp Thru-Hull Depth/Temperature Transducer. 9pin connector with 12m (40ft) cable.	594.00	706.86
000-13522-001		TotalScan and StructureScan 3D Plastic Replacement Bracket	69.60	82.83

Echolot

SIMRAD

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13921-001		B150M - Bronze 300W Medium-Chirp Thru-Hull Depth/Temperature Transducer. 9pin connector with 12m (40ft) cable.	594.00	706.86
000-13920-001		B150M - Bronze 300W Medium-Chirp Thru-Hull Depth/Temperature Transducer. 9pin connector with 12m (40ft) cable.	594.00	706.86
000-13918-001		SS164 (20°) - Stainless Steel 1kW Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 12m (40ft) cable.	1571.00	1869.49
000-13917-001		SS164 (12°) - Stainless Steel 1kW Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 12m (40ft) cable.	1571.00	1869.49
000-13916-001		SS164 (0°) - Stainless Steel 1kW Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 12m (40ft) cable.	1571.00	1869.49
000-13780-001		SS175H-W - Stainless Steel 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	2154.00	2563.26
000-11040-001	Missing Image	Adapts LSS-1 transducers to HDS Gen2 Touch units and to LSS-HD modules.	108.90	129.59
000-10874-001		LSS-2 HD Skimmer Halterung für Heckmontagegeber	70.68	84.10
000-12603-001		Replacement Metal Bracket for Active Imaging, TotalScan, StructureScan 3D and HD skimmer transducers.	70.68	84.10
000-13781-001		SS175H-W - Stainless Steel 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	2154.00	2563.26
000-12602-001		Flat Mount Bracket for Active Imaging, TotalScan and StructureScan 3D skimmer transducers.	70.68	84.10
000-13782-001		SS175H-W - Stainless Steel 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	2154.00	2563.26
000-13777-001		SS175M - Stainless Steel 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	1906.00	2268.14
000-13778-001		SS175M - Stainless Steel 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	1906.00	2268.14
000-13779-001		SS175M - Stainless Steel 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	1906.00	2268.14
000-13774-001		SS175L - Stainless Steel 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	2353.00	2800.07

Echolot

SIMRAD

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13775-001		SS175L - Stainless Steel 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	2353.00	2800.07
000-13776-001		SS175L - Stainless Steel 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	2353.00	2800.07
000-13964-001		B258 - Bronze 1kW Fairing-Block Through-Hull 50/200 kHz Depth/Temperature Transducer. Black 9pin connector and 12m (40ft) cable.	1175.00	1398.25
000-13783-001		SS260 - Stainless Steel 1kW Fairing-Block Through-Hull 50/200 kHz Depth/Temperature Transducer. Black 9pin connector and 12m (40ft) cable.	2020.00	2403.80
000-13914-001		M260 - 1kW In-Hull Tank Mount 50/200 kHz Depth Transducer. Black 9pin connector and 10m (33ft) cable.	1421.00	1690.99
000-13771-001		B275LH-W - Bronze 1kW Through Hull Low/High-Wide Chirp Depth and Temperature transducer. Dual 9-pin connectors and 12m (40ft) cable.	2847.00	3387.93
000-13940-001		PM275LH-W - 1kW Pocket-Mount Low/High-Wide Chirp Depth/Temperature Transducer. Dual black 9pin connectors and 12m (40ft) cable. NSSevo3S or S5100 Sonar Module required.	3034.00	3610.46
000-13772-001		CM275LH-W - 1kW Cavity-Mount Low/High-Wide Chirp Depth/Temperature Transducer. Dual black 9pin connectors and 12m (40ft) cable. NSSevo3S or S5100 Sonar Module required.	2709.00	3223.71
000-14561-001		B285M - Bronze 1kW Through Hull Medium-Chirp Depth and Temperature transducer. 9-pin connector and 12m (40ft) cable.	2078.00	2472.82
000-13915-001		P319 - Plastic 600W Thru-Hull 50/200kHz Depth/Temperature. Black 9-pin connector and 12m (40ft) cable.	208.00	247.52
000-13773-001		R509LH-W - 3kW Low Chirp / 1kW High Chirp Depth/Temperature Transducer. Dual 9pin connector and 10m (33ft) cable. NSSevo3S or S5100 Sonar module required.	6506.00	7742.14
000-13941-001		CM599LH-W - 3kW Low Chirp / 1kW High Chirp Depth/Temperature Transducer. Dual 9pin connector and 10m (33ft) cable. NSSevo3S or S5100 Sonar module required.	6829.00	8126.51
000-14804-001		B744V - Bronze 600W Smart Thru Hull 50/200 Khz Depth/Temperature Transducer. 9pin sonar connector and 10m cable. NMEA2000 Speed/Temperature paddle wheel insert.	899.00	1069.81
000-0099-95		TS-1BL Temperatursensor (non-networked)	85.00	101.15
000-0106-73		PD - WBL 83/200 kHz Durchbruch/Trolling Motor Geber Tiefe - blauer 7 pin Stecker	97.45	115.97
000-0106-74		PDT-WBL 83/200 kHz Trolling-Motor Skimmer® mit Temperatursensor und blauem Stecker	106.00	126.14

Echolot


Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-0106-89		PDRT-WBL 83/200 kHz Durchbruch/Trolling Motor Skimmer® mit seperatem Temperatursensor und blauem Stecker	134.00	159.46
000-14887-001		9-Pin 83/200kHz Pod-Style Shoot-Through-Hull or Trolling Motor Mount Transducer w/Temp	98.52	117.24
000-14886-001		9-Pin 83/200kHz Pod-Style Shoot-Through Trandsucer. Depth only.	98.52	117.24
000-10802-001		StructureScan™ HD Skimmer Heckmontagegeber 455/800 kHz	332.00	395.08
000-12396-001		StructureScan 3D Transducer Only - The StructureScan 3D transducer produces three-dimensional scans of underwater terrain and fish-holding structure to create a high-resolution view. Cable length 6.0 m (20 ft)	471.00	560.49
000-14255-001		StructureScan® 3D Through-Hull Transducer with Medium and High CHIRP in one transducer. 6m (20ft) cable. Requires StructureScan® 3D Module sold separately.	1651.00	1964.69
000-14254-001		StructureScan 3D Through-Hull Transducer with Low and High CHIRP in one transducer. 7.6 m (25ft) cable. Requires StructureScan® 3D Module sold separately.	1651.00	1964.69
000-13559-001		StructureScan 3D Single Stainless Steel Thru-Hull Transducer. Cable length 7.6 m (25 ft)	1651.00	1964.69
000-13560-001		StructureScan 3D Dual Stainless Steel Thru-Hull Transducers. Cable length 7.6 m (25 ft)	2832.00	3370.08
000-11459-001		Stainless steel StructureScan™ HD Sonar thru-hull transducer. (Single). Cable length 7.6 m (25 ft)	1038.00	1235.22
000-11460-001		Stainless steel StructureScan™ HD Sonar thru-hull transducer with Y-cable. (pair). Cable length 7.6 m (25 ft)	2034.00	2420.46

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-0127-29		Ethernetkabel yellow 5 Pin 4.5 m (15 ft)	59.98	71.37
000-00128-001		4-pin Power Cable for modules and MFDs.	41.62	49.52
000-10874-001		LSS-2 HD Skimmer Halterung für Heckmontagegeber	70.68	84.10
000-10802-001		StructureScan™ HD Skimmer Heckmontagegeber 455/800 kHz	332.00	395.08
000-12396-001		StructureScan 3D Transducer Only - The StructureScan 3D transducer produces three-dimensional scans of underwater terrain and fish-holding structure to create a high-resolution view. Cable length 6.0 m (20 ft)	471.00	560.49

Hull Mount

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13907-001		Through-Hull Bronze HDI Transducer. 50/200kHz 455/800 kHz DownScan. Black 9 Pin pin connector and 10m (33ft) cable.	609.00	724.71
000-13906-001		Through-Hull Bronze HDI Transducer. 50/200kHz 455/800 kHz DownScan. Black 9 Pin pin connector and 10m (33ft) cable.	609.00	724.71
000-13905-001		Through-Hull Bronze HDI Transducer. 50/200kHz 455/800 kHz DownScan. Black 9 Pin pin connector and 10m (33ft) cable.	609.00	724.71
000-15880-001		XSONIC AIRMAR P19 20 DEGREE: single, tilted, 200/83 kHz, transducer. Fixed 20° tilted version for 16° to 24° hull deadrise	189.00	224.91
000-13946-001		B45 - Bronze 600W Through-Hull 50/200 kHz Depth and Temperature transducer. Black 9 pin connector with 12m (40ft) cable	381.00	453.39
000-16185-001		B60 (0°) - Bronze 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 12m (40ft) cable.	400.00	476.00
000-13784-001		SS60 (0°) - Stainless Steel 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 12m (40ft) cable.	511.00	608.09
000-16184-001		B60 (0°) - Bronze 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 1.8m (6 ft) cable.	400.00	476.00
000-16186-001		B60 (12°) - Bronze 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 12m (40ft) cable.	400.00	476.00
000-13785-001		SS60 (12°) - Stainless Steel 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 12m (40ft) cable.	507.00	603.33
000-16188-001		B60 (20°) - Bronze 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 12m (40ft) cable.	400.00	476.00
000-13786-001		SS60 (20°) - Stainless Steel 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 12m (40ft) cable.	507.00	603.33
000-16187-001		B60 (20°) - Bronze 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 1.8m (6ft) cable. Boatbuilder only.	400.00	476.00
000-16189-001		B75H (0°) - Bronze 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 12m (40ft) cable.	991.00	1179.29
000-13911-001		SS75H - Stainless Steel 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	1099.00	1307.81

Echolot

SIMRAD

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16190-001		B75H (12°) - Bronze 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 12m (40ft) cable.	991.00	1179.29
000-13912-001		SS75H - Stainless Steel 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 12m (40ft) cable.	1099.00	1307.81
000-16191-001		B75H (20°) - Bronze 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 12m (40ft) cable.	991.00	1179.29
000-13913-001		SS75H - Stainless Steel 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 12m (40ft) cable.	1099.00	1307.81
000-16192-001		B75M (0°) - Bronze 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	1034.00	1230.46
000-13908-001		SS75M - Stainless Steel 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	1146.00	1363.74
000-16193-001		B75M (12°) - Bronze 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	1034.00	1230.46
000-13909-001		SS75M - Stainless Steel 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	1146.00	1363.74
000-16194-001		B75M (20°) - Bronze 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	1034.00	1230.46
000-13910-001		SS75M - Stainless Steel 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	1146.00	1363.74
000-13942-001		P79 - Plastic 600 W In-Hull 50/200 kHz Depth Only. Black 9 pin connector with 12m cable. (40ft)	212.00	252.28
000-13922-001		B150M - Bronze 300W Medium-Chirp Thru-Hull Depth/Temperature Transducer. 9pin connector with 12m (40ft) cable.	594.00	706.86
000-13921-001		B150M - Bronze 300W Medium-Chirp Thru-Hull Depth/Temperature Transducer. 9pin connector with 12m (40ft) cable.	594.00	706.86
000-13920-001		B150M - Bronze 300W Medium-Chirp Thru-Hull Depth/Temperature Transducer. 9pin connector with 12m (40ft) cable.	594.00	706.86
000-13918-001		SS164 (20°) - Stainless Steel 1kW Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 12m (40ft) cable.	1571.00	1869.49
000-13917-001		SS164 (12°) - Stainless Steel 1kW Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 12m (40ft) cable.	1571.00	1869.49


Echolot

SIMRAD

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13916-001		SS164 (0°) - Stainless Steel 1kW Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 12m (40ft) cable.	1571.00	1869.49
000-16196-001		B175H-W (0°) - Bronze 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	1799.00	2140.81
000-13780-001		SS175H-W - Stainless Steel 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	2154.00	2563.26
000-16195-001		B175H-W (0°) - Bronze 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 1.8m (6ft) cable.	1799.00	2140.81
000-16198-001		B175H-W (12°) - Bronze 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	1799.00	2140.81
000-13781-001		SS175H-W - Stainless Steel 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	2154.00	2563.26
000-16197-001		B175H-W (12°) - Bronze 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 1.8m (6ft) cable.	1799.00	2140.81
000-16200-001		B175H-W (20°) - Bronze 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	1928.00	2294.32
000-13782-001		SS175H-W - Stainless Steel 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	2154.00	2563.26
000-16199-001		B175H-W (20°) - Bronze 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 1.8m (6ft) cable.	1928.00	2294.32
000-16202-001		B175M (0°) - Bronze 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	1521.00	1809.99
000-13777-001		SS175M - Stainless Steel 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	1906.00	2268.14
000-16201-001		B175M (0°) - Bronze 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 1.8m (6ft) cable.	1521.00	1809.99
000-16203-001		B175M (12°) - Bronze 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	1521.00	1809.99
000-13778-001		SS175M - Stainless Steel 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	1906.00	2268.14
000-16205-001		B175M (20°) - Bronze 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	1678.00	1996.82
000-13779-001		SS175M - Stainless Steel 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	1906.00	2268.14

Echolot

SIMRAD

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16204-001		B175M (20°) - Bronze 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 1.8m (6ft) cable.	1678.00	1996.82
000-16206-001		B175L (0°) - Bronze 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	1887.00	2245.53
000-13774-001		SS175L - Stainless Steel 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	2353.00	2800.07
000-16207-001		B175L (12°) - Bronze 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	1887.00	2245.53
000-13775-001		SS175L - Stainless Steel 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	2353.00	2800.07
000-16208-001		B175L (20°) - Bronze 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	1887.00	2245.53
000-13776-001		SS175L - Stainless Steel 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	2353.00	2800.07
000-13964-001		B258 - Bronze 1kW Fairing-Block Through-Hull 50/200 kHz Depth/Temperature Transducer. Black 9pin connector and 12m (40ft) cable.	1175.00	1398.25
000-13783-001		SS260 - Stainless Steel 1kW Fairing-Block Through-Hull 50/200 kHz Depth/Temperature Transducer. Black 9pin connector and 12m (40ft) cable.	2020.00	2403.80
000-13914-001		M260 - 1kW In-Hull Tank Mount 50/200 kHz Depth Transducer. Black 9pin connector and 10m (33ft) cable.	1421.00	1690.99
000-16370-001		Airmar B65LH CHIRP Transducer with DUAL 9-pin connectors. 10 m (33 ft) cable.	2540.00	3022.60
000-13771-001		B275LH-W - Bronze 1kW Through Hull Low/High-Wide Chirp Depth and Temperature transducer. Dual 9-pin connectors and 12m (40ft) cable.	2847.00	3387.93
000-13940-001		PM275LH-W - 1kW Pocket-Mount Low/High-Wide Chirp Depth/Temperature Transducer. Dual black 9pin connectors and 12m (40ft) cable. NSSevo3S or S5100 Sonar Module required.	3034.00	3610.46
000-13772-001		CM275LH-W - 1kW Cavity-Mount Low/High-Wide Chirp Depth/Temperature Transducer. Dual black 9pin connectors and 12m (40ft) cable. NSSevo3S or S5100 Sonar Module required.	2709.00	3223.71
000-14561-001		B285M - Bronze 1kW Through Hull Medium-Chirp Depth and Temperature transducer. 9-pin connector and 12m (40ft) cable.	2078.00	2472.82
000-13915-001		P319 - Plastic 600W Thru-Hull 50/200kHz Depth/Temperature. Black 9-pin connector and 12m (40ft) cable.	208.00	247.52
000-13773-001		R509LH-W - 3kW Low Chirp / 1kW High Chirp Depth/Temperature Transducer. Dual 9pin connector and 10m (33ft) cable. NSSevo3S or S5100 Sonar module required.	6506.00	7742.14

Echolot

SIMRAD

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13941-001		CM599LH-W - 3kW Low Chirp / 1kW High Chirp Depth/Temperature Transducer. Dual 9pin connector and 10m (33ft) cable. NSSevo3S or S5100 Sonar module required.	6829.00	8126.51
000-14804-001		B744V - Bronze 600W Smart Thru Hull 50/200 Khz Depth/Temperature Transducer. 9pin sonar connector and 10m cable. NMEA2000 Speed/Temperature paddle wheel insert.	899.00	1069.81
000-0099-95		TS-1BL Temperatursensor (non-networked)	85.00	101.15
000-0106-73		PD - WBL 83/200 kHz Durchbruch/Trolling Motor Geber Tiefe - blauer 7 pin Stecker	97.45	115.97
000-0106-74		PDT-WBL 83/200 kHz Trolling-Motor Skimmer® mit Temperatursensor und blauem Stecker	106.00	126.14
000-0106-89		PDRT-WBL 83/200 kHz Durchbruch/Trolling Motor Skimmer® mit seperatem Temperatursensor und blauem Stecker	134.00	159.46
000-14887-001		9-Pin 83/200kHz Pod-Style Shoot-Through-Hull or Trolling Motor Mount Transducer w/Temp	98.52	117.24
000-14886-001		9-Pin 83/200kHz Pod-Style Shoot-Through Trandsucer. Depth only.	98.52	117.24

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16295-001		Transducer, Network cable pulling tools	26.76	31.85
000-13313-001		Connects older 7 pin blue plug transducers to displays with 9pin transducer ports.	35.33	42.05
000-13977-001		Connects an XID Airmar CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with Airmar 9pin XID transducers.	41.77	49.71
000-12571-001		Connects a non-CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with transducers that have an analog temperature sensor.	48.20	57.35
000-00099-006		Extension cable for 9-pin transducers. *For optimum performance do not use more than 1 extension per installation.	93.17	110.87
000-13262-001		Dual 9-Pin Wiring Block Sonar Adapter, to connect a bare-wire transducer to a 9pin sonar module or display.	534.00	635.46
000-0099-93		XT-12BL Geber Verlängerungskabel 7-pin blauer Stecker	52.47	62.44

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-0099-94		XT-20BL 6m Geberverlängerungskabel	52.47	62.44

Spare Parts

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15470-001	B744VC ACTIVE INSERT - REPLACEMENT	331.00	393.89

Transom Mount

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13919-001		P66 - Plastic 600W 50/200kHz Transom Mount Depth and Temperature transducer. 9pin connector and 6 m (19.6 ft) cable.	204.00	242.76
000-16371-001		Airmar TM265LH CHIRP Transducer with DUAL 9-pin blue connectors. 10 m (33 ft) cable.	2089.00	2485.91
000-13944-001		TM150M - Plastic 300W Transom Mount Medium-Chirp Transducer. 9pin connector and 12m (40ft) cable.	431.00	512.89
000-15482-001		TM165HW - Plastic 600W Transom-Mounted High-Wide Chirp Depth and Temperature transducer. 9-pin connector and 12m (40ft) cable.	746.00	887.74
000-13998-001		TM185M - Plastic 1kW Transom-Mounted Medium Chirp Depth and Temperature transducer. 9-pin connector and 12m (40ft) cable.	1398.00	1663.62
000-13997-001		TM185HW - Plastic 1kW Transom-Mounted High-Wide Chirp Depth and Temperature transducer. 9-pin connector and 12m (40ft) cable.	1692.00	2013.48
000-13904-001		TM260 - Plastic 1kW Transom-Mounted 50/200kHz Depth and Temperature transducer. 9-pin connector and 12m (40ft) cable.	1474.00	1754.06
000-13770-001		TM275LH-W - Plastic 1kW Transom-Mounted Low/High-Wide Depth and Temperature transducer. Dual 9-pin connectors and 12m (40ft) cable.	2561.00	3047.59
000-12728-001		HDI Skimmer med/high (455/800 kHz) transducer. 9 pin Black X-Sonic Connector. Cable Length 6 m (20 ft)	155.00	184.45
000-12569-001		HDI Skimmer L/H 455/800 xSonic 9-pin - Black - 6m (20 ft) Cable	305.00	362.95
000-10976-001		HDI Skimmer® transducer 83/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 6m (20 ft)	155.00	184.45
000-10977-001		HDI Skimmer® transducer 50/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 6 m (20 ft)	305.00	362.95
000-0106-77		HST - DFSBL 50/200 kHz Heckmontage-Geber Tiefe/Temperatur - blauer 7 pin Stecker	166.00	197.54
000-0106-72		HST - WSBL 83/200 kHz Heckmontage Geber Tiefe/Temp mit blauem 7 pin Stecker	82.46	98.12
000-14885-001		9 Pin 50/200 kHz transom-mount skimmer depth/temp - black 9 pin connector	167.00	198.73

Echolot

SIMRAD

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14884-001		High speed skimmer 83/200 kHz transom-mount skimmer depth/temp - Black 9 pin connector	98.52	117.24

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16295-001		Transducer, Network cable pulling tools	26.76	31.85
000-13313-001		Connects older 7 pin blue plug transducers to displays with 9pin transducer ports.	35.33	42.05
000-13977-001		Connects an XID Airmar CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with Airmar 9pin XID transducers.	41.77	49.71
000-12571-001		Connects a non-CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with transducers that have an analog temperature sensor.	48.20	57.35
000-00099-006		Extension cable for 9-pin transducers. *For optimum performance do not use more than 1 extension per installation.	93.17	110.87
000-0099-93		XT-12BL Geber Verlängerungskabel 7-pin blauer Stecker	52.47	62.44
000-0099-94		XT-20BL 6m Geberverlängerungskabel	52.47	62.44
000-10392-001		Skimmer™ Halterung für Heckmontagegeber 50/200kHz	26.76	31.85
000-0099-06		HS-WS-SS Installations-Set für Heckmontagegeber	26.76	31.85
000-0099-95		TS-1BL Temperatursensor (non-networked)	85.00	101.15

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-10392-001		Skimmer™ Halterung für Heckmontagegeber 50/200kHz	26.76	31.85
000-0099-06		HS-WS-SS Installations-Set für Heckmontagegeber	26.76	31.85
000-10262-001		Ersatzhalterung für DSI Heckmontagegeber	39.62	47.14

ActiveTarget™

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15959-001		ActiveTarget® 2 kit Includes ActiveTarget® 2 Module,Transducer with 7.62 m (25 ft) cable, and Mounts	1631.00	1940.89
000-15961-001		ActiveTarget® 2 Module Only	866.00	1030.54
000-16462-001		TM ACTIVETARGET 2 MOUNTING KIT	239.00	284.41
000-15962-001		ActiveTarget® 2 Transducer only with 7.62 m (25 ft) cable	917.00	1091.23
000-16488-001		ActiveTarget® 2 XL kit Includes, ActiveTarget® 2 module, ActiveTarget® 2 XL transducer 7.62 m (25 ft) cable, shaft mount, Ethernet cable, power cable.	1937.00	2305.03
000-16489-001		ActiveTarget® 2 XL Transducer only with 7.6 m (25 ft) cable.	1306.00	1554.14
000-16490-001		ActiveTarget® 2 XL Transducer only with 3m (10 ft) cable.	1306.00	1554.14
000-16491-001		Shaft mount bracket. ActiveTarget® 2 XL transducer	174.00	207.06
000-16503-001		RECON™ ActiveTarget® 2 Mounting kit.	350.00	416.50
000-16501-001		ActiveTarget® 2 XL RECON™ Mount.	292.00	347.48
000-16502-001		ActiveTarget® 2 Shaft Mount.	174.00	207.06


Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16462-001		TM ACTIVETARGET 2 MOUNTING KIT	239.00	284.41
000-15962-001		ActiveTarget® 2 Transducer only with 7.62 m (25 ft) cable	917.00	1091.23
000-16054-001		ActiveTarget® 2 Trolling Motor Shaft Mount	76.50	91.04
000-15960-001		The ActiveTarget® 2 Scout™ Wide Bracket	107.00	127.33

Echolot

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16069-001		Extension Cable for ActiveTarget, ActiveTarget 2, ActiveTarget 2 XL transducers	107.00	127.33
000-16489-001		ActiveTarget® 2 XL Transducer only with 7.6 m (25 ft) cable.	1306.00	1554.14
000-16490-001		ActiveTarget® 2 XL Transducer only with 3m (10 ft) cable.	1306.00	1554.14
000-16501-001		ActiveTarget® 2 XL RECON™ Mount.	292.00	347.48
000-16503-001		RECON™ ActiveTarget® 2 Mounting kit.	350.00	416.50
000-16502-001		ActiveTarget® 2 Shaft Mount.	174.00	207.06
000-15773-001		ActiveTarget Transom Mount Kit (Not included in the ActiveTarget Kit)	53.54	63.71

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15961-001		ActiveTarget® 2 Module Only	866.00	1030.54
000-15962-001		ActiveTarget® 2 Transducer only with 7.62 m (25 ft) cable	917.00	1091.23
000-16054-001		ActiveTarget® 2 Trolling Motor Shaft Mount	76.50	91.04
000-16489-001		ActiveTarget® 2 XL Transducer only with 7.6 m (25 ft) cable.	1306.00	1554.14
000-16491-001		Shaft mount bracket. ActiveTarget® 2 XL transducer	174.00	207.06
000-0127-29		Ethernetkabel yellow 5 Pin 4.5 m (15 ft)	59.98	71.37
000-15770-001		ActiveTarget trolling motor shaft mounting kit	63.19	75.19
000-15771-001		ActiveTarget trolling motor mounting kit. Forward / down view	56.75	67.54
000-15772-001		Replacement - ActiveTarget Trolling Motor Scout Mount Kit	56.75	67.54

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-00128-001		4-pin Power Cable for modules and MFDs.	41.62	49.52

ActiveImaging™

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16062-001		ActiveImaging™ HD 3-IN-1 delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer. Comes with a 7.6m (25ft) cable with a 9-pin connector. Compatibility: Direct connect to Simrad NSS4, Lowrance HDS PRO, or to an S3100 module. For Lowrance HDS Live, Carbon, Elite FS, and Simrad NSS evo3(S) / NSOevo3(S) displays, an S3100 sonar module is required.	481.00	572.39
000-16061-001		ActiveImaging™ HD 3-in-1 (High/Wide)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.	588.00	699.72
000-16060-001		ActiveImaging™ HD 3-in-1 (Medium/High)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.	534.00	635.46
000-16063-001		ActiveImaging™ HD 2-in-1 Transducer. Provides ActiveImaging HD technology for SideScan and DownScan while leaving you free to select other transducer options for Traditional/Chirp Sonar. 7.6m (25 ft) cable with 9-pin connector. Compatibility: Direct connect to Simrad NSS4, Lowrance HDS PRO. For Lowrance HDS Live, Carbon, Elite FS, and Simrad NSS4, NSS evo3(S) / NSOevo3(S) displays, an S3100 sonar module is required.	395.00	470.05
000-16239-001		Active Imaging™ HD Thru-Hull (Single) Transducer. Direct connection to HDS® PRO and Simrad NSSevo4. For SideScan FishReveal, an S3100 or S3100H is required. Lowrance HDS® LIVE, HDS Carbon, and Elite FS™. Simrad® NSSevo3(S), NSOevo3(S), and NSX require an S3100 or S3100H	1016.00	1209.04
000-16240-001		Active Imaging™ HD Thru-Hull Fish Reveal (Dual) Transducers. Directly compatible with Lowrance HDS® PRO and Simrad NSSevo4. For SideScan FishReveal, an S3100 or S3100H is required. With a S3100 or S3100H module compatible with: Lowrance HDS® LIVE, HDS Carbon, and Elite FS™. Simrad® NSSevo3(S), NSOevo3(S), and NSX	1862.00	2215.78
000-16241-001		Active Imaging™ HD Thru-Hull (Dual) Transducer STARBOARD	1070.00	1273.30
000-16242-001		Active Imaging™ HD Thru-Hull (Dual) Transducer PORT	1070.00	1273.30
000-14489-001		ActiveImaging™ 3-IN-1 combines the new Active Imaging sonar with traditional Medium/High CHIRP sonar for easy single transducer installation. 7.6m (25ft) cable with 9 pin connector.	388.00	461.72
000-14814-001		ActiveImaging™ 3-IN-1 combines the new Active Imaging sonar with traditional Medium/High CHIRP sonar for easy single transducer installation. 1.8m (6ft) cable with 9 pin connector.	388.00	461.72
000-14490-001		ActiveImaging™ 2-IN-1 Transducer - Provides Active Imaging technology for SideScan and DownScan while leaving you free to select other transducer options for for Traditional/Chirp Sonar. 7.6m (25 ft) cable with 9 pin connector.	329.00	391.51
000-16095-001		Stainless Steel Skimmer Flush Mount Bracket for Active Imaging HD Transducers	66.40	79.02

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-00099-006		Extension cable for 9-pin transducers. *For optimum performance do not use more than 1 extension per installation.	93.17	110.87
000-16094-001		Stainless Steel Transom Mount Bracket for Active Imaging HD Transducers.	74.96	89.20

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16095-001		Stainless Steel Skimmer Flush Mount Bracket for Active Imaging HD Transducers	66.40	79.02
000-12602-001		Flat Mount Bracket for Active Imaging, TotalScan and StructureScan 3D skimmer transducers.	70.68	84.10

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16094-001		Stainless Steel Transom Mount Bracket for Active Imaging HD Transducers.	74.96	89.20
000-12603-001		Replacement Metal Bracket for Active Imaging, TotalScan, StructureScan 3D and HD skimmer transducers.	70.68	84.10

ForwardScan™

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11674-001		ForwardScan™ Transducer Kit with Sleeve & Plug. 10m (33ft) Cable	824.00	980.56
000-13284-001		ForwardScan™ Transducer Kit (Long-Stem) with Sleeve & Plug. 10m (33ft) Cable	1156.00	1375.64

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-00099-006		Extension cable for 9-pin transducers. *For optimum performance do not use more than 1 extension per installation.	93.17	110.87

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11675-001		ForwardScan™ Transducer Only. With 10m (33ft) Cable	589.00	700.91
000-11669-001		ForwardScan™ Sleeve and Plug Only (No Transducer)	288.00	342.72
000-12231-001		ForwardScan™ Fairing Block Only	47.11	56.07
000-12230-001		ForwardScan™ Plug Only	36.41	43.33
000-12232-001		ForwardScan™ O-Ring (Color of supplied O-Ring may vary from shown)	20.35	24.22
000-13578-001		ForwardScan™ Long-Stem Housing Only	492.00	585.48
000-13579-001		ForwardScan™ Long-Stem Fairing Block Only	84.61	100.68

StructureScan™

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16363-001		StructureScan 3D Transducer ONLY WITH METAL BRACKET- The StructureScan 3D transducer produces three-dimensional scans of underwater terrain and fish-holding StuctureScan to create a high-resolution view. Cable length 6.0 m (20 ft)	481.00	572.39
000-10802-001		StructureScan™ HD Skimmer Heckmontagegeber 455/800 kHz	332.00	395.08
000-12396-001		StructureScan 3D Transducer Only - The StructureScan 3D transducer produces three-dimensional scans of underwater terrain and fish-holding structure to create a high-resolution view. Cable length 6.0 m (20 ft)	471.00	560.49
000-14255-001		StructureScan® 3D Through-Hull Transducer with Medium and High CHIRP in one transducer. 6m (20ft) cable. Requires StructureScan® 3D Module sold separately.	1651.00	1964.69
000-14254-001		StructureScan 3D Through-Hull Transducer with Low and High CHIRP in one transducer. 7.6 m (25ft) cable. Requires StructureScan® 3D Module sold separately.	1651.00	1964.69
000-13559-001		StructureScan 3D Single Stainless Steel Thru-Hull Transducer. Cable length 7.6 m (25 ft)	1651.00	1964.69
000-13560-001		StructureScan 3D Dual Stainless Steel Thru-Hull Transducers. Cable length 7.6 m (25 ft)	2832.00	3370.08
000-11459-001		Stainless steel StructureScan™ HD Sonar thru-hull transducer. (Single). Cable length 7.6 m (25 ft)	1038.00	1235.22
000-11460-001		Stainless steel StructureScan™ HD Sonar thru-hull transducer with Y-cable. (pair). Cable length 7.6 m (25 ft)	2034.00	2420.46

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-00099-006		Extension cable for 9-pin transducers. *For optimum performance do not use more than 1 extension per installation.	93.17	110.87
000-12752-001		Transducer Extension Cables for StructureScan® 3D - 10ft (3m)	127.00	151.13
000-13581-001		Fairing Block only for StructureScan 3D Through-Hull transducers.	117.00	139.23
000-10874-001		LSS-2 HD Skimmer Halterung für Heckmontagegeber	70.68	84.10

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11224-001		FAIRING LSS HD BRONZE TRANDUCER SPARE	111.00	132.09
000-14256-001		Replacement fairing block for combined StructureScan® 3D L/H and M/H Through-Hull Transducers.	117.00	139.23
000-13581-001		Fairing Block only for StructureScan 3D Through-Hull transducers.	117.00	139.23

TotalScan™

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-12568-001		TotalScan™ Transducer with Medium/High Chirp and 455/800kHz Down and SideScan. 7m (24ft) Cable.	388.00	461.72
000-14259-001		TotalScan™ Through-Hull Transducer with Low/High Chirp and 455/800kHz Down and SideScan.	825.00	981.75
000-14257-001		TotalScan™ Through-Hull Transducer with Medium/High Chirp and 455/800kHz Down and SideScan.	825.00	981.75

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-00099-006		Extension cable for 9-pin transducers. *For optimum performance do not use more than 1 extension per installation.	93.17	110.87
000-13522-001		TotalScan and StructureScan 3D Plastic Replacement Bracket	69.60	82.83
000-12603-001		Replacement Metal Bracket for Active Imaging, TotalScan, StructureScan 3D and HD skimmer transducers.	70.68	84.10
000-12602-001		Flat Mount Bracket for Active Imaging, TotalScan and StructureScan 3D skimmer transducers.	70.68	84.10

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14260-001		TotalScan™ Through-Hull Transducer Fairing Block Only	117.00	139.23
000-12603-001		Replacement Metal Bracket for Active Imaging, TotalScan, StructureScan 3D and HD skimmer transducers.	70.68	84.10

Kabel

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16295-001		Transducer, Network cable pulling tools	26.76	31.85
000-13313-001		Connects older 7 pin blue plug transducers to displays with 9pin transducer ports.	35.33	42.05
000-13977-001		Connects an XID Airmar CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with Airmar 9pin XID transducers.	41.77	49.71
000-15965-001		9 PIN 10FT 24PK EXT CLB	44.13	52.51
000-12571-001		Connects a non-CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with transducers that have an analog temperature sensor.	48.20	57.35
000-00099-006		Extension cable for 9-pin transducers. *For optimum performance do not use more than 1 extension per installation.	93.17	110.87
000-14414-001		8 pin 10 Ft Extension Cable: This extension cable is only for Hook2 / Hook Reveal / Cruise 8 pin compatible transducers such as Splitshot, TripleShot, Cruise Skimmer	58.89	70.08
000-14068-001		7-pin Transducer to HOOK2/Reveal/Cruise Adapter Cable. Check Transducer compatability in description!	35.33	42.05
000-14069-001		xSONIC Transducer to HOOK2/Reveal/Cruise Adapter cable. Check Transducer compatability in Details!	35.33	42.05
000-13262-001		Dual 9-Pin Wiring Block Sonar Adapter, to connect a bare-wire transducer to a 9pin sonar module or display.	534.00	635.46
000-12752-001		Transducer Extension Cables for StructureScan® 3D - 10ft (3m)	127.00	151.13
000-0099-93		XT-12BL Geber Verlängerungskabel 7-pin blauer Stecker	52.47	62.44
000-0099-94		XT-20BL 6m Geberverlängerungskabel	52.47	62.44
000-10046-001		BSM-1 Adapterkabel 7pin blauer Stecker an offene Enden	31.06	36.96

System Packs

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11749-001		Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit , Standby-Auto button and Micro-C network components.	1766.00	2101.54
000-15952-001		Outboard Pilot Hydraulic Pack: Includes Point-1 AP Heading and GPS Sensor, NAC-1 Autopilot Computer, PUMP-1 MKII – 0.8L reversible hydraulic pump, hydraulic fitting kit, Standby-Auto button and Micro-C network components.	1413.00	1681.47
000-15951-001		NAC-1 Precision Hydraulic Autopilot pack: Includes Precision-9 Heading Sensor, NAC-1 Autopilot Computer, PUMP-1 (MkII) Hydraulic Pump – 0.8L reversible hydraulic pump, Standby-Auto button and Micro-C network components.	2002.00	2382.38
000-16652-001		NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass, Pump-2 and SteadySteer™ flow switch.	2734.00	3253.46
000-16653-001		NAC-2 VRF. Performance VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, HS65 GNSS Compass, SteadySteer™ flow switch, backbone starter kit, 4m (15 ft) NMEA 2000 cable.	2300.00	2737.00
000-16657-001		AP44 VRF. Precision VRF medium capacity pack. Comprising of AP44 controller, NAC-2 autopilot computer, Precision 9 compass, PUMP-2 hydraulic pump (MKII) and SteadySteer™ flow switch.	3397.00	4042.43
000-16504-001		AP44 VRF medium capacity pack MKII. Comprising of AP44 controller, NAC-2 autopilot computer, HS65 Satellite compass, PUMP-2 hydraulic pump (MKII), and SteadySteer™ flow switch	3728.00	4436.32
000-16656-001		NAC-3 RF. Performance Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, HS65 GNSS Compass, RF-25N Rudder Feedback unit, SteadySteer™ flow switch, backbone starter kit and 4m (15 ft) NMEA 2000 cable.	3458.00	4115.02
000-16655-001		NAC-3 VRF. Performance VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, HS65 GNSS Compass, SteadySteer™ flow switch, backbone starter kit, 4m (15 ft) NMEA 2000 cable.	3059.00	3640.21
000-16505-001		AP44 VRF high capacity pack. Comprising of AP44 controller, HS65 GNSS compass,PUMP-3 hydraulic pump (MKII) and NAC-3 autopilot computer and SteadySteer™ Flow Switch	5066.00	6028.54
000-16654-001		NAC-D Performance Core Pack. NAC-D Autopilot computer - Comes with NAC-D Autopilot Computer, HS65 GNSS Compass, Backbone starter kit, 4m (15 ft) NMEA 2000 cable.	2193.00	2609.67

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15942-001		Autopilot ORB hose fitting kit for MKII Pumps 1, 2, 3, 4 &5	181.00	215.39
000-13289-001		AP44 Autopilot Controller - Compact and easy to use, the AP44 is your main control panel for the Autopilot. Rotary dial and key function buttons gives you what you need to steer the vessel in a compact unit.	635.00	755.65
000-11770-002		PUMP-1: Hydraulic Pump – 0.8L reversible hydraulic pump, compatible with SeaStar manual helm pumps up to 14ci. Includes 3 x ORB-5 to 9/16 UNF fittings.	706.00	840.14
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	716.00	852.04

Autopilot

SIMRAD

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15444-002		PUMP-2: 12V DC: Reversible hydraulic gear pump. 0.8L (49 cu.in) / min. For cylinder displacement of 80 cc - 250 cc (4.9 - 15.2 cu.in). O-Ring Boss (ORB) connections. Includes 3 x ORB-5 to 9/16 UNF fittings. SteadySteer compatible. (NAC-2 / AC12 required).	770.00	916.30
000-15949-001		ORB hose fitting kit for MKII Pumps 1, 2, 3, 4 &5, including SteadySteer	609.00	724.71
000-16235-001		HS65, GNSS Compass with mount flat mount.	1223.00	1455.37
000-15445-002		PUMP-3: 12V DC: Reversible hydraulic gear pump. 1.6L (98 cu.in) / min. For cylinder displacement of 160-550 cc (9.8 - 33.5 cu.in). O-Ring Boss (ORB) connections. Includes 3 x ORB-5 to 9/16 UNF fittings. SteadySteer compatible. (NAC-3 / AC42 required).	941.00	1119.79
000-15943-001		Verado autopilot fitting kit for MKII Pumps 1, 2, 3, 4 &5	588.00	699.72
000-16143-001		HS75 GPS Compass - Ideal heading source for non-SOLAS professional vessels like Search and Rescue, Patrol, Fishing, Workboats and more. Provides solid 0.75° RMS heading accuracy in a compact unit. Supports GPS, GLONASS, Galileo, BeiDou, QZSS for increased accuracy across the world.	2676.00	3184.44
000-13894-001		AP48 Autopilot Controller - A premium dedicated Control Unit for Simrad Autopilot Systems, with a large rotary dial, dedicated keys for 1° and 10° instant course changes as well as Standby/AUTO, Mode, Power and Menu buttons.	1097.00	1305.43
000-15950-001		Autopilot fitting kit for MKII Pumps 2, 3, 4 &5 for use with Verado systems. Includes SteadySteer	878.00	1044.82
000-15446-002		PUMP-4: 12V DC: Reversible hydraulic gear pump. 3.0L (183 cui) / min. For cylinder displacement of 290 - 960 cc (17.7 - 58.5 cu. in.). O-Ring Boss (ORB) connections. Includes 3 x ORB-5 to 9/16 UNF fittings. SteadySteer compatible. (NAC-3 / AC42 required).	1370.00	1630.30
000-15447-002		PUMP-5: 24V DC: Reversible hydraulic gear pump. 3.0L (183 cui) / min. For cylinder displacement of 290 - 960 cc (17.7 - 58.5 cu. in.). O-Ring Boss (ORB) connections. Includes 3 x ORB-5 to 9/16 UNF fittings. SteadySteer compatible. (NAC-3 / AC42 required).	1370.00	1630.30
000-15944-001		Autopilot fitting adaptor kit. Contains 3 x ORB-5 to ¼" NPT adaptors	53.55	63.72
000-14439-001		NAC-1 / NAC-2 ONLY. The RF40 is a medium-duty rudder feedback unit designed specific for use with NAC-1 and NAC-2 autopilot computers. 3pin 15m (50ft) cable.	342.00	406.98
000-12316-001		WR10 Wireless Autopilot Remote. Includes NMEA2000 connected Bluetooth base station.	513.00	610.47
21116272		Verado Fittings Kit	239.00	284.41
000-13697-001		SD10 Mechanical Drive unit for NAC-2 Autopilot computers. The Dive will suit sailboats 25'-37' with 6' steering cable with electromagnetic clutch with override function, built in Rudder feedback and 12 V power supply	1713.00	2038.47
20193744		RF300 Frequency Rudder Feedback - 10m cable and transmission link assembly.	307.00	365.33
22088165		JS10 Non Follow Up Joystick, designed for armrest mounting or at key positions on the vessel. Compatible with AC70, AC80A, AC80S, AC85, NAC-3. Comes with 10m cable.	407.00	484.33

Autopilot

SIMRAD

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
20188074		LF3000 Linear Feedback - For use with outboard system if a rudder angle is desired. Also requires LFI3000MK2 priced/ordered separately.	427.00	508.13
RAM-T1-12V		Hydraulic Ram T1 12V High power, efficient drive units for maximum power with minimum consumption. Ram drives allow the Power Steer mode on the Pilot to be used in cases of manual steering failure. Fully Integrated hydraulic system, no external hoses, reservoirs etc.	1821.00	2166.99
RAM-T2-12V		Hydraulic Ram T2 12V High power, efficient drive units for maximum power with minimum consumption. Ram drives allow the Power Steer mode on the Pilot to be used in cases of manual steering failure. Fully Integrated hydraulic system, no external hoses, reservoirs etc.	2217.00	2638.23
20188082		LFI3000MK2 Linear Feedback Interface box - Required for use on outboard application with LF3000 Linear Feedback.	152.00	180.88
RAM-T2-24V		Hydraulic Ram T2 24V High power, efficient drive units for maximum power with minimum consumption. Ram drives allow the Power Steer mode on the Pilot to be used in cases of manual steering failure. Fully Integrated hydraulic system, no external hoses, reservoirs etc.	2217.00	2638.23
RAM-T3-24V		Hydraulic Ram T3 24V Hydraulic Steering Systems combine a hydraulic cylinder with clutch, reversing pump and reservoir in a compact installation.	2977.00	3542.63
RAM-T4-24V		Hydraulik Doppelzylinder mit Dauerläuferpumpe - Typ 4, 24 Volt	9283.00	11046.77
22096820		AP24/AP28/IS20 Optional Mounting Bracket	129.00	153.51
000-14268-001		Waterproof 4-core cable joiner for NAC-1, 2 and 3 Autopilot installations. Convenient way to connect your computer to the drive unit and ensure a waterproof connection.	28.92	34.41
22014286		RF25 Rudder Rückmelder Einheit: mit transmission link und 5.5 m (18 ft) SimNet Kabel.	338.00	402.22

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11770-002		PUMP-1: Hydraulic Pump – 0.8L reversible hydraulic pump, compatible with SeaStar manual helm pumps up to 14ci. Includes 3 x ORB-5 to 9/16 UNF fittings.	706.00	840.14
000-13289-001		AP44 Autopilot Controller - Compact and easy to use, the AP44 is your main control panel for the Autopilot. Rotary dial and key function buttons gives you what you need to steer the vessel in a compact unit.	635.00	755.65
000-15942-001		Autopilot ORB hose fitting kit for MKII Pumps 1, 2, 3, 4 &5	181.00	215.39
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	716.00	852.04
SIMKIT-1		SimNet Starter Kit-1	125.40	149.23
000-11769-001		NAC-1 Autopilot Computer – The brains behind the Outboard Pilot and Drive Pilot systems. It contains the steering computer and electronics for the drive unit motor and clutch.	781.00	929.39

Autopilot

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-12930-002		Point-1 AP GPS and Heading antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass with accuracy and tuning specific for Lowrance Autopilots also provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds.	299.00	355.81
000-13249-001		The low-current NAC-2 autopilot computer is ideal for smaller vessels, designed to run small hydraulic drives and mechanical drives for vessels up to 10 metres (33 feet) in length. Also provides solenoid output.	1006.00	1197.14
000-16235-001		HS65, GNSS Compass with mount flat mount.	1223.00	1455.37
000-15444-002		PUMP-2: 12V DC: Reversible hydraulic gear pump. 0.8L (49 cu.in) / min. For cylinder displacement of 80 cc - 250 cc (4.9 - 15.2 cu.in). O-Ring Boss (ORB) connections. Includes 3 x ORB-5 to 9/16 UNF fittings. SteadySteer compatible. (NAC-2 / AC12 required).	770.00	916.30
000-10760-001		NMEA 2000 Micro-C Auto pilot network starter kit: Includes Network power cable, 4.5 m (15 ft) N2K cable, 3 x T-connectors, and 2 x network terminators.	96.39	114.70
000-15445-002		PUMP-3: 12V DC: Reversible hydraulic gear pump. 1.6L (98 cu.in) / min. For cylinder displacement of 160-550 cc (9.8 - 33.5 cu.in). O-Ring Boss (ORB) connections. Includes 3 x ORB-5 to 9/16 UNF fittings. SteadySteer compatible. (NAC-3 / AC42 required).	941.00	1119.79
000-13703-001		Auto-Stby Button - Metal. For a physical Auto/Stby button in systems with NAC-1 and NAC-2 Autopilot Computers.	52.48	62.45
000-13250-001		The high-current NAC-3 autopilot computer is designed for vessels over 10 metres (33 feet) in length, with the ability to run heavy-duty hydraulic drive pumps & linear rams, and also provides solenoid output.	1766.00	2101.54
000-15734-001		SteadySteer™ Flow Switch Only. Enjoy increased convenience without sacrificing safety with SteadySteer - a new functionality for autopilot systems that enables immediate, manual control of a vessel through turns without disengaging the autopilot.	492.00	585.48
000-15621-001		NAC-D AUTOPILOT COMPUTER. NAC™ -D is a digital steering autopilot solution for Electronic Vessel Control Systems (steering systems with a digital interface). It allows automatic switching between two speed profiles, delivering optimal steering performance at both low and high speeds.	1145.00	1362.55
000-10756-001		RF25N, Ruder Rückgeber Einheit: mit Übertragungs Gestänge und 5 m (16.5 ft) NMEA2000 Micro-C Kabel	358.00	426.02
20193744		RF300 Frequency Rudder Feedback - 10m cable and transmission link assembly.	307.00	365.33
22096986		AC70, AC12 and AC42 Terminal Cover	23.00	27.37
000-0119-86		N2KEXT-15RD - 4.55 m (15-ft) NMEA 2000® Netzwerkkabel	59.98	71.37

Computers

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11769-001		NAC-1 Autopilot Computer – The brains behind the Outboard Pilot and Drive Pilot systems. It contains the steering computer and electronics for the drive unit motor and clutch.	781.00	929.39
000-13249-001		The low-current NAC-2 autopilot computer is ideal for smaller vessels, designed to run small hydraulic drives and mechanical drives for vessels up to 10 metres (33 feet) in length. Also provides solenoid output.	1006.00	1197.14
000-13250-001		The high-current NAC-3 autopilot computer is designed for vessels over 10 metres (33 feet) in length, with the ability to run heavy-duty hydraulic drive pumps & linear rams, and also provides solenoid output.	1766.00	2101.54
000-15621-001		NAC-D AUTOPILOT COMPUTER. NAC™ -D is a digital steering autopilot solution for Electronic Vessel Control Systems (steering systems with a digital interface). It allows automatic switching between two speed profiles, delivering optimal steering performance at both low and high speeds.	1145.00	1362.55
000-15597-002		Required for connecting Simrad NAC-D Autopilot Computer to Volvo EVC and IPS drives. Compatible with EV2 Replaces 000-15597-001	2865.00	3409.35
000-15804-002		Steer-by-wire Volvo EVC Kit for IPS (includes NAC-D, Precision 9, Volvo Gateway)	4190.00	4986.10
000-15598-001		AUTOPILOT GATEWAY FOR YAMAHA	1498.00	1782.62
000-15805-001		Steer-by-wire Autopilot Pack for Yamaha Helm Master (includes NAC-D, Yamaha gateway and Precision 9 heading sensor). Compatible with Helm Master, but not Helm Master Ex	3162.50	3763.38

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13289-001		AP44 Autopilot Controller - Compact and easy to use, the AP44 is your main control panel for the Autopilot. Rotary dial and key function buttons gives you what you need to steer the vessel in a compact unit.	635.00	755.65
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	716.00	852.04
000-16235-001		HS65, GNSS Compass with mount flat mount.	1223.00	1455.37
000-16143-001		HS75 GPS Compass - Ideal heading source for non-SOLAS professional vessels like Search and Rescue, Patrol, Fishing, Workboats and more. Provides solid 0.75° RMS heading accuracy in a compact unit. Supports GPS, GLONASS, Galileo, BeiDou, QZSS for increased accuracy across the world.	2676.00	3184.44
000-13894-001		AP48 Autopilot Controller - A premium dedicated Control Unit for Simrad Autopilot Systems, with a large rotary dial, dedicated keys for 1° and 10° instant course changes as well as Standby/AUTO, Mode, Power and Menu buttons.	1097.00	1305.43
000-13287-001		OP12 Autopilot Controller - Autopilot Remote keypad with intuitive keys for course change and Standby/AUTO modes. Integrates seemlessly with NAC-2 and NAC-3 based Autopilot systems.	369.00	439.11
000-14439-001		NAC-1 / NAC-2 ONLY. The RF40 is a medium-duty rudder feedback unit designed specific for use with NAC-1 and NAC-2 autopilot computers. 3pin 15m (50ft) cable.	342.00	406.98
000-12316-001		WR10 Wireless Autopilot Remote. Includes NMEA2000 connected Bluetooth base station.	513.00	610.47

Autopilot

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
21116272		Verado Fittings Kit	239.00	284.41
000-13697-001		SD10 Mechanical Drive unit for NAC-2 Autopilot computers. The Dive will suit sailboats 25'-37' with 6' steering cable with electromagnetic clutch with override function, built in Rudder feedback and 12 V power supply	1713.00	2038.47
20193744		RF300 Frequency Rudder Feedback - 10m cable and transmission link assembly.	307.00	365.33
22088165		JS10 Non Follow Up Joystick, designed for armrest mounting or at key positions on the vessel. Compatible with AC70, AC80A, AC80S, AC85, NAC-3. Comes with 10m cable.	407.00	484.33
20188074		LF3000 Linear Feedback - For use with outboard system if a rudder angle is desired. Also requires LFI3000MK2 priced/ordered separately.	427.00	508.13
RAM-T1-12V		Hydraulic Ram T1 12V High power, efficient drive units for maximum power with minimum consumption. Ram drives allow the Power Steer mode on the Pilot to be used in cases of manual steering failure. Fully Integrated hydraulic system, no external hoses, reservoirs etc.	1821.00	2166.99
RAM-T2-12V		Hydraulic Ram T2 12V High power, efficient drive units for maximum power with minimum consumption. Ram drives allow the Power Steer mode on the Pilot to be used in cases of manual steering failure. Fully Integrated hydraulic system, no external hoses, reservoirs etc.	2217.00	2638.23
20188082		LFI3000MK2 Linear Feedback Interface box - Required for use on outboard application with LF3000 Linear Feedback.	152.00	180.88
RAM-T2-24V		Hydraulic Ram T2 24V High power, efficient drive units for maximum power with minimum consumption. Ram drives allow the Power Steer mode on the Pilot to be used in cases of manual steering failure. Fully Integrated hydraulic system, no external hoses, reservoirs etc.	2217.00	2638.23
RAM-T3-24V		Hydraulic Ram T3 24V Hydraulic Steering Systems combine a hydraulic cylinder with clutch, reversing pump and reservoir in a compact installation.	2977.00	3542.63
RAM-T4-24V		Hydraulik Doppelzylinder mit Dauerläuferpumpe - Typ 4, 24 Volt	9283.00	11046.77
22096820		AP24/AP28/IS20 Optional Mounting Bracket	129.00	153.51
000-12259-001		Network power isolator. Separates separately powered sections of the NMEA2000 network while letting data through.	42.84	50.98
000-14268-001		Waterproof 4-core cable joiner for NAC-1, 2 and 3 Autopilot installations. Convenient way to connect your computer to the drive unit and ensure a waterproof connection.	28.92	34.41
22014286		RF25 Rudder Rückmelder Einheit: mit transmission link und 5.5 m (18 ft) SimNet Kabel.	338.00	402.22

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14464-001		NAC-1 & NAC-2 Power Cable - 2m	40.70	48.43
22096986		AC70, AC12 and AC42 Terminal Cover	23.00	27.37

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14463-001		NAC-2 Spare Drive Cable - 2m (6.5 ft)	40.70	48.43
000-14798-001		NAC-2 Rudder feedback cable: Used to connect resistive rudder feedback units to either NAC-1 or NAC-2. 3 Pin connector to 3 bare wires. 2 m (6.5 ft)	40.70	48.43

Controllers

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13289-001		AP44 Autopilot Controller - Compact and easy to use, the AP44 is your main control panel for the Autopilot. Rotary dial and key function buttons gives you what you need to steer the vessel in a compact unit.	635.00	755.65
000-13894-001		AP48 Autopilot Controller - A premium dedicated Control Unit for Simrad Autopilot Systems, with a large rotary dial, dedicated keys for 1° and 10° instant course changes as well as Standby/AUTO, Mode, Power and Menu buttons.	1097.00	1305.43
000-13287-001		OP12 Autopilot Controller - Autopilot Remote keypad with intuitive keys for course change and Standby/AUTO modes. Integrates seemlessly with NAC-2 and NAC-3 based Autopilot systems.	369.00	439.11
000-12316-001		WR10 Wireless Autopilot Remote. Includes NMEA2000 connected Bluetooth base station.	513.00	610.47
000-10183-001		FU80 Follow UP remote unit with display. Take command and Mode buttons. Provides course change in Auto mode.	842.00	1001.98
000-10184-001		QS80 Quickstick Fernbedien-- Einheit mit display, 6m factory mounted drop Kabel, T-connector, front bezel, installation und user manual, gasket für panel Montage-, Montage-screws. Take commund und Mode buttons. Provides course change in Auto mode.	832.00	990.08
000-10185-001		NF80 Non Follow Up Fernbedien-- Einheit mit display, 6m factory mounted drop Kabel, T-connector, front bezel, installation und user manual, gasket für panel Montage-, Montage-screws. Take commund und Mode buttons. Provides course change in Auto mode.	872.00	1037.68
23241227		S35 Non Follow Up Steering Lever Designed for indoor and outdoor mounting. Proven industrial and ruggedized design for use in harsh working conditions on deck.	584.00	694.96
22088165		JS10 Non Follow Up Joystick, designed for armrest mounting or at key positions on the vessel. Compatible with AC70, AC80A, AC80S, AC85, NAC-3. Comes with 10m cable.	407.00	484.33

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16143-001		HS75 GPS Compass - Ideal heading source for non-SOLAS professional vessels like Search and Rescue, Patrol, Fishing, Workboats and more. Provides solid 0.75° RMS heading accuracy in a compact unit. Supports GPS, GLONASS, Galileo, BeiDou, QZSS for increased accuracy across the world.	2676.00	3184.44
000-13250-001		The high-current NAC-3 autopilot computer is designed for vessels over 10 metres (33 feet) in length, with the ability to run heavy-duty hydraulic drive pumps & linear rams, and also provides solenoid output.	1766.00	2101.54
000-16652-001		NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass, Pump-2 and SteadySteer™ flow switch.	2734.00	3253.46
21116272		Verado Fittings Kit	239.00	284.41

Autopilot

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
20193744		RF300 Frequency Rudder Feedback - 10m cable and transmission link assembly.	307.00	365.33
000-16657-001		AP44 VRF. Precision VRF medium capacity pack. Comprising of AP44 controller, NAC-2 autopilot computer, Precision 9 compass, PUMP-2 hydraulic pump (MKII) and SteadySteer™ flow switch.	3397.00	4042.43
000-16504-001		AP44 VRF medium capacity pack MKII. Comprising of AP44 controller, NAC-2 autopilot computer, HS65 Satellite compass, PUMP-2 hydraulic pump (MKII), and SteadySteer™ flow switch	3728.00	4436.32
000-16656-001		NAC-3 RF. Performance Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, HS65 GNSS Compass, RF-25N Rudder Feedback unit, SteadySteer™ flow switch, backbone starter kit and 4m (15 ft) NMEA 2000 cable.	3458.00	4115.02
22088165		JS10 Non Follow Up Joystick, designed for armrest mounting or at key positions on the vessel. Compatible with AC70, AC80A, AC80S, AC85, NAC-3. Comes with 10m cable.	407.00	484.33
20188074		LF3000 Linear Feedback - For use with outboard system if a rudder angle is desired. Also requires LFI3000MK2 priced/ordered separately.	427.00	508.13
20188082		LFI3000MK2 Linear Feedback Interface box - Required for use on outboard application with LF3000 Linear Feedback.	152.00	180.88
000-16655-001		NAC-3 VRF. Performance VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, HS65 GNSS Compass, SteadySteer™ flow switch, backbone starter kit, 4m (15 ft) NMEA 2000 cable.	3059.00	3640.21
000-16505-001		AP44 VRF high capacity pack. Comprising of AP44 controller, HS65 GNSS compass,PUMP-3 hydraulic pump (MKII) and NAC-3 autopilot computer and SteadySteer™ Flow Switch	5066.00	6028.54
22096820		AP24/AP28/IS20 Optional Mounting Bracket	129.00	153.51
000-14074-001		A2004/AP48 Mounting Bracket Kit	41.77	49.71
000-10589-001		NF80/FU80/QS80 bulkhead Montage- Kit	164.00	195.16
22014286		RF25 Rudder Rückmelder Einheit: mit transmission link und 5.5 m (18 ft) SimNet Kabel.	338.00	402.22

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13724-001		SUNCOVER,AP44 DISPLAY	20.35	24.22
000-13725-001		Suncover for Simrad OP12 and B&G Triton² Pilot controllers	14.99	17.84
000-14073-001		Suncover for A2004/AP48 autopilot controllers	25.70	30.59

Autopilot

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13952-001		Triton2 Pilot & OP12 Installation Kit	14.99	17.84
000-13951-001		INSTALL KIT AP44	20.35	24.22
000-12359-001		WR10 BT-1 Base Station Only	288.00	342.72
000-12358-001		WR10 Wireless Remote for Autopilot.	224.00	266.56
000-14075-001	Missing Image	A2004 / AP48 Dash mounting kit: Includes dash seal, 4x 1/2" Phillips pan head screws, 2x Bezels, screw mount jig tool.	52.48	62.45

Sensoren

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	716.00	852.04
000-16235-001		HS65, GNSS Compass with mount flat mount.	1223.00	1455.37
000-16143-001		HS75 GPS Compass - Ideal heading source for non-SOLAS professional vessels like Search and Rescue, Patrol, Fishing, Workboats and more. Provides solid 0.75° RMS heading accuracy in a compact unit. Supports GPS, GLONASS, Galileo, BeiDou, QZSS for increased accuracy across the world.	2676.00	3184.44
000-15734-001		SteadySteer™ Flow Switch Only. Enjoy increased convenience without sacrificing safety with SteadySteer - a new functionality for autopilot systems that enables immediate, manual control of a vessel through turns without disengaging the autopilot.	492.00	585.48
000-14439-001		NAC-1 / NAC-2 ONLY. The RF40 is a medium-duty rudder feedback unit designed specific for use with NAC-1 and NAC-2 autopilot computers. 3pin 15m (50ft) cable.	342.00	406.98
000-10756-001		RF25N, Ruder Rückgeber Einheit: mit Übertragungs Gestänge und 5 m (16.5 ft) NMEA2000 Micro-C Kabel	358.00	426.02
000-10482-001		RF25 10-Pack. Rudder feedback Unit W/5M SIMNET CBL. Boat builder pack. Price is for one unit.	370.00	440.30
20193744		RF300 Frequency Rudder Feedback - 10m cable and transmission link assembly.	307.00	365.33
22011415		RF45X Profi Ruder-Rückmelder Einheit; mit transmission link und 2 m Kabel und Junction Box	686.00	816.34
000-10591-001		RF70N Medium-duty rudder rudder feedback unit. NMEA2000 interface, comes with transmission link and pre-attached 5.5m cable.	635.00	755.65
20188074		LF3000 Linear Feedback - For use with outboard system if a rudder angle is desired. Also requires LFI3000MK2 priced/ordered separately.	427.00	508.13
20188082		LFI3000MK2 Linear Feedback Interface box - Required for use on outboard application with LF3000 Linear Feedback.	152.00	180.88

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-0127-45		SimNet auf N2K Adapter-Kit - verbindet SimNet-Komponenten mit NMEA 2000® Netzwerk	127.00	151.13
000-16296-001		POLE MOUNT,HS65 GPS COMPASS	99.60	118.53
000-10641-001	Missing Image	HS70 programming Kabel	422.00	502.18
000-10640-001	Missing Image	HS70 Power / NMEA0183 Kabel, 15m	347.00	412.93

Autopilot

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15687-001		Surface mount kit for HS75 Antenna. Contains bracket to mount to compass, + 2 surface brackets. One mount for cables passing down through the mounting surface, and a taller version for feeding the cable out the side of the mount.	183.00	217.77
000-15686-001		Pole Mount Bracket for HS75 - Standard 1" 14TPI threads.	142.00	168.98
000-15385-001		In-Line 120-Ohm NMEA2000 terminator, to use in one end of the network.	28.56	33.99

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16296-001		POLE MOUNT,HS65 GPS COMPASS	99.60	118.53
000-16297-001		Standard flat mount that ships with HS65 GNSS Compass. This can be used ad replacement.	79.25	94.31
000-10641-001	Missing Image	HS70 programming Kabel	422.00	502.18
20193454	Missing Image	Light Duty Transmission Link for RF300, RF25N and RF40 rudder feedbacks.	73.90	87.94
20193678	Missing Image	RF300 Transmission Lever Assembly	73.90	87.94

Pumpen/Antriebe

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11770-002		PUMP-1: Hydraulic Pump – 0.8L reversible hydraulic pump, compatible with SeaStar manual helm pumps up to 14ci. Includes 3 x ORB-5 to 9/16 UNF fittings.	706.00	840.14
000-15444-002		PUMP-2: 12V DC: Reversible hydraulic gear pump. 0.8L (49 cu.in) / min. For cylinder displacement of 80 cc - 250 cc (4.9 - 15.2 cu.in). O-Ring Boss (ORB) connections. Includes 3 x ORB-5 to 9/16 UNF fittings. SteadySteer compatible. (NAC-2 / AC12 required).	770.00	916.30
000-15445-002		PUMP-3: 12V DC: Reversible hydraulic gear pump. 1.6L (98 cu.in) / min. For cylinder displacement of 160-550 cc (9.8 - 33.5 cu.in). O-Ring Boss (ORB) connections. Includes 3 x ORB-5 to 9/16 UNF fittings. SteadySteer compatible. (NAC-3 / AC42 required).	941.00	1119.79
000-15446-002		PUMP-4: 12V DC: Reversible hydraulic gear pump. 3.0L (183 cui) / min. For cylinder displacement of 290 - 960 cc (17.7 - 58.5 cu. in.). O-Ring Boss (ORB) connections. Includes 3 x ORB-5 to 9/16 UNF fittings. SteadySteer compatible. (NAC-3 / AC42 required).	1370.00	1630.30
000-15447-002		PUMP-5: 24V DC: Reversible hydraulic gear pump. 3.0L (183 cui) / min. For cylinder displacement of 290 - 960 cc (17.7 - 58.5 cu. in.). O-Ring Boss (ORB) connections. Includes 3 x ORB-5 to 9/16 UNF fittings. SteadySteer compatible. (NAC-3 / AC42 required).	1370.00	1630.30
000-11771-001		The HELM-1 is a complete autopilot drive unit for cable-steered vessels, and replaces your existing manual helm drive behind the dash. Designed for easy installation and retrofit, the HELM-1 features an integrated rudder feedback sensor and is plug-and-play compatible with NAC-1 and NAC-2 autopilot computers.	1295.00	1541.05
000-10907-001		Helm Drive - Straight shaft Type S. The drive is a rotary mechanical autopilot drive system which makes it simple and economical to fit an autopilot on smaller powerboats with mechanical push-pull cable steering. (Steering Wheel not included), Suitable for use with NAC-3 and legacy AC12/42 Autopilot computers.	1209.00	1438.71
000-13697-001		SD10 Mechanical Drive unit for NAC-2 Autopilot computers. The Dive will suit sailboats 25'-37' with 6' steering cable with electromagnetic clutch with override function, built in Rudder feedback and 12 V power supply	1713.00	2038.47
21119896		DD15 Direct Drive unit for sailboats 30'-40' with electromagnetic clutch, lever with tiller pin and RF300 Rudder feedback. 12 V power supply (NAC-3 / H5000 required)	2410.00	2867.90
000-13902-001		Hydraulic Ram T0 12V - The RAM T0 Hydraulic linear actuator combines a cylinder, pump, motor, clutch, and reservoir in a pre-filled, sealed unit. Designed to be used on vessels fitted with mechanical primary steering that can be back-driven.	1649.00	1962.31
RAM-T1-12V		Hydraulic Ram T1 12V High power, efficient drive units for maximum power with minimum consumption. Ram drives allow the Power Steer mode on the Pilot to be used in cases of manual steering failure. Fully Integrated hydraulic system, no external hoses, reservoirs etc.	1821.00	2166.99
RAM-T2-12V		Hydraulic Ram T2 12V High power, efficient drive units for maximum power with minimum consumption. Ram drives allow the Power Steer mode on the Pilot to be used in cases of manual steering failure. Fully Integrated hydraulic system, no external hoses, reservoirs etc.	2217.00	2638.23
RAM-T2-24V		Hydraulic Ram T2 24V High power, efficient drive units for maximum power with minimum consumption. Ram drives allow the Power Steer mode on the Pilot to be used in cases of manual steering failure. Fully Integrated hydraulic system, no external hoses, reservoirs etc.	2217.00	2638.23
000-13788-001		Hydraulic Ram T3 12V Hydraulic Steering Systems combine a hydraulic cylinder with clutch, reversing pump and reservoir in a compact installation.	2977.00	3542.63
RAM-T3-24V		Hydraulic Ram T3 24V Hydraulic Steering Systems combine a hydraulic cylinder with clutch, reversing pump and reservoir in a compact installation.	2977.00	3542.63
RAM-T4-24V		Hydraulik Doppelzylinder mit Dauerläuferpumpe - Typ 4, 24 Volt	9283.00	11046.77

Accessories

Autopilot

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15942-001		Autopilot ORB hose fitting kit for MKII Pumps 1, 2, 3, 4 &5	181.00	215.39
000-15949-001		ORB hose fitting kit for MKII Pumps 1, 2, 3, 4 &5, including SteadySteer	609.00	724.71
000-15943-001		Verado autopilot fitting kit for MKII Pumps 1, 2, 3, 4 &5	588.00	699.72
000-15950-001		Autopilot fitting kit for MKII Pumps 2, 3, 4 &5 for use with Verado systems. Includes SteadySteer	878.00	1044.82
000-15944-001		Autopilot fitting adaptor kit. Contains 3 x ORB-5 to ¼" NPT adaptors	53.55	63.72
21116272		Verado Fittings Kit	239.00	284.41
44172096		DL2030 Draglink for DD15. Length: 200-300 mm. 7.9” – 11.8”	395.00	470.05
44172088		DL3040 Draglink for DD15. Length: 300-400 mm. 11.8” - 15.7”.	374.00	445.06
44172104		DL4050 Draglink for DD15. Length: 400-500 mm. 15.7” - 19.7”.	342.00	406.98

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
20193744		RF300 Frequency Rudder Feedback - 10m cable and transmission link assembly.	307.00	365.33
20997953		RPU80/100/150/160/200 Seal Kit. Works for all motor types and pump sizes.	104.00	123.76
21118617		RPU80 Motor Brushes - Framco	60.90	72.47
21118633		RPU160 Motor Brushes - Framco	69.00	82.11
21118666		RPU Motor Brushes - Lemac for RPU80/160	85.05	101.21

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
21118682		RPU Motor Brushes - Lemac (Long) for RPU300	135.45	161.19
000-13960-001		Brush replacements for RPU80, RPU160 and RPU300 pumps with Parvalux motors.	87.15	103.71
000-15858-001		PUMP-X Motor Brushes - Autopilot pump brush kit for PUMP-2,3,4 & 5. 2Pcs. Note: Not for Pump-1	69.62	82.84

Fitting Kits

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15942-001		Autopilot ORB hose fitting kit for MKII Pumps 1, 2, 3, 4 &5	181.00	215.39
000-15949-001		ORB hose fitting kit for MKII Pumps 1, 2, 3, 4 &5, including SteadySteer	609.00	724.71
000-15943-001		Verado autopilot fitting kit for MKII Pumps 1, 2, 3, 4 &5	588.00	699.72
000-15950-001		Autopilot fitting kit for MKII Pumps 2, 3, 4 &5 for use with Verado systems. Includes SteadySteer	878.00	1044.82
000-15944-001		Autopilot fitting adaptor kit. Contains 3 x ORB-5 to ¼" NPT adaptors	53.55	63.72
21116272		Verado Fittings Kit	239.00	284.41

Spare Parts






Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15734-001		SteadySteer™ Flow Switch Only. Enjoy increased convenience without sacrificing safety with SteadySteer - a new functionality for autopilot systems that enables immediate, manual control of a vessel through turns without disengaging the autopilot.	492.00	585.48

Tillerpilote

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
TP10		TP10 Tillerpilot - The TP range delivers reliable auto steering for boats with tillers up to 32ft in length.	695.00	827.05
TP22		Pinnenpilot TP22 – SimNet/NMEA	856.00	1018.64
TP32		Pinnenpilot TP32 – SimNet/NMEA	1016.00	1209.04

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-0127-45		SimNet auf N2K Adapter-Kit - verbindet SimNet-Komponenten mit NMEA 2000® Netzwerk	127.00	151.13
SKT100	Missing Image	SKT100	127.00	151.13
CB1		Cantilever bracket 135-240 mm (5.31-9.44 in)	88.89	105.78
PB30		Pedestal bracket 30 mm (1.2 in)	67.47	80.29
PB60		Pedestal bracket 60 mm (2.4 in)	67.47	80.29
PB90		Pedestal bracket 90 mm (3.6 in)	67.47	80.29
PRE30		Pushrod extension 30 mm (1.2 in)	26.78	31.86
PRE60		Pushrod extension 60 mm (2.4 in)	41.77	49.71
PRE90		Pushrod extension 90 mm (3.6 in)	26.78	31.86
PRE120		Pushrod extension 120 mm (4.8 in)	36.41	43.33
PRE150		Pushrod extension 150 mm (6.0 in)	36.41	43.33
PRE300		Pushrod extension 300 mm (12.0 in)	127.00	151.13

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
TB30		TB 30 Pinnen Halterung 30 mm	42.84	50.98
TB60		TB 60 Pinnen Halterung 60 mm	42.84	50.98
TB90		TB 90 Pinnen Halterung 90 mm	42.84	50.98
TB120		TB 120 Pinnen Halterung 120 mm	42.84	50.98

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
TPPK329		TP22/32 &WP32 MAIN PCB	193.00	229.67
TPPK7	Missing Image	TPXX MOUNT PIN & ROD END	37.49	44.61
TPPK21	Missing Image	TP10 MAIN PCB	175.00	208.25
TPPK22	Missing Image	TP32 DRIVE ASSY	463.00	550.97
TPPK29	Missing Image	TPXX TILLER PIN AND CUP	36.41	43.33
TPPK32	Missing Image	PUSH ROD END CAP (PACK OF 5)	34.27	40.78
TPPK321		TP32/22 PLUG, SOCKET & MOUTNING PIN	165.00	196.35
TPPK325	Missing Image	TP32/22 PCB COVER & SEAL	33.20	39.51

Commercial

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13895-001		The A2004 is an Autopilot Controller designed to meet the needs of professionals onboard non-SOLAS workboats. It features a proven Simrad interface, presented on a wide-angle and zero-fog colour display.	1125.00	1338.75
000-13899-001		A2004 Autopilot pack with A2004 controller, AC70 Autopilot computer and RF300 rudder feedback. For use with non-IMO professional vessels. For reversible pumps or non-isolated solenoid valve controls. Add either an AD80 or SD80 for thruster control.	2598.00	3091.62
000-13900-001		A2004 Autopilot pack with A2004 controller, AC70 Autopilot computer, RF300 rudder feedback and a Precision-9 magnetic compass. For use with non-IMO professional vessels. For reversible pumps or non-isolated solenoid valve controls. Add either an AD80 or SD80 for thruster control.	3316.00	3946.04
000-13901-001		A2004 Autopilot pack with A2004 controller, AC70 Autopilot computer, RF300 rudder feedback and a HS75 GPS compass. For use with non-IMO professional vessels. For reversible pumps or non-isolated solenoid valve controls. Add either an AD80 or SD80 for thruster control.	6413.00	7631.47
000-14958-001		AP70MK2 Professional Autopilot Controller. Designed to meet the needs of mariners aboard a variety of professional vessels. With both non-SOLAS and SOLAS system configurations available, it delivers professional autopilot performance to everyone.	1777.00	2114.63
000-15039-001		AP70MK2 Professional Autopilot basic pack. Kit contains AP70 MK2 controller, AC70 computer and RF300 rudder feedback. For reversible hydraulic pumps or non-isolated solenoid valves.	3588.00	4269.72
000-10186-001		AC70 Autopilot Computer for rudder or propeller (i.e. Voith Schneider), for reversible motor or galvanic non-isolated solenoids.	1676.00	1994.44
000-10191-001		AD80 Analog Drive Interface für rudder/thruster	1237.00	1472.03
000-10192-001		SD80 Solenoid Drive Interface für rudder/thruster	1237.00	1472.03
000-10425-001		SI80 Signal Interface - Four channel NMEA 0183 interface computer board and voltage supply for CAN bus.	1148.00	1366.12

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13895-001		The A2004 is an Autopilot Controller designed to meet the needs of professionals onboard non-SOLAS workboats. It features a proven Simrad interface, presented on a wide-angle and zero-fog colour display.	1125.00	1338.75
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	716.00	852.04
000-16143-001		HS75 GPS Compass - Ideal heading source for non-SOLAS professional vessels like Search and Rescue, Patrol, Fishing, Workboats and more. Provides solid 0.75° RMS heading accuracy in a compact unit. Supports GPS, GLONASS, Galileo, BeiDou, QZSS for increased accuracy across the world.	2676.00	3184.44
000-14073-001		Suncover for A2004/AP48 autopilot controllers	25.70	30.59
000-12316-001		WR10 Wireless Autopilot Remote. Includes NMEA2000 connected Bluetooth base station.	513.00	610.47

Autopilot

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-10756-001		RF25N, Ruder Rückgeber Einheit: mit Übertragungs Gestänge und 5 m (16.5 ft) NMEA2000 Micro-C Kabel	358.00	426.02
000-10186-001		AC70 Autopilot Computer for rudder or propeller (i.e. Voith Schneider), for reversible motor or galvanic non-isolated solenoids.	1676.00	1994.44
000-10183-001		FU80 Follow UP remote unit with display. Take command and Mode buttons. Provides course change in Auto mode.	842.00	1001.98
000-10596-001		AP80 Schutz- Abdeckung	59.16	70.40
000-10184-001		QS80 Quickstick Fernbedien-- Einheit mit display, 6m factory mounted drop Kabel, T-connector, front bezel, installation und user manual, gasket für panel Montage-, Montage-screws. Take commund und Mode buttons. Provides course change in Auto mode.	832.00	990.08
20193744		RF300 Frequency Rudder Feedback - 10m cable and transmission link assembly.	307.00	365.33
000-10191-001		AD80 Analog Drive Interface für rudder/thruster	1237.00	1472.03
000-10192-001		SD80 Solenoid Drive Interface für rudder/thruster	1237.00	1472.03
000-10185-001		NF80 Non Follow Up Fernbedien-- Einheit mit display, 6m factory mounted drop Kabel, T-connector, front bezel, installation und user manual, gasket für panel Montage-, Montage-screws. Take commund und Mode buttons. Provides course change in Auto mode.	872.00	1037.68
22011415		RF45X Profi Ruder-Rückmelder Einheit; mit transmission link und 2 m Kabel und Junction Box	686.00	816.34
000-10587-001		SD80 PCB assembly. Solenoid und proportional Drive Interface für rudder und thruster	998.00	1187.62
000-10591-001		RF70N Medium-duty rudder rudder feedback unit. NMEA2000 interface, comes with transmission link and pre-attached 5.5m cable.	635.00	755.65
000-10586-001		AD80 PCB assembly	998.00	1187.62
000-10425-001		SI80 Signal Interface - Four channel NMEA 0183 interface computer board and voltage supply for CAN bus.	1148.00	1366.12

Autopilot

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
23241227		S35 Non Follow Up Steering Lever Designed for indoor and outdoor mounting. Proven industrial and ruggedized design for use in harsh working conditions on deck.	584.00	694.96
22088165		JS10 Non Follow Up Joystick, designed for armrest mounting or at key positions on the vessel. Compatible with AC70, AC80A, AC80S, AC85, NAC-3. Comes with 10m cable.	407.00	484.33
000-10590-001		AP70 Optional Montage-Halterung	200.00	238.00
22096820		AP24/AP28/IS20 Optional Mounting Bracket	129.00	153.51
000-10438-001		Ethernet-Adapter Direkt RJ45 M auf yellow 5 pin	39.63	47.16
22014286		RF25 Rudder Rückmelder Einheit: mit transmission link und 5.5 m (18 ft) SimNet Kabel.	338.00	402.22

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
24005729		SimNet to Micro-C (male) cable that connects a SimNet product to a NMEA 2000® backbone. 0.5 m (1.6 ft)	40.70	48.43
000-10186-001		AC70 Autopilot Computer for rudder or propeller (i.e. Voith Schneider), for reversible motor or galvanic non-isolated solenoids.	1676.00	1994.44
000-10191-001		AD80 Analog Drive Interface für rudder/thruster	1237.00	1472.03
000-10192-001		SD80 Solenoid Drive Interface für rudder/thruster	1237.00	1472.03
000-10588-001		SI80 PCB assembly. Signal Interface board mit 4 NMEA 0183 RX/TX ports und built-in 12V Netzwerk Power und Termination	998.00	1187.62
22096986		AC70, AC12 and AC42 Terminal Cover	23.00	27.37
000-10590-001		AP70 Optional Montage-Halterung	200.00	238.00
22096820		AP24/AP28/IS20 Optional Mounting Bracket	129.00	153.51
000-14075-001	Missing Image	A2004 / AP48 Dash mounting kit: Includes dash seal, 4x 1/2" Phillips pan head screws, 2x Bezels, screw mount jig tool.	52.48	62.45
000-14074-001		A2004/AP48 Mounting Bracket Kit	41.77	49.71

RECON™

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16157-001		Simrad RECON™ Saltwater 54” Trolling Motor. Includes Simrad FreeSteer™ joystick remote.	4136.00	4921.84
000-16158-001		Simrad RECON™ Saltwater 60” Trolling Motor. Includes Simrad FreeSteer™ joystick remote.	4229.00	5032.51
000-16159-001		Simrad RECON™ Saltwater 72” Trolling Motor. Includes Simrad FreeSteer™ joystick remote.	4323.00	5144.37

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16177-001		Lowrance advanced wireless trolling motor foot pedal	597.00	710.43
000-16287-001		Compact GPS Remote.	164.00	195.16
000-16353-001		RECON™ Active Imaging 3-in-1 Nosecone.	406.00	483.14
000-16420-001		RECON™ Quick Release Bracket - HD Composite - WHITE	426.00	506.94

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16160-001		Simrad FreeSteer™ Trolling motor joystick remote	358.00	426.02
000-16412-001		PEDAL ASSY,ADV WRLESS,NOPWR_NOMODL	477.00	567.63
000-16178-001		RECON™ 2-blade Weedless Prop. For fresh / salt water RECON™ trolling motors (Not compatible with GHOST)	71.58	85.18
000-15723-001		The Prop Shaft Anode for the Lowrance Ghost® & RECON trolling motors allows for use in brackish water without voiding the Lowrance Ghost trolling motor warranty. The Prop Shaft Anode is a ring-shaped fitting that is installed over the existing propeller nut, on the back of the propeller. The anode prevents corrosion that could result from using the trolling motor in brackish water. NOTE: Using the Ghost Trolling Motor in saltwater WILL void the warranty.	23.45	27.91
000-16415-001		BUTTON MODL ASSY LWR,PEDAL,ADV WRLESS	119.00	141.61
000-16385-001		COLUMN CAP KIT	13.64	16.23
000-16386-001		MOUNT HW/LINKAGE KIT,RECON	192.00	228.48

Trolling Motors

SIMRAD

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-0119-79		N2K-T-RD - NMEA 2000® T-connector zur Netzwerkerweiterung	23.56	28.04
000-16387-001		TRANSMISSION TILT PIN KIT,RECON	21.31	25.36
000-16388-001		RECON,PEDAL,STOW/DEPLOY	18.75	22.31
000-16392-001		UI COVER DECAL KIT,RECON	16.70	19.87
000-16405-001		COIL CABLE KIT (48-54")	459.00	546.21
000-16406-001		COIL CABLE KIT (60")	284.00	337.96
000-16407-001		COIL CABLE KIT (72")	305.00	362.95
000-16414-001		BATT DOOR/CENTER CLIP,PEDAL,ADV WRLESS	24.36	28.99
000-16416-001		DAMPER ASSEMBLY,PEDAL,ADV WIRELESS	69.02	82.14
000-16375-001		DEPTH COLLAR ASSEMBLY,CAM LOCK	21.31	25.36
000-16397-001		MOUNT CONTROLLER/UI BOARD KIT,RECON	354.00	421.26
000-16373-001		LOWER UNIT,RECON,24/36,SW	1193.00	1419.67
000-16380-001		COLUMN KIT,RECON,54",SW	256.00	304.64
000-16381-001		COLUMN KIT,RECON,60",SW	277.00	329.63
000-16382-001		COLUMN KIT,RECON,72",SW	320.00	380.80
000-16383-001		TRANSMISSION ASSEMBLY,RECON,SW	426.00	506.94
000-16390-001		SIDEPLATE KIT,RECON,LSW	95.46	113.60
000-16394-001		UI COVER,RECON,SW	68.19	81.14

Trolling Motors

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16396-001		MOUNT CRADLE KIT,RECON,SW	59.67	71.01
000-16400-001		MOUNT ASSEMBLY,MECH,SERVICE,RECON,SW	689.00	819.91
000-16402-001		HEAD COVER GPS PCB ASSY,RECON,SW	365.00	434.35
000-16404-001		HEAD BASE AND WEDGE KIT SW	32.48	38.65
000-16391-001		SIDEPLATE KIT,RECON,SIMRAD SW	95.46	113.60
000-16374-001		NOSECONE,NOXD,RECON,WHITE	51.13	60.85

RECON™ Accessories

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16362-001		RECON HDI Nose cone transducer: Traditional 200 kHz High Chirp, 83 kHz Medium Chirp, and DownScan 455 kHz, 800 kHz. (Not compatible with GHOST trolling motors.)	153.00	182.07
000-16178-001		RECON™ 2-blade Weedless Prop. For fresh / salt water RECON™ trolling motors (Not compatible with GHOST)	71.58	85.18
000-16428-001		Simrad lanyard for FreeSteer™ joystick remote	29.82	35.49
000-16420-001		RECON™ Quick Release Bracket - HD Composite - WHITE	426.00	506.94
000-16177-001		Lowrance advanced wireless trolling motor foot pedal	597.00	710.43
000-16160-001		Simrad FreeSteer™ Trolling motor joystick remote	358.00	426.02
000-16353-001		RECON™ Active Imaging 3-in-1 Nosecone.	406.00	483.14
000-16287-001		Compact GPS Remote.	164.00	195.16
000-15723-001		The Prop Shaft Anode for the Lowrance Ghost® & RECON trolling motors allows for use in brackish water without voiding the Lowrance Ghost trolling motor warranty. The Prop Shaft Anode is a ring-shaped fitting that is installed over the existing propeller nut, on the back of the propeller. The anode prevents corrosion that could result from using the trolling motor in brackish water. NOTE: Using the Ghost Trolling Motor in saltwater WILL void the warranty.	23.45	27.91

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16428-001		Simrad lanyard for FreeSteer™ joystick remote	29.82	35.49
000-16413-001		12 V DC Power cable for Advanced wireless trolling motor foot pedal.	24.35	28.97

Service Parts

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16413-001		12 V DC Power cable for Advanced wireless trolling motor foot pedal.	24.35	28.97
000-16412-001		PEDAL ASSY,ADV WRLESS,NOPWR_NOMODL	477.00	567.63
000-16415-001		BUTTON MODL ASSY LWR,PEDAL,ADV WRLESS	119.00	141.61
000-16385-001		COLUMN CAP KIT	13.64	16.23
000-16386-001		MOUNT HW/LINKAGE KIT,RECON	192.00	228.48
000-16387-001		TRANSMISSION TILT PIN KIT,RECON	21.31	25.36
000-16388-001		RECON,PEDAL,STOW/DEPLOY	18.75	22.31
000-16392-001		UI COVER DECAL KIT,RECON	16.70	19.87
000-16405-001		COIL CABLE KIT (48-54")	459.00	546.21
000-16406-001		COIL CABLE KIT (60")	284.00	337.96
000-16407-001		COIL CABLE KIT (72")	305.00	362.95
000-16414-001		BATT DOOR/CENTER CLIP,PEDAL,ADV WRLESS	24.36	28.99
000-16416-001		DAMPER ASSEMBLY,PEDAL,ADV WIRELESS	69.02	82.14
000-16375-001		DEPTH COLLAR ASSEMBLY,CAM LOCK	21.31	25.36
000-16397-001		MOUNT CONTROLLER/UI BOARD KIT,RECON	354.00	421.26

Trolling Motors

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16373-001		LOWER UNIT,RECON,24/36,SW	1193.00	1419.67
000-16380-001		COLUMN KIT,RECON,54",SW	256.00	304.64
000-16381-001		COLUMN KIT,RECON,60",SW	277.00	329.63
000-16382-001		COLUMN KIT,RECON,72",SW	320.00	380.80
000-16383-001		TRANSMISSION ASSEMBLY,RECON,SW	426.00	506.94
000-16390-001		SIDEPLATE KIT,RECON,LSW	95.46	113.60
000-16394-001		UI COVER,RECON,SW	68.19	81.14
000-16396-001		MOUNT CRADLE KIT,RECON,SW	59.67	71.01
000-16400-001		MOUNT ASSEMBLY,MECH,SERVICE,RECON,SW	689.00	819.91
000-16402-001		HEAD COVER GPS PCB ASSY,RECON,SW	365.00	434.35
000-16404-001		HEAD BASE AND WEDGE KIT SW	32.48	38.65
000-16391-001		SIDEPLATE KIT,RECON,SIMRAD SW	95.46	113.60
000-16374-001		NOSECONE,NOXD,RECON,WHITE	51.13	60.85

AIS Class A

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16280-001		V5043 Class A AIS System - IMO Compliant AIS system.Includes GPS antenna, junction box and pilot plug.	2598.00	3091.62

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-12325-001		SIMRAD V50xx AIS Pilot Plug	107.00	127.33

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-12329-001		V50xx AIS 3pin Power Cable	64.26	76.47
000-12328-001		V50xx AIS 37pin Cable - Data cable from AIS Main unit to Junction Box.	69.36	82.54
000-12327-001		V5035 AIS Bracket with mounting kit.	60.00	71.40
000-12326-001		V50xx AIS GPS Antenna - 10 m (33 ft) cable	140.00	166.60
000-12325-001		SIMRAD V50xx AIS Pilot Plug	107.00	127.33
000-12324-001		SIMRAD V50xx AIS Junction Box	204.00	242.76

AIS Class B

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14380-001		The V3100 Class B AIS incorporates SOTDMA technology and increased transmission power to enhance transmission frequency, reliability, and range compared to standard Class B AIS. This 'black-box' solution integrates with MFD displays, and features industry-standard connectivity.	954.00	1135.26
000-13609-001		NAIS-500 class B AIS with GPS-500 GPS antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	888.00	1056.72
000-13963-001		NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	1177.00	1400.63
000-13612-001		NSPL-500 AIS/VHF Antenna Splitter - Enables use of one VHF antenna on the vessel for both VHF and AIS.	288.00	342.72

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13612-001		NSPL-500 AIS/VHF Antenna Splitter - Enables use of one VHF antenna on the vessel for both VHF and AIS.	288.00	342.72
AA000352		UKW-Antenne Mastmontage	80.33	95.59
AA000224		Antennenhalterung Edelstahl mit 5 m Kabel	127.00	151.13
AA000358		UKW-Antenne Gfk 100 cm	52.48	62.45
000-15859-001		VHF ANTENNA,1Meter Back Fiberglass Stainless Steel, Quick fit fitting.	91.04	108.33
AA000223		Antennenhalterung Kunststoff mit 5 m Kabel	57.83	68.82
AA000355		UKW-Antenne Gfk 240 cm	95.32	113.43
000-14968-001		Navico 1710 VHF antenna, 2.5 m (8 ft) ultraglass, quickfit @ 6dB BLACK	94.25	112.16
AA000401		VHF mast cable 30 m (98 ft) for 1720 whip antenna. With Quick Fit Connector one end and Masthead connector on the other.	95.32	113.43
AA000400		VHF extension cable 5 m (16 ft)	31.06	36.96
000-16055-001		VHF antenna mount. Heavy-duty stainless steel fold-down antenna mount. With attached 7 m (23 ft) cable. Fastfit connector	127.00	151.13

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14806-001		V3100 Power cable, 1.8 m (6ft)	32.64	38.84
000-13611-001		NAIS-500 class B AIS module only. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	845.00	1005.55
000-13959-001		NAIS500/400 & Naviop OP-BOX Power & Serial Cable	63.19	75.19
000-13613-001		GPS-500 - GPS antenna for Navico AIS transceivers and VHF systems. 10 m (33 ft) cable with SMA connector.	160.00	190.40
000-14807-001		V3100 NMEA 0183 Cable 1.8 m (6ft)	32.64	38.84

RS100

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15792-001		Simrad RS100-B Blackbox VHF Radio with integrated Class-B AIS transceiver and GPS. Kit includes NRS-2 VHF Blackbox module with Class B AIS built-in, GPS-500 antenna, one HS100 wired handset, and one SP100 speaker.	1686.00	2006.34
000-15643-001		Simrad RS100 Blackbox VHF radio system. Kit includes NRS-1 VHF Blackbox module, one HS100 wired handset, and one SP100 speaker.	1007.00	1198.33
000-15647-001		Simrad HS100 wired handset and SP100 speaker kit for RS100/RS100-B VHF radio systems. Up to 4 wired handsets and 4 speakers can be added to one system.	399.00	474.81
000-15649-001		Simrad HS100 wired handset only, for RS100 / RS100-B VHF radios. Up to 4 wired handsets can be added to one system.	352.00	418.88
000-15651-001		SP100: External VHF speaker. 10W @ 4 Ohms. Comes with an attached twin core 2 m (6.5 ft) cable.	101.75	121.08

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15649-001		Simrad HS100 wired handset only, for RS100 / RS100-B VHF radios. Up to 4 wired handsets can be added to one system.	352.00	418.88
000-14475-001		Simrad HS40 - Wireless handset for the RS40 and RS100 VHF radios. HS40 duplicates the radios display and controls, enabling remote control access to all key functions.	267.00	317.73
000-13612-001		NSPL-500 AIS/VHF Antenna Splitter - Enables use of one VHF antenna on the vessel for both VHF and AIS.	288.00	342.72
000-15651-001		SP100: External VHF speaker. 10W @ 4 Ohms. Comes with an attached twin core 2 m (6.5 ft) cable.	101.75	121.08
AA000352		UKW-Antenne Mastmontage	80.33	95.59
AA000224		Antennenhalterung Edelstahl mit 5 m Kabel	127.00	151.13
AA000358		UKW-Antenne Gfk 100 cm	52.48	62.45
000-15859-001		VHF ANTENNA,1Meter Back Fiberglass Stainless Steel, Quick fit fitting.	91.04	108.33
AA000223		Antennenhalterung Kunststoff mit 5 m Kabel	57.83	68.82

Komunikation

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15657-001		NRS-1/ NRS-2 Bulkhead WiFi Antenna Mount Cable - 6m - For mounting the WiFi antenna in more suitable location if reception from antenna on Blackbox is not adequate.	138.00	164.22
AA000355		UKW-Antenne Gfk 240 cm	95.32	113.43
000-14968-001		Navico 1710 VHF antenna, 2.5 m (8 ft) ultraglass, quickfit @ 6dB BLACK	94.25	112.16
000-15803-001		Wireless dipole antenna for NRS-1, NRS-2 and Information Display	26.78	31.86
AA000401		VHF mast cable 30 m (98 ft) for 1720 whip antenna. With Quick Fit Connector one end and Masthead connector on the other.	95.32	113.43
000-14923-001		5m Extension Cable for RS40, RS40-B, V60, V60B and Link-9 VHF Fist Mics, and H100/HS100 Handsets.	47.12	56.08
000-14924-001		10m Extension Cable for RS40, RS40-B, V60, V60B and Link-9 VHF Fist Mics, and H100/HS100 Handsets.	58.91	70.10
000-15656-001		HS100/H100 Handset cable with bulkhead mount 20m (65.5 ft)	117.00	139.23
LSH80		Waterproof Hailer Horn Speaker (8 Ohms) for use with Navico VHF Systems.	299.00	355.81
AA000400		VHF extension cable 5 m (16 ft)	31.06	36.96
000-16055-001		VHF antenna mount. Heavy-duty stainless steel fold-down antenna mount. With attached 7 m (23 ft) cable. Fastfit connector	127.00	151.13
000-13613-001		GPS-500 - GPS antenna for Navico AIS transceivers and VHF systems. 10 m (33 ft) cable with SMA connector.	160.00	190.40

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15649-001		Simrad HS100 wired handset only, for RS100 / RS100-B VHF radios. Up to 4 wired handsets can be added to one system.	352.00	418.88
000-15641-001		NRS-1 Marine VHF Radio. Black box only	802.00	954.38
000-15651-001		SP100: External VHF speaker. 10W @ 4 Ohms. Comes with an attached twin core 2 m (6.5 ft) cable.	101.75	121.08

Komunikation

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15642-001		NRS-2 Marine VHF Radio with built in AIS Class B transciever. Black box only	1434.00	1706.46
000-15803-001		Wireless dipole antenna for NRS-1, NRS-2 and Information Display	26.78	31.86
000-13613-001		GPS-500 - GPS antenna for Navico AIS transceivers and VHF systems. 10 m (33 ft) cable with SMA connector.	160.00	190.40

RS40 VHF

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14473-001		Simrad RS40-B Marine VHF Radio - Stay safer on the water with this VHF Marine Radio. See and be seen by nearby AIS-equipped vessels thanks the integrated Class B AIS transceiver, and add up to two optional wireless handsets.	1070.00	1273.30
000-14818-001		Simrad RS40-B Marine VHF Radio - Stay safer on the water with this VHF Marine Radio. See and be seen by nearby AIS-equipped vessels thanks the integrated Class B AIS transceiver, and add up to two optional wireless handsets. Includes with GPS500 GPS antenna.	1177.00	1400.63
000-14470-001		RS40 Marine VHF Radio - Stay safe and connected with this VHF marine radio featuring removable fist mic, Class D DSC functionality, and built-in GPS. Keep track of nearby AIS-equipped vessels with an integrated AIS receiver, and add up to two optional wireless handsets.	738.00	878.22
000-14475-001		Simrad HS40 - Wireless handset for the RS40 and RS100 VHF radios. HS40 duplicates the radios display and controls, enabling remote control access to all key functions.	267.00	317.73

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11567-001		RS35 Suncover	22.66	26.97
000-14475-001		Simrad HS40 - Wireless handset for the RS40 and RS100 VHF radios. HS40 duplicates the radios display and controls, enabling remote control access to all key functions.	267.00	317.73
000-15651-001		SP100: External VHF speaker. 10W @ 4 Ohms. Comes with an attached twin core 2 m (6.5 ft) cable.	101.75	121.08
AA000352		UKW-Antenne Mastmontage	80.33	95.59
AA000224		Antennenhalterung Edelstahl mit 5 m Kabel	127.00	151.13
AA000358		UKW-Antenne Gfk 100 cm	52.48	62.45
000-15859-001		VHF ANTENNA,1Meter Back Fiberglass Stainless Steel, Quick fit fitting.	91.04	108.33
AA000223		Antennenhalterung Kunststoff mit 5 m Kabel	57.83	68.82
AA000355		UKW-Antenne Gfk 240 cm	95.32	113.43
000-14968-001		Navico 1710 VHF antenna, 2.5 m (8 ft) ultraglass, quickfit @ 6dB BLACK	94.25	112.16
AA000401		VHF mast cable 30 m (98 ft) for 1720 whip antenna. With Quick Fit Connector one end and Masthead connector on the other.	95.32	113.43

Komunikation

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14923-001		5m Extension Cable for RS40, RS40-B, V60, V60B and Link-9 VHF Fist Mics, and H100/HS100 Handsets.	47.12	56.08
000-14924-001		10m Extension Cable for RS40, RS40-B, V60, V60B and Link-9 VHF Fist Mics, and H100/HS100 Handsets.	58.91	70.10
LSH80		Waterproof Hailer Horn Speaker (8 Ohms) for use with Navico VHF Systems.	299.00	355.81
000-14066-001		VHF Interface - Type 6. For Simrad RS20/RS40, B&G V20/V60, Lowrance Link-9, Link-6 S	94.25	112.16
AA000400		VHF extension cable 5 m (16 ft)	31.06	36.96
000-16055-001		VHF antenna mount. Heavy-duty stainless steel fold-down antenna mount. With attached 7 m (23 ft) cable. Fastfit connector	127.00	151.13
000-13613-001		GPS-500 - GPS antenna for Navico AIS transceivers and VHF systems. 10 m (33 ft) cable with SMA connector.	160.00	190.40

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11567-001		RS35 Suncover	22.66	26.97
000-14912-001		RS40 VHF Suncover	23.56	28.04
000-14921-001		Simrad RS40 Remote Mountable Fist Mic. Can be connected to the front or rear of the radio, and optional extension cable allows the radio and mic to be mounted in seperate locations.	83.54	99.41
000-14919-001		RS40/V60 Bulkhead Fist Mic Mounting Clip	9.64	11.47
000-14917-001		RS40/V60 VHF Mounting bracket with Knobs and Screws	28.92	34.41
000-14915-001		RS40/V60 VHF Flush Mounting kit.:Includes teplate, Gasket, Bezels and screws	12.85	15.29
000-14925-001		HS40/H60 VHF Wireless handset Inductive charging cradle	58.91	70.10
000-13613-001		GPS-500 - GPS antenna for Navico AIS transceivers and VHF systems. 10 m (33 ft) cable with SMA connector.	160.00	190.40

RS20S

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14491-001		Simrad RS20S Class D DSC VHF Radio - The versatile RS20S is ideal for a variety of boats from small RIBs to larger cruisers, and is designed to match the low-profile style of our glass bridge displays and accessories.	422.00	502.18

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14055-001		RS20S Suncover	23.56	28.04
000-15651-001		SP100: External VHF speaker. 10W @ 4 Ohms. Comes with an attached twin core 2 m (6.5 ft) cable.	101.75	121.08
AA000352		UKW-Antenne Mastmontage	80.33	95.59
AA000224		Antennenhalterung Edelstahl mit 5 m Kabel	127.00	151.13
AA000358		UKW-Antenne Gfk 100 cm	52.48	62.45
000-15859-001		VHF ANTENNA,1Meter Back Fiberglass Stainless Steel, Quick fit fitting.	91.04	108.33
AA000223		Antennenhalterung Kunststoff mit 5 m Kabel	57.83	68.82
AA000355		UKW-Antenne Gfk 240 cm	95.32	113.43
000-14968-001		Navico 1710 VHF antenna, 2.5 m (8 ft) ultraglass, quickfit @ 6dB BLACK	94.25	112.16
AA000401		VHF mast cable 30 m (98 ft) for 1720 whip antenna. With Quick Fit Connector one end and Masthead connector on the other.	95.32	113.43
000-14059-001	Missing Image	RS20/V20 Flush Mount Kit	12.85	15.29
000-14066-001		VHF Interface - Type 6. For Simrad RS20/RS40, B&G V20/V60, Lowrance Link-9, Link-6 S	94.25	112.16
AA000400		VHF extension cable 5 m (16 ft)	31.06	36.96
000-16055-001		VHF antenna mount. Heavy-duty stainless steel fold-down antenna mount. With attached 7 m (23 ft) cable. Fastfit connector	127.00	151.13

Komunikation

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13613-001		GPS-500 - GPS antenna for Navico AIS transceivers and VHF systems. 10 m (33 ft) cable with SMA connector.	160.00	190.40

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14055-001		RS20S Suncover	23.56	28.04
000-14262-001		RS20/V20 Fist Mic Clip	9.64	11.47
000-14261-001		RS20/V20 Mounting Bracket	35.34	42.06
000-14059-001	Missing Image	RS20/V20 Flush Mount Kit	12.85	15.29
000-14263-001		RS20/V20 Mounting Bracket Knobs	17.14	20.39

IS42

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13285-001		IS42 Instrument - This multi-purpose instrument display features a colour screen that's designed for optimal visibility in all conditions. See wind data, boat speed, depth, engine information, autopilot status, AIS data and more at a glance.	552.00	656.88
000-13293-003		IS42 Speed & Depth Instrument System Pack. Includes IS42 and iDST-820 Depth/Speed/Temp transducer.	1007.00	1198.33
000-14479-001		IS42J - 4.1-inch colour display offering a clear view of engine status and performance for one or two J1939 compatible diesel engines. More than a standalone gauge, the IS42J also bridges the gap between those engines and your boat's NMEA 2000® network.	888.00	1056.72

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14382-001		WS310 Wired Wind Sensor with 20m (65.5ft) mast cable and interface for connection to the NMEA 2000® network.	588.00	699.72
000-13285-001		IS42 Instrument - This multi-purpose instrument display features a colour screen that's designed for optimal visibility in all conditions. See wind data, boat speed, depth, engine information, autopilot status, AIS data and more at a glance.	552.00	656.88
000-14383-001		WS320 Wireless Wind Sensor including Wireless Interface for connection to NMEA 2000® networks. For masts up to 25m in height.	706.00	840.14
000-10614-001		N2K, IS40 CABLE,MICRO-C,RIGHT ANGLE INTERCONNECT 0.4m (1.3 ft)	25.70	30.59

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13285-001		IS42 Instrument - This multi-purpose instrument display features a colour screen that's designed for optimal visibility in all conditions. See wind data, boat speed, depth, engine information, autopilot status, AIS data and more at a glance.	552.00	656.88
000-13723-001		Suncover for Simrad IS42 Display.	26.78	31.86
000-15735-002		DST-820 Depth/Speed/Temp Sensor. Plastic thru-hull housing. With Gen2 Paddlewheel, 6 m (20') NMEA 2000® cable.	449.00	534.31
000-13950-001		IS42 & Triton2 Installation Kit - Includes edge bezel, screws and guide tool.	20.35	24.22

IS35

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13334-001		IS35 offers a smart interface to engine data, fuel efficiency, depth history and more. This digital gauge automatically displays the most relevant information available from your boat's on-board electronics, and can be easily retrofit in place of a standard analogue gauge.	406.00	483.14

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11773-001		IS35 Suncover	23.56	28.04

Transducer

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14382-001		WS310 Wired Wind Sensor with 20m (65.5ft) mast cable and interface for connection to the NMEA 2000® network.	588.00	699.72
000-14391-001		WS310 Wired Wind Sensor only.	486.00	578.34
000-14383-001		WS320 Wireless Wind Sensor including Wireless Interface for connection to NMEA 2000® networks. For masts up to 25m in height.	706.00	840.14
000-14390-001		WS320 Wireless Wind Sensor only.	577.00	686.63
000-11741-001		Airmar 110WX Weather Station. Provides Windspeed and wind direction, barometic pressure and air temperature. Comes with a 6m (19.8ft) NMEA2000 cable.	1376.00	1637.44
000-16154-001		Airmar® 110WX WeatherStation® Sensor Only	1347.00	1602.93
000-10163-001		Wind SensorWS80 Ultrasonic Wind Sensor. Wandelt Winddaten in NMEA0183 Datenformat via RS485 (RS422) Data Interface. Wassergeschützt nach IP66 .	4477.00	5327.63
000-15735-002		DST-820 Depth/Speed/Temp Sensor. Plastic thru-hull housing. With Gen2 Paddlewheel, 6 m (20') NMEA 2000® cable.	449.00	534.31
000-15736-002		IDST-820 Depth/Speed/Temp Sensor. Bronze thru-hull housing. With Gen2 Paddlewheel, 6 m (20') NMEA 2000® cable.	638.00	759.22
000-11738-001		DT800 Depth/Temp Sensor. Plastic thru-hull housing.	434.00	516.46
000-11852-001		Airmar IDST800L 235F B-122-RETR 6M	755.00	898.45

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14389-001		WS310 Wired Interface. Converts NMEA 0183 wind data from the Masthead Unit to NMEA 2000®.	166.00	197.54
000-14396-001		20m (65') mast cable with pre-molded connectors for the WS310 and WS700 series wired wind sensors.	127.00	151.13
000-14388-001		The WS320 Wireless Interface: Spare Wireless Interface for the WS320 Wind Sensor system. Receives wireless signals from the WS320 and converts to NMEA 2000.	195.00	232.05

Instrumente

SIMRAD

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
24006421		35 m (115 ft) SimNet Wind Vane cable	170.00	202.30
000-11740-001		Airmar 110WX/ 120WX Cable 6 m (19.6 ft) (NMEA 2000 to Device cable)	97.39	115.89
24006405		20 m (66 ft) SimNet Wind vane cable	95.32	113.43

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15139-001	Missing Image	Replacement PCB for WS700/310 series wind sensors.	319.00	379.61
000-15141-001	Missing Image	Replacement battery for WS320 wireless wind sensor.	23.56	28.04
000-14391-001		WS310 Wired Wind Sensor only.	486.00	578.34
000-15143-001		WS300/700 Support Moulding inc. O-Ring	18.21	21.67
000-15142-001		Replacement wind angle bearing for the WS300/700 series wind sensors.	88.89	105.78
000-16154-001		Airmar® 110WX WeatherStation® Sensor Only	1347.00	1602.93
000-14389-001		WS310 Wired Interface. Converts NMEA 0183 wind data from the Masthead Unit to NMEA 2000®.	166.00	197.54
000-14396-001		20m (65') mast cable with pre-molded connectors for the WS310 and WS700 series wired wind sensors.	127.00	151.13
000-14388-001		The WS320 Wireless Interface: Spare Wireless Interface for the WS320 Wind Sensor system. Receives wireless signals from the WS320 and converts to NMEA 2000.	195.00	232.05
000-15615-001		Replacement PCB for the WS320 wind sensor.	319.00	379.61
000-10568-001	Missing Image	Accessory plug assembly for DST800	30.17	35.90
000-10388-001		Ersatzteil Kit Paddelrad für DST800	37.49	44.61
000-11740-001		Airmar 110WX/ 120WX Cable 6 m (19.6 ft) (NMEA 2000 to Device cable)	97.39	115.89
000-10573-001	Missing Image	IS20 Windfahnen Masthalterung	70.60	84.02
000-10567-001		P617V DST HSG VLV KIT	70.38	83.75

Sensoren

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15939-001		NMEA 0183® - NMEA 2000® converter. 1.8 m (6 ft) Micro-C to bare wire cable	196.00	233.24
000-11043-002		GS25 Antenna with built-in rate compass. 10 Hz position update rate. Built-in rate compass is perfect for providing heading data for Radar Chart Overlay and for orienting charts in Head-Up Mode. Note: This heading sensor is not recommended for MARPA or Autopilot control! Please use the Precision 9 for this.	299.00	355.81
000-11042-002		GS25 Antenna BOAT BUILDER 6 Pacl with built-in rate compass. 10 Hz position update rate.	299.00	355.81
000-15940-001		NMEA 2000® Remote MOB Button. An emergency Man-Over-Board (MOB) button, which will trigger alerts across the NMEA2000® network.	179.00	213.01
000-11518-001		Fluid Level Sensor - Connects to a standard suitable tank level sensor and transmits the tank level on the the NMEA 2000 network.	117.00	139.23
000-11517-001		Fuel Flow Sensor - For gasoline engines. In-line sensor for 3/8" (9.5 mm) Inside Diameter fuel line. Comes with 10ft cable and T-connector.	256.00	304.64
000-11522-001		Fuel Data Manager - Monitors Fuel Rate/Fuel Flow from NMEA 2000 engines and fuel flow sensors, and accumulates Fuel Rate into Fuel Used. Outputs seasonal, trip and total fuel used.	127.00	151.13
000-11520-001		Temperature Sensor - Can be mounted anywhere you want to monitor the temperature. Can be configured to output a variety of different temperature types.	127.00	151.13
000-11519-001		Speed Though Water Sensor - Transom-mount paddle wheel sensor, ideal for slow trolling speeds where GPS is not as accurate. 3.1m (10ft) cable with Micro-C connector.	127.00	151.13
000-11523-001		Pressure Sensor - Configurable Pressure Sensor for various engine pressures. Max pressure 100PSI.	170.00	202.30

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11522-001		Fuel Data Manager - Monitors Fuel Rate/Fuel Flow from NMEA 2000 engines and fuel flow sensors, and accumulates Fuel Rate into Fuel Used. Outputs seasonal, trip and total fuel used.	127.00	151.13
000-12612-001		Low loss NMEA2000 4-way joiner. Connect four NMEA2000 Micro-C devices to the NMEA2000 Network.	77.11	91.76
000-0119-88		N2KEXT-2RD - 0.61 m (2-ft) NMEA 2000® Netzwerkkabel	34.27	40.78
000-0127-53		N2KEXT-6RD - 1.82 m (6-ft) NMEA 2000® Netzwerkkabel	53.55	63.72
000-0119-86		N2KEXT-15RD - 4.55 m (15-ft) NMEA 2000® Netzwerkkabel	59.98	71.37

Spare Parts

Netzwerk

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16564-001		POLE MOUNT KIT GS25/ZG100/POINT-1	36.72	43.70
000-0119-79		N2K-T-RD - NMEA 2000® T-connector zur Netzwerkerweiterung	23.56	28.04
000-0119-86		N2KEXT-15RD - 4.55 m (15-ft) NMEA 2000® Netzwerkkabel	59.98	71.37
000-11148-001		Pole Mount for GS25 / ZG100 / POINT-1	30.00	35.70

NMEA2000

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-10760-001		NMEA 2000 Micro-C Auto pilot network starter kit: Includes Network power cable, 4.5 m (15 ft) N2K cable, 3 x T-connectors, and 2 x network terminators.	96.39	114.70
000-0124-69		NMEA 2000® Starter Kit - NMEA 2000® Netzwerkzubehör: Stromkabel / N2K Kabel 4.5 m / 2 x Endwiderstände/ 2 x T-Verbinder	96.39	114.70
000-00020-002		ST10 USB-NMEA 2000 Micro-C gateway/programming Toolkit	217.00	258.23
000-0119-79		N2K-T-RD - NMEA 2000® T-connector zur Netzwerkerweiterung	23.56	28.04
000-12612-001		Low loss NMEA2000 4-way joiner. Connect four NMEA2000 Micro-C devices to the NMEA2000 Network.	77.11	91.76
000-0119-88		N2KEXT-2RD - 0.61 m (2-ft) NMEA 2000® Netzwerkkabel	34.27	40.78
000-16555-001		NMEA 2000® cable for backbone extension or drop cable to connect an additional network device. 0.61 m (2-ft). Right angle connector.	52.48	62.45
000-0127-53		N2KEXT-6RD - 1.82 m (6-ft) NMEA 2000® Netzwerkkabel	53.55	63.72
000-16556-001		NMEA 2000® cable for backbone extension or drop cable to connect an additional network device. 1.82 m (6-ft). Right angle connector.	69.62	82.84
000-0119-86		N2KEXT-15RD - 4.55 m (15-ft) NMEA 2000® Netzwerkkabel	59.98	71.37
000-0119-83		N2KEXT-25RD - 7.58 m (25-ft) NMEA 2000® Netzwerkkabel	84.61	100.68
000-14376-001		NMEA 2000 Micro-C Medium duty cable. 2 m (6.5 ft) Low loss 18 gauge cable recommended for network backbone runs	84.61	100.68
000-14377-001		NMEA 2000 Micro-C Medium duty cable. 6 m (19.7 ft) Low loss 18 gauge cable recommended for network backbone runs	106.00	126.14
000-14378-001		NMEA 2000 Micro-C Medium duty cable. 10 m (33 ft) Low loss 18 gauge cable recommended for network backbone runs	138.00	164.22
000-14379-001		NMEA 2000 Micro-C Medium duty cable. 20 m (65.6 ft) Low loss 18-gauge cable recommended for network backbone runs resulting in a more robust network. Cables are identified by orange locking collars.	170.00	202.30
000-15385-001		In-Line 120-Ohm NMEA2000 terminator, to use in one end of the network.	28.56	33.99
000-0127-52		TR-120-KIT - Set (2Stück) NMEA 2000® Abschlusswiderstände	23.56	28.04
000-0119-75		N2K-PWR-RD - NMEA 2000® Power Note (Kabel und T-Verbinder) zum erweitern von älteren Lowrance Geräten ans HDS	64.81	77.12

Netzwerk

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-12259-001		Network power isolator. Separates separately powered sections of the NMEA2000 network while letting data through.	42.84	50.98
000-10757-001		Kabel 20 m (66 ft) NMEA2000 Wind-Masteinheit (Micro-C male - Simnet)	103.00	122.57
000-10758-001		Kabel 35 m (66 ft) NMEA2000 Wind-Masteinheit (Micro-C male - Simnet)	142.00	168.98
000-0120-62		Evinrude Motor-Interfacekabel 4.5 m (15 ft) und T-connector	127.00	151.13
000-0120-37		Yamaha Motor-Interfacekabel 4.5 m (15 ft) und T-connector	127.00	151.13
000-10614-001		N2K, IS40 CABLE,MICRO-C,RIGHT ANGLE INTERCONNECT 0.4m (1.3 ft)	25.70	30.59

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13714-001		Networked wind sensor for Triton2, Triton, IS42, IS40 and IS20 systems. Sensor only, does not include cable.	461.00	548.59
000-10573-001	Missing Image	IS20 Windfahnen Masthalterung	70.60	84.02

Ethernet 10/100

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-10029-001		NEP-2 Network Expansion Port (Ethernetverteiler mit 5 Ports)	331.00	393.89
000-16144-001		Ethernet Cable -Yellow 5-Pin Male-Male - 0.6 m (2 ft)	26.76	31.85
000-0127-51		Ethernetkabel yellow 5 Pin 1.8 m (6 ft)	40.70	48.43
000-0127-29		Ethernetkabel yellow 5 Pin 4.5 m (15 ft)	59.98	71.37
000-0127-30		Ethernetkabel yellow 5 Pin 7.7 m (25 ft)	84.61	100.68
000-0127-37		Ethernetkabel yellow 5 Pin 15.2 m (50 ft)	117.00	139.23
000-14552-001		Ethernet adapter cable, RJ45 F to 5 Pin male, 1.5 m (4.9 ft). Ships with water proof boot.	44.98	53.53
000-11246-001		RJ45-Yellow Round Ethernet adapter cable RJ45 Male / 5 Pin Female 10 cm (6")	25.70	30.59
000-0127-56		Adapter cable: Ethernet yellow 5 pin male to RJ45 female, 2m (6.5ft)	44.98	53.53
000-10779-001		5 Pin Ethernet cable joiner (Female to Female). Lets you join together two lengths of 5-pin Ethernet Cables. 14 cm (5.5")	48.20	57.35

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16295-001		Transducer, Network cable pulling tools	26.76	31.85
000-0127-51		Ethernetkabel yellow 5 Pin 1.8 m (6 ft)	40.70	48.43
000-0127-29		Ethernetkabel yellow 5 Pin 4.5 m (15 ft)	59.98	71.37
000-0127-30		Ethernetkabel yellow 5 Pin 7.7 m (25 ft)	84.61	100.68
000-0127-37		Ethernetkabel yellow 5 Pin 15.2 m (50 ft)	117.00	139.23

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-00128-001		4-pin Power Cable for modules and MFDs.	41.62	49.52

Ethernet GbE

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16075-001		Ethernet Cable - Green M12 8-pin male-male 1.8 m (6 ft)	39.63	47.16
000-16076-001		Ethernet Cable - Green M12 8-pin male-male 5 m (16.5 ft)	61.05	72.65
000-16077-001		Ethernet Cable - Green M12 8-pin male-male 15 m (49.2 ft)	115.00	136.85
000-16558-001		Ethernet cable. M12 Straight to M12 right angle for NSO® 4, Zeus® SRX. 4.5 m (14.8 ft).Connector keyway for NSO 4, Zeus SRX.	196.00	233.24
000-16557-001		Ethernet Cable. M12 Straight to M12 Right angle for NSS® 4, Zeus® SR. 5.0 m (16.4 ft).Connector keyway for NSS 4, Zeus SR	196.00	233.24
000-16078-001		Ethernet Cable - Green M12 8-pin male - RJ45 male 1.8 m (6 ft)	35.34	42.06
000-16079-001		Ethernet Cable - Green M12 8-pin male - RJ45 male 5 m (16.5 ft)	56.76	67.55
000-16080-001		Ethernet Cable - Green M12 8-pin male - RJ45 male 15 m (49.2 ft)	109.00	129.71
000-16495-001		Ethernet cable. M12 TO RJ45 female 1.5 m (5 ft)	82.47	98.14
000-16008-001		NEP-3: Five port (M12) Gigabit Ethernet switch.	395.00	470.05
000-16448-001		Ethernet adapter cable Green M12 Male 8-pin - Yellow 5 pin female 0.25 m (0.8 ft).	73.90	87.94
000-16494-001		Ethernet adapter cable. M12 male to yellow 5 pin female.0.25 m (0.8 ft). 10 pack Boat builder pack. Price is for one cable.	70.38	83.75
000-16550-001		M12 to five pin yellow Ethernet cable 1.8 m (6 ft)	117.00	139.23
000-16551-001		M12 to five pin yellow Ethernet cable 5 m (16.4 ft)	138.00	164.22

Accessories

Netzwerk

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16075-001		Ethernet Cable - Green M12 8-pin male-male 1.8 m (6 ft)	39.63	47.16
000-16076-001		Ethernet Cable - Green M12 8-pin male-male 5 m (16.5 ft)	61.05	72.65
000-16077-001		Ethernet Cable - Green M12 8-pin male-male 15 m (49.2 ft)	115.00	136.85
000-16078-001		Ethernet Cable - Green M12 8-pin male - RJ45 male 1.8 m (6 ft)	35.34	42.06
000-16079-001		Ethernet Cable - Green M12 8-pin male - RJ45 male 5 m (16.5 ft)	56.76	67.55
000-16080-001		Ethernet Cable - Green M12 8-pin male - RJ45 male 15 m (49.2 ft)	109.00	129.71
000-16495-001		Ethernet cable. M12 TO RJ45 female 1.5 m (5 ft)	82.47	98.14
000-16448-001		Ethernet adapter cable Green M12 Male 8-pin - Yellow 5 pin female 0.25 m (0.8 ft).	73.90	87.94

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-00128-001		4-pin Power Cable for modules and MFDs.	41.62	49.52

SimNet Accy

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-0127-45		SimNet auf N2K Adapter-Kit - verbindet SimNet-Komponenten mit NMEA 2000® Netzwerk	127.00	151.13
000-00020-001		ST10 Simnet Programmier Toolkit	406.00	483.14
24006413		Micro-C female to SimNet 4 m (13 ft) cable that connects a NMEA 2000® product to a SimNet backbone	73.90	87.94
24006199		Micro-C female to SimNet 1.0 m (3.2 ft) cable that connects a NMEA 2000® product to a SimNet backbone	37.49	44.61
24005729		SimNet to Micro-C (male) cable that connects a SimNet product to a NMEA 2000® backbone. 0.5 m (1.6 ft)	40.70	48.43

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
24005729		SimNet to Micro-C (male) cable that connects a SimNet product to a NMEA 2000® backbone. 0.5 m (1.6 ft)	40.70	48.43

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
24005729		SimNet to Micro-C (male) cable that connects a SimNet product to a NMEA 2000® backbone. 0.5 m (1.6 ft)	40.70	48.43
44172260		SimNet joiner yellow without terminator	22.49	26.76

Cameras

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15876-002		The IP CAM-1 marine grade 316 stainless steel IP camera. Powered by 12V DC or PoE. Best suited for NOS Operating Systems. CONTROLLED SALES. STOCK ON ALLOCATION.	599.00	712.81
000-15876-001		The IP CAM-1 marine grade 316 stainless steel IP camera. Powered by 12V DC or PoE.	599.00	712.81

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14552-001		Ethernet adapter cable, RJ45 F to 5 Pin male, 1.5 m (4.9 ft). Ships with water proof boot.	44.98	53.53

DISCOVER™

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
M-EN-Y200-MS		C-MAP DISCOVER: M-EN-Y200-MS Bodø - Kirkenes	129.00	153.51
M-EN-Y201-MS		DISCOVER: M-EN-Y201-MS Kristiansund - Finnsnes	129.00	153.51
M-EN-Y202-MS		DISCOVER: M-EN-Y202-MS Bergen to Brandsfjorden	129.00	153.51
M-EN-Y203-MS		DISCOVER: M-EN-Y203-MS Farsund to Måløy	129.00	153.51
M-EN-Y204-MS		DISCOVER: M-EN-Y204-MS Fiskebäckskil to Lyndgal	129.00	153.51
M-EN-Y205-MS		DISCOVER: M-EN-Y205-MS Karlskrona to Emden	129.00	153.51
M-EN-Y206-MS		DISCOVER: M-EN-Y206-MS Torekov to Larvik	129.00	153.51
M-EN-Y207-MS		DISCOVER: M-EN-Y207-MS Malmö to Valdermarsvik	129.00	153.51
M-EN-Y208-MS		DISCOVER: M-EN-Y208-MS Västervik to Valdermarsvik	129.00	153.51
M-EN-Y209-MS		DISCOVER: M-EN-Y209-MS Gulf of Bothnia	129.00	153.51
M-EN-Y210-MS		DISCOVER: M-EN-Y210-MS Scandinavia Inland Waters	129.00	153.51
M-EN-Y211-MS		DISCOVER: M-EN-Y211-MS Finland Lakes	129.00	153.51
M-EN-Y212-MS		DISCOVER: M-EN-Y212-MS Gulf of Finland & Åland Islands Archipelago	129.00	153.51
M-EN-Y213-MS		DISCOVER: M-EN-Y213-MS Latvia, Lithuania & Russia	129.00	153.51
M-AF-Y214-MS		DISCOVER: M-AF-Y214-MS Cape Verde & Guinea Bissau	129.00	153.51
M-EN-Y214-MS		DISCOVER: M-EN-Y214-MS Polish Coast & Inland	129.00	153.51
M-EN-Y215-MS		DISCOVER: M-EN-Y215-MS Germany & Netherland Inland	129.00	153.51

Charts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
M-EN-Y216-MS		DISCOVER: M-EN-Y216-MS Benelux Inland & Coastal	129.00	153.51
M-EN-Y217-MS		DISCOVER: M-EN-Y217-MS Central Europe Inland	129.00	153.51
M-EN-Y218-MS		DISCOVER: M-EN-Y218-MS Iceland, Faroe, Shetland & Orkney Islands	129.00	153.51
M-EN-Y630-MS		DISCOVER: M-EN-Y630-MS Pechenga to Lumbovskiy Gulf	129.00	153.51
M-EN-Y050-MS		DISCOVER: M-EN-Y050-MS Northern & Central Europe	199.00	236.81
M-EN-Y055-MS		DISCOVER: M-EN-Y055-MS Baltic Sea	199.00	236.81
M-EN-Y040-MS		DISCOVER: M-EN-Y040-MS Greenland	199.00	236.81
M-EM-Y200-MS		DISCOVER: M-EM-Y200-MS West Mediterranean	129.00	153.51
M-EM-Y201-MS	Missing Image	DISCOVER: M-EM-Y201-MS Central Mediterranean	129.00	153.51
M-EM-Y202-MS		DISCOVER: M-EM-Y202-MS Mediterranean South Central	129.00	153.51
M-EM-Y203-MS		DISCOVER: M-EM-Y203-MS Adriatic & Ionian Seas	129.00	153.51
M-EM-Y204-MS		DISCOVER: M-EM-Y204-MS Aegean Sea & Sea of Marmara	129.00	153.51
M-EM-Y205-MS		DISCOVER: M-EM-Y205-MS Black Sea & Sea of Azov	129.00	153.51
M-EM-Y206-MS		DISCOVER: M-EM-Y206-MS Mediterranean South East	129.00	153.51
M-EM-Y040-MS		DISCOVER: M-EM-Y040-MS Italian Lakes & Po River	129.00	153.51
M-EW-Y200-MS		DISCOVER: M-EW-Y200-MS United Kingdom & Ireland	150.86	179.53
M-EW-Y206-MS		DISCOVER: M-EW-Y206-MS French Inland Waters	129.00	153.51
M-EW-Y207-MS		DISCOVER: M-EW-Y207-MS Bay of Biscay	129.00	153.51

Charts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
M-EW-Y208-MS		DISCOVER: M-EW-Y208-MS Portugal & Galicia	129.00	153.51
M-EW-Y209-MS		DISCOVER: M-EW-Y209-MS Canary Island to Gibraltar	129.00	153.51
M-EM-Y045-MS		DISCOVER: M-EM-Y045-MS Southern Europe	199.00	236.81
M-AF-Y050-MS		DISCOVER: M-AF-Y050-MS Africa & Arabian Sea	199.00	236.81
M-AF-Y200-MS		DISCOVER: M-AF-Y200-MS Cameroon to South Africa	129.00	153.51
M-AF-Y201-MS		DISCOVER: M-AF-Y201-MS South Africa to Mozambique	129.00	153.51
M-AF-Y220-MS		DISCOVER: M-AF-Y220-MS Pemba to Mogadishu	129.00	153.51
M-ME-Y200-MS		DISCOVER: M-ME-Y200-MS Red Sea	129.00	153.51
M-ME-Y201-MS		DISCOVER: M-ME-Y201-MS Persian Gulf to Oman	129.00	153.51
M-RS-Y009-MS		DISCOVER: M-RS-Y009-MS Kyongsong Man to Plastun	129.00	153.51
M-EW-Y060-MS		DISCOVER: M-EW-Y060-MS Central & West Europe	199.00	236.81
M-RS-Y221-MS		DISCOVER: M-RS-Y221-MS White Sea	129.00	153.51
M-RS-Y240-MS		DISCOVER: M-RS-Y240-MS Tauyskaya Bay	83.00	98.77
M-AF-Y003-MS		DISCOVER: M-AF-Y003-MS Antarctica	199.00	236.81

REVEAL™ COASTAL

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
M-AF-Y209-MS		REVEAL: M-AF-Y209-MS South & East Africa	199.00	236.81
M-AF-Y210-MS		REVEAL: M-AF-Y210-MS West Africa	199.00	236.81
M-EM-Y076-MS		REVEAL: M-EM-Y076-MS South-West European Coasts	199.00	236.81
M-EM-Y111-MS		REVEAL: M-EM-Y111-MS East Mediterranean, Caspian Seas	199.00	236.81
M-EN-Y070-MS		REVEAL: M-EN-Y070-MS Central Europe Inland	199.00	236.81
M-EN-Y299-MS		C-MAP REVEAL - M-EN-Y299-MS - Baltic Sea	199.00	236.81
M-EN-Y300-MS		C-MAP REVEAL - M-EN-Y300-MS - North Sea & Denmark	199.00	236.81
M-EN-Y326-MS		C-MAP REVEAL - M-EN-Y326-MS - Finland Lakes	199.00	236.81
M-EN-Y580-MS		C-MAP REVEAL - M-EN-Y580-MS - Scandinavia Inland	199.00	236.81
M-EW-Y065-MS		REVEAL: M-EW-Y065-MS France Coastal & Inland	199.00	236.81
M-EW-Y226-MS		REVEAL: M-EW-Y226-MS United Kingdom	199.00	236.81
M-EW-Y227-MS		REVEAL: M-EW-Y227-MS North-West European Coasts	199.00	236.81
M-EW-Y228-MS		REVEAL: M-EW-Y228-MS West European Coasts	199.00	236.81
M-ME-Y204-MS		REVEAL: M-ME-Y204-MS Red Sea to The Gulf & Seychelles Islands	199.00	236.81
M-RS-Y013-MS		REVEAL: M-RS-Y013-MS Kamchatka Peninsula & Kuril Islands	199.00	236.81
M-RS-Y202-MS		REVEAL: M-RS-Y202-MS Russian Federation – North West	199.00	236.81
M-RS-Y203-MS		REVEAL: M-RS-Y203-MS Russian Federation – North Central	199.00	236.81

Charts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
M-RS-Y204-MS		REVEAL: M-RS-Y204-MS Russian Federation – North East	199.00	236.81
M-RS-Y207-MS		REVEAL: M-RS-Y207-MS Hokkaido and Sakhalin Islands	199.00	236.81

DISCOVER™X

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
M-AF-T-050-D-MS		AF-T-050-D-MS - DISCOVER X Africa, Arabic Sea	199.18	237.02
M-AF-T-209-D-MS		AF-T-209-D-MS - DISCOVER X South and East Africa	130.33	155.09
M-AF-T-210-D-MS		AF-T-210-D-MS - DISCOVER X West Africa	130.33	155.09
M-EM-T-045-D-MS		EM-T-045-D-MS - DISCOVER X Southern Europe	199.18	237.02
M-EM-T-076-D-MS		EM-T-076-D-MS - DISCOVER X West Mediterranean	130.33	155.09
M-EM-T-111-D-MS		EM-T-111-D-MS - DISCOVER X East Mediterranean	130.33	155.09
M-EM-T-112-D-MS		EM-T-112-D-MS - DISCOVER X Black and Caspian Seas	130.33	155.09
M-EN-T-050-D-MS		EN-T-050-D-MS - DISCOVER X Nothern, Central Europe	199.18	237.02
M-EN-T-055-D-MS		EN-T-055-D-MS - DISCOVER X Sweden, Finland Baltic Sea	199.18	237.02
M-EN-T-200-D-MS		EN-T-200-D-MS - DISCOVER X Skagerak, Kattegatt and Baltic Sea	130.33	155.09
M-EN-T-218-D-MS		EN-T-218-D-MS - DISCOVER X Greenland and Iceland	130.33	155.09
M-EN-T-040-D-MS		EN-T-040-D-MS - DISCOVER X Greenland	199.18	237.02
M-EN-T-300-D-MS		EN-T-300-D-MS - DISCOVER X North Sea	130.33	155.09

Charts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
M-EN-T-326-D-MS		EN-T-326-D-MS - DISCOVER X Finland Inland and Baltic Sea	130.33	155.09
M-EN-T-580-D-MS		EN-T-580-D-MS - DISCOVER X Scandinavia Inland	130.33	155.09
M-EW-T-060-D-MS		EW-T-060-D-MS - DISCOVER X Central-West Europe	199.18	237.02
M-EW-T-226-D-MS		EW-T-226-D-MS - DISCOVER X United Kingdom	130.33	155.09
M-EW-T-227-D-MS		EW-T-227-D-MS - DISCOVER X North-West Europe	130.33	155.09
M-EW-T-228-D-MS		EW-T-228-D-MS - DISCOVER X West European Coasts	130.33	155.09
M-RS-T-013-D-MS		RS-T-013-D-MS - DISCOVER X Kamchatka Peninsula and Kuril Islands	130.33	155.09
M-RS-T-202-D-MS		RS-T-202-D-MS - DISCOVER X Russian Federation North West	130.33	155.09
M-RS-T-204-D-MS		RS-T-204-D-MS - DISCOVER X Russian Federation North East	130.33	155.09
M-RS-T-210-D-MS		RS-T-210-D-MS - DISCOVER X West Russia Inland	130.33	155.09
M-RS-T-211-D-MS		RS-T-211-D-MS - DISCOVER X East Russia Inland	130.33	155.09

REVEAL™X COASTAL

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
M-AF-T-209-R-MS		AF-T-209-R-MS - REVEAL X South and East Africa	204.10	242.88
M-AF-T-210-R-MS		AF-T-210-R-MS - REVEAL X West Africa	204.10	242.88
M-EM-T-076-R-MS		EM-T-076-R-MS - REVEAL X West Mediterranean	204.10	242.88
M-EM-T-111-R-MS		EM-T-111-R-MS - REVEAL X East Mediterranean	204.10	242.88
M-EM-T-112-R-MS		EM-T-112-R-MS - REVEAL X Black and Caspian Seas	204.10	242.88
M-EN-T-200-R-MS		EN-T-200-R-MS - REVEAL X Skagerak, Kattegatt and Baltic Sea	204.10	242.88
M-EN-T-218-R-MS		EN-T-218-R-MS - REVEAL X Greenland and Iceland	204.10	242.88
M-EN-T-300-R-MS		EN-T-300-R-MS - REVEAL X North Sea	204.10	242.88
M-EN-T-326-R-MS		EN-T-326-R-MS - REVEAL X Finland Inland and Baltic Sea	204.10	242.88
M-EN-T-580-R-MS		EN-T-580-R-MS - REVEAL X Scandinavia Inland	204.10	242.88
M-EW-T-226-R-MS		EW-T-226-R-MS - REVEAL X United Kingdom	204.10	242.88
M-EW-T-227-R-MS		EW-T-227-R-MS - REVEAL X North-West Europe	204.10	242.88
M-EW-T-228-R-MS		EW-T-228-R-MS - REVEAL X West European Coasts	204.10	242.88

Charts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
M-ME-T-204-R-MS		ME-T-204-R-MS - REVEAL X Red Sea, The Gulf and Seychelles Is.	204.10	242.88
M-RS-T-013-R-MS		RS-T-013-R-MS - REVEAL X Kamchatka Peninsula and Kuril Islands	204.10	242.88

Naviop Kits

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15665-001		DDS-1 Dynamic Digital Switching - Simple (BoatBuilder Only)	1284.00	1527.96
000-14666-001		Naviop LOOP S Digital Switching System Kit - Simple, yet powerful control and monitoring features through an integrated sidebar on an MFD showing dedicated functions. 8 fused relay controlled channels + 8 fused channels.	1167.00	1388.73
000-14665-001		Naviop LOOP S+ Digital Switching System Kit - Simple, yet powerful control and monitoring features through an integrated sidebar on an MFD showing dedicated functions. 16 fused relay controlled channels + 16 fused channels.	2017.00	2400.23
000-14664-001		Naviop LOOP M+ Digital Switching System Kit - A customized monitoring and control system sporting dedicated pages with a clear view of power board status, down to the single fuse or relay. 8 fused relay controlled channels + 8 fused channels.	1807.00	2150.33
000-14663-001		Naviop LOOP M+ Digital Switching System Kit - A customized monitoring and control system sporting dedicated pages with a clear view of power board status, down to the single fuse or relay. 16 fused relay controlled channels + 16 fused channels.	2866.00	3410.54

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15212-001		Naviop OP-BOX - LOOP M / M+ - Processing and protocols Unit with PLC programming capability.	1029.00	1224.51
BERMINI-USAA-1M		Naviop OP-BOX USB Cable	68.92	82.02
000-15667-001		DDS Module - 4x 12-Pin Cables. For Initial prototyping or low-volume custom boatbuilders.	320.00	380.80
31M-336-0		Naviop EGON+ Power 12V DC - 8 channels Fuse+Relay	932.00	1109.08
31M-316-0		Naviop EGON+ 12V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only	932.00	1109.08
000-14844-001		Naviop EGON+ 12VDC Replacement Relay	26.45	31.47
31M-335-0		Naviop EGON+ 24V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only	932.00	1109.08
31M-337-0		Naviop EGON+ Power - 24V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only	932.00	1109.08
000-14901-001		Naviop EGON Plug Set- Includes 1x Blue connector, 1x Green connector, 1x Grey connector, 1x Black Connector, 24x EGON Power Contacts, 24x Cable Seals.	52.48	62.45

Power Systems

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
C-EGON-01		Naviop EGON Power and CAN Cable - CAN ID 2	83.54	99.41
C-EGON-02		Naviop EGON Power and CAN Cable - CAN ID 2	83.54	99.41
C-EGON-03		Naviop EGON Power and CAN Cable - CAN ID 3	83.54	99.41
C-EGON-04		Naviop EGON Power and CAN Cable - CAN ID 4	83.54	99.41
C-28576	Missing Image	Naviop CAN Drop Cable NA30	63.19	75.19
C-28574		Naviop CAN Drop Cable for NOVA+ - 1.2m	59.98	71.37
C-34686		Axial DB9 Male Cable for RS323/485 - 2m	32.67	38.88
C-DAU-CABLE		Naviop Wiring Harness for DAU Units - 2m	112.00	133.28
DAU-B-128		Naviop DAU Bridge - CAN ID 128	1125.00	1338.75
DAU-E-136		Naviop DAU Easy - CAN ID 136	1125.00	1338.75
DAU-E-137		Naviop DAU Easy - CAN ID 137	1125.00	1338.75
NA05-0003		Naviop SE NOVA+ Light Board - NOVA+ is a solid state lighting control board designed specifically for use in marine environments, and enables dimmable lighting control of up to 8 separate circuits, each of them being protected by a pull-out fuse. Naviop-CAN connection to the monitoring and control system is available. Only for Naviop LOOP-P Systems.	996.00	1185.24
NA05-0003-H		Naviop SE NOVA+ Light Board w/ Harness - NOVA+ is a solid state lighting control board designed specifically for use in marine environments, and enables dimmable lighting control of up to 8 separate circuits, each of them being protected by a pull-out fuse. Naviop-CAN connection to the monitoring and control system is available. Only for Naviop LOOP-P Systems.	1017.00	1210.23

Naviop Parts

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15756-001		Naviop OP-BOX Programmable 1GHz	1366.00	1625.54
000-15212-001		Naviop OP-BOX - LOOP M / M+ - Processing and protocols Unit with PLC programming capability.	1029.00	1224.51
BERMINI-USAA-1M		Naviop OP-BOX USB Cable	68.92	82.02
000-15667-001		DDS Module - 4x 12-Pin Cables. For Initial prototyping or low-volume custom boatbuilders.	320.00	380.80
000-14991-001		Naviop AT30 Protocol Converter - N2K To Naviop CAN Gateway for bridging the vessels NMEA2000 network to the Naviop Digital Switching system.	299.00	355.81
31M-336-0		Naviop EGON+ Power 12V DC - 8 channels Fuse+Relay	932.00	1109.08
31M-316-0		Naviop EGON+ 12V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only	932.00	1109.08
000-14844-001		Naviop EGON+ 12VDC Replacement Relay	26.45	31.47
31M-335-0		Naviop EGON+ 24V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only	932.00	1109.08
31M-337-0		Naviop EGON+ Power - 24V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only	932.00	1109.08
000-14901-001		Naviop EGON Plug Set- Includes 1x Blue connector, 1x Green connector, 1x Grey connector, 1x Black Connector, 24x EGON Power Contacts, 24x Cable Seals.	52.48	62.45
C-EGON-01		Naviop EGON Power and CAN Cable - CAN ID 2	83.54	99.41
C-EGON-02		Naviop EGON Power and CAN Cable - CAN ID 2	83.54	99.41
C-EGON-03		Naviop EGON Power and CAN Cable - CAN ID 3	83.54	99.41
C-EGON-04		Naviop EGON Power and CAN Cable - CAN ID 4	83.54	99.41
000-13959-001		NAIS500/400 & Naviop OP-BOX Power & Serial Cable	63.19	75.19

Power Systems

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
C-28576	Missing Image	Naviop CAN Drop Cable NA30	63.19	75.19
C-28574		Naviop CAN Drop Cable for NOVA+ - 1.2m	59.98	71.37
C-34686		Axial DB9 Male Cable for RS323/485 - 2m	32.67	38.88
C-DAU-CABLE		Naviop Wiring Harness for DAU Units - 2m	112.00	133.28
DAU-B-128		Naviop DAU Bridge - CAN ID 128	1125.00	1338.75
DAU-E-136		Naviop DAU Easy - CAN ID 136	1125.00	1338.75
DAU-E-137		Naviop DAU Easy - CAN ID 137	1125.00	1338.75
NA05-0003		Naviop SE NOVA+ Light Board - NOVA+ is a solid state lighting control board designed specifically for use in marine environments, and enables dimmable lighting control of up to 8 separate circuits, each of them being protected by a pull-out fuse. Naviop-CAN connection to the monitoring and control system is available. Only for Naviop LOOP-P Systems.	996.00	1185.24
NA05-0003-H		Naviop SE NOVA+ Light Board w/ Harness - NOVA+ is a solid state lighting control board designed specifically for use in marine environments, and enables dimmable lighting control of up to 8 separate circuits, each of them being protected by a pull-out fuse. Naviop-CAN connection to the monitoring and control system is available. Only for Naviop LOOP-P Systems.	1017.00	1210.23

Navigation

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16554-001	Missing Image	Power cable. Right angle 4 pin connector for NSS® 4, Zeus® SR	106.00	126.14
000-16664-001	Missing Image	USB TOUCH CABLE,SUITS NSO4 & ZEUS SRX	101.99	121.37
000-16663-001	Missing Image	USB Y CABLE,AUDIO + USBA	50.99	60.68
000-16665-001	Missing Image	REAR MOUNT KIT,DASHES UP TO 38MM - 8PC	35.69	42.47
000-16332-001		Power cable. Right angle 10 pin connector for NSO® 4, Zeus® SRX. 3 m (9.8 ft). Four core cable.	99.00	117.81
000-16328-001		USB audio adaptor, for NSO®4 & Zeus® SRX. Contains 1 x USB male to USB female 0.5 m (1.6 ft) AND USB Male to 3.5 mm audio jack 13.5 cm (5.3").	93.61	111.39
000-16329-001		USB to USB-A Female adapter cable	25.49	30.33
000-16461-001		USB Video out (female) Video cable for NSS 4, Zeus SR	157.00	186.83
000-16340-001		Magnetic suncover NSO® 4-16 MFD	179.00	213.01
000-16341-001		Magnetic suncover NSO® 4-22 MFD	205.00	243.95
000-16342-001		Magnetic suncover NSO® 4-24 MFD	232.00	276.08
000-16626-001		REPLACEMENT SD DOOR,NSS4 & ZEUS SR	11.43	13.61
000-16628-001		REAR MOUNT NUT - 10 PK,NSS4 & ZEUS SR	14.56	17.32
000-16627-001		Replacement rubber boot for rear mount of the Simrad® NSO® 4 and B&G Zeus® SRX. Sold in packs of ten.	10.19	12.13
000-16333-001		Rear mount kit. NSO® 4, Zeus® SRX - x 2	49.00	58.31
000-16514-001	Missing Image	CAP-2 MFD CONNECTOR CAP SET. CAP-1 Pack + USB A + USB C + HDM	33.28	39.61
000-16515-001	Missing Image	SD CARD DOOR REPLACEMENT NSS-4 / ZEUS SR	16.31	19.41
000-16460-001		10 Inch Gimbal Bracket - NSS 4,ZEUS SR	51.00	60.69
000-16459-001		12 Inch Gimbal Bracket - NSS 4,ZEUS SR	67.32	80.11
000-16458-001		16 Inch Gimbal Bracket - NSS 4,ZEUS SR	70.38	83.75

Service Parts


Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16457-001		10 Inch Rear Mount Kit - NSS 4,ZEUS SR	51.00	60.69
000-16456-001		12 Inch Rear Mount Kit - NSS 4,ZEUS SR	67.32	80.11
000-16455-001		16 Inch Rear Mount Kit - NSS 4,ZEUS SR	70.38	83.75
000-16451-001		NSS 4-10 Suncover	46.82	55.71
000-16450-001		NSS 4-12 Suncover	62.42	74.28
000-16449-001		NSS 4-16 Suncover	55.86	66.47
000-16218-001		NSX 3012UW Suncover	62.42	74.28
000-16217-001		NSX / ZeusS UW Gimbal Bracket	57.22	68.09
000-16219-001		NSX/ZeusS 3012UW Rear mount kit. Includes 2x powder-coated brackets, 2x threaded studs, 8x thumb nuts, and a foam gasket.	72.83	86.67
000-16220-001		NSX, ZeusS 3015UW Gimbal Bracket.	67.63	80.47
000-16221-001		NSX 3015UW Suncover	83.23	99.05
000-16222-001		Simrad NSX 3015UW , B&G ZeusS UW Rear mount kit. Includes 2x powder-coated brackets, 2x threaded studs, 8x thumb nuts, and a foam gasket.	72.83	86.67
000-00128-001		4-pin Power Cable for modules and MFDs.	41.62	49.52
000-13171-001		GO5 & Vulcan-5 Power & N2K Cable	82.19	97.81
000-14172-001		Power Cable for Hook2, Hook Reveal & Cruise	22.88	27.23
000-15067-001		Cruise-5 Sun Cover	22.00	26.18
000-15068-001		Cruise-7Sun Cover	28.00	33.32

Service Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15069-001		Cruise-9 Sun Cover	33.00	39.27
000-13168-001		Suncover for Simrad GO5, I3005 and P2005.	26.01	30.95
000-14227-001		Suncover for GO7 XSR, P3007 and I3007.	36.41	43.33
000-13698-001		Suncover for Simrad GO9 XSE	41.62	49.52
000-14147-001		GO12 Suncover	62.42	74.28
000-15816-001		NSX 3007 Suncover	36.41	43.33
000-15817-001		NSX 3009 Suncover	41.62	49.52
000-15818-001		NSX 3012 Suncover	62.42	74.28
000-11590-001		NSS7 evo2 Sun Cover	23.00	27.37
000-13740-001		NSS7 evo3 Sun Cover	32.25	38.38
000-13741-001		NSS9 evo3/evo3S Sun Cover	31.21	37.14
000-13743-001		NSS16 evo3/evo3S Sun Cover	46.82	55.71
000-13742-001		NSS12 evo3/evo3S Sun Cover	42.66	50.76
000-15632-001		Magnetic Suncover for SIMRAD MO16 Monitor and NSO evo3S MFD	134.00	159.46
000-15633-001		Magnetic Suncover for 19" SIMRAD Monitor and NSOevo3S MFD	155.00	184.45
000-15634-001		Magnetic Suncover for 24" SIMRAD Monitor and NSOevo3S MFD	198.00	235.62
000-12743-001		OP50 / ZC2 Suncover	14.57	17.33
000-10467-001		NSS Kartenschachtklappe	15.30	18.21
000-14169-001		HOOK2 4"/5" Cruise 5" Bracket Swivel Adapter	13.38	15.92

Service Parts



SIMRAD

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14170-001		Lowrance Hook2-4"/5", HOOK Reveal 5", Eagle-5", SIMRAD Cruise-5" quick release bracket.	22.88	27.23
000-10027-001		Quick Release Bracket - GO5 / Vulcan5 / P2005 / I3005 / Mark / Elite	36.41	43.33
000-12372-001		Mounting bracket for Simrad NSX 3007, GO7 XSR, I3007, P3007, and B&G Vulcan 7R,	55.14	65.62
000-14148-001		U-BRACKET 12" GO, VULCAN, NSX, ZEUS S	80.58	95.89
000-10465-001		NSS8 Halterung (Bügel)	34.33	40.86
000-10466-001		NSS12 Halterung (Bügel)	37.00	44.03
000-13702-001		Gimbal mounting bracket for Simrad NSX 3009, GO9, NSS7 evo3,, and B&G Vulcan9, Zeus3 7 (Plastic)	56.18	66.86
000-10464-001		NSS7 Halterung (Bügel)	52.02	61.90
000-13758-001		NSSevo3/3S & ZEUS³/³S 9" Mounting Bracket (Plastic)	37.45	44.57
000-13759-001		NSSevo3/3S & ZEUS³/³S 12" Mounting Bracket	103.00	122.57
000-13760-001		NSS16evo3/3S & ZEUS³/³S 16" Mounting Bracket (Metal)	103.00	122.57
000-14488-001	Missing Image	Spacer required if using the Heavy Duty Gimbal bracket kit (000-13547-001) to mount an NSO16 evo3 or ZEUS3-16 display.(not required for 19 and 24 " displays)	51.49	61.27
000-13547-001		Extra heavy duty Gimbal bracket for desk-mounting the M5000 IMO Monitors, Simrad MO-Series Touch Monitors, B&G ZM-Series Monitors as well as NSO evo3S MFD and Zeus3S Glass Helm Displays.	591.00	703.29
000-13170-001		Edge Bezel for P2005, I3005, GO5 & Vulcan-5	11.44	13.62
000-13700-001		Replacement bezel for Simrad GO9 or B&G Vulcan9.	18.73	22.29
000-14230-001		Edge Bezel for GO7 XSR, Vulcan 7R, I3007 & P3007	17.69	21.05
000-14247-001		GO12 & Vulcan 12 Edge Bezel	22.44	26.70
000-13749-001		NSSevo3 & ZEUS³ 7" Edge Bezels	18.73	22.29


Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13750-001		NSSevo3/3S & ZEUS³/³S 9" Edge Bezels	21.85	26.00
000-13751-001		NSSevo3/3S & ZEUS³/³S 12" Edge Bezels	26.01	30.95
000-13752-001		NSSevo3/3S & ZEUS³/³S 16" Edge Bezels	30.17	35.90
000-11620-001		16" Edge Bezels for Monitors and MFDs. Check compatability in description.	61.38	73.05
000-11621-001		19" Edge Bezels for Monitors and MFDs. Check compatability in description.	50.98	60.67
000-11622-001		24" Edge Bezels for Monitors and MFDs. Check compatability in description.	61.38	73.05
000-11587-001		NSS evo2 & ZEUS² Chart Card Door, Replacement	16.65	19.81
000-13748-001		NSSevo3 & ZEUS³ Chart Card Door	14.57	17.33
000-15070-001		Cruise-5, Dash mount kit, includes template and gasket, and screws.	23.00	27.37
000-15071-001		Cruise-7,Dash mount kit, includes template and gasket, and screws.	23.00	27.37
000-15072-001		Cruise-9, Dash mount kit, includes template and gasket, and screws.	29.00	34.51
000-13169-001		Dash Mount kit for P2005, I3005, GO5 & Vulcan-5	14.57	17.33
000-14229-001		Dash Mount Kit for GO7 XSR, Vulcan 7R, I3007 & P3007	22.89	27.24
000-14246-001		GO12/V12 DASH MOUNT KIT	33.66	40.06
000-12366-001		FLUSH MOUNT KIT,GO7 & VULCAN 7 Note: If flush mounting the Go7 or Vulcan 7 you may need the specific sun cover for the flush mount installation method. For GO7 please order 000-12368-001 or for Vulcan order 000-12370-001).	30.59	36.40
000-13699-001		GO9 XSE & Vulcan 9 Dash Mount Kit	22.89	27.24
000-15823-001		NSX 3007 Dash mount kit. Contains gasket and four screws and cutout template	26.00	30.94
000-15824-001		NSX 3009 Dash mount kit. Contains gasket and four screws and cutout template	26.00	30.94

Service Parts

SIMRAD

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15825-001		NSX 3012 Dash mount kit. Contains gasket and four screws and cutout template	50.98	60.67
000-12207-001		16" NSS EVO2 & ZEUS2 Dash mount kit. Contains mounting template, front mount dash screws, drill guide and dash gasket.	37.07	44.11
000-13753-001		NSSevo3 & ZEUS³ 7" Dash Mount Kit	28.09	33.43
000-13754-001		NSSevo3/3S & ZEUS³/³S 9" Dash Mount Kit	23.93	28.48
000-13755-001		NSSevo3/3S & ZEUS³/³S 12" Dash Mount Kit	46.82	55.71
000-13756-001		NSSevo3/3S & ZEUS³/³S 16" Dash Mount Kit	67.63	80.47
000-12744-001		OP50 / ZC2 Dash Mounting Kit	26.01	30.95
000-14317-001		Replacement Rotary knob for Simrad NSS evo3 & Zeus³ MFDs	22.89	27.24
000-12746-001		OP50 / ZC2 Dial Knob with grub screw	41.19	49.02
000-11614-001		MO, NSO evo3 16/19/24 Cable retention bracket	27.53	32.76
000-11619-001	Missing Image	MO16/19/24 Dash Seal Kit	7.59	9.03
000-11623-001		MO16/19/24 Air Inlet Filters - 5pcs	12.36	14.71
000-11624-001		MO16/19/24 Air Inlet Cover	6.46	7.69
000-11604-001		NSS16 evo2 VESA Mount Kit	22.00	26.18
000-11625-001		MO16/19/24 Connector Kit - Power and Serial	19.77	23.52
000-11618-001		MO, NSO evo3 16/19/24,Rear mount bracket kit. Includes: dash seal for 16,19,24" and Bracket kit	65.55	78.00
000-14803-001	Missing Image	INFO DISPLAY,SEA RAY,SLX/O 310,SIM,D12	2597.00	3090.43
000-11615-001		MO16 VESA Mount Bracket Kit	77.38	92.09

Service Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-12745-001		OP50 / ZC2 Flush Mounting Bracket Kit	91.56	108.95
000-12742-001		HDMI Cable with vibration resistant and waterproof connector on one end to connect to Navico MFDs with HDMI port.	71.79	85.43
000-12741-001		HDMI Cable with vibration resistant and waterproof connector on one end to connect to Navico MFDs with HDMI port.	120.00	142.80
000-00129-001		Video/Data Cable - Provides 2x Analog Composite Video Inputs (RCA Female) and a NMEA 0183 Interface.	45.78	54.48
000-15822-001		Corner bezel clips for NSX range of displays. Set of four corner clips	26.00	30.94
000-15053-001		83/200 Transom mounted Bullet Transducer for Hook2 and Cruise.	82.47	98.14
000-11247-001		NSOevo2, NSOevo3S, Zeus2 and Zeus3S NMEA0183 and Touch Monitor Serial Cable. 2m (6.5 ft)	30.17	35.90
000-11248-001		HDMI monitor video cable 3 m (9.8 ft)	41.62	49.52
000-11249-001		HDMI monitor video cable 10 m (33 ft)	67.63	80.47

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11749-001		Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit , Standby-Auto button and Micro-C network components.	1766.00	2101.54
000-14473-001		Simrad RS40-B Marine VHF Radio - Stay safer on the water with this VHF Marine Radio. See and be seen by nearby AIS-equipped vessels thanks the integrated Class B AIS transceiver, and add up to two optional wireless handsets.	1070.00	1273.30
000-16143-001		HS75 GPS Compass - Ideal heading source for non-SOLAS professional vessels like Search and Rescue, Patrol, Fishing, Workboats and more. Provides solid 0.75° RMS heading accuracy in a compact unit. Supports GPS, GLONASS, Galileo, BeiDou, QZSS for increased accuracy across the world.	2676.00	3184.44
000-14470-001		RS40 Marine VHF Radio - Stay safe and connected with this VHF marine radio featuring removable fist mic, Class D DSC functionality, and built-in GPS. Keep track of nearby AIS-equipped vessels with an integrated AIS receiver, and add up to two optional wireless handsets.	738.00	878.22
000-15621-001		NAC-D AUTOPILOT COMPUTER. NAC™ -D is a digital steering autopilot solution for Electronic Vessel Control Systems (steering systems with a digital interface). It allows automatic switching between two speed profiles, delivering optimal steering performance at both low and high speeds.	1145.00	1362.55
000-14488-001	Missing Image	Spacer required if using the Heavy Duty Gimbal bracket kit (000-13547-001) to mount an NSO16 evo3 or ZEUS3-16 display.(not required for 19 and 24 " displays)	51.49	61.27

Service Parts


Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14491-001		Simrad RS20S Class D DSC VHF Radio - The versatile RS20S is ideal for a variety of boats from small RIBs to larger cruisers, and is designed to match the low-profile style of our glass bridge displays and accessories.	422.00	502.18

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-0099-06		HS-WS-SS Installations-Set für Heckmontagegeber	26.76	31.85
000-10467-001		NSS Kartenschachtklappe	15.30	18.21

Echolot

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16054-001		ActiveTarget® 2 Trolling Motor Shaft Mount	76.50	91.04
000-15960-001		The ActiveTarget® 2 Scout™ Wide Bracket	107.00	127.33
000-16069-001		Extension Cable for ActiveTarget, ActiveTarget 2, ActiveTarget 2 XL transducers	107.00	127.33
000-0127-54		Stromkabel BSM-1, LSS-2	49.94	59.43
000-12413-001		Suncover for S2009, and R2009	70.38	83.75
000-15470-001		B744VC ACTIVE INSERT - REPLACEMENT	331.00	393.89
000-16094-001		Stainless Steel Transom Mount Bracket for Active Imaging HD Transducers.	74.96	89.20
000-12411-001		S2009, S3009 & R2009 Bracket mount kit: Includes bracket, 2 x Knobs and Screws	100.98	120.17
000-12519-001		S2009, S3009 & R2009 Spare Edge Bezels	19.38	23.06
000-14963-001	Missing Image	Replacement Ice Mount for LiveSight Transducer	319.99	380.79
000-15773-001		ActiveTarget Transom Mount Kit (Not included in the ActiveTarget Kit)	53.54	63.71
000-12520-001		S2016 & R3016 Edge Bezels	18.36	21.85
000-12410-001		S2016 & R3016 Dash Mounting Kit	35.70	42.48
000-15770-001		ActiveTarget trolling motor shaft mounting kit	63.19	75.19
000-15771-001		ActiveTarget trolling motor mounting kit. Forward / down view	56.75	67.54
000-11675-001		ForwardScan™ Transducer Only. With 10m (33ft) Cable	589.00	700.91
000-11669-001		ForwardScan™ Sleeve and Plug Only (No Transducer)	288.00	342.72

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15772-001		Replacement - ActiveTarget Trolling Motor Scout Mount Kit	56.75	67.54
000-12231-001		ForwardScan™ Fairing Block Only	47.11	56.07
000-12230-001		ForwardScan™ Plug Only	36.41	43.33
000-12232-001		ForwardScan™ O-Ring (Color of supplied O-Ring may vary from shown)	20.35	24.22
000-13578-001		ForwardScan™ Long-Stem Housing Only	492.00	585.48
000-13579-001		ForwardScan™ Long-Stem Fairing Block Only	84.61	100.68
000-11224-001		FAIRING LSS HD BRONZE TRANDUCER SPARE	111.00	132.09
000-10567-001		P617V DST HSG VLV KIT	70.38	83.75
000-14260-001		TotalScan™ Through-Hull Transducer Fairing Block Only	117.00	139.23
000-13522-001		TotalScan and StructureScan 3D Plastic Replacement Bracket	69.60	82.83
000-14256-001		Replacement fairing block for combined StructureScan® 3D L/H and M/H Through-Hull Transducers.	117.00	139.23
000-13581-001		Fairing Block only for StructureScan 3D Through-Hull transducers.	117.00	139.23
000-14959-001	Missing Image	Replacement Mounts for LiveSight Transducer.	79.99	95.19
000-10392-001		Skimmer™ Halterung für Heckmontagegeber 50/200kHz	26.76	31.85
000-11462-001	Missing Image	STRUCTURESCAN HD STAINLESS PORT SRVC	905.27	1077.27
000-0099-06		HS-WS-SS Installations-Set für Heckmontagegeber	26.76	31.85
000-11040-001	Missing Image	Adapts LSS-1 transducers to HDS Gen2 Touch units and to LSS-HD modules.	108.90	129.59
000-10874-001		LSS-2 HD Skimmer Halterung für Heckmontagegeber	70.68	84.10
000-10262-001		Ersatzhalterung für DSI Heckmontagegeber	39.62	47.14

Service Parts


Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-12603-001		Replacement Metal Bracket for Active Imaging, TotalScan, StructureScan 3D and HD skimmer transducers.	70.68	84.10
000-12602-001		Flat Mount Bracket for Active Imaging, TotalScan and StructureScan 3D skimmer transducers.	70.68	84.10
000-14411-001	Missing Image	SPLITSHOT Inline temperature sensor: Hook2/Reveal	58.89	70.08

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-12232-001		ForwardScan™ O-Ring (Color of supplied O-Ring may vary from shown)	20.35	24.22

Autopilot







Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14464-001		NAC-1 & NAC-2 Power Cable - 2m	40.70	48.43
TPPK329		TP22/32 &WP32 MAIN PCB	193.00	229.67
000-16296-001		POLE MOUNT,HS65 GPS COMPASS	99.60	118.53
000-13703-001		Auto-Stby Button - Metal. For a physical Auto/Stby button in systems with NAC-1 and NAC-2 Autopilot Computers.	52.48	62.45
000-13724-001		SUNCOVER,AP44 DISPLAY	20.35	24.22
000-14073-001		Suncover for A2004/AP48 autopilot controllers	25.70	30.59
000-10596-001		AP80 Schutz- Abdeckung	59.16	70.40
000-10190-001		AC85 Autopilot Computer Cabinet only.	1050.00	1249.50
000-10587-001		SD80 PCB assembly. Solenoid und proportional Drive Interface für rudder und thruster	998.00	1187.62
000-10586-001		AD80 PCB assembly	998.00	1187.62
000-10588-001		SI80 PCB assembly. Signal Interface board mit 4 NMEA 0183 RX/TX ports und built-in 12V Netzwerk Power und Termination	998.00	1187.62
000-10595-001		AC70 PCB assembly; option für Voith Schneider propeller	1501.00	1786.19
22096986		AC70, AC12 and AC42 Terminal Cover	23.00	27.37
000-14463-001		NAC-2 Spare Drive Cable - 2m (6.5 ft)	40.70	48.43
000-14798-001		NAC-2 Rudder feedback cable: Used to connect resistive rudder feedback units to either NAC-1 or NAC-2. 3 Pin connector to 3 bare wires. 2 m (6.5 ft)	40.70	48.43
000-10641-001	Missing Image	HS70 programming Kabel	422.00	502.18

Service Parts

SIMRAD

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-10640-001	Missing Image	HS70 Power / NMEA0183 Kabel, 15m	347.00	412.93
000-10590-001		AP70 Optional Montage-Halterung	200.00	238.00
22096820		AP24/AP28/IS20 Optional Mounting Bracket	129.00	153.51
20193454	Missing Image	Light Duty Transmission Link for RF300, RF25N and RF40 rudder feedbacks.	73.90	87.94
TPPK8	Missing Image	TPXX MOTOR ASSY	193.00	229.67
SKT100	Missing Image	SKT100	127.00	151.13
000-10409-001	Missing Image	SPARES KIT FOR T1/T2 BLACK RAMS	366.68	436.35
000-12359-001		WR10 BT-1 Base Station Only	288.00	342.72
000-12358-001		WR10 Wireless Remote for Autopilot.	224.00	266.56
20997953		RPU80/100/150/160/200 Seal Kit. Works for all motor types and pump sizes.	104.00	123.76
21118617		RPU80 Motor Brushes - Framco	60.90	72.47
21118633		RPU160 Motor Brushes - Framco	69.00	82.11
21118666		RPU Motor Brushes - Lemac for RPU80/160	85.05	101.21
21118682		RPU Motor Brushes - Lemac (Long) for RPU300	135.45	161.19
000-13960-001		Brush replacements for RPU80, RPU160 and RPU300 pumps with Parvalux motors.	87.15	103.71
000-15858-001		PUMP-X Motor Brushes - Autopilot pump brush kit for PUMP-2,3,4 & 5. 2Pcs. Note: Not for Pump-1	69.62	82.84

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
CB1		Cantilever bracket 135-240 mm (5.31-9.44 in)	88.89	105.78
PB30		Pedestal bracket 30 mm (1.2 in)	67.47	80.29
PB60		Pedestal bracket 60 mm (2.4 in)	67.47	80.29
PB90		Pedestal bracket 90 mm (3.6 in)	67.47	80.29
PRE30		Pushrod extension 30 mm (1.2 in)	26.78	31.86
PRE60		Pushrod extension 60 mm (2.4 in)	41.77	49.71
PRE90		Pushrod extension 90 mm (3.6 in)	26.78	31.86
PRE120		Pushrod extension 120 mm (4.8 in)	36.41	43.33
PRE150		Pushrod extension 150 mm (6.0 in)	36.41	43.33
PRE300		Pushrod extension 300 mm (12.0 in)	127.00	151.13
TPPK7	Missing Image	TPXX MOUNT PIN & ROD END	37.49	44.61
TPPK21	Missing Image	TP10 MAIN PCB	175.00	208.25
TPPK22	Missing Image	TP32 DRIVE ASSY	463.00	550.97
TPPK29	Missing Image	TPXX TILLER PIN AND CUP	36.41	43.33
TPPK32	Missing Image	PUSH ROD END CAP (PACK OF 5)	34.27	40.78
TPPK321		TP32/22 PLUG, SOCKET & MOUTNING PIN	165.00	196.35

Service Parts

SIMRAD

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
TPPK325	Missing Image	TP32/22 PCB COVER & SEAL	33.20	39.51
TB30		TB 30 Pinnen Halterung 30 mm	42.84	50.98
TB60		TB 60 Pinnen Halterung 60 mm	42.84	50.98
TB90		TB 90 Pinnen Halterung 90 mm	42.84	50.98
TB120		TB 120 Pinnen Halterung 120 mm	42.84	50.98
44172096		DL2030 Draglink for DD15. Length: 200-300 mm. 7.9” – 11.8”	395.00	470.05
44172088		DL3040 Draglink for DD15. Length: 300-400 mm. 11.8” - 15.7”.	374.00	445.06
44172104		DL4050 Draglink for DD15. Length: 400-500 mm. 15.7” - 19.7”.	342.00	406.98
RAM-BRSH-T2	Missing Image	Ersatz Bürsten für T3 und T4 Antriebe (Für T4 2 Satz erfürderlich)	155.00	184.45
RAM-SPRS-T1	Missing Image	Ersatzteilsatz für RAM-T1-12V, RAM-T2-12V, RAM-T2-24V	381.00	453.39
RAM-SPRS-T3	Missing Image	Ersatzteilsatz für RAM-T3-24V	548.00	652.12
000-14075-001	Missing Image	A2004 / AP48 Dash mounting kit: Includes dash seal, 4x 1/2" Phillips pan head screws, 2x Bezels, screw mount jig tool.	52.48	62.45
000-14074-001		A2004/AP48 Mounting Bracket Kit	41.77	49.71
000-10589-001		NF80/FU80/QS80 bulkhead Montage- Kit	164.00	195.16
22014286		RF25 Rudder Rückmelder Einheit: mit transmission link und 5.5 m (18 ft) SimNet Kabel.	338.00	402.22
20193678	Missing Image	RF300 Transmission Lever Assembly	73.90	87.94

Accessories

Service Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16143-001		HS75 GPS Compass - Ideal heading source for non-SOLAS professional vessels like Search and Rescue, Patrol, Fishing, Workboats and more. Provides solid 0.75° RMS heading accuracy in a compact unit. Supports GPS, GLONASS, Galileo, BeiDou, QZSS for increased accuracy across the world.	2676.00	3184.44
21116272		Verado Fittings Kit	239.00	284.41
20193744		RF300 Frequency Rudder Feedback - 10m cable and transmission link assembly.	307.00	365.33
000-10587-001		SD80 PCB assembly. Solenoid und proportional Drive Interface für rudder und thruster	998.00	1187.62
000-10586-001		AD80 PCB assembly	998.00	1187.62
22088165		JS10 Non Follow Up Joystick, designed for armrest mounting or at key positions on the vessel. Compatible with AC70, AC80A, AC80S, AC85, NAC-3. Comes with 10m cable.	407.00	484.33
20188074		LF3000 Linear Feedback - For use with outboard system if a rudder angle is desired. Also requires LFI3000MK2 priced/ordered separately.	427.00	508.13
000-10595-001		AC70 PCB assembly; option für Voith Schneider propeller	1501.00	1786.19
20188082		LFI3000MK2 Linear Feedback Interface box - Required for use on outboard application with LF3000 Linear Feedback.	152.00	180.88
22096820		AP24/AP28/IS20 Optional Mounting Bracket	129.00	153.51
000-14268-001		Waterproof 4-core cable joiner for NAC-1, 2 and 3 Autopilot installations. Convenient way to connect your computer to the drive unit and ensure a waterproof connection.	28.92	34.41
22014286		RF25 Rudder Rückmelder Einheit: mit transmission link und 5.5 m (18 ft) SimNet Kabel.	338.00	402.22

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
TP10		TP10 Tillerpilot - The TP range delivers reliable auto steering for boats with tillers up to 32ft in length.	695.00	827.05
TP22		Pinnenpilot TP22 – SimNet/NMEA	856.00	1018.64
TP32		Pinnenpilot TP32 – SimNet/NMEA	1016.00	1209.04
22096986		AC70, AC12 and AC42 Terminal Cover	23.00	27.37
20193454	Missing Image	Light Duty Transmission Link for RF300, RF25N and RF40 rudder feedbacks.	73.90	87.94
20997953		RPU80/100/150/160/200 Seal Kit. Works for all motor types and pump sizes.	104.00	123.76

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
21118682		RPU Motor Brushes - Lemac (Long) for RPU300	135.45	161.19
000-13960-001		Brush replacements for RPU80, RPU160 and RPU300 pumps with Parvalux motors.	87.15	103.71

UKW und AIS

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14806-001		V3100 Power cable, 1.8 m (6ft)	32.64	38.84
000-11567-001		RS35 Suncover	22.66	26.97
000-14912-001		RS40 VHF Suncover	23.56	28.04
000-14055-001		RS20S Suncover	23.56	28.04
000-15641-001		NRS-1 Marine VHF Radio. Black box only	802.00	954.38
000-15642-001		NRS-2 Marine VHF Radio with built in AIS Class B transciever. Black box only	1434.00	1706.46
AA000352		UKW-Antenne Mastmontage	80.33	95.59
AA000224		Antennenhalterung Edelstahl mit 5 m Kabel	127.00	151.13
AA000358		UKW-Antenne Gfk 100 cm	52.48	62.45
000-15859-001		VHF ANTENNA,1Meter Back Fiberglass Stainless Steel, Quick fit fitting.	91.04	108.33
AA000223		Antennenhalterung Kunststoff mit 5 m Kabel	57.83	68.82
000-15657-001		NRS-1/ NRS-2 Bulkhead WiFi Antenna Mount Cable - 6m - For mounting the WiFi antenna in more suitable location if reception from antenna on Blackbox is not adequate.	138.00	164.22
AA000355		UKW-Antenne Gfk 240 cm	95.32	113.43
000-14968-001		Navico 1710 VHF antenna, 2.5 m (8 ft) ultraglass, quickfit @ 6dB BLACK	94.25	112.16
000-15803-001		Wireless dipole antenna for NRS-1, NRS-2 and Information Display	26.78	31.86
AA000401		VHF mast cable 30 m (98 ft) for 1720 whip antenna. With Quick Fit Connector one end and Masthead connector on the other.	95.32	113.43

Service Parts

SIMRAD

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14262-001		RS20/V20 Fist Mic Clip	9.64	11.47
000-14261-001		RS20/V20 Mounting Bracket	35.34	42.06
000-14059-001	Missing Image	RS20/V20 Flush Mount Kit	12.85	15.29
000-14263-001		RS20/V20 Mounting Bracket Knobs	17.14	20.39
000-14921-001		Simrad RS40 Remote Mountable Fist Mic. Can be connected to the front or rear of the radio, and optional extension cable allows the radio and mic to be mounted in seperate locations.	83.54	99.41
000-14919-001		RS40/V60 Bulkhead Fist Mic Mounting Clip	9.64	11.47
000-14917-001		RS40/V60 VHF Mounting bracket with Knobs and Screws	28.92	34.41
000-14915-001		RS40/V60 VHF Flush Mounting kit.:Includes teplate, Gasket, Bezels and screws	12.85	15.29
000-14925-001		HS40/H60 VHF Wireless handset Inductive charging cradle	58.91	70.10
000-15653-001		CR100 Mounting cradle for HS100 & H100 VHF radio handsets	21.42	25.49
000-11727-001		RS90/V90 20m (65 ft) Handset cable. Includes phoenix connector and bulkhead mount	89.51	106.51
000-14923-001		5m Extension Cable for RS40, RS40-B, V60, V60B and Link-9 VHF Fist Mics, and H100/HS100 Handsets.	47.12	56.08
000-14924-001		10m Extension Cable for RS40, RS40-B, V60, V60B and Link-9 VHF Fist Mics, and H100/HS100 Handsets.	58.91	70.10
000-15656-001		HS100/H100 Handset cable with bulkhead mount 20m (65.5 ft)	117.00	139.23
LSH80		Waterproof Hailer Horn Speaker (8 Ohms) for use with Navico VHF Systems.	299.00	355.81
000-14066-001		VHF Interface - Type 6. For Simrad RS20/RS40, B&G V20/V60, Lowrance Link-9, Link-6 S	94.25	112.16
AA000400		VHF extension cable 5 m (16 ft)	31.06	36.96

Service Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-12329-001		V50xx AIS 3pin Power Cable	64.26	76.47
000-12328-001		V50xx AIS 37pin Cable - Data cable from AIS Main unit to Junction Box.	69.36	82.54
000-12327-001		V5035 AIS Bracket with mounting kit.	60.00	71.40
000-12326-001		V50xx AIS GPS Antenna - 10 m (33 ft) cable	140.00	166.60
000-12325-001		SIMRAD V50xx AIS Pilot Plug	107.00	127.33
000-12324-001		SIMRAD V50xx AIS Junction Box	204.00	242.76
000-14064-001		LINK-6 Mounting Bracket Knobs	17.14	20.39
000-14060-001		LINK-6 Mounting Bracket	35.34	42.06
000-16055-001		VHF antenna mount. Heavy-duty stainless steel fold-down antenna mount. With attached 7 m (23 ft) cable. Fastfit connector	127.00	151.13
000-15475-001		WM-4 SIRIUS SAT WEATHER ETHERNET EXT 5M	55.69	66.27
000-14974-001		WM-4 SIRIUS Satellite weather installation kit: Includes SMA Adapter and mounting screws.	18.21	21.67
000-14973-001		WM-4 SIRIUS satellite weather audio cable: 2 m (6.5 ft) 2 x RCA male plugs	28.92	34.41
000-14972-001		WM-4 SIRIUS Satellite Weather Ethernet adapter cable 2.5 m (8 ft)	39.63	47.16
000-14971-001		WM-4 SIRIUS SAT WEATHER POWER CABLE	24.63	29.31
000-13613-001		GPS-500 - GPS antenna for Navico AIS transceivers and VHF systems. 10 m (33 ft) cable with SMA connector.	160.00	190.40
000-14268-001		Waterproof 4-core cable joiner for NAC-1, 2 and 3 Autopilot installations. Convenient way to connect your computer to the drive unit and ensure a waterproof connection.	28.92	34.41
000-14807-001		V3100 NMEA 0183 Cable 1.8 m (6ft)	32.64	38.84
000-11564-001		BC-10 VHF Charger w/ US Power Adapter for HH36 and LINK-2 VHF.	56.65	67.41

Service Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11562-001		BC-10 VHF Charger w/ 12V CIG Plug for HH36 and LINK-2 VHF.	39.66	47.19

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
AA000352		UKW-Antenne Mastmontage	80.33	95.59
AA000224		Antennenhalterung Edelstahl mit 5 m Kabel	127.00	151.13
AA000358		UKW-Antenne Gfk 100 cm	52.48	62.45
000-15859-001		VHF ANTENNA,1Meter Back Fiberglass Stainless Steel, Quick fit fitting.	91.04	108.33
AA000223		Antennenhalterung Kunststoff mit 5 m Kabel	57.83	68.82
000-15657-001		NRS-1/ NRS-2 Bulkhead WiFi Antenna Mount Cable - 6m - For mounting the WiFi antenna in more suitable location if reception from antenna on Blackbox is not adequate.	138.00	164.22
AA000355		UKW-Antenne Gfk 240 cm	95.32	113.43
000-14968-001		Navico 1710 VHF antenna, 2.5 m (8 ft) ultraglass, quickfit @ 6dB BLACK	94.25	112.16
AA000401		VHF mast cable 30 m (98 ft) for 1720 whip antenna. With Quick Fit Connector one end and Masthead connector on the other.	95.32	113.43
000-11727-001		RS90/V90 20m (65 ft) Handset cable. Includes phoenix connector and bulkhead mount	89.51	106.51
000-14923-001		5m Extension Cable for RS40, RS40-B, V60, V60B and Link-9 VHF Fist Mics, and H100/HS100 Handsets.	47.12	56.08
000-14924-001		10m Extension Cable for RS40, RS40-B, V60, V60B and Link-9 VHF Fist Mics, and H100/HS100 Handsets.	58.91	70.10
LSH80		Waterproof Hailer Horn Speaker (8 Ohms) for use with Navico VHF Systems.	299.00	355.81
AA000400		VHF extension cable 5 m (16 ft)	31.06	36.96

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16055-001		VHF antenna mount. Heavy-duty stainless steel fold-down antenna mount. With attached 7 m (23 ft) cable. Fastfit connector	127.00	151.13

Netzwerk

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
SIMKIT-1		SimNet Starter Kit-1	125.40	149.23
000-10628-001	Missing Image	SIMKIT-3. Micro-C auf SimNet.	123.50	146.96
24005829		SimNet cable 0.3 m (1 ft)	33.20	39.51
24005837		SimNet cable 2 m (6.6 ft)	58.91	70.10
24005845		SimNet cable 5 m (16 ft)	69.62	82.84
24005852		SimNet cable 10 m (33 ft) note: for simNet backbone only	127.00	151.13
24005860		SimNet 3 Prong Multi-joiner	31.06	36.96
24006298		SimNet 7 Prong Multi-joiner	117.00	139.23
44172278		SimNet joiner red with terminator	21.42	25.49
44172260		SimNet joiner yellow without terminator	22.49	26.76
24006934	Missing Image	SIMNET NOISE FILTER	35.00	41.65
24006421		35 m (115 ft) SimNet Wind Vane cable	170.00	202.30
24006405		20 m (66 ft) SimNet Wind vane cable	95.32	113.43
24006306		SimNet bulkhead T-connector	80.33	95.59
24005910		SimNet power cable without terminator 2 m (6.6 ft) -yellow tip	52.48	62.45
24005902		SimNet power cable with terminator 2 m (6.6 ft) -red tip	36.41	43.33

Service Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
24005894		SimNet termination plug	26.78	31.86
24005886		SimNet protection plug	5.36	6.37
000-10438-001		Ethernet-Adapter Direkt RJ45 M auf yellow 5 pin	39.63	47.16
000-11584-001	Missing Image	NMEA0183 Serial Cable - LTW 8 Way - 10M	56.18	66.86

Instrumente

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15141-001	Missing Image	Replacement battery for WS320 wireless wind sensor.	23.56	28.04
000-15139-001	Missing Image	Replacement PCB for WS700/310 series wind sensors.	319.00	379.61
000-11773-001		IS35 Suncover	23.56	28.04
000-15143-001		WS300/700 Support Moulding inc. O-Ring	18.21	21.67
000-15142-001		Replacement wind angle bearing for the WS300/700 series wind sensors.	88.89	105.78
000-13723-001		Suncover for Simrad IS42 Display.	26.78	31.86
000-13725-001		Suncover for Simrad OP12 and B&G Triton² Pilot controllers	14.99	17.84
000-13714-001		Networked wind sensor for Triton2, Triton, IS42, IS40 and IS20 systems. Sensor only, does not include cable.	461.00	548.59
000-14389-001		WS310 Wired Interface. Converts NMEA 0183 wind data from the Masthead Unit to NMEA 2000®.	166.00	197.54
000-14396-001		20m (65') mast cable with pre-molded connectors for the WS310 and WS700 series wired wind sensors.	127.00	151.13
000-14388-001		The WS320 Wireless Interface: Spare Wireless Interface for the WS320 Wind Sensor system. Receives wireless signals from the WS320 and converts to NMEA 2000.	195.00	232.05
000-15615-001		Replacement PCB for the WS320 wind sensor.	319.00	379.61
000-10568-001	Missing Image	Accessory plug assembly for DST800	30.17	35.90
000-10388-001		Ersatzteil Kit Paddelrad für DST800	37.49	44.61
000-11740-001		Airmar 110WX/ 120WX Cable 6 m (19.6 ft) (NMEA 2000 to Device cable)	97.39	115.89
000-13952-001		Triton2 Pilot & OP12 Installation Kit	14.99	17.84
000-13951-001		INSTALL KIT AP44	20.35	24.22
000-13950-001		IS42 & Triton2 Installation Kit - Includes edge bezel, screws and guide tool.	20.35	24.22

Service Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15687-001		Surface mount kit for HS75 Antenna. Contains bracket to mount to compass, + 2 surface brackets. One mount for cables passing down through the mounting surface, and a taller version for feeding the cable out the side of the mount.	183.00	217.77
000-15686-001		Pole Mount Bracket for HS75 - Standard 1" 14TPI threads.	142.00	168.98
000-10573-001	Missing Image	IS20 Windfahnen Masthalterung	70.60	84.02

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-10757-001		Kabel 20 m (66 ft) NMEA2000 Wind-Masteinheit (Micro-C male - Simnet)	103.00	122.57
000-10758-001		Kabel 35 m (66 ft) NMEA2000 Wind-Masteinheit (Micro-C male - Simnet)	142.00	168.98

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-10573-001	Missing Image	IS20 Windfahnen Masthalterung	70.60	84.02

Service Parts

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16297-001		Standard flat mount that ships with HS65 GNSS Compass. This can be used ad replacement.	79.25	94.31
000-14503-001		LINKPRO SERVICE TOOL	223.00	265.37