



SIMRAD®

MARINE ELECTRONICS

PRICE LIST

Navigation Systems / Autopilot / Communications & Safety / Instruments

NSO® 4

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16320-001		NSO® 4-16. NEON™ OS, 16-inch Glass-bridge multi-function display. Qualcomm® 8-core processor. Full HD touchscreen. Gigabit Ethernet, WIFI, Video In and Out. Worldwide base map (C-MAP® DISCOVER™ X chart or REVEAL™ X chart required for navigation).	6499.00	7733.81
000-16559-001		NSO® 4-16. NEON™ OS, 16-inch Glass-bridge multi-function display. Qualcomm® 8-core processor. Full HD touchscreen. Gigabit Ethernet, WIFI, Video In and Out. Next-generation C-MAP® DISCOVER™ X chart included.	6499.00	7733.81
000-16319-001		NSO® 4-22. NEON™ OS, 22-inch Glass-bridge multi-function display. Qualcomm® 8-core processor. Full HD touchscreen. Gigabit Ethernet, WIFI, Video In and Out. Worldwide Base map.(C-MAP® DISCOVER™ X chart or REVEAL™ X chart required for navigation).	10999.00	13088.81
000-16318-001		NSO® 4-24. NEON™ OS, 24-inch Glass-bridge multi-function display. Qualcomm® 8-core processor. Full HD touchscreen. Gigabit Ethernet, WIFI, Video In and Out. Worldwide Base map. (C-MAP® DISCOVER™ X chart or REVEAL™ X chart required for navigation).	12999.00	15468.81

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16516-001		OP-55™ Remote control, Portrait for NEON™ OS displays	448.80	534.07
000-11749-001		Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit , Standby-Auto button and Micro-C network components.	1731.45	2060.43
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	702.45	835.92
000-13285-001		IS42 Instrument - This multi-purpose instrument display features a colour screen that's designed for optimal visibility in all conditions. See wind data, boat speed, depth, engine information, autopilot status, AIS data and more at a glance.	540.75	643.49
000-13260-001		S5100 High-performance CHIRP sonar module. Three fully independent channels able to deliver high-resolution sonar coverage across multiple depth ranges, precision-focused for offshore sportfishing anglers.	1702.05	2025.44
000-14473-001		Simrad RS40-B Marine VHF Radio - Stay safer on the water with this VHF Marine Radio. See and be seen by nearby AIS-equipped vessels thanks the integrated Class B AIS transceiver, and add up to two optional wireless handsets.	1048.95	1248.25
000-15792-001		Simrad RS100-B Blackbox VHF Radio with integrated Class-B AIS transceiver and GPS. Kit includes NRS-2 VHF Blackbox module with Class B AIS built-in, GPS-500 antenna, one HS100 wired handset, and one SP100 speaker.	1652.70	1966.71
000-16075-001		Ethernet Cable - Green M12 8-pin male-male 1.8 m (6 ft)	38.85	46.23
000-15918-002		S3100H High-performance sonar module with HEAVE compensation. Two independent 1kW channels supporting 1 kW Low, Med, High, and High-Wide transducers. Support for high-frequency ActiveImaging HD transducers. MFDs will need compatible software.	943.95	1123.30
000-15758-001		HALO 2003: 50W Pulse Compression Radar System. Comes with HALO 50W Pedestal, 3ft Antenna, RI-50 Power Supply and 20 m (65.5 ft) Cable.	6662.25	7928.08
000-15643-001		Simrad RS100 Blackbox VHF radio system. Kit includes NRS-1 VHF Blackbox module, one HS100 wired handset, and one SP100 speaker.	987.00	1174.53

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14818-001		Simrad RS40-B Marine VHF Radio - Stay safer on the water with this VHF Marine Radio. See and be seen by nearby AIS-equipped vessels thanks the integrated Class B AIS transceiver, and add up to two optional wireless handsets. Includes with GPS500 GPS antenna.	1153.95	1373.20
000-15876-001		The IP CAM-1 marine grade 316 stainless steel IP camera. Powered by 12V DC or PoE.	586.95	698.47
000-11043-002		GS25 Antenna with built-in rate compass. 10 Hz position update rate. Built-in rate compass is perfect for providing heading data for Radar Chart Overlay and for orienting charts in Head-Up Mode. Note: This heading sensor is not recommended for MARPA or Autopilot control! Please use the Precision 9 for this.	292.95	348.61
000-16517-001		OP-55™ Remote control, Landscape. For NEON™ OS displays.	448.80	534.07
000-16235-001		HS65, GNSS Compass with mount flat mount.	1199.00	1426.81
000-16556-001		NMEA 2000® cable for backbone extension or drop cable to connect an additional network device. 1.82 m (6-ft). Right angle connector.	68.25	81.22
000-16555-001		NMEA 2000® cable for backbone extension or drop cable to connect an additional network device. 0.61 m (2-ft). Right angle connector.	51.45	61.23
000-11142-001		SonarHub Module, with power cable and Ethernet cable 4.5m (15ft). Requires adapter 000-12571-001 or 000-13977-001 adapter cable to use Airmar Non-Chirp or Chirp 9-pin transducers.	680.40	809.68
000-13963-001		NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	1153.95	1373.20
000-14470-001		RS40 Marine VHF Radio - Stay safe and connected with this VHF marine radio featuring removable fist mic, Class D DSC functionality, and built-in GPS. Keep track of nearby AIS-equipped vessels with an integrated AIS receiver, and add up to two optional wireless handsets.	723.45	860.91
000-16143-001		HS75 GPS Compass - Ideal heading source for non-SOLAS professional vessels like Search and Rescue, Patrol, Fishing, Workboats and more. Provides solid 0.75° RMS heading accuracy in a compact unit. Supports GPS, GLONASS, Galileo, BeiDou, QZSS for increased accuracy across the world.	2623.95	3122.50
000-15759-001		HALO 2004: 50W Pulse Compression Radar System. Comes with HALO 50W Pedestal, 4ft Antenna, RI-50 Power Supply and 20 m (65.5 ft) Cable.	7187.25	8552.83
000-15760-001		HALO 2006: 50W Pulse Compression Radar System. Comes with HALO 50W Pedestal, 6ft Antenna, RI-50 Power Supply and 20 m (65.5 ft) Cable.	7764.75	9240.05
000-16558-001		Ethernet cable. M12 Straight to M12 right angle for NSO® 4, Zeus® SRX. 4.5 m (14.8 ft). Connector keyway for NSO 4, Zeus SRX.	192.15	228.66
000-16652-001		NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass, Pump-2 and SteadySteer™ flow switch.	2680.00	3189.20
000-13892-001		MI10 Dashmount microSD card reader: Dual microSD Chart Card reader: Note for NSO4 and Zeus SRX a 000-16329-001 USB C male to USB-C-A adapter, or similar third party adapter is required.	223.38	265.82
000-13337-001		NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer and Precision-9 Compass.	1421.88	1692.04

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13335-001		NAC-2 Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	1701.87	2025.23
000-15621-001		NAC-D AUTOPILOT COMPUTER. NAC™ -D is a digital steering autopilot solution for Electronic Vessel Control Systems (steering systems with a digital interface). It allows automatic switching between two speed profiles, delivering optimal steering performance at both low and high speeds.	1122.45	1335.72
000-15763-001		HALO 3004: 130W Pulse Compression Radar System. Comes with HALO 130W Pedestal, 4ft Antenna, RI-50 Power Supply and 20 m (65.5 ft) Cable.	8814.75	10489.55
000-15764-001		HALO 3006: 130W Pulse Compression Radar System. Comes with HALO 130W Pedestal, 6ft Antenna, RI-50 Power Supply and 20 m (65.5 ft) Cable.	9339.75	11114.30
000-10029-001		NEP-2 Network Expansion Port (Ethernetverteiler mit 5 Ports)	324.45	386.10
000-16657-001		AP44 VRF. Precision VRF medium capacity pack. Comprising of AP44 controller, NAC-2 autopilot computer, Precision 9 compass, PUMP-2 hydraulic pump (MKII) and SteadySteer™ flow switch.	3330.00	3962.70
000-16504-001		AP44 VRF medium capacity pack MKII. Comprising of AP44 controller, NAC-2 autopilot computer, HS65 Satellite compass, PUMP-2 hydraulic pump (MKII), and SteadySteer™ flow switch	3655.00	4349.45
000-16550-001		M12 to five pin yellow Ethernet cable 1.8 m (6 ft)	114.45	136.20
000-16551-001		M12 to five pin yellow Ethernet cable 5 m (16.4 ft)	135.45	161.19
000-13291-002		AP44 VRF medium capacity pack MKII. Comprising of AP44 controller, Precision 9 compass, PUMP-2 hydraulic pump (MKII) and NAC-2 autopilot computer.	2270.63	2702.05
000-16656-001		NAC-3 RF. Performance Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, HS65 GNSS Compass, RF-25N Rudder Feedback unit, SteadySteer™ flow switch, backbone starter kit and 4m (15 ft) NMEA 2000 cable.	3390.00	4034.10
000-16328-001		USB audio adaptor, for NSO®4 & Zeus® SRX. Contains 1 x USB male to USB female 0.5 m (1.6 ft) AND USB Male to 3.5 mm audio jack 13.5 cm (5.3").	91.77	109.21
000-16495-001		Ethernet cable. M12 TO RJ45 female 1.5 m (5 ft)	80.85	96.21
000-16329-001		USB to USB-A Female adapter cable	24.99	29.74
000-13336-001		NAC-3 Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	2498.13	2972.77
000-16655-001		NAC-3 VRF. Performance VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, HS65 GNSS Compass, SteadySteer™ flow switch, backbone starter kit, 4m (15 ft) NMEA 2000 cable.	2999.00	3568.81
000-13338-001		NAC-3 VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer and Precision-9 Compass.	2213.75	2634.36
000-16008-001		NEP-3: Five port (M12) Gigabit Ethernet switch.	387.45	461.07

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16505-001		AP44 VRF high capacity pack. Comprising of AP44 controller, HS65 GNSS compass,PUMP-3 hydraulic pump (MKII) and NAC-3 autopilot computer and SteadySteer™ Flow Switch	4966.50	5910.14
000-13562-002		AP44 VRF high capacity pack MKII. Comprising of AP44 controller, Precision-9 compass,PUMP-3 hydraulic pump (MKII) and NAC-3 autopilot computer	3178.88	3782.87
000-14531-001		RS90S Black Box VHF AIS RX system. Compliant to European Regulation - EN 301 025 (v2.2.1)	936.27	1114.16
000-14537-001		HALO20 Radar - A cost-effective compact 20" Radar dome. 24 NM range and 24 RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.	2152.50	2561.48
000-14536-001		HALO20+ Radar - A compact 20" powerful 25 W Solid-State Radar, delivering 60 RPM at short range and up to 36 NM range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards both at close and long ranges simultaneously.	2530.50	3011.30
000-14535-001		HALO24 Radar - A 24" powerful 25 W Solid-State Radar, delivering 60 RPM at short range and up to 48 NM range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards both at close and long ranges simultaneously.	2835.00	3373.65
000-14491-001		Simrad RS20S Class D DSC VHF Radio - The versatile RS20S is ideal for a variety of boats from small RIBs to larger cruisers, and is designed to match the low-profile style of our glass bridge displays and accessories.	413.70	492.30

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16554-001		Power cable. Right angle 10 pin connector for NSO® 4, Zeus® SRX. 3 m (9.8 ft). Four core cable.	103.95	123.70
000-16627-001		Replacement rubber boot for rear mount of the Simrad® NSO® 4 and B&G Zeus® SRX. Sold in packs of ten.	9.99	11.89

NSS® 4

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16013-001		NSS 4-10 MFD, 10-inch SolarMAX™ high-definition display. Qualcomm® 8-core processor. Built-in dual channel 1 kW echosounder, GPS, Gigabit and 10/100 Ethernet, WIFI. World basemap. A next-generation C-MAP® DISCOVER™ X or REVEAL X™ chart card is required.	2752.98	3276.05
000-16275-001		NSS 4-10 MFD, NO SONAR, No Chart. 10-inch SolarMAX™ high-definition display. Qualcomm® 8-core processor. Built-in GPS, Gigabit and 10/100 Ethernet, WIFI. World basemap. A next-generation C-MAP® DISCOVER™ X or REVEAL X™ chart card is required.	2548.98	3033.29
000-16016-001		NSS 4-12 MFD, 12-inch SolarMAX™ high-definition display. Qualcomm® 8-core processor. Built-in dual channel 1 kW echosounder, Gigabit and 10/100 Ethernet, GPS, Video Out / Video In (or USB), WIFI. World basemap. A next-generation C-MAP® DISCOVER™ X or REVEAL X™ chart card is required.	4078.98	4853.99
000-16276-001		NSS 4-12 MFD, NO SONAR, No Chart. 12-inch SolarMAX™ high-definition display. Qualcomm® 8-core processor. Built-in GPS, Gigabit and 10/100 Ethernet, Video in / out, WIFI. World basemap. A next-generation C-MAP® DISCOVER™ X or REVEAL X™ chart card is required.	3670.98	4368.47
000-16019-001		NSS 4-16 MFD, 16-inch SolarMAX™ high-definition display. Qualcomm® 8-core processor. Built-in GPS, Gigabit and 10/100 Ethernet, Video Out / Video In (or USB), WIFI. World basemap. A next-generation C-MAP® DISCOVER™ X or REVEAL X™ chart card is required.	5914.98	7038.83
000-16277-001		NSS 4-16 MFD, NO SONAR, No Chart. 16-inch SolarMAX™ high-definition display. Qualcomm® 8-core processor. Built-in GPS, Gigabit and 10/100 Ethernet, Video In / Out, WIFI. World basemap. A next-generation C-MAP® DISCOVER™ X or REVEAL X™ chart card is required.	5404.98	6431.93

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16075-001		Ethernet Cable - Green M12 8-pin male-male 1.8 m (6 ft)	38.85	46.23
000-15792-001		Simrad RS100-B Blackbox VHF Radio with integrated Class-B AIS transceiver and GPS. Kit includes NRS-2 VHF Blackbox module with Class B AIS built-in, GPS-500 antenna, one HS100 wired handset, and one SP100 speaker.	1652.70	1966.71
000-14473-001		Simrad RS40-B Marine VHF Radio - Stay safer on the water with this VHF Marine Radio. See and be seen by nearby AIS-equipped vessels thanks the integrated Class B AIS transceiver, and add up to two optional wireless handsets.	1048.95	1248.25
000-13260-001		S5100 High-performance CHIRP sonar module. Three fully independent channels able to deliver high-resolution sonar coverage across multiple depth ranges, precision-focused for offshore sportfishing anglers.	1702.05	2025.44
000-13285-001		IS42 Instrument - This multi-purpose instrument display features a colour screen that's designed for optimal visibility in all conditions. See wind data, boat speed, depth, engine information, autopilot status, AIS data and more at a glance.	540.75	643.49
000-11749-001		Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit, Standby-Auto button and Micro-C network components.	1731.45	2060.43
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	702.45	835.92
000-11043-002		GS25 Antenna with built-in rate compass. 10 Hz position update rate. Built-in rate compass is perfect for providing heading data for Radar Chart Overlay and for orienting charts in Head-Up Mode. Note: This heading sensor is not recommended for MARPA or Autopilot control! Please use the Precision 9 for this.	292.95	348.61
000-14818-001		Simrad RS40-B Marine VHF Radio - Stay safer on the water with this VHF Marine Radio. See and be seen by nearby AIS-equipped vessels thanks the integrated Class B AIS transceiver, and add up to two optional wireless handsets. Includes with GPS500 GPS antenna.	1153.95	1373.20

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15643-001		Simrad RS100 Blackbox VHF radio system. Kit includes NRS-1 VHF Blackbox module, one HS100 wired handset, and one SP100 speaker.	987.00	1174.53
000-15876-001		The IP CAM-1 marine grade 316 stainless steel IP camera. Powered by 12V DC or PoE.	586.95	698.47
000-15758-001		HALO 2003: 50W Pulse Compression Radar System. Comes with HALO 50W Pedestal, 3ft Antenna, RI-50 Power Supply and 20 m (65.5 ft) Cable.	6662.25	7928.08
000-15918-002		S3100H High-performance sonar module with HEAVE compensation. Two independent 1kW channels supporting 1 kW Low, Med, High, and High-Wide transducers. Support for high-frequency ActivImaging HD transducers. MFDs will need compatible software.	943.95	1123.30
000-16235-001		HS65, GNSS Compass with mount flat mount.	1199.00	1426.81
000-15759-001		HALO 2004: 50W Pulse Compression Radar System. Comes with HALO 50W Pedestal, 4ft Antenna, RI-50 Power Supply and 20 m (65.5 ft) Cable.	7187.25	8552.83
000-16143-001		HS75 GPS Compass - Ideal heading source for non-SOLAS professional vessels like Search and Rescue, Patrol, Fishing, Workboats and more. Provides solid 0.75° RMS heading accuracy in a compact unit. Supports GPS, GLONASS, Galileo, BeiDou, QZSS for increased accuracy across the world.	2623.95	3122.50
000-14470-001		RS40 Marine VHF Radio - Stay safe and connected with this VHF marine radio featuring removable fist mic, Class D DSC functionality, and built-in GPS. Keep track of nearby AIS-equipped vessels with an integrated AIS receiver, and add up to two optional wireless handsets.	723.45	860.91
000-11142-001		SonarHub Module, with power cable and Ethernet cable 4.5m (15ft). Requires adapter 000-12571-001 or 000-13977-001 adapter cable to use Airmar Non-Chirp or Chirp 9-pin transducers.	680.40	809.68
000-13963-001		NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	1153.95	1373.20
000-15760-001		HALO 2006: 50W Pulse Compression Radar System. Comes with HALO 50W Pedestal, 6ft Antenna, RI-50 Power Supply and 20 m (65.5 ft) Cable.	7764.75	9240.05
000-16652-001		NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass, Pump-2 and SteadySteer™ flow switch.	2680.00	3189.20
000-16557-001		Ethernet Cable. M12 Straight to M12 Right angle for NSS® 4, Zeus® SR. 5.0 m (16.4 ft). Connector keyway for NSS 4, Zeus SR	192.15	228.66
000-13337-001		NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer and Precision-9 Compass.	1421.88	1692.04
000-13335-001		NAC-2 Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	1701.87	2025.23
000-15621-001		NAC-D AUTOPILOT COMPUTER. NAC™ -D is a digital steering autopilot solution for Electronic Vessel Control Systems (steering systems with a digital interface). It allows automatic switching between two speed profiles, delivering optimal steering performance at both low and high speeds.	1122.45	1335.72
000-15763-001		HALO 3004: 130W Pulse Compression Radar System. Comes with HALO 130W Pedestal, 4ft Antenna, RI-50 Power Supply and 20 m (65.5 ft) Cable.	8814.75	10489.55

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15764-001		HALO 3006: 130W Pulse Compression Radar System. Comes with HALO 130W Pedestal, 6ft Antenna, RI-50 Power Supply and 20 m (65.5 ft) Cable.	9339.75	11114.30
000-10029-001		NEP-2 Network Expansion Port (Ethernetverteiler mit 5 Ports)	324.45	386.10
000-16657-001		AP44 VRF. Precision VRF medium capacity pack. Comprising of AP44 controller, NAC-2 autopilot computer, Precision 9 compass, PUMP-2 hydraulic pump (MKII) and SteadySteer™ flow switch.	3330.00	3962.70
000-16504-001		AP44 VRF medium capacity pack MKII. Comprising of AP44 controller, NAC-2 autopilot computer, HS65 Satellite compass, PUMP-2 hydraulic pump (MKII), and SteadySteer™ flow switch	3655.00	4349.45
000-13291-002		AP44 VRF medium capacity pack MKII. Comprising of AP44 controller, Precision 9 compass, PUMP-2 hydraulic pump (MKII) and NAC-2 autopilot computer.	2270.63	2702.05
000-16656-001		NAC-3 RF. Performance Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, HS65 GNSS Compass, RF-25N Rudder Feedback unit, SteadySteer™ flow switch, backbone starter kit and 4m (15 ft) NMEA 2000 cable.	3390.00	4034.10
000-16495-001		Ethernet cable. M12 TO RJ45 female 1.5 m (5 ft)	80.85	96.21
000-13336-001		NAC-3 Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	2498.13	2972.77
000-16655-001		NAC-3 VRF. Performance VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, HS65 GNSS Compass, SteadySteer™ flow switch, backbone starter kit, 4m (15 ft) NMEA 2000 cable.	2999.00	3568.81
000-13338-001		NAC-3 VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer and Precision-9 Compass.	2213.75	2634.36
000-16505-001		AP44 VRF high capacity pack. Comprising of AP44 controller, HS65 GNSS compass,PUMP-3 hydraulic pump (MKII) and NAC-3 autopilot computer and SteadySteer™ Flow Switch	4966.50	5910.14
000-16461-001		USB Video out (female) Video cable for NSS 4, Zeus SR	153.93	183.17
000-13562-002		AP44 VRF high capacity pack MKII. Comprising of AP44 controller, Precision-9 compass,PUMP-3 hydraulic pump (MKII) and NAC-3 autopilot computer	3178.88	3782.87
000-16458-001		16 Inch Gimbal Bracket - NSS 4,ZEUS SR	69.00	82.11
000-14531-001		RS90S Black Box VHF AIS RX system. Compliant to European Regulation - EN 301 025 (v2.2.1)	936.27	1114.16
000-14537-001		HALO20 Radar - A cost-effective compact 20" Radar dome. 24 NM range and 24 RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.	2152.50	2561.48
000-14536-001		HALO20+ Radar - A compact 20" powerful 25 W Solid-State Radar, delivering 60 RPM at short range and up to 36 NM range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards both at close and long ranges simultaneously.	2530.50	3011.30

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14535-001		HALO24 Radar - A 24" powerful 25 W Solid-State Radar, delivering 60 RPM at short range and up to 48 NM range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards both at close and long ranges simultaneously.	2835.00	3373.65
000-14491-001		Simrad RS20S Class D DSC VHF Radio - The versatile RS20S is ideal for a variety of boats from small RIBs to larger cruisers, and is designed to match the low-profile style of our glass bridge displays and accessories.	413.70	492.30

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16626-001		REPLACEMENT SD DOOR,NSS4 & ZEUS SR	11.21	13.34
000-16628-001		REAR MOUNT NUT - 10 PK,NSS4 & ZEUS SR	14.27	16.98
000-16515-001		SD CARD DOOR REPLACEMENT NSS-4 / ZEUS SR	15.99	19.03
000-16460-001		10 Inch Gimbal Bracket - NSS 4,ZEUS SR	50.00	59.50
000-16459-001		12 Inch Gimbal Bracket - NSS 4,ZEUS SR	66.00	78.54
000-16457-001		10 Inch Rear Mount Kit - NSS 4,ZEUS SR	50.00	59.50
000-16456-001		12 Inch Rear Mount Kit - NSS 4,ZEUS SR	66.00	78.54
000-16455-001		16 Inch Rear Mount Kit - NSS 4,ZEUS SR	69.00	82.11
000-16451-001		NSS 4-10 Suncover	45.90	54.62
000-16450-001		NSS 4-12 Suncover	61.20	72.83
000-16449-001		NSS 4-16 Suncover	54.76	65.16
000-00128-001		4-pin Power Cable for modules and MFDs.	40.80	48.55

NSX®

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15215-001		NSX 3007 - Smart Chartplotter / fishfinder. No Transducer. No Chart. 7-inch SolarMAX™ high definition display, Built-in echosounder, GPS, and WIFI. A next-generation C-MAP® DISCOVER™ X or REVEAL X™ chart card is required.	1049.00	1248.31
000-15368-001		NSX 3007 - Smart Chartplotter / fishfinder. Active Imaging™ 3-in-1 transducer. No Chart. 7-inch SolarMAX™ high definition display, Built-in echosounder, GPS, and WIFI. A next-generation C-MAP® DISCOVER™ X or REVEAL X™ chart card is required.	1299.00	1545.81
000-15374-001		NSX 3007 - Smart Chartplotter / fishfinder. HDI Skimmer med/high 455/800 kHz transducer. No Chart. 7-inch SolarMAX™ high definition display, Built-in echosounder, GPS, and WIFI. A next-generation C-MAP® DISCOVER™ X or REVEAL X™ chart card is required.	1149.00	1367.31
000-15219-001		NSX 3009 - Smart Chartplotter / fishfinder. No Transducer. No Chart. 9-inch SolarMAX™ high definition display, Built-in echosounder, GPS, and WIFI. A next-generation C-MAP® DISCOVER™ X or REVEAL X™ chart card is required.	1449.00	1724.31
000-15369-001		NSX 3009 - Smart Chartplotter / fishfinder. Active Imaging™ 3-in-1 transducer. No Chart. 9-inch SolarMAX™ high definition display, Built-in echosounder, GPS, and WIFI. A next-generation C-MAP® DISCOVER™ X or REVEAL X™ chart card is required.	1699.00	2021.81
000-15375-001		NSX 3009 - Smart Chartplotter / fishfinder. HDI Skimmer med/high 455/800 kHz transducer. No Chart. 9-inch SolarMAX™ high definition display, Built-in echosounder, GPS, and WIFI. A next-generation C-MAP® DISCOVER™ X or REVEAL X™ chart card is required.	1549.00	1843.31
000-15223-001		NSX 3012 - Smart Chartplotter / fishfinder. No Transducer. No Chart. 12-inch SolarMAX™ high definition display, Built-in echosounder, GPS, and WIFI. A next-generation C-MAP® DISCOVER™ X or REVEAL X™ chart card is required.	2749.00	3271.31
000-15370-001		NSX 3012 - Smart Chartplotter / fishfinder. Active Imaging™ 3-in-1 transducer. No Chart. 12-inch SolarMAX™ high definition display, Built-in echosounder, GPS, and WIFI. A next-generation C-MAP® DISCOVER™ X or REVEAL X™ chart card is required.	2999.00	3568.81

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15792-001		Simrad RS100-B Blackbox VHF Radio with integrated Class-B AIS transceiver and GPS. Kit includes NRS-2 VHF Blackbox module with Class B AIS built-in, GPS-500 antenna, one HS100 wired handset, and one SP100 speaker.	1652.70	1966.71
000-14473-001		Simrad RS40-B Marine VHF Radio - Stay safer on the water with this VHF Marine Radio. See and be seen by nearby AIS-equipped vessels thanks the integrated Class B AIS transceiver, and add up to two optional wireless handsets.	1048.95	1248.25
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	702.45	835.92
000-11749-001		Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit, Standby-Auto button and Micro-C network components.	1731.45	2060.43
000-13260-001		S5100 High-performance CHIRP sonar module. Three fully independent channels able to deliver high-resolution sonar coverage across multiple depth ranges, precision-focused for offshore sportfishing anglers.	1702.05	2025.44
000-13285-001		IS42 Instrument - This multi-purpose instrument display features a colour screen that's designed for optimal visibility in all conditions. See wind data, boat speed, depth, engine information, autopilot status, AIS data and more at a glance.	540.75	643.49
000-11043-002		GS25 Antenna with built-in rate compass. 10 Hz position update rate. Built-in rate compass is perfect for providing heading data for Radar Chart Overlay and for orienting charts in Head-Up Mode. Note: This heading sensor is not recommended for MARPA or Autopilot control! Please use the Precision 9 for this.	292.95	348.61
000-14818-001		Simrad RS40-B Marine VHF Radio - Stay safer on the water with this VHF Marine Radio. See and be seen by nearby AIS-equipped vessels thanks the integrated Class B AIS transceiver, and add up to two optional wireless handsets. Includes with GPS500 GPS antenna.	1153.95	1373.20

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15643-001		Simrad RS100 Blackbox VHF radio system. Kit includes NRS-1 VHF Blackbox module, one HS100 wired handset, and one SP100 speaker.	987.00	1174.53
000-15876-001		The IP CAM-1 marine grade 316 stainless steel IP camera. Powered by 12V DC or PoE.	586.95	698.47
000-15758-001		HALO 2003: 50W Pulse Compression Radar System. Comes with HALO 50W Pedestal, 3ft Antenna, RI-50 Power Supply and 20 m (65.5 ft) Cable.	6662.25	7928.08
000-15918-002		S3100H High-performance sonar module with HEAVE compensation. Two independent 1kW channels supporting 1 kW Low, Med, High, and High-Wide transducers. Support for high-frequency ActiveImaging HD transducers. MFDs will need compatible software.	943.95	1123.30
000-16235-001		HS65, GNSS Compass with mount flat mount.	1199.00	1426.81
000-15759-001		HALO 2004: 50W Pulse Compression Radar System. Comes with HALO 50W Pedestal, 4ft Antenna, RI-50 Power Supply and 20 m (65.5 ft) Cable.	7187.25	8552.83
000-16143-001		HS75 GPS Compass - Ideal heading source for non-SOLAS professional vessels like Search and Rescue, Patrol, Fishing, Workboats and more. Provides solid 0.75° RMS heading accuracy in a compact unit. Supports GPS, GLONASS, Galileo, BeiDou, QZSS for increased accuracy across the world.	2623.95	3122.50
000-14470-001		RS40 Marine VHF Radio - Stay safe and connected with this VHF marine radio featuring removable fist mic, Class D DSC functionality, and built-in GPS. Keep track of nearby AIS-equipped vessels with an integrated AIS receiver, and add up to two optional wireless handsets.	723.45	860.91
000-11142-001		SonarHub Module, with power cable and Ethernet cable 4.5m (15ft). Requires adapter 000-12571-001 or 000-13977-001 adapter cable to use Airmar Non-Chirp or Chirp 9-pin transducers.	680.40	809.68
000-13963-001		NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	1153.95	1373.20
000-15760-001		HALO 2006: 50W Pulse Compression Radar System. Comes with HALO 50W Pedestal, 6ft Antenna, RI-50 Power Supply and 20 m (65.5 ft) Cable.	7764.75	9240.05
000-16652-001		NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass, Pump-2 and SteadySteer™ flow switch.	2680.00	3189.20
000-13337-001		NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer and Precision-9 Compass.	1421.88	1692.04
000-13335-001		NAC-2 Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	1701.87	2025.23
000-15621-001		NAC-D AUTOPILOT COMPUTER. NAC™ -D is a digital steering autopilot solution for Electronic Vessel Control Systems (steering systems with a digital interface). It allows automatic switching between two speed profiles, delivering optimal steering performance at both low and high speeds.	1122.45	1335.72
000-15763-001		HALO 3004: 130W Pulse Compression Radar System. Comes with HALO 130W Pedestal, 4ft Antenna, RI-50 Power Supply and 20 m (65.5 ft) Cable.	8814.75	10489.55
000-15764-001		HALO 3006: 130W Pulse Compression Radar System. Comes with HALO 130W Pedestal, 6ft Antenna, RI-50 Power Supply and 20 m (65.5 ft) Cable.	9339.75	11114.30

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-10029-001		NEP-2 Network Expansion Port (Ethernetverteiler mit 5 Ports)	324.45	386.10
000-16657-001		AP44 VRF. Precision VRF medium capacity pack. Comprising of AP44 controller, NAC-2 autopilot computer, Precision 9 compass, PUMP-2 hydraulic pump (MKII) and SteadySteer™ flow switch.	3330.00	3962.70
000-16504-001		AP44 VRF medium capacity pack MKII. Comprising of AP44 controller, NAC-2 autopilot computer, HS65 Satellite compass, PUMP-2 hydraulic pump (MKII), and SteadySteer™ flow switch	3655.00	4349.45
000-13291-002		AP44 VRF medium capacity pack MKII. Comprising of AP44 controller, Precision 9 compass, PUMP-2 hydraulic pump (MKII) and NAC-2 autopilot computer.	2270.63	2702.05
000-16656-001		NAC-3 RF. Performance Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, HS65 GNSS Compass, RF-25N Rudder Feedback unit, SteadySteer™ flow switch, backbone starter kit and 4m (15 ft) NMEA 2000 cable.	3390.00	4034.10
000-13336-001		NAC-3 Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	2498.13	2972.77
000-16655-001		NAC-3 VRF. Performance VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, HS65 GNSS Compass, SteadySteer™ flow switch, backbone starter kit, 4m (15 ft) NMEA 2000 cable.	2999.00	3568.81
000-13338-001		NAC-3 VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer and Precision-9 Compass.	2213.75	2634.36
000-16505-001		AP44 VRF high capacity pack. Comprising of AP44 controller, HS65 GNSS compass, PUMP-3 hydraulic pump (MKII) and NAC-3 autopilot computer and SteadySteer™ Flow Switch	4966.50	5910.14
000-13562-002		AP44 VRF high capacity pack MKII. Comprising of AP44 controller, Precision-9 compass, PUMP-3 hydraulic pump (MKII) and NAC-3 autopilot computer	3178.88	3782.87
000-14531-001		RS90S Black Box VHF AIS RX system. Compliant to European Regulation - EN 301 025 (v2.2.1)	936.27	1114.16
000-14537-001		HALO20 Radar - A cost-effective compact 20" Radar dome. 24 NM range and 24 RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.	2152.50	2561.48
000-14536-001		HALO20+ Radar - A compact 20" powerful 25 W Solid-State Radar, delivering 60 RPM at short range and up to 36 NM range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards both at close and long ranges simultaneously.	2530.50	3011.30
000-14535-001		HALO24 Radar - A 24" powerful 25 W Solid-State Radar, delivering 60 RPM at short range and up to 48 NM range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards both at close and long ranges simultaneously.	2835.00	3373.65
000-14491-001		Simrad RS20S Class D DSC VHF Radio - The versatile RS20S is ideal for a variety of boats from small RIBs to larger cruisers, and is designed to match the low-profile style of our glass bridge displays and accessories.	413.70	492.30

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-12728-001		HDI Skimmer med/high (455/800 kHz) transducer. 9 pin Black X-Sonic Connector. Cable Length 6 m (20 ft)	152.25	181.18

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14489-001		ActiveImaging™ 3-IN-1 combines the new Active Imaging sonar with traditional Medium/High CHIRP sonar for easy single transducer installation. 7.6m (25ft) cable with 9 pin connector.	380.09	452.31
000-00128-001		4-pin Power Cable for modules and MFDs.	40.80	48.55
000-15816-001		NSX 3007 Suncover	35.70	42.48
000-15817-001		NSX 3009 Suncover	40.80	48.55
000-15818-001		NSX 3012 Suncover	61.20	72.83
000-12372-001		Mounting bracket for Simrad NSX 3007, GO7 XSR, I3007, P3007, and B&G Vulcan 7R,	54.06	64.33
000-14148-001		U-BRACKET 12" GO, VULCAN, NSX, ZEUS S	79.00	94.01
000-13702-001		Gimbal mounting bracket for Simrad NSX 3009, GO9, NSS7 evo3,, and B&G Vulcan9, Zeus3 7 (Plastic)	55.08	65.55
000-15823-001		NSX 3007 Dash mount kit. Contains gasket and four screws and cutout template	25.49	30.33
000-15824-001		NSX 3009 Dash mount kit. Contains gasket and four screws and cutout template	25.49	30.33
000-15825-001		NSX 3012 Dash mount kit. Contains gasket and four screws and cutout template	49.98	59.48
000-15822-001		Corner bezel clips for NSX range of displays. Set of four corner clips	25.49	30.33

NSX® ULTRA WIDE

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16215-001		NSX 3012UW, Smart chartplotter / fishfinder. 12-inch ultrawide high-definition display. Built-in echosounder, GPS, and WIFI. A C-MAP® DISCOVER™ X or REVEAL X™ chart card is required. No transducer.	2999.00	3568.81
000-16279-001		NSX 3012UW, Smart chartplotter / fishfinder. 12-inch ultrawide high-definition display. Built-in echosounder, GPS, and WIFI. With Active Imaging™ 3-in-1 transducer. A C-MAP® DISCOVER™ X or REVEAL X™ chart card is required.	3149.00	3747.31
000-16212-001		NSX 3015UW, Smart chartplotter / fishfinder. 15-inch ultrawide high-definition display. Built-in echosounder, GPS, and WIFI. A C-MAP® DISCOVER™ X or REVEAL X™ chart card is required. No transducer.	3699.00	4401.81
000-16278-001		NSX 3015UW, Smart chartplotter / fishfinder. 15-inch ultrawide high-definition display. Built-in echosounder, GPS, and WIFI. With Active Imaging™ 3-in-1 transducer. A DISCOVER™ X or REVEAL X™ chart card is required.	3749.00	4461.31

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15792-001		Simrad RS100-B Blackbox VHF Radio with integrated Class-B AIS transceiver and GPS. Kit includes NRS-2 VHF Blackbox module with Class B AIS built-in, GPS-500 antenna, one HS100 wired handset, and one SP100 speaker.	1652.70	1966.71
000-14473-001		Simrad RS40-B Marine VHF Radio - Stay safer on the water with this VHF Marine Radio. See and be seen by nearby AIS-equipped vessels thanks the integrated Class B AIS transceiver, and add up to two optional wireless handsets.	1048.95	1248.25
000-13260-001		S5100 High-performance CHIRP sonar module. Three fully independent channels able to deliver high-resolution sonar coverage across multiple depth ranges, precision-focused for offshore sportfishing anglers.	1702.05	2025.44
000-13285-001		IS42 Instrument - This multi-purpose instrument display features a colour screen that's designed for optimal visibility in all conditions. See wind data, boat speed, depth, engine information, autopilot status, AIS data and more at a glance.	540.75	643.49
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	702.45	835.92
000-11749-001		Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit, Standby-Auto button and Micro-C network components.	1731.45	2060.43
000-11043-002		GS25 Antenna with built-in rate compass. 10 Hz position update rate. Built-in rate compass is perfect for providing heading data for Radar Chart Overlay and for orienting charts in Head-Up Mode. Note: This heading sensor is not recommended for MARPA or Autopilot control! Please use the Precision 9 for this.	292.95	348.61
000-14818-001		Simrad RS40-B Marine VHF Radio - Stay safer on the water with this VHF Marine Radio. See and be seen by nearby AIS-equipped vessels thanks the integrated Class B AIS transceiver, and add up to two optional wireless handsets. Includes with GPS500 GPS antenna.	1153.95	1373.20
000-15643-001		Simrad RS100 Blackbox VHF radio system. Kit includes NRS-1 VHF Blackbox module, one HS100 wired handset, and one SP100 speaker.	987.00	1174.53
000-15876-001		The IP CAM-1 marine grade 316 stainless steel IP camera. Powered by 12V DC or PoE.	586.95	698.47
000-15918-002		S3100H High-performance sonar module with HEAVE compensation. Two independent 1kW channels supporting 1 kW Low, Med, High, and High-Wide transducers. Support for high-frequency ActiveImaging HD transducers. MFDs will need compatible software.	943.95	1123.30

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15758-001		HALO 2003: 50W Pulse Compression Radar System. Comes with HALO 50W Pedestal, 3ft Antenna, RI-50 Power Supply and 20 m (65.5 ft) Cable.	6662.25	7928.08
000-16235-001		HS65, GNSS Compass with mount flat mount.	1199.00	1426.81
000-16143-001		HS75 GPS Compass - Ideal heading source for non-SOLAS professional vessels like Search and Rescue, Patrol, Fishing, Workboats and more. Provides solid 0.75° RMS heading accuracy in a compact unit. Supports GPS, GLONASS, Galileo, BeiDou, QZSS for increased accuracy across the world.	2623.95	3122.50
000-15759-001		HALO 2004: 50W Pulse Compression Radar System. Comes with HALO 50W Pedestal, 4ft Antenna, RI-50 Power Supply and 20 m (65.5 ft) Cable.	7187.25	8552.83
000-14470-001		RS40 Marine VHF Radio - Stay safe and connected with this VHF marine radio featuring removable fist mic, Class D DSC functionality, and built-in GPS. Keep track of nearby AIS-equipped vessels with an integrated AIS receiver, and add up to two optional wireless handsets.	723.45	860.91
000-11142-001		SonarHub Module, with power cable and Ethernet cable 4.5m (15ft). Requires adapter 000-12571-001 or 000-13977-001 adapter cable to use Airmar Non-Chirp or Chirp 9-pin transducers.	680.40	809.68
000-13963-001		NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	1153.95	1373.20
000-15760-001		HALO 2006: 50W Pulse Compression Radar System. Comes with HALO 50W Pedestal, 6ft Antenna, RI-50 Power Supply and 20 m (65.5 ft) Cable.	7764.75	9240.05
000-16652-001		NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass, Pump-2 and SteadySteer™ flow switch.	2680.00	3189.20
000-13337-001		NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer and Precision-9 Compass.	1421.88	1692.04
000-13335-001		NAC-2 Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	1701.87	2025.23
000-15621-001		NAC-D AUTOPILOT COMPUTER. NAC™ -D is a digital steering autopilot solution for Electronic Vessel Control Systems (steering systems with a digital interface). It allows automatic switching between two speed profiles, delivering optimal steering performance at both low and high speeds.	1122.45	1335.72
000-15763-001		HALO 3004: 130W Pulse Compression Radar System. Comes with HALO 130W Pedestal, 4ft Antenna, RI-50 Power Supply and 20 m (65.5 ft) Cable.	8814.75	10489.55
000-15764-001		HALO 3006: 130W Pulse Compression Radar System. Comes with HALO 130W Pedestal, 6ft Antenna, RI-50 Power Supply and 20 m (65.5 ft) Cable.	9339.75	11114.30
000-10029-001		NEP-2 Network Expansion Port (Ethernetverteiler mit 5 Ports)	324.45	386.10
000-16657-001		AP44 VRF. Precision VRF medium capacity pack. Comprising of AP44 controller, NAC-2 autopilot computer, Precision 9 compass, PUMP-2 hydraulic pump (MKII) and SteadySteer™ flow switch.	3330.00	3962.70
000-16504-001		AP44 VRF medium capacity pack MKII. Comprising of AP44 controller, NAC-2 autopilot computer, HS65 Satellite compass, PUMP-2 hydraulic pump (MKII), and SteadySteer™ flow switch	3655.00	4349.45

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13291-002		AP44 VRF medium capacity pack MKII. Comprising of AP44 controller, Precision 9 compass, PUMP-2 hydraulic pump (MKII) and NAC-2 autopilot computer.	2270.63	2702.05
000-16656-001		NAC-3 RF. Performance Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, HS65 GNSS Compass, RF-25N Rudder Feedback unit, SteadySteer™ flow switch, backbone starter kit and 4m (15 ft) NMEA 2000 cable.	3390.00	4034.10
000-13336-001		NAC-3 Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	2498.13	2972.77
000-16655-001		NAC-3 VRF. Performance VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, HS65 GNSS Compass, SteadySteer™ flow switch, backbone starter kit, 4m (15 ft) NMEA 2000 cable.	2999.00	3568.81
000-13338-001		NAC-3 VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer and Precision-9 Compass.	2213.75	2634.36
000-16505-001		AP44 VRF high capacity pack. Comprising of AP44 controller, HS65 GNSS compass, PUMP-3 hydraulic pump (MKII) and NAC-3 autopilot computer and SteadySteer™ Flow Switch	4966.50	5910.14
000-13562-002		AP44 VRF high capacity pack MKII. Comprising of AP44 controller, Precision-9 compass, PUMP-3 hydraulic pump (MKII) and NAC-3 autopilot computer	3178.88	3782.87
000-14531-001		RS90S Black Box VHF AIS RX system. Compliant to European Regulation - EN 301 025 (v2.2.1)	936.27	1114.16
000-14537-001		HALO20 Radar - A cost-effective compact 20" Radar dome. 24 NM range and 24 RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.	2152.50	2561.48
000-14536-001		HALO20+ Radar - A compact 20" powerful 25 W Solid-State Radar, delivering 60 RPM at short range and up to 36 NM range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards both at close and long ranges simultaneously.	2530.50	3011.30
000-14535-001		HALO24 Radar - A 24" powerful 25 W Solid-State Radar, delivering 60 RPM at short range and up to 48 NM range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards both at close and long ranges simultaneously.	2835.00	3373.65
000-14491-001		Simrad RS20S Class D DSC VHF Radio - The versatile RS20S is ideal for a variety of boats from small RIBs to larger cruisers, and is designed to match the low-profile style of our glass bridge displays and accessories.	413.70	492.30

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14489-001		ActiveImaging™ 3-IN-1 combines the new Active Imaging sonar with traditional Medium/High CHIRP sonar for easy single transducer installation. 7.6m (25ft) cable with 9 pin connector.	380.09	452.31
000-16218-001		NSX 3012UW Suncover	61.20	72.83
000-16219-001		NSX/ZeusS 3012UW Rear mount kit. Includes 2x powder-coated brackets, 2x threaded studs, 8x thumb nuts, and a foam gasket.	71.40	84.97
000-16221-001		NSX 3015UW Suncover	81.60	97.10

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16222-001		Simrad NSX 3015UW , B&G ZeusS UW Rear mount kit. Includes 2x powder-coated brackets, 2x threaded studs, 8x thumb nuts, and a foam gasket.	71.40	84.97
000-00128-001		4-pin Power Cable for modules and MFDs.	40.80	48.55

Fernbedienungen

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16516-001		OP-55™ Remote control, Portrait for NEON™ OS displays	448.80	534.07
000-16517-001		OP-55™ Remote control, Landscape. For NEON™ OS displays.	448.80	534.07
000-12364-001		OP50 wired MFD remote controller. (Portrait mount) For use with Simrad NSS and NSO MFD systems and brings simple and precise MFD control in even the roughest sea conditions.	448.80	534.07
000-12512-001		OP50 wired MFD remote controller. (Landscape mount) For use with Simrad NSS and NSO MFD systems and brings simple and precise MFD control in even the roughest sea conditions.	448.80	534.07
000-13892-001		MI10 Dashmount microSD card reader: Dual microSD Chart Card reader: Note for NSO4 and Zeus SRX a 000-16329-001 USB C male to USB-C-A adapter, or similar third party adapter is required.	223.38	265.82

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16329-001		USB to USB-A Female adapter cable	24.99	29.74
000-12744-001		OP50 / ZC2 Dash Mounting Kit	25.50	30.35
000-12745-001		OP50 / ZC2 Flush Mounting Bracket Kit	89.76	106.81

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-12743-001		OP50 / ZC2 Suncover	14.28	16.99
000-12744-001		OP50 / ZC2 Dash Mounting Kit	25.50	30.35
000-12746-001		OP50 / ZC2 Dial Knob with grub screw	41.19	49.02

NSO® evo3S™

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15126-001		NSO evo3S 16" MFD System Pack - High performance all-in-one multifunctional display. Integrate with radar, autopilot, sonar modules and much more via Ethernet and NMEA2000. Includes MI10 Card reader, OP50 Remote, and GS25 GPS Antenna.	6750.46	8033.05
000-15127-001		NSO evo3S 19" MFD System Pack - High performance all-in-one multifunctional display. Integrate with radar, autopilot, sonar modules and much more via Ethernet and NMEA2000. Includes MI10 Card reader, OP50 Remote, and GS25 GPS Antenna.	7853.18	9345.28
000-15128-001		NSO evo3S 24" MFD System Pack - High performance all-in-one multifunctional display. Integrate with radar, autopilot, sonar modules and much more via Ethernet and NMEA2000. Includes MI10 Card reader, OP50 Remote, and GS25 GPS Antenna.	10820.47	12876.36
000-15047-001		NSO evo3S 16" MFD Display Only - High performance all-in-one multifunctional display. Integrate with radar, autopilot, sonar modules and much more via Ethernet and NMEA2000.	6187.78	7363.46
000-15051-001		NSO evo3S 24" MFD Display Only - High performance all-in-one multifunctional display. Integrate with radar, autopilot, sonar modules and much more via Ethernet and NMEA2000.	10224.68	12167.37
000-15049-001		NSO evo3S 19" MFD Display Only - High performance all-in-one multifunctional display. Integrate with radar, autopilot, sonar modules and much more via Ethernet and NMEA2000.	7323.60	8715.08

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14380-001		The V3100 Class B AIS incorporates SOTDMA technology and increased transmission power to enhance transmission frequency, reliability, and range compared to standard Class B AIS. This 'black-box' solution integrates with MFD displays, and features industry-standard connectivity.	935.00	1112.65
000-15792-001		Simrad RS100-B Blackbox VHF Radio with integrated Class-B AIS transceiver and GPS. Kit includes NRS-2 VHF Blackbox module with Class B AIS built-in, GPS-500 antenna, one HS100 wired handset, and one SP100 speaker.	1652.70	1966.71
000-14473-001		Simrad RS40-B Marine VHF Radio - Stay safer on the water with this VHF Marine Radio. See and be seen by nearby AIS-equipped vessels thanks the integrated Class B AIS transceiver, and add up to two optional wireless handsets.	1048.95	1248.25
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	702.45	835.92
000-13285-001		IS42 Instrument - This multi-purpose instrument display features a colour screen that's designed for optimal visibility in all conditions. See wind data, boat speed, depth, engine information, autopilot status, AIS data and more at a glance.	540.75	643.49
000-11043-002		GS25 Antenna with built-in rate compass. 10 Hz position update rate. Built-in rate compass is perfect for providing heading data for Radar Chart Overlay and for orienting charts in Head-Up Mode. Note: This heading sensor is not recommended for MARPA or Autopilot control! Please use the Precision 9 for this.	292.95	348.61
000-15643-001		Simrad RS100 Blackbox VHF radio system. Kit includes NRS-1 VHF Blackbox module, one HS100 wired handset, and one SP100 speaker.	987.00	1174.53
000-15876-001		The IP CAM-1 marine grade 316 stainless steel IP camera. Powered by 12V DC or PoE.	586.95	698.47
000-16235-001		HS65, GNSS Compass with mount flat mount.	1199.00	1426.81

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14470-001		RS40 Marine VHF Radio - Stay safe and connected with this VHF marine radio featuring removable fist mic, Class D DSC functionality, and built-in GPS. Keep track of nearby AIS-equipped vessels with an integrated AIS receiver, and add up to two optional wireless handsets.	723.45	860.91
000-12364-001		OP50 wired MFD remote controller. (Portrait mount) For use with Simrad NSS and NSO MFD systems and brings simple and precise MFD control in even the roughest sea conditions.	448.80	534.07
000-16143-001		HS75 GPS Compass - Ideal heading source for non-SOLAS professional vessels like Search and Rescue, Patrol, Fishing, Workboats and more. Provides solid 0.75° RMS heading accuracy in a compact unit. Supports GPS, GLONASS, Galileo, BeiDou, QZSS for increased accuracy across the world.	2623.95	3122.50
000-12395-001		StructureScan® 3D Module and Transom mount Transducer kit.	1134.00	1349.46
000-12512-001		OP50 wired MFD remote controller. (Landscape mount) For use with Simrad NSS and NSO MFD systems and brings simple and precise MFD control in even the roughest sea conditions.	448.80	534.07
000-13335-001		NAC-2 Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	1701.87	2025.23
000-13291-002		AP44 VRF medium capacity pack MKII. Comprising of AP44 controller, Precision 9 compass, PUMP-2 hydraulic pump (MKII) and NAC-2 autopilot computer.	2270.63	2702.05
000-13336-001		NAC-3 Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	2498.13	2972.77
000-13562-002		AP44 VRF high capacity pack MKII. Comprising of AP44 controller, Precision-9 compass, PUMP-3 hydraulic pump (MKII) and NAC-3 autopilot computer	3178.88	3782.87
000-14536-001		HALO20+ Radar - A compact 20" powerful 25 W Solid-State Radar, delivering 60 RPM at short range and up to 36 NM range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards both at close and long ranges simultaneously.	2530.50	3011.30
000-14535-001		HALO24 Radar - A 24" powerful 25 W Solid-State Radar, delivering 60 RPM at short range and up to 48 NM range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards both at close and long ranges simultaneously.	2835.00	3373.65
000-14488-001		Spacer required if using the Heavy Duty Gimbal bracket kit (000-13547-001) to mount an NSO16 evo3 or ZEUS3-16 display.(not required for 19 and 24 " displays)	51.49	61.27
000-13547-001		Extra heavy duty Gimbal bracket for desk-mounting the M5000 IMO Monitors, Simrad MO-Series Touch Monitors, B&G ZM-Series Monitors as well as NSO evo3S MFD and Zeus3S Glass Helm Displays.	579.00	689.01

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11043-002		GS25 Antenna with built-in rate compass. 10 Hz position update rate. Built-in rate compass is perfect for providing heading data for Radar Chart Overlay and for orienting charts in Head-Up Mode. Note: This heading sensor is not recommended for MARPA or Autopilot control! Please use the Precision 9 for this.	292.95	348.61
000-12364-001		OP50 wired MFD remote controller. (Portrait mount) For use with Simrad NSS and NSO MFD systems and brings simple and precise MFD control in even the roughest sea conditions.	448.80	534.07
000-13892-001		MI10 Dashmount microSD card reader: Dual microSD Chart Card reader: Note for NSO4 and Zeus SRX a 000-16329-001 USB C male to USB-C-A adapter, or similar third party adapter is required.	223.38	265.82
000-11246-001		RJ45-Yellow Round Ethernet adapter cable RJ45 Male / 5 Pin Female 10 cm (6")	25.20	29.99

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15632-001		Magnetic Suncover for SIMRAD MO16 Monitor and NSO evo3S MFD	131.58	156.58
000-15633-001		Magnetic Suncover for 19" SIMRAD Monitor and NSOevo3S MFD	151.98	180.86
000-15634-001		Magnetic Suncover for 24" SIMRAD Monitor and NSOevo3S MFD	193.80	230.62
000-11620-001		16" Edge Bezels for Monitors and MFDs. Check compatability in description.	60.18	71.61
000-11621-001		19" Edge Bezels for Monitors and MFDs. Check compatability in description.	49.98	59.48
000-11622-001		24" Edge Bezels for Monitors and MFDs. Check compatability in description.	60.18	71.61
000-11614-001		MO, NSO evo3 16/19/24 Cable retention bracket	27.53	32.76
000-11618-001		MO, NSO evo3 16/19/24,Rear mount bracket kit. Includes: dash seal for 16,19,24" and Bracket kit	64.26	76.47

NSO® MPU


Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15115-001		NSO evo3S MPU 1 x 16" Multi-Touch Monitor System base kit. Expand and integrate to build your preferred system including navigation, radar, sonar, autopilot, and more.	7699.67	9162.61
000-15121-001		NSO evo3S MPU 2 x 16" Multi-Touch Monitor System base kit. Expand and integrate to build your preferred system including navigation, radar, sonar, autopilot, and more.	10136.41	12062.33
000-15117-001		NSO evo3S MPU 1 x 19" Multi-Touch Monitor System base kit. Expand and integrate to build your preferred system including navigation, radar, sonar, autopilot, and more.	9139.20	10875.65
000-15123-001		NSO evo3S MPU 2 x 19" Multi-Touch Monitor System base kit. Expand and integrate to build your preferred system including navigation, radar, sonar, autopilot, and more.	12796.90	15228.31
000-15119-001		NSO evo3S MPU 1 x 24" Multi-Touch Monitor System base kit. Expand and integrate to build your preferred system including navigation, radar, sonar, autopilot, and more.	10841.17	12900.99
000-15045-001		NSO evo3S MPU - Multi-Display Blackbox MFD solution. Can drive two independent displays, supporting both touch and non-touch monitors. Expand and integrate to build your preferred system including navigation, radar, sonar, autopilot, and more.	4153.95	4943.20
000-15101-001		NSO evo3S MPU - Multi-Display Blackbox MFD solution. Can drive two independent displays, supporting both touch and non-touch monitors. Expand and integrate to build your preferred system including navigation, radar, sonar, autopilot, and more.	4153.95	4943.20

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14380-001		The V3100 Class B AIS incorporates SOTDMA technology and increased transmission power to enhance transmission frequency, reliability, and range compared to standard Class B AIS. This 'black-box' solution integrates with MFD displays, and features industry-standard connectivity.	935.00	1112.65
000-15792-001		Simrad RS100-B Blackbox VHF Radio with integrated Class-B AIS transceiver and GPS. Kit includes NRS-2 VHF Blackbox module with Class B AIS built-in, GPS-500 antenna, one HS100 wired handset, and one SP100 speaker.	1652.70	1966.71
000-14473-001		Simrad RS40-B Marine VHF Radio - Stay safer on the water with this VHF Marine Radio. See and be seen by nearby AIS-equipped vessels thanks the integrated Class B AIS transceiver, and add up to two optional wireless handsets.	1048.95	1248.25
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	702.45	835.92
000-11749-001		Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit, Standby-Auto button and Micro-C network components.	1731.45	2060.43
000-13260-001		S5100 High-performance CHIRP sonar module. Three fully independent channels able to deliver high-resolution sonar coverage across multiple depth ranges, precision-focused for offshore sportfishing anglers.	1702.05	2025.44
000-13285-001		IS42 Instrument - This multi-purpose instrument display features a colour screen that's designed for optimal visibility in all conditions. See wind data, boat speed, depth, engine information, autopilot status, AIS data and more at a glance.	540.75	643.49
000-11043-002		GS25 Antenna with built-in rate compass. 10 Hz position update rate. Built-in rate compass is perfect for providing heading data for Radar Chart Overlay and for orienting charts in Head-Up Mode. Note: This heading sensor is not recommended for MARPA or Autopilot control! Please use the Precision 9 for this.	292.95	348.61


Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14818-001		Simrad RS40-B Marine VHF Radio - Stay safer on the water with this VHF Marine Radio. See and be seen by nearby AIS-equipped vessels thanks the integrated Class B AIS transceiver, and add up to two optional wireless handsets. Includes with GPS500 GPS antenna.	1153.95	1373.20
000-15643-001		Simrad RS100 Blackbox VHF radio system. Kit includes NRS-1 VHF Blackbox module, one HS100 wired handset, and one SP100 speaker.	987.00	1174.53
000-11262-002		MO19-T - 19" Multi-Touch monitor, HD widescreen 1366x768 resolution. High-bright 1000-nit monitor. HDMI, DVI, 2x Analog composite (BNC) video in.	4407.25	5244.63
000-15876-001		The IP CAM-1 marine grade 316 stainless steel IP camera. Powered by 12V DC or PoE.	586.95	698.47
000-16235-001		HS65, GNSS Compass with mount flat mount.	1199.00	1426.81
000-14470-001		RS40 Marine VHF Radio - Stay safe and connected with this VHF marine radio featuring removable fist mic, Class D DSC functionality, and built-in GPS. Keep track of nearby AIS-equipped vessels with an integrated AIS receiver, and add up to two optional wireless handsets.	723.45	860.91
000-12364-001		OP50 wired MFD remote controller. (Portrait mount) For use with Simrad NSS and NSO MFD systems and brings simple and precise MFD control in even the roughest sea conditions.	448.80	534.07
000-16143-001		HS75 GPS Compass - Ideal heading source for non-SOLAS professional vessels like Search and Rescue, Patrol, Fishing, Workboats and more. Provides solid 0.75° RMS heading accuracy in a compact unit. Supports GPS, GLONASS, Galileo, BeiDou, QZSS for increased accuracy across the world.	2623.95	3122.50
000-11142-001		SonarHub Module, with power cable and Ethernet cable 4.5m (15ft). Requires adapter 000-12571-001 or 000-13977-001 adapter cable to use Airmar Non-Chirp or Chirp 9-pin transducers.	680.40	809.68
000-13963-001		NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	1153.95	1373.20
000-13284-001		ForwardScan™ Transducer Kit (Long-Stem) with Sleeve & Plug. 10m (33ft) Cable	1133.13	1348.42
000-12512-001		OP50 wired MFD remote controller. (Landscape mount) For use with Simrad NSS and NSO MFD systems and brings simple and precise MFD control in even the roughest sea conditions.	448.80	534.07
000-12395-001		StructureScan® 3D Module and Transom mount Transducer kit.	1134.00	1349.46
000-16652-001		NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass, Pump-2 and SteadySteer™ flow switch.	2680.00	3189.20
000-13892-001		MI10 Dashmount microSD card reader: Dual microSD Chart Card reader: Note for NSO4 and Zeus SRX a 000-16329-001 USB C male to USB-C-A adapter, or similar third party adapter is required.	223.38	265.82
000-12397-001		StructureScan® 3D module only. Transom mount and Through-Hull transducers available separately.	680.40	809.68
000-13337-001		NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer and Precision-9 Compass.	1421.88	1692.04

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13335-001		NAC-2 Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	1701.87	2025.23
000-15621-001		NAC-D AUTOPILOT COMPUTER. NAC™ -D is a digital steering autopilot solution for Electronic Vessel Control Systems (steering systems with a digital interface). It allows automatic switching between two speed profiles, delivering optimal steering performance at both low and high speeds.	1122.45	1335.72
000-10029-001		NEP-2 Network Expansion Port (Ethernetverteiler mit 5 Ports)	324.45	386.10
000-16657-001		AP44 VRF. Precision VRF medium capacity pack. Comprising of AP44 controller, NAC-2 autopilot computer, Precision 9 compass, PUMP-2 hydraulic pump (MKII) and SteadySteer™ flow switch.	3330.00	3962.70
000-16504-001		AP44 VRF medium capacity pack MKII. Comprising of AP44 controller, NAC-2 autopilot computer, HS65 Satellite compass, PUMP-2 hydraulic pump (MKII), and SteadySteer™ flow switch	3655.00	4349.45
000-16656-001		NAC-3 RF. Performance Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, HS65 GNSS Compass, RF-25N Rudder Feedback unit, SteadySteer™ flow switch, backbone starter kit and 4m (15 ft) NMEA 2000 cable.	3390.00	4034.10
000-13336-001		NAC-3 Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	2498.13	2972.77
000-16655-001		NAC-3 VRF. Performance VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, HS65 GNSS Compass, SteadySteer™ flow switch, backbone starter kit, 4m (15 ft) NMEA 2000 cable.	2999.00	3568.81
000-13338-001		NAC-3 VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer and Precision-9 Compass.	2213.75	2634.36
000-11246-001		RJ45-Yellow Round Ethernet adapter cable RJ45 Male / 5 Pin Female 10 cm (6")	25.20	29.99
000-16505-001		AP44 VRF high capacity pack. Comprising of AP44 controller, HS65 GNSS compass,PUMP-3 hydraulic pump (MKII) and NAC-3 autopilot computer and SteadySteer™ Flow Switch	4966.50	5910.14
000-14531-001		RS90S Black Box VHF AIS RX system. Compliant to European Regulation - EN 301 025 (v2.2.1)	936.27	1114.16
000-11260-001		MO16-T - 15.6" Multi-Touch monitor with 1366x768 resolution. The 1000 nit peak brightness gives you a clear display even in direct sunlight, and the minimum brightness is extremely dim for night operation without blinding. Multiple video inputs and low-profile glass bridge design.	2970.75	3535.19
000-14537-001		HALO20 Radar - A cost-effective compact 20" Radar dome. 24 NM range and 24 RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.	2152.50	2561.48
000-14536-001		HALO20+ Radar - A compact 20" powerful 25 W Solid-State Radar, delivering 60 RPM at short range and up to 36 NM range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards both at close and long ranges simultaneously.	2530.50	3011.30
000-11264-001		MO24-T - 24" Multi-Touch monitor with 1920x1080 resolution. The 1000 nit peak brightness gives you a clear display even in direct sunlight, and the minimum brightness is extremely dim for night operation without blinding. Multiple video inputs and low-profile glass bridge design.	6277.25	7469.93
000-14535-001		HALO24 Radar - A 24" powerful 25 W Solid-State Radar, delivering 60 RPM at short range and up to 48 NM range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards both at close and long ranges simultaneously.	2835.00	3373.65

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13547-001		Extra heavy duty Gimbal bracket for desk-mounting the M5000 IMO Monitors, Simrad MO-Series Touch Monitors, B&G ZM-Series Monitors as well as NSO evo3S MFD and Zeus3S Glass Helm Displays.	579.00	689.01
000-11247-001		NSOevo2, NSOevo3S, Zeus2 and Zeus3S NMEA0183 and Touch Monitor Serial Cable. 2m (6.5 ft)	29.58	35.20
000-11248-001		HDMI monitor video cable 3 m (9.8 ft)	40.80	48.55
000-11249-001		HDMI monitor video cable 10 m (33 ft)	66.30	78.90
000-14491-001		Simrad RS20S Class D DSC VHF Radio - The versatile RS20S is ideal for a variety of boats from small RIBs to larger cruisers, and is designed to match the low-profile style of our glass bridge displays and accessories.	413.70	492.30

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11043-002		GS25 Antenna with built-in rate compass. 10 Hz position update rate. Built-in rate compass is perfect for providing heading data for Radar Chart Overlay and for orienting charts in Head-Up Mode. Note: This heading sensor is not recommended for MARPA or Autopilot control! Please use the Precision 9 for this.	292.95	348.61
24006413		Micro-C female to SimNet 4 m (13 ft) cable that connects a NMEA 2000® product to a SimNet backbone	72.45	86.22
000-12364-001		OP50 wired MFD remote controller. (Portrait mount) For use with Simrad NSS and NSO MFD systems and brings simple and precise MFD control in even the roughest sea conditions.	448.80	534.07
000-13892-001		MI10 Dashmount microSD card reader: Dual microSD Chart Card reader: Note for NSO4 and Zeus SRX a 000-16329-001 USB C male to USB-C-A adapter, or similar third party adapter is required.	223.38	265.82
000-11246-001		RJ45-Yellow Round Ethernet adapter cable RJ45 Male / 5 Pin Female 10 cm (6")	25.20	29.99
000-00128-001		4-pin Power Cable for modules and MFDs.	40.80	48.55
000-11264-001		MO24-T - 24" Multi-Touch monitor with 1920x1080 resolution. The 1000 nit peak brightness gives you a clear display even in direct sunlight, and the minimum brightness is extremely dim for night operation without blinding. Multiple video inputs and low-profile glass bridge design.	6277.25	7469.93
000-11622-001		24" Edge Bezels for Monitors and MFDs. Check compatability in description.	60.18	71.61
000-11614-001		MO, NSO evo3 16/19/24 Cable retention bracket	27.53	32.76
000-11619-001		MO16/19/24 Dash Seal Kit	7.59	9.03
000-11623-001		MO16/19/24 Air Inlet Filters - 5pcs	12.36	14.71
000-11624-001		MO16/19/24 Air Inlet Cover	6.46	7.69

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11625-001		MO16/19/24 Connector Kit - Power and Serial	19.38	23.06
000-11618-001		MO, NSO evo3 16/19/24 Rear mount bracket kit. Includes: dash seal for 16,19,24" and Bracket kit	64.26	76.47
000-11247-001		NSOevo2, NSOevo3S, Zeus2 and Zeus3S NMEA0183 and Touch Monitor Serial Cable. 2m (6.5 ft)	29.58	35.20
000-11248-001		HDMI monitor video cable 3 m (9.8 ft)	40.80	48.55

Monitors

Main Products



Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11262-002		MO19-T - 19" Multi-Touch monitor, HD widescreen 1366x768 resolution. High-bright 1000-nit monitor. HDMI, DVI, 2x Analog composite (BNC) video in.	4407.25	5244.63
000-11260-001		MO16-T - 15.6" Multi-Touch monitor with 1366x768 resolution. The 1000 nit peak brightness gives you a clear display even in direct sunlight, and the minimum brightness is extremely dim for night operation without blinding. Multiple video inputs and low-profile glass bridge design.	2970.75	3535.19
000-11264-001		MO24-T - 24" Multi-Touch monitor with 1920x1080 resolution. The 1000 nit peak brightness gives you a clear display even in direct sunlight, and the minimum brightness is extremely dim for night operation without blinding. Multiple video inputs and low-profile glass bridge design.	6277.25	7469.93

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11043-002		GS25 Antenna with built-in rate compass. 10 Hz position update rate. Built-in rate compass is perfect for providing heading data for Radar Chart Overlay and for orienting charts in Head-Up Mode. Note: This heading sensor is not recommended for MARPA or Autopilot control! Please use the Precision 9 for this.	292.95	348.61
000-15632-001		Magnetic Suncover for SIMRAD MO16 Monitor and NSO evo3S MFD	131.58	156.58
000-15633-001		Magnetic Suncover for 19" SIMRAD Monitor and NSOevo3S MFD	151.98	180.86
000-15634-001		Magnetic Suncover for 24" SIMRAD Monitor and NSOevo3S MFD	193.80	230.62
000-14488-001		Spacer required if using the Heavy Duty Gimbal bracket kit (000-13547-001) to mount an NSO16 evo3 or ZEUS3-16 display.(not required for 19 and 24 " displays)	51.49	61.27
000-13547-001		Extra heavy duty Gimbal bracket for desk-mounting the M5000 IMO Monitors, Simrad MO-Series Touch Monitors, B&G ZM-Series Monitors as well as NSO evo3S MFD and Zeus3S Glass Helm Displays.	579.00	689.01
000-11615-001		MO16 VESA Mount Bracket Kit	77.38	92.09
000-11247-001		NSOevo2, NSOevo3S, Zeus2 and Zeus3S NMEA0183 and Touch Monitor Serial Cable. 2m (6.5 ft)	29.58	35.20
000-11248-001		HDMI monitor video cable 3 m (9.8 ft)	40.80	48.55
000-11249-001		HDMI monitor video cable 10 m (33 ft)	66.30	78.90

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11620-001		16" Edge Bezels for Monitors and MFDs. Check compatability in description.	60.18	71.61
000-11621-001		19" Edge Bezels for Monitors and MFDs. Check compatability in description.	49.98	59.48
000-11622-001		24" Edge Bezels for Monitors and MFDs. Check compatability in description.	60.18	71.61

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11614-001		MO, NSO evo3 16/19/24 Cable retention bracket	27.53	32.76
000-11619-001		MO16/19/24 Dash Seal Kit	7.59	9.03
000-11623-001		MO16/19/24 Air Inlet Filters - 5pcs	12.36	14.71
000-11624-001		MO16/19/24 Air Inlet Cover	6.46	7.69
000-11625-001		MO16/19/24 Connector Kit - Power and Serial	19.38	23.06
000-11618-001		MO, NSO evo3 16/19/24,Rear mount bracket kit. Includes: dash seal for 16,19,24" and Bracket kit	64.26	76.47

NSS EVO 3S™

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13237-001		NSS7 evo3 - All in one multifunctional display. Built-in dual channel CHIRP sonar, GPS and WIFI. Support for chart options, Radars, Autopilot, Instrumentation and much more.	1574.85	1874.07
000-15405-001		NSS9 evo3S is an all-in-one MFD, with built-in dual channel CHIRP sonar, GPS and WIFI. Support for chart options, Radars, Autopilot, Instrumentation and much more.	2548.98	3033.29
000-15406-002		NSS12 evo3S is an all-in-one MFD, with built-in dual channel CHIRP sonar, GPS and WIFI. Support for chart options, Radars, Autopilot, Instrumentation and much more.	3834.18	4562.67
000-15407-001		NSS16 evo3S is an all-in-one MFD, with built-in dual channel CHIRP sonar, GPS and WIFI. Support for chart options, Radars, Autopilot, Instrumentation and much more.	5608.98	6674.69
000-15556-001		NSS9 evo3S and Halo20+ Radar bundle. NSS9 evo3S Includes World Basemap.	4506.46	5362.69
000-15557-002		NSS12 evo3S and HALO20+ Radar bundle. NSS12 evo3S includes world basemap.	5791.66	6892.08

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15792-001		Simrad RS100-B Blackbox VHF Radio with integrated Class-B AIS transceiver and GPS. Kit includes NRS-2 VHF Blackbox module with Class B AIS built-in, GPS-500 antenna, one HS100 wired handset, and one SP100 speaker.	1652.70	1966.71
000-14473-001		Simrad RS40-B Marine VHF Radio - Stay safer on the water with this VHF Marine Radio. See and be seen by nearby AIS-equipped vessels thanks the integrated Class B AIS transceiver, and add up to two optional wireless handsets.	1048.95	1248.25
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	702.45	835.92
000-11749-001		Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit, Standby-Auto button and Micro-C network components.	1731.45	2060.43
000-13285-001		IS42 Instrument - This multi-purpose instrument display features a colour screen that's designed for optimal visibility in all conditions. See wind data, boat speed, depth, engine information, autopilot status, AIS data and more at a glance.	540.75	643.49
000-13260-001		S5100 High-performance CHIRP sonar module. Three fully independent channels able to deliver high-resolution sonar coverage across multiple depth ranges, precision-focused for offshore sportfishing anglers.	1702.05	2025.44
000-11043-002		GS25 Antenna with built-in rate compass. 10 Hz position update rate. Built-in rate compass is perfect for providing heading data for Radar Chart Overlay and for orienting charts in Head-Up Mode. Note: This heading sensor is not recommended for MARPA or Autopilot control! Please use the Precision 9 for this.	292.95	348.61
000-14818-001		Simrad RS40-B Marine VHF Radio - Stay safer on the water with this VHF Marine Radio. See and be seen by nearby AIS-equipped vessels thanks the integrated Class B AIS transceiver, and add up to two optional wireless handsets. Includes with GPS500 GPS antenna.	1153.95	1373.20
000-15643-001		Simrad RS100 Blackbox VHF radio system. Kit includes NRS-1 VHF Blackbox module, one HS100 wired handset, and one SP100 speaker.	987.00	1174.53
000-15876-001		The IP CAM-1 marine grade 316 stainless steel IP camera. Powered by 12V DC or PoE.	586.95	698.47

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15758-001		HALO 2003: 50W Pulse Compression Radar System. Comes with HALO 50W Pedestal, 3ft Antenna, RI-50 Power Supply and 20 m (65.5 ft) Cable.	6662.25	7928.08
000-16235-001		HS65, GNSS Compass with mount flat mount.	1199.00	1426.81
000-16143-001		HS75 GPS Compass - Ideal heading source for non-SOLAS professional vessels like Search and Rescue, Patrol, Fishing, Workboats and more. Provides solid 0.75° RMS heading accuracy in a compact unit. Supports GPS, GLONASS, Galileo, BeiDou, QZSS for increased accuracy across the world.	2623.95	3122.50
000-12364-001		OP50 wired MFD remote controller. (Portrait mount) For use with Simrad NSS and NSO MFD systems and brings simple and precise MFD control in even the roughest sea conditions.	448.80	534.07
000-15759-001		HALO 2004: 50W Pulse Compression Radar System. Comes with HALO 50W Pedestal, 4ft Antenna, RI-50 Power Supply and 20 m (65.5 ft) Cable.	7187.25	8552.83
000-14470-001		RS40 Marine VHF Radio - Stay safe and connected with this VHF marine radio featuring removable fist mic, Class D DSC functionality, and built-in GPS. Keep track of nearby AIS-equipped vessels with an integrated AIS receiver, and add up to two optional wireless handsets.	723.45	860.91
000-11142-001		SonarHub Module, with power cable and Ethernet cable 4.5m (15ft). Requires adapter 000-12571-001 or 000-13977-001 adapter cable to use Airmar Non-Chirp or Chirp 9-pin transducers.	680.40	809.68
000-13963-001		NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	1153.95	1373.20
000-12512-001		OP50 wired MFD remote controller. (Landscape mount) For use with Simrad NSS and NSO MFD systems and brings simple and precise MFD control in even the roughest sea conditions.	448.80	534.07
000-15760-001		HALO 2006: 50W Pulse Compression Radar System. Comes with HALO 50W Pedestal, 6ft Antenna, RI-50 Power Supply and 20 m (65.5 ft) Cable.	7764.75	9240.05
000-12395-001		StructureScan® 3D Module and Transom mount Transducer kit.	1134.00	1349.46
000-16652-001		NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass, Pump-2 and SteadySteer™ flow switch.	2680.00	3189.20
000-12397-001		StructureScan® 3D module only. Transom mount and Through-Hull transducers available separately.	680.40	809.68
000-13337-001		NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer and Precision-9 Compass.	1421.88	1692.04
000-13335-001		NAC-2 Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	1701.87	2025.23
000-15621-001		NAC-D AUTOPILOT COMPUTER. NAC™ -D is a digital steering autopilot solution for Electronic Vessel Control Systems (steering systems with a digital interface). It allows automatic switching between two speed profiles, delivering optimal steering performance at both low and high speeds.	1122.45	1335.72
000-15763-001		HALO 3004: 130W Pulse Compression Radar System. Comes with HALO 130W Pedestal, 4ft Antenna, RI-50 Power Supply and 20 m (65.5 ft) Cable.	8814.75	10489.55
000-15764-001		HALO 3006: 130W Pulse Compression Radar System. Comes with HALO 130W Pedestal, 6ft Antenna, RI-50 Power Supply and 20 m (65.5 ft) Cable.	9339.75	11114.30

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-10029-001		NEP-2 Network Expansion Port (Ethernetverteiler mit 5 Ports)	324.45	386.10
000-16657-001		AP44 VRF. Precision VRF medium capacity pack. Comprising of AP44 controller, NAC-2 autopilot computer, Precision 9 compass, PUMP-2 hydraulic pump (MKII) and SteadySteer™ flow switch.	3330.00	3962.70
000-16504-001		AP44 VRF medium capacity pack MKII. Comprising of AP44 controller, NAC-2 autopilot computer, HS65 Satellite compass, PUMP-2 hydraulic pump (MKII), and SteadySteer™ flow switch	3655.00	4349.45
000-13291-002		AP44 VRF medium capacity pack MKII. Comprising of AP44 controller, Precision 9 compass, PUMP-2 hydraulic pump (MKII) and NAC-2 autopilot computer.	2270.63	2702.05
000-16656-001		NAC-3 RF. Performance Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, HS65 GNSS Compass, RF-25N Rudder Feedback unit, SteadySteer™ flow switch, backbone starter kit and 4m (15 ft) NMEA 2000 cable.	3390.00	4034.10
000-13336-001		NAC-3 Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	2498.13	2972.77
000-16655-001		NAC-3 VRF. Performance VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, HS65 GNSS Compass, SteadySteer™ flow switch, backbone starter kit, 4m (15 ft) NMEA 2000 cable.	2999.00	3568.81
000-13338-001		NAC-3 VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer and Precision-9 Compass.	2213.75	2634.36
000-16505-001		AP44 VRF high capacity pack. Comprising of AP44 controller, HS65 GNSS compass, PUMP-3 hydraulic pump (MKII) and NAC-3 autopilot computer and SteadySteer™ Flow Switch	4966.50	5910.14
000-13562-002		AP44 VRF high capacity pack MKII. Comprising of AP44 controller, Precision-9 compass, PUMP-3 hydraulic pump (MKII) and NAC-3 autopilot computer	3178.88	3782.87
000-14531-001		RS90S Black Box VHF AIS RX system. Compliant to European Regulation - EN 301 025 (v2.2.1)	936.27	1114.16
000-14537-001		HALO20 Radar - A cost-effective compact 20" Radar dome. 24 NM range and 24 RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.	2152.50	2561.48
000-14536-001		HALO20+ Radar - A compact 20" powerful 25 W Solid-State Radar, delivering 60 RPM at short range and up to 36 NM range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards both at close and long ranges simultaneously.	2530.50	3011.30
000-14535-001		HALO24 Radar - A 24" powerful 25 W Solid-State Radar, delivering 60 RPM at short range and up to 48 NM range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards both at close and long ranges simultaneously.	2835.00	3373.65
000-13760-001		NSS16evo3/3S & ZEUS³/S 16" Mounting Bracket (Metal)	100.98	120.17
000-00129-001		Video/Data Cable - Provides 2x Analog Composite Video Inputs (RCA Female) and a NMEA 0183 Interface.	44.88	53.41
000-14491-001		Simrad RS20S Class D DSC VHF Radio - The versatile RS20S is ideal for a variety of boats from small RIBs to larger cruisers, and is designed to match the low-profile style of our glass bridge displays and accessories.	413.70	492.30

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-00128-001		4-pin Power Cable for modules and MFDs.	40.80	48.55
000-13740-001		NSS7 evo3 Sun Cover	31.62	37.63
000-13741-001		NSS9 evo3/evo3S Sun Cover	30.60	36.41
000-13743-001		NSS16 evo3/evo3S Sun Cover	45.90	54.62
000-13742-001		NSS12 evo3/evo3S Sun Cover	41.82	49.77
000-10467-001		NSS Kartenschachtklappe	15.00	17.85
000-13702-001		Gimbal mounting bracket for Simrad NSX 3009, GO9, NSS7 evo3,, and B&G Vulcan9, Zeus3 7 (Plastic)	55.08	65.55
000-13758-001		NSSevo3/3S & ZEUS³/³S 9" Mounting Bracket (Plastic)	36.72	43.70
000-13759-001		NSSevo3/3S & ZEUS³/³S 12" Mounting Bracket	100.98	120.17
000-13749-001		NSSevo3 & ZEUS³ 7" Edge Bezels	18.36	21.85
000-13750-001		NSSevo3/3S & ZEUS³/³S 9" Edge Bezels	21.42	25.49
000-13751-001		NSSevo3/3S & ZEUS³/³S 12" Edge Bezels	25.50	30.35
000-13752-001		NSSevo3/3S & ZEUS³/³S 16" Edge Bezels	29.58	35.20
000-13748-001		NSSevo3 & ZEUS³ Chart Card Door	14.28	16.99
000-13753-001		NSSevo3 & ZEUS³ 7" Dash Mount Kit	27.54	32.77
000-13754-001		NSSevo3/3S & ZEUS³/³S 9" Dash Mount Kit	23.46	27.92
000-13755-001		NSSevo3/3S & ZEUS³/³S 12" Dash Mount Kit	45.90	54.62
000-13756-001		NSSevo3/3S & ZEUS³/³S 16" Dash Mount Kit	66.30	78.90

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14317-001		Replacement Rotary knob for Simrad NSS evo3 & Zeus ³ MFDs	22.44	26.70

GO

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14448-001		Simrad GO7 XSR – 7” Multifunctional Display with built in Echosounder, GPS and Wi-Fi. Super-bright, multi-touch widescreen display with NMEA 2000 and Radar interface.	630.00	749.70
000-14446-001		Simrad GO7 XSR – 7” Multifunctional Display with built in Echosounder, GPS and Wi-Fi. Super-bright, multi-touch widescreen display with NMEA 2000 and Radar interface. Includes M/H HDI Transducer.	700.00	833.00
000-14839-001		Simrad GO7 XSR – 7” Multifunctional Display with built in Echosounder, GPS and Wi-Fi. Super-bright, multi-touch widescreen display with NMEA 2000 and Radar interface. Includes Active Imaging 3-in-1 transducer.	830.00	987.70
000-14444-001		Simrad GO9 XSE – 9” Multifunctional Display with built in Echosounder, GPS and Wi-Fi. Super-bright, multi-touch widescreen display with NMEA 2000 and Radar interface.	950.00	1130.50
000-14445-001		Simrad GO9 XSE – 9” Multifunctional Display with built in Echosounder, GPS and Wi-Fi. Super-bright, multi-touch widescreen display with NMEA 2000 and Radar interface. Includes M/H HDI Transducer.	999.00	1188.81
000-14841-001		Simrad GO9 XSE – 9” Multifunctional Display with built in Echosounder, GPS and Wi-Fi. Super-bright, multi-touch widescreen display with NMEA 2000 and Radar interface. Includes Active Imaging 3-in-1 transducer.	1099.00	1307.81
000-15618-001		Simrad GO9 XSE - w/ Active Imaging 3-in-1 Transducer and Halo20+ Radar bundle.	3156.03	3755.68

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15792-001		Simrad RS100-B Blackbox VHF Radio with integrated Class-B AIS transceiver and GPS. Kit includes NRS-2 VHF Blackbox module with Class B AIS built-in, GPS-500 antenna, one HS100 wired handset, and one SP100 speaker.	1652.70	1966.71
000-14473-001		Simrad RS40-B Marine VHF Radio - Stay safer on the water with this VHF Marine Radio. See and be seen by nearby AIS-equipped vessels thanks the integrated Class B AIS transceiver, and add up to two optional wireless handsets.	1048.95	1248.25
000-11749-001		Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit , Standby-Auto button and Micro-C network components.	1731.45	2060.43
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	702.45	835.92
000-11674-001		ForwardScan™ Transducer Kit with Sleeve & Plug. 10m (33ft) Cable	807.45	960.87
000-13285-001		IS42 Instrument - This multi-purpose instrument display features a colour screen that's designed for optimal visibility in all conditions. See wind data, boat speed, depth, engine information, autopilot status, AIS data and more at a glance.	540.75	643.49
000-12568-001		TotalScan™ Transducer with Medium/High Chirp and 455/800kHz Down and SideScan. 7m (24ft) Cable.	380.10	452.32


Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13919-001		P66 - Plastic 600W 50/200kHz Transom Mount Depth and Temperature transducer. 9pin connector and 6 m (19.6 ft) cable.	200.29	238.35
000-13907-001		Through-Hull Bronze HDI Transducer. 50/200kHz 455/800 kHz DownScan. Black 9 Pin pin connector and 10m (33ft) cable.	597.45	710.97
000-13906-001		Through-Hull Bronze HDI Transducer. 50/200kHz 455/800 kHz DownScan. Black 9 Pin pin connector and 10m (33ft) cable.	597.44	710.95
000-13944-001		TM150M - Plastic 300W Transom Mount Medium-Chirp Transducer. 9pin connector and 10m cable.	422.68	502.99
000-11043-002		GS25 Antenna with built-in rate compass. 10 Hz position update rate. Built-in rate compass is perfect for providing heading data for Radar Chart Overlay and for orienting charts in Head-Up Mode. Note: This heading sensor is not recommended for MARPA or Autopilot control! Please use the Precision 9 for this.	292.95	348.61
000-14818-001		Simrad RS40-B Marine VHF Radio - Stay safer on the water with this VHF Marine Radio. See and be seen by nearby AIS-equipped vessels thanks the integrated Class B AIS transceiver, and add up to two optional wireless handsets. Includes with GPS500 GPS antenna.	1153.95	1373.20
000-15643-001		Simrad RS100 Blackbox VHF radio system. Kit includes NRS-1 VHF Blackbox module, one HS100 wired handset, and one SP100 speaker.	987.00	1174.53
000-13313-001		Connects older 7 pin blue plug transducers to displays with 9pin transducer ports.	34.64	41.22
000-16235-001		HS65, GNSS Compass with mount flat mount.	1199.00	1426.81
000-14470-001		RS40 Marine VHF Radio - Stay safe and connected with this VHF marine radio featuring removable fist mic, Class D DSC functionality, and built-in GPS. Keep track of nearby AIS-equipped vessels with an integrated AIS receiver, and add up to two optional wireless handsets.	723.45	860.91
000-12364-001		OP50 wired MFD remote controller. (Portrait mount) For use with Simrad NSS and NSO MFD systems and brings simple and precise MFD control in even the roughest sea conditions.	448.80	534.07
000-13905-001		Through-Hull Bronze HDI Transducer. 50/200kHz 455/800 kHz DownScan. Black 9 Pin pin connector and 10m (33ft) cable.	597.44	710.95
000-13963-001		NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	1153.95	1373.20
000-13703-001		Auto-Stby Button - Metal. For a physical Auto/Stby button in systems with NAC-1 and NAC-2 Autopilot Computers.	51.45	61.23
000-13284-001		ForwardScan™ Transducer Kit (Long-Stem) with Sleeve & Plug. 10m (33ft) Cable	1133.13	1348.42
000-12512-001		OP50 wired MFD remote controller. (Landscape mount) For use with Simrad NSS and NSO MFD systems and brings simple and precise MFD control in even the roughest sea conditions.	448.80	534.07
000-11518-001		Fluid Level Sensor - Connects to a standard suitable tank level sensor and transmits the tank level on the the NMEA 2000 network.	114.45	136.20

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13998-001		TM185M - Plastic 1kW Transom-Mounted Medium Chirp Depth and Temperature transducer. 9-pin connector and 10m cable.	1370.25	1630.60
000-15880-001		XSONIC AIRMAR P19 20 DEGREE: single, tilted, 200/83 kHz, transducer. Fixed 20° tilted version for 16° to 24° hull deadrise	185.50	220.75
000-12395-001		StructureScan® 3D Module and Transom mount Transducer kit.	1134.00	1349.46
000-16652-001		NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass, Pump-2 and SteadySteer™ flow switch.	2680.00	3189.20
000-12571-001		Connects a non-CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with transducers that have an analog temperature sensor.	47.25	56.23
000-13997-001		TM185HW - Plastic 1kW Transom-Mounted High-Wide Chirp Depth and Temperature transducer. 9-pin connector and 10m cable.	1658.37	1973.46
000-13337-001		NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer and Precision-9 Compass.	1421.88	1692.04
000-13946-001		B45 - Bronze 600W Through-Hull 50/200 kHz Depth and Temperature transducer. Black 9 pin connector with 10m cable. (33ft)	373.57	444.55
000-14259-001		TotalScan™ Through-Hull Transducer with Low/High Chirp and 455/800kHz Down and SideScan.	808.50	962.12
000-14257-001		TotalScan™ Through-Hull Transducer with Medium/High Chirp and 455/800kHz Down and SideScan.	808.50	962.12
000-13714-001		Networked wind sensor for Triton2, Triton, IS42, IS40 and IS20 systems. Sensor only, does not include cable.	451.50	537.29
000-13335-001		NAC-2 Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	1701.87	2025.23
000-00099-006		Extension cable for 9-pin transducers. *For optimum performance do not use more than 1 extension per installation.	91.34	108.69
000-15621-001		NAC-D AUTOPILOT COMPUTER. NAC™ -D is a digital steering autopilot solution for Electronic Vessel Control Systems (steering systems with a digital interface). It allows automatic switching between two speed profiles, delivering optimal steering performance at both low and high speeds.	1122.45	1335.72
000-13784-001		SS60 (0°) - Stainless Steel 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	500.69	595.82
000-10029-001		NEP-2 Network Expansion Port (Ethernetverteiler mit 5 Ports)	324.45	386.10
000-16657-001		AP44 VRF. Precision VRF medium capacity pack. Comprising of AP44 controller, NAC-2 autopilot computer, Precision 9 compass, PUMP-2 hydraulic pump (MKII) and SteadySteer™ flow switch.	3330.00	3962.70

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16504-001		AP44 VRF medium capacity pack MKII. Comprising of AP44 controller, NAC-2 autopilot computer, HS65 Satellite compass, PUMP-2 hydraulic pump (MKII), and SteadySteer™ flow switch	3655.00	4349.45
000-12728-001		HDI Skimmer med/high (455/800 kHz) transducer. 9 pin Black X-Sonic Connector. Cable Length 6 m (20 ft)	152.25	181.18
000-14489-001		ActiveImaging™ 3-IN-1 combines the new Active Imaging sonar with traditional Medium/High CHIRP sonar for easy single transducer installation. 7.6m (25ft) cable with 9 pin connector.	380.09	452.31
000-14814-001		ActiveImaging™ 3-IN-1 combines the new Active Imaging sonar with traditional Medium/High CHIRP sonar for easy single transducer installation. 1.8m (6ft) cable with 9 pin connector.	380.09	452.31
000-12569-001		HDI Skimmer L/H 455/800 xSonic 9-pin - Black - 6m (20 ft) Cable	299.25	356.11
000-13785-001		SS60 (12") - Stainless Steel 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	496.92	591.33
000-16656-001		NAC-3 RF. Performance Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, HS65 GNSS Compass, RF-25N Rudder Feedback unit, SteadySteer™ flow switch, backbone starter kit and 4m (15 ft) NMEA 2000 cable.	3390.00	4034.10
000-13336-001		NAC-3 Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	2498.13	2972.77
22098586		ST950 passive S/T sensor TH plastic with 1 m (7 ft) Pigtail (Connects speed to D800 (22098560))	122.85	146.19
000-10976-001		HDI Skimmer® transducer 83/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 6m (20 ft)	152.24	181.17
000-14490-001		ActiveImaging™ 2-IN-1 Transducer - Provides Active Imaging technology for SideScan and DownScan while leaving you free to select other transducer options for for Traditional/Chirp Sonar. 7.6m (25 ft) cable with 9 pin connector.	322.34	383.58
000-10977-001		HDI Skimmer® transducer 50/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 6 m (20 ft)	299.24	356.10
000-11738-001		DT800 Depth/Temp Sensor. Plastic thru-hull housing.	425.26	506.06
000-13786-001		SS60 (20") - Stainless Steel 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	496.92	591.33
000-16655-001		NAC-3 VRF. Performance VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, HS65 GNSS Compass, SteadySteer™ flow switch, backbone starter kit, 4m (15 ft) NMEA 2000 cable.	2999.00	3568.81
000-13338-001		NAC-3 VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer and Precision-9 Compass.	2213.75	2634.36
000-11852-001		Airmar IDST800L 235F B-122-RETR 6M	740.25	880.90


Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-0106-77		HST - DFSBL 50/200 kHz Heckmontage-Geber Tiefe/Temperatur - blauer 7 pin Stecker	162.74	193.66
000-16505-001		AP44 VRF high capacity pack. Comprising of AP44 controller, HS65 GNSS compass, PUMP-3 hydraulic pump (MKII) and NAC-3 autopilot computer and SteadySteer™ Flow Switch	4966.50	5910.14
000-0106-72		HST - WSBL 83/200 kHz Heckmontage Geber Tiefe/Temp mit blauem 7 pin Stecker	80.84	96.20
000-13911-001		SS75H - Stainless Steel 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	1077.23	1281.90
000-13912-001		SS75H - Stainless Steel 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	1077.23	1281.90
000-13913-001		SS75H - Stainless Steel 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	1077.23	1281.90
000-13908-001		SS75M - Stainless Steel 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	1123.94	1337.49
000-13909-001		SS75M - Stainless Steel 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	1123.94	1337.49
000-13910-001		SS75M - Stainless Steel 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	1123.94	1337.49
000-13942-001		P79 - Plastic 600 W In-Hull 50/200 kHz Depth Only. Black 9 pin connector with 10m cable. (33ft)	207.98	247.50
000-13922-001		B150M - Bronze 300W Medium-Chirp Thru-Hull Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	582.62	693.32
000-13921-001		B150M - Bronze 300W Medium-Chirp Thru-Hull Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	582.62	693.32
000-13920-001		B150M - Bronze 300W Medium-Chirp Thru-Hull Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	582.62	693.32
000-14531-001		RS90S Black Box VHF AIS RX system. Compliant to European Regulation - EN 301 025 (v2.2.1)	936.27	1114.16
000-13918-001		SS164 (20°) - Stainless Steel 1kW Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	1540.52	1833.22
000-13917-001		SS164 (12°) - Stainless Steel 1kW Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	1540.52	1833.22

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13916-001		SS164 (0°) - Stainless Steel 1kW Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	1540.52	1833.22
000-13780-001		SS175H-W - Stainless Steel 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	2111.67	2512.89
000-14537-001		HALO20 Radar - A cost-effective compact 20" Radar dome. 24 NM range and 24 RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.	2152.50	2561.48
000-14536-001		HALO20+ Radar - A compact 20" powerful 25 W Solid-State Radar, delivering 60 RPM at short range and up to 36 NM range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards both at close and long ranges simultaneously.	2530.50	3011.30
000-13781-001		SS175H-W - Stainless Steel 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	2111.67	2512.89
000-12602-001		Flat Mount Bracket for Active Imaging, TotalScan and StructureScan 3D skimmer transducers.	69.29	82.46
000-14535-001		HALO24 Radar - A 24" powerful 25 W Solid-State Radar, delivering 60 RPM at short range and up to 48 NM range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards both at close and long ranges simultaneously.	2835.00	3373.65
000-13782-001		SS175H-W - Stainless Steel 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	2111.67	2512.89
000-13777-001		SS175M - Stainless Steel 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	1868.69	2223.74
000-13778-001		SS175M - Stainless Steel 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	1868.69	2223.74
000-13779-001		SS175M - Stainless Steel 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	1868.69	2223.74
000-13774-001		SS175L - Stainless Steel 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	2307.27	2745.65
000-13775-001		SS175L - Stainless Steel 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	2307.27	2745.65
000-13776-001		SS175L - Stainless Steel 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	2307.27	2745.65
000-13964-001		B258 - Bronze 1kW Fairing-Block Through-Hull 50/200 kHz Depth/Temperature Transducer. Black 9pin connector and 10m (33ft) cable.	1151.64	1370.45
000-13915-001		P319 - Plastic 600W Thru-Hull 50/200kHz Depth/Temperature. Black 9-pin connector and 10m (33ft) cable.	204.07	242.84

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-12374-001	 Flush mount O'ring type seal for use with the Flush mount kit for GO7 & Vulcan 7 displays.	22.00	26.18
000-12373-001	 Replacement panel / dashboard gasket for GO7 & Vulcan 7 displays	11.00	13.09
000-12366-001	 FLUSH MOUNT KIT,GO7 & VULCAN 7 Note: If flush mounting the Go7 or Vulcan 7 you may need the specific sun cover for the flush mount installation method. For GO7 please order 000-12368-001 or for Vulcan order 000-12370-001).	30.59	36.40
000-14491-001	 Simrad RS20S Class D DSC VHF Radio - The versatile RS20S is ideal for a variety of boats from small RIBs to larger cruisers, and is designed to match the low-profile style of our glass bridge displays and accessories.	413.70	492.30

Spare Parts

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-12728-001	 HDI Skimmer med/high (455/800 kHz) transducer. 9 pin Black X-Sonic Connector. Cable Length 6 m (20 ft)	152.25	181.18
000-14489-001	 ActiveImaging™ 3-IN-1 combines the new Active Imaging sonar with traditional Medium/High CHIRP sonar for easy single transducer installation. 7.6m (25ft) cable with 9 pin connector.	380.09	452.31
000-00128-001	 4-pin Power Cable for modules and MFDs.	40.80	48.55
000-13171-001	 GO5 & Vulcan-5 Power & N2K Cable	80.58	95.89
000-14227-001	 Suncover for GO7 XSR, P3007 and I3007.	35.70	42.48
000-13698-001	 Suncover for Simrad GO9 XSE	40.80	48.55
000-14147-001	 GO12 Suncover	61.20	72.83
000-10467-001	 NSS Kartenschachtklappe	15.00	17.85
000-10027-001	 Quick Release Bracket - GO5 / Vulcan5 / P2005 / I3005 / Mark / Elite	35.70	42.48
000-12372-001	 Mounting bracket for Simrad NSX 3007, GO7 XSR, I3007, P3007, and B&G Vulcan 7R,	54.06	64.33
000-14148-001	 U-BRACKET 12" GO, VULCAN, NSX, ZEUS S	79.00	94.01
000-13702-001	 Gimbal mounting bracket for Simrad NSX 3009, GO9, NSS7 evo3,, and B&G Vulcan9, Zeus3 7 (Plastic)	55.08	65.55

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13170-001		Edge Bezel for P2005, I3005, GO5 & Vulcan-5	11.22	13.35
000-13700-001		Replacement bezel for Simrad GO9 or B&G Vulcan9.	18.36	21.85
000-14230-001		Edge Bezel for GO7 XSR, Vulcan 7R, I3007 & P3007	17.34	20.63
000-14247-001		GO12 & Vulcan 12 Edge Bezel	22.00	26.18
000-13169-001		Dash Mount kit for P2005, I3005, GO5 & Vulcan-5	14.28	16.99
000-14229-001		Dash Mount Kit for GO7 XSR, Vulcan 7R, I3007 & P3007	22.44	26.70
000-12373-001		Replacement panel / dashboard gasket for GO7 & Vulcan 7 displays	11.00	13.09
000-14246-001		GO12/V12 DASH MOUNT KIT	33.00	39.27
000-13699-001		GO9 XSE & Vulcan 9 Dash Mount Kit	22.44	26.70

R2009/R3016

Main Products



Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-12186-001	 R2009 is a dedicated control unit for Simrad Radars and features an integrated 9" portrait display. R2009 offers versatile flush or bracket-mount installation options and intuitive keypad-based operation for reliable control in all conditions.	1649.00	1962.31
000-12188-001	 R3016 is a dedicated control unit for Simrad Radars and features an integrated 16" widescreen display. R3016 offers versatile flush or bracket-mount installation options and intuitive keypad-based operation for reliable control in all conditions.	3854.00	4586.26
000-15717-001	 Simrad R2009 HALO20+ kit is a dedicated 9" portrait Radar Control Unit and HALO20+ Pulse Compression Radar. Kit includes R2009 radar control unit, HALO20+ Radome and Interconnection cable 10 m (33 ft).	3633.00	4323.27
000-16105-001	 Simrad R2009 HALO™2003 kit is a dedicated 9" portrait Radar Control Unit and HALO 2003 Pulse Compression Radar. The kit includes an R2009 radar control unit, Halo 200X pedestal with 3ft antenna, RI-50 interface, Interconnection cable 20m (66 ft), and 1.8 m (6 ft) Ethernet cable.	7070.00	8413.30
000-16106-001	 Simrad R3016 HALO 2003 kit is a dedicated 16" widescreen Radar Control Unit and HALO 2003 Pulse Compression Radar. Kit includes R3016 radar control unit, Halo 200X pedestal and 3ft antenna, RI-50 interface, Interconnection cable 20m (66 ft), and 1.8 m (6 ft) Ethernet cable.	9230.00	10983.70
000-16107-001	 Simrad R3016 HALO 2004 kit is a dedicated 16" widescreen Radar Control Unit and HALO 2004 Pulse Compression Radar. Kit includes R3016 radar control unit, HALO 200X pedestal and 4 ft antenna, RI-50 interface, Interconnection cable 20m (66 ft), 1.8 m (6 ft) Ethernet cable.	9650.00	11483.50
000-16108-001	 Simrad R3016 HALO 3004 kit is a dedicated 16" widescreen Radar Control Unit and HALO 3004 Pulse Compression Radar. Kit includes R3016 radar control unit, Halo 300X pedestal and 4ft antenna, RI-50 interface, Interconnection cable 20m (66 ft), 1.8 m (6 ft) Ethernet cable.	10950.00	13030.50
000-16109-001	 Simrad R3016 HALO 3006 kit is a dedicated 16" widescreen Radar Control Unit and HALO 3006 Pulse Compression Radar. Kit includes R3016 radar control unit, Halo 300X pedestal with 6 ft antenna, RI-50 interface, Interconnection cable 20m (66 ft), 1.8 m (6 ft) Ethernet cable.	11400.00	13566.00
000-13958-001	 O2000 Radar remote controller for R2009, R3016 and R5000 PRO radars. NMEA2000 connectivity.	485.00	577.15

Accessories

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-12607-001	 Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	702.45	835.92
000-11464-001	 HALO Antenna Only - 3ft	1048.95	1248.25
000-11465-001	 HALO Antenna Only - 4ft	1360.62	1619.14
000-11043-002	 GS25 Antenna with built-in rate compass. 10 Hz position update rate. Built-in rate compass is perfect for providing heading data for Radar Chart Overlay and for orienting charts in Head-Up Mode. Note: This heading sensor is not recommended for MARPA or Autopilot control! Please use the Precision 9 for this.	292.95	348.61
000-16235-001	 HS65, GNSS Compass with mount flat mount.	1199.00	1426.81
000-11466-001	 HALO Antenna Only - 6ft	1920.63	2285.55
000-16143-001	 HS75 GPS Compass - Ideal heading source for non-SOLAS professional vessels like Search and Rescue, Patrol, Fishing, Workboats and more. Provides solid 0.75° RMS heading accuracy in a compact unit. Supports GPS, GLONASS, Galileo, BeiDou, QZSS for increased accuracy across the world.	2623.95	3122.50

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13958-001		O2000 Radar remote controller for R2009, R3016 and R5000 PRO radars. NMEA2000 connectivity.	485.00	577.15
000-0127-51		Ethernetkabel yellow 5 Pin 1.8 m (6 ft)	39.90	47.48
000-0127-29		Ethernetkabel yellow 5 Pin 4.5 m (15 ft)	58.80	69.97
000-0127-30		Ethernetkabel yellow 5 Pin 7.7 m (25 ft)	82.95	98.71
000-0127-37		Ethernetkabel yellow 5 Pin 15.2 m (50 ft)	114.45	136.20
000-11246-001		RJ45-Yellow Round Ethernet adapter cable RJ45 Male / 5 Pin Female 10 cm (6")	25.20	29.99
000-10904-001		Radar-Verlängerungskabel 2 m für Broadband Radarantennen	69.30	82.47
000-10905-001		Radar-Verlängerungskabel 5 m für Broadband Radarantennen	80.85	96.21
000-12393-001		High speed NMEA 0183 Serial cable 2m (6 ft)	55.00	65.45
000-11260-001		MO16-T - 15.6" Multi-Touch monitor with 1366x768 resolution. The 1000 nit peak brightness gives you a clear display even in direct sunlight, and the minimum brightness is extremely dim for night operation without blinding. Multiple video inputs and low-profile glass bridge design.	2970.75	3535.19
000-14537-001		HALO20 Radar - A cost-effective compact 20" Radar dome. 24 NM range and 24 RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.	2152.50	2561.48
000-14536-001		HALO20+ Radar - A compact 20" powerful 25 W Solid-State Radar, delivering 60 RPM at short range and up to 36 NM range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards both at close and long ranges simultaneously.	2530.50	3011.30
000-14535-001		HALO24 Radar - A 24" powerful 25 W Solid-State Radar, delivering 60 RPM at short range and up to 48 NM range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards both at close and long ranges simultaneously.	2835.00	3373.65
000-12742-001		HDMI Cable with vibration resistant and waterproof connector on one end to connect to Navico MFDs with HDMI port.	70.38	83.75
000-12741-001		HDMI Cable with vibration resistant and waterproof connector on one end to connect to Navico MFDs with HDMI port.	117.30	139.59
000-11247-001		NSOevo2, NSOevo3S, Zeus2 and Zeus3S NMEA0183 and Touch Monitor Serial Cable. 2m (6.5 ft)	29.58	35.20

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-12413-001		Suncover for S2009, and R2009	69.00	82.11
000-12411-001		S2009, S3009 & R2009 Bracket mount kit: Includes bracket, 2 x Knobs and Screws	99.00	117.81
000-12519-001		S2009, S3009 & R2009 Spare Edge Bezels	19.00	22.61
000-12520-001		S2016 & R3016 Edge Bezels	18.00	21.42
000-12410-001		S2016 & R3016 Dash Mounting Kit	35.00	41.65
000-12414-001		S2016 & R3016 Suncover	29.00	34.51
000-12412-001		S2016 & R3016 Bracket mounting kit.	179.00	213.01
000-12401-001		R2009 & R3016 Keypad Kit	95.00	113.05

Halo Open Array

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15758-001		HALO 2003: 50W Pulse Compression Radar System. Comes with HALO 50W Pedestal, 3ft Antenna, RI-50 Power Supply and 20 m (65.5 ft) Cable.	6662.25	7928.08
000-15759-001		HALO 2004: 50W Pulse Compression Radar System. Comes with HALO 50W Pedestal, 4ft Antenna, RI-50 Power Supply and 20 m (65.5 ft) Cable.	7187.25	8552.83
000-15760-001		HALO 2006: 50W Pulse Compression Radar System. Comes with HALO 50W Pedestal, 6ft Antenna, RI-50 Power Supply and 20 m (65.5 ft) Cable.	7764.75	9240.05
000-15947-001		HALO 200X: 50W Pulse Compression Radar System. Comes with RI-50 HALO 50W Pedestal, Power Supply and 10 m (33 ft) Cable. NO ANTENNA!	6084.75	7240.85
000-15761-001		HALO 200X: 50W Pulse Compression Radar System. Comes with HALO 50W Pedestal, RI-50 Power Supply and 20 m (65.5 ft) Cable. NO ANTENNA!	6137.25	7303.33
000-15763-001		HALO 3004: 130W Pulse Compression Radar System. Comes with HALO 130W Pedestal, 4ft Antenna, RI-50 Power Supply and 20 m (65.5 ft) Cable.	8814.75	10489.55
000-15764-001		HALO 3006: 130W Pulse Compression Radar System. Comes with HALO 130W Pedestal, 6ft Antenna, RI-50 Power Supply and 20 m (65.5 ft) Cable.	9339.75	11114.30
000-15948-001		HALO 300X: 130W Pulse Compression Radar System. Comes with HALO 130W Pedestal, RI-50 Power Supply and 10 m (33 ft) Cable. NO ANTENNA!	7712.25	9177.58
000-15765-001		HALO 300X: 130W Pulse Compression Radar System. Comes with HALO 130W Pedestal, RI-50 Power Supply and 20 m (65.5 ft) Cable. NO ANTENNA!	7764.75	9240.05

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11464-001		HALO Antenna Only - 3ft	1048.95	1248.25
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	702.45	835.92
000-11465-001		HALO Antenna Only - 4ft	1360.62	1619.14
000-16235-001		HS65, GNSS Compass with mount flat mount.	1199.00	1426.81
000-11466-001		HALO Antenna Only - 6ft	1920.63	2285.55
000-16143-001		HS75 GPS Compass - Ideal heading source for non-SOLAS professional vessels like Search and Rescue, Patrol, Fishing, Workboats and more. Provides solid 0.75° RMS heading accuracy in a compact unit. Supports GPS, GLONASS, Galileo, BeiDou, QZSS for increased accuracy across the world.	2623.95	3122.50
000-15767-001		HALO 2000 & 3000 Power and Ethernet Cable - 10 m (33 ft)	124.95	148.69
000-15768-001		HALO 2000 & 3000 Power and Ethernet Cable - 20 m (65.5 ft)	271.95	323.62

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15769-001		HALO 2000 & 3000 Power and Ethernet Cable - 30 m (98.5 ft)	313.95	373.60
000-11246-001		RJ45-Yellow Round Ethernet adapter cable RJ45 Male / 5 Pin Female 10 cm (6")	25.20	29.99
000-10904-001		Radar-Verlängerungskabel 2 m für Broadband Radarantennen	69.30	82.47
000-10905-001		Radar-Verlängerungskabel 5 m für Broadband Radarantennen	80.85	96.21

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11464-001		HALO Antenna Only - 3ft	1048.95	1248.25
000-11465-001		HALO Antenna Only - 4ft	1360.62	1619.14
000-11466-001		HALO Antenna Only - 6ft	1920.63	2285.55
000-15757-001		RI-50: HALO Radar Power Supply for HALO 2000 & 3000 series radars	624.75	743.45
000-15762-001		HALO 200X 50W Pulse Compression Radar: Pedestal Only	5402.25	6428.68
000-15766-001		HALO 300X 130W Pulse Compression Radar: Pedestal Only	6977.25	8302.93
000-15767-001		HALO 2000 & 3000 Power and Ethernet Cable - 10 m (33 ft)	124.95	148.69
000-15768-001		HALO 2000 & 3000 Power and Ethernet Cable - 20 m (65.5 ft)	271.95	323.62
000-11246-001		RJ45-Yellow Round Ethernet adapter cable RJ45 Male / 5 Pin Female 10 cm (6")	25.20	29.99
000-12515-001		HALO Antenna - Spare Mounting Kit. M8 Dome Nuts, M8 Spring Washers, M8x16x1.2 Flat Washers. 316 SS, 4pcs each.	43.05	51.23
000-12514-001		HALO Pedestal, Spare mounting kit. Includes -4 x Bolt, HEX, M12x35, 316 s/s: -4 x Washer, Flat, M12x36x3, 316 s/s: -4 x Washer, Spring, M12, 316 s/s: -8 x Washer, Isolating M12x38 Nylon	69.30	82.47

Halo Dome Radars

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14537-001		HALO20 Radar - A cost-effective compact 20" Radar dome. 24 NM range and 24 RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.	2152.50	2561.48
000-14536-001		HALO20+ Radar - A compact 20" powerful 25 W Solid-State Radar, delivering 60 RPM at short range and up to 36 NM range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards both at close and long ranges simultaneously.	2530.50	3011.30
000-14535-001		HALO24 Radar - A 24" powerful 25 W Solid-State Radar, delivering 60 RPM at short range and up to 48 NM range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards both at close and long ranges simultaneously.	2835.00	3373.65

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	702.45	835.92
000-16235-001		HS65, GNSS Compass with mount flat mount.	1199.00	1426.81
LMB-A1		LMB-A1 Selbstjustierende Radarhalterung zur rückwärtigen Backstagsmontage 3G/4G	1725.00	2052.75
000-10795-001		SC20 Mast mount kit for HALO 20/20+ and Broadband Dome Radars.	628.95	748.45
000-16495-001		Ethernet cable. M12 TO RJ45 female 1.5 m (5 ft)	80.85	96.21
000-14551-001		Enables re-use of the existing BR24/3G/4G cable onboard when upgrading to a HALO Dome radar.	68.25	81.22
000-14547-001		Power / Ethernet cable, 5 m (16.5 ft) for HALO dome radars and B&G Nemesis displays	80.85	96.21
000-14548-001		Power / Ethernet cable, 10 m (33 ft) for HALO dome radars and B&G Nemesis displays	124.95	148.69
000-14549-001		Power / Ethernet cable, 20 m (65.5 ft) for HALO dome radars and B&G Nemesis displays	187.95	223.66
000-14550-001		Power / Ethernet cable, 30 m (98.5 ft) for HALO dome radars and B&G Nemesis displays	250.95	298.63

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14552-001		Ethernet adapter cable, RJ45 F to 5 Pin male, 1.5 m (4.9 ft). Ships with water proof boot.	44.10	52.48
000-14548-001		Power / Ethernet cable, 10 m (33 ft) for HALO dome radars and B&G Nemesis displays	124.95	148.69

Radar spares

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11464-001		HALO Antenna Only - 3ft	1048.95	1248.25
000-11465-001		HALO Antenna Only - 4ft	1360.62	1619.14
000-11466-001		HALO Antenna Only - 6ft	1920.63	2285.55
000-15757-001		RI-50: HALO Radar Power Supply for HALO 2000 & 3000 series radars	624.75	743.45
000-15762-001		HALO 200X 50W Pulse Compression Radar: Pedestal Only	5402.25	6428.68
000-15766-001		HALO 300X 130W Pulse Compression Radar: Pedestal Only	6977.25	8302.93
000-15767-001		HALO 2000 & 3000 Power and Ethernet Cable - 10 m (33 ft)	124.95	148.69
000-15768-001		HALO 2000 & 3000 Power and Ethernet Cable - 20 m (65.5 ft)	271.95	323.62
000-15769-001		HALO 2000 & 3000 Power and Ethernet Cable - 30 m (98.5 ft)	313.95	373.60
000-10795-001		SC20 Mast mount kit for HALO 20/20+ and Broadband Dome Radars.	628.95	748.45
000-14551-001		Enables re-use of the existing BR24/3G/4G cable onboard when upgrading to a HALO Dome radar.	68.25	81.22
000-14547-001		Power / Ethernet cable, 5 m (16.5 ft) for HALO dome radars and B&G Nemesis displays	80.85	96.21
000-14548-001		Power / Ethernet cable, 10 m (33 ft) for HALO dome radars and B&G Nemesis displays	124.95	148.69
000-14549-001		Power / Ethernet cable, 20 m (65.5 ft) for HALO dome radars and B&G Nemesis displays	187.95	223.66
000-14550-001		Power / Ethernet cable, 30 m (98.5 ft) for HALO dome radars and B&G Nemesis displays	250.95	298.63
000-10904-001		Radar-Verlängerungskabel 2 m für Broadband Radarantennen	69.30	82.47
000-10905-001		Radar-Verlängerungskabel 5 m für Broadband Radarantennen	80.85	96.21
000-12515-001		HALO Antenna - Spare Mounting Kit. M8 Dome Nuts, M8 Spring Washers, M8x16x1.2 Flat Washers. 316 SS, 4pcs each.	43.05	51.23

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14440-001		RI-12Cable accessories kit: Phoenix connector 4 pin 3.8 mm, Phoenix connector 4 pin 5 mm, Micro-C T joiner	25.75	30.64
000-12393-001		High speed NMEA 0183 Serial cable 2m (6 ft)	55.00	65.45
000-12514-001		HALO Pedestal, Spare mounting kit. Includes -4 x Bolt, HEX, M12x35, 316 s/s: 4 x Bolt, HEX, M12x50, 316 s/s: -4 x Washer, Flat, M12x36x3, 316 s/s: -4 x Washer, Spring, M12, 316 s/s: -8 x Washer, Isolating M12x38 Nylon	69.30	82.47
000-12414-001		S2016 & R3016 Suncover	29.00	34.51
000-12412-001		S2016 & R3016 Bracket mounting kit.	179.00	213.01
000-12401-001		R2009 & R3016 Keypad Kit	95.00	113.05

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	702.45	835.92
000-16295-001		Transducer, Network cable pulling tools	26.24	31.23
000-11464-001		HALO Antenna Only - 3ft	1048.95	1248.25
000-11465-001		HALO Antenna Only - 4ft	1360.62	1619.14
000-11043-002		GS25 Antenna with built-in rate compass. 10 Hz position update rate. Built-in rate compass is perfect for providing heading data for Radar Chart Overlay and for orienting charts in Head-Up Mode. Note: This heading sensor is not recommended for MARPA or Autopilot control! Please use the Precision 9 for this.	292.95	348.61
000-16235-001		HS65, GNSS Compass with mount flat mount.	1199.00	1426.81
000-11466-001		HALO Antenna Only - 6ft	1920.63	2285.55
000-16143-001		HS75 GPS Compass - Ideal heading source for non-SOLAS professional vessels like Search and Rescue, Patrol, Fishing, Workboats and more. Provides solid 0.75° RMS heading accuracy in a compact unit. Supports GPS, GLONASS, Galileo, BeiDou, QZSS for increased accuracy across the world.	2623.95	3122.50
000-15767-001		HALO 2000 & 3000 Power and Ethernet Cable - 10 m (33 ft)	124.95	148.69
000-15768-001		HALO 2000 & 3000 Power and Ethernet Cable - 20 m (65.5 ft)	271.95	323.62
000-15769-001		HALO 2000 & 3000 Power and Ethernet Cable - 30 m (98.5 ft)	313.95	373.60
000-0127-29		Ethernetkabel yellow 5 Pin 4.5 m (15 ft)	58.80	69.97

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-0127-30		Ethernetkabel yellow 5 Pin 7.7 m (25 ft)	82.95	98.71
000-14551-001		Enables re-use of the existing BR24/3G/4G cable onboard when upgrading to a HALO Dome radar.	68.25	81.22
000-0127-37		Ethernetkabel yellow 5 Pin 15.2 m (50 ft)	114.45	136.20

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-0127-51		Ethernetkabel yellow 5 Pin 1.8 m (6 ft)	39.90	47.48
000-11246-001		RJ45-Yellow Round Ethernet adapter cable RJ45 Male / 5 Pin Female 10 cm (6")	25.20	29.99
000-12515-001		HALO Antenna - Spare Mounting Kit. M8 Dome Nuts, M8 Spring Washers, M8x16x1.2 Flat Washers. 316 SS, 4pcs each.	43.05	51.23
000-12514-001		HALO Pedestal, Spare mounting kit. Includes -4 x Bolt, HEX, M12x35, 316 s/s: 4 x Bolt, HEX, M12x50, 316 s/s: -4 x Washer, Flat, M12x36x3, 316 s/s: -4 x Washer, Spring, M12, 316 s/s: -8 x Washer, Isolating M12x38 Nylon	69.30	82.47

S2009/S2016

Main Products

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-12185-001	 Simrad S2009 Dedicated Fish Finder. 9" portrait display. Single 7-pin Sonar port, supporting a large variety of transducers up to 1kW. For expanded features and higher power transducers, S5100 sonar module can be added.	1103.00	1312.57

Accessories

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13260-001	 S5100 High-performance CHIRP sonar module. Three fully independent channels able to deliver high-resolution sonar coverage across multiple depth ranges, precision-focused for offshore sportfishing anglers.	1702.05	2025.44
000-11142-001	 SonarHub Module, with power cable and Ethernet cable 4.5m (15ft). Requires adapter 000-12571-001 or 000-13977-001 adapter cable to use Airmar Non-Chirp or Chirp 9-pin transducers.	680.40	809.68
000-13977-001	 Connects an XID Airmar CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with Airmar 9pin XID transducers.	40.95	48.73
000-16143-001	 HS75 GPS Compass - Ideal heading source for non-SOLAS professional vessels like Search and Rescue, Patrol, Fishing, Workboats and more. Provides solid 0.75° RMS heading accuracy in a compact unit. Supports GPS, GLONASS, Galileo, BeiDou, QZSS for increased accuracy across the world.	2623.95	3122.50
000-12571-001	 Connects a non-CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with transducers that have an analog temperature sensor.	47.25	56.23
000-0127-51	 Ethernetkabel yellow 5 Pin 1.8 m (6 ft)	39.90	47.48
000-0127-29	 Ethernetkabel yellow 5 Pin 4.5 m (15 ft)	58.80	69.97
000-0127-30	 Ethernetkabel yellow 5 Pin 7.7 m (25 ft)	82.95	98.71
000-10976-001	 HDI Skimmer® transducer 83/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 6m (20 ft)	152.24	181.17
000-0127-37	 Ethernetkabel yellow 5 Pin 15.2 m (50 ft)	114.45	136.20
000-10977-001	 HDI Skimmer® transducer 50/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 6 m (20 ft)	299.24	356.10
000-0099-93	 XT-12BL Geber Verlängerungskabel 7-pin blauer Stecker	51.44	61.21
000-0106-77	 HST - DFSBL 50/200 kHz Heckmontage-Geber Tiefe/Temperatur - blauer 7 pin Stecker	162.74	193.66
000-0106-72	 HST - WSBL 83/200 kHz Heckmontage Geber Tiefe/Temp mit blauem 7 pin Stecker	80.84	96.20

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-0099-94		XT-20BL 6m Geberverlängerungskabel	51.44	61.21
000-10046-001		BSM-1 Adapterkabel 7pin blauer Stecker an offene Enden	30.45	36.24
000-12393-001		High speed NMEA 0183 Serial cable 2m (6 ft)	55.00	65.45
000-11260-001		MO16-T - 15.6" Multi-Touch monitor with 1366x768 resolution. The 1000 nit peak brightness gives you a clear display even in direct sunlight, and the minimum brightness is extremely dim for night operation without blinding. Multiple video inputs and low-profile glass bridge design.	2970.75	3535.19
000-0106-73		PD - WBL 83/200 kHz Durchbruch/Trolling Motor Geber Tiefe - blauer 7 pin Stecker	95.54	113.69
000-12742-001		HDMI Cable with vibration resistant and waterproof connector on one end to connect to Navico MFDs with HDMI port.	70.38	83.75
000-12741-001		HDMI Cable with vibration resistant and waterproof connector on one end to connect to Navico MFDs with HDMI port.	117.30	139.59
000-11247-001		NSOevo2, NSOevo3S, Zeus2 and Zeus3S NMEA0183 and Touch Monitor Serial Cable. 2m (6.5 ft)	29.58	35.20

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-12413-001		Suncover for S2009, and R2009	69.00	82.11
000-12411-001		S2009, S3009 & R2009 Bracket mount kit: Includes bracket, 2 x Knobs and Screws	99.00	117.81
000-12519-001		S2009, S3009 & R2009 Spare Edge Bezels	19.00	22.61
000-12520-001		S2016 & R3016 Edge Bezels	18.00	21.42
000-12410-001		S2016 & R3016 Dash Mounting Kit	35.00	41.65
000-12412-001		S2016 & R3016 Bracket mounting kit.	179.00	213.01

Sonar Modules

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13260-001		S5100 High-performance CHIRP sonar module. Three fully independent channels able to deliver high-resolution sonar coverage across multiple depth ranges, precision-focused for offshore sportfishing anglers.	1702.05	2025.44
000-15918-002		S3100H High-performance sonar module with HEAVE compensation. Two independent 1kW channels supporting 1 kW Low, Med, High, and High-Wide transducers. Support for high-frequency ActiveImaging HD transducers. MFDs will need compatible software.	943.95	1123.30
000-11142-001		SonarHub Module, with power cable and Ethernet cable 4.5m (15ft). Requires adapter 000-12571-001 or 000-13977-001 adapter cable to use Airmar Non-Chirp or Chirp 9-pin transducers.	680.40	809.68
000-12395-001		StructureScan® 3D Module and Transom mount Transducer kit.	1134.00	1349.46
000-12397-001		StructureScan® 3D module only. Transom mount and Through-Hull transducers available separately.	680.40	809.68

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11674-001		ForwardScan™ Transducer Kit with Sleeve & Plug. 10m (33ft) Cable	807.45	960.87
000-13919-001		P66 - Plastic 600W 50/200kHz Transom Mount Depth and Temperature transducer. 9pin connector and 6 m (19.6 ft) cable.	200.29	238.35
000-13907-001		Through-Hull Bronze HDI Transducer. 50/200kHz 455/800 kHz DownScan. Black 9 Pin pin connector and 10m (33ft) cable.	597.45	710.97
000-16075-001		Ethernet Cable - Green M12 8-pin male-male 1.8 m (6 ft)	38.85	46.23
000-16062-001		ActiveImaging™ HD 3-IN-1 delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer. Comes with a 7.6m (25ft) cable with a 9-pin connector. Compatibility: Direct connect to Simrad NSS4, Lowrance HDS PRO, or to an S3100 module. For Lowrance HDS Live, Carbon, Elite FS, and Simrad NSS evo3(S) / NSOevo3(S) displays, an S3100 sonar module is required.	471.45	561.03
000-16061-001		ActiveImaging™ HD 3-in-1 (High/Wide)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.	576.45	685.98
000-16076-001		Ethernet Cable - Green M12 8-pin male-male 5 m (16.5 ft)	59.85	71.22
000-13313-001		Connects older 7 pin blue plug transducers to displays with 9pin transducer ports.	34.64	41.22
000-13906-001		Through-Hull Bronze HDI Transducer. 50/200kHz 455/800 kHz DownScan. Black 9 Pin pin connector and 10m (33ft) cable.	597.44	710.95

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13944-001		TM150M - Plastic 300W Transom Mount Medium-Chirp Transducer. 9pin connector and 10m cable.	422.68	502.99
000-13905-001		Through-Hull Bronze HDI Transducer. 50/200kHz 455/800 kHz DownScan. Black 9 Pin pin connector and 10m (33ft) cable.	597.44	710.95
000-13284-001		ForwardScan™ Transducer Kit (Long-Stem) with Sleeve & Plug. 10m (33ft) Cable	1133.13	1348.42
000-13977-001		Connects an XID Airmar CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with Airmar 9pin XID transducers.	40.95	48.73
000-15482-001		TM165HW - Plastic 600W Transom-Mounted High-Wide Chirp Depth and Temperature transducer. 9-pin connector and 9m cable.	731.49	870.47
000-16077-001		Ethernet Cable - Green M12 8-pin male-male 15 m (49.2 ft)	112.35	133.70
000-16060-001		ActiveImaging™ HD 3-in-1 (Medium/High)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.	523.95	623.50
000-13998-001		TM185M - Plastic 1kW Transom-Mounted Medium Chirp Depth and Temperature transducer. 9-pin connector and 10m cable.	1370.25	1630.60
000-15880-001		XSONIC AIRMAR P19 20 DEGREE: single, tilted, 200/83 kHz, transducer. Fixed 20° tilted version for 16° to 24° hull deadrise	185.50	220.75
000-13997-001		TM185HW - Plastic 1kW Transom-Mounted High-Wide Chirp Depth and Temperature transducer. 9-pin connector and 10m cable.	1658.37	1973.46
000-13946-001		B45 - Bronze 600W Through-Hull 50/200 kHz Depth and Temperature transducer. Black 9 pin connector with 10m cable. (33ft)	373.57	444.55
000-12571-001		Connects a non-CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with transducers that have an analog temperature sensor.	47.25	56.23
000-00099-006		Extension cable for 9-pin transducers. *For optimum performance do not use more than 1 extension per installation.	91.34	108.69
000-16078-001		Ethernet Cable - Green M12 8-pin male - RJ45 male 1.8 m (6 ft)	34.65	41.23
000-13904-001		TM260 - Plastic 1kW Transom-Mounted 50/200kHz Depth and Temperature transducer. 9-pin connector and 10m cable.	1444.62	1719.10
000-13784-001		SS60 (0°) - Stainless Steel 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	500.69	595.82

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16079-001		Ethernet Cable - Green M12 8-pin male - RJ45 male 5 m (16.5 ft)	55.65	66.22
000-16080-001		Ethernet Cable - Green M12 8-pin male - RJ45 male 15 m (49.2 ft)	107.10	127.45
000-13770-001		TM275LH-W - Plastic 1kW Transom-Mounted Low/High-Wide Depth and Temperature transducer. Dual 9-pin connectors and 10m cable.	2510.71	2987.74
000-14489-001		ActiveImaging™ 3-IN-1 combines the new Active Imaging sonar with traditional Medium/High CHIRP sonar for easy single transducer installation. 7.6m (25ft) cable with 9 pin connector.	380.09	452.31
000-0127-51		Ethernetkabel yellow 5 Pin 1.8 m (6 ft)	39.90	47.48
000-0127-29		Ethernetkabel yellow 5 Pin 4.5 m (15 ft)	58.80	69.97
000-16063-001		ActiveImaging™ HD 2-in-1 Transducer. Provides ActiveImaging HD technology for SideScan and DownScan while leaving you free to select other transducer options for Traditional/Chirp Sonar. 7.6m (25 ft) cable with 9-pin connector. Compatibility: Direct connect to Simrad NSS4, Lowrance HDS PRO. For Lowrance HDS Live, Carbon, Elite FS, and Simrad NSS4, NSS evo3(S) / NSOevo3(S) displays, an S3100 sonar module is required.	387.45	461.07
000-13785-001		SS60 (12°) - Stainless Steel 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	496.92	591.33
000-13262-001		Dual 9-Pin Wiring Block Sonar Adapter, to connect a bare-wire transducer to a 9pin sonar module or display.	523.95	623.50
000-10976-001		HDI Skimmer® transducer 83/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 6m (20 ft)	152.24	181.17
000-0127-30		Ethernetkabel yellow 5 Pin 7.7 m (25 ft)	82.95	98.71
000-10977-001		HDI Skimmer® transducer 50/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 6 m (20 ft)	299.24	356.10
000-0127-37		Ethernetkabel yellow 5 Pin 15.2 m (50 ft)	114.45	136.20
000-13786-001		SS60 (20°) - Stainless Steel 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	496.92	591.33
000-12752-001		Transducer Extension Cables for StructureScan® 3D - 10ft (3m)	124.95	148.69
000-0099-93		XT-12BL Geber Verlängerungskabel 7-pin blauer Stecker	51.44	61.21

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-0106-77		HST - DFSBL 50/200 kHz Heckmontage-Geber Tiefe/Temperatur - blauer 7 pin Stecker	162.74	193.66
000-0106-72		HST - WSBL 83/200 kHz Heckmontage Geber Tiefe/Temp mit blauem 7 pin Stecker	80.84	96.20
000-0099-94		XT-20BL 6m Geberverlängerungskabel	51.44	61.21
000-14885-001		9 Pin 50/200 kHz transom-mount skimmer depth/temp - black 9 pin connector	163.79	194.91
000-13911-001		SS75H - Stainless Steel 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	1077.23	1281.90
000-10046-001		BSM-1 Adapterkabel 7pin blauer Stecker an offene Enden	30.45	36.24
000-14884-001		High speed skimmer 83/200 kHz transom-mount skimmer depth/temp - Black 9 pin connector	96.59	114.94
000-13912-001		SS75H - Stainless Steel 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	1077.23	1281.90
000-13913-001		SS75H - Stainless Steel 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	1077.23	1281.90
000-13908-001		SS75M - Stainless Steel 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	1123.94	1337.49
000-13909-001		SS75M - Stainless Steel 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	1123.94	1337.49
000-13910-001		SS75M - Stainless Steel 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	1123.94	1337.49
000-13942-001		P79 - Plastic 600 W In-Hull 50/200 kHz Depth Only. Black 9 pin connector with 10m cable. (33ft)	207.98	247.50
000-13922-001		B150M - Bronze 300W Medium-Chirp Thru-Hull Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	582.62	693.32
000-13522-001		TotalScan and StructureScan 3D Plastic Replacement Bracket	68.24	81.21
000-13921-001		B150M - Bronze 300W Medium-Chirp Thru-Hull Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	582.62	693.32

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13920-001		B150M - Bronze 300W Medium-Chirp Thru-Hull Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	582.62	693.32
000-13918-001		SS164 (20°) - Stainless Steel 1kW Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	1540.52	1833.22
000-13917-001		SS164 (12°) - Stainless Steel 1kW Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	1540.52	1833.22
000-13916-001		SS164 (0°) - Stainless Steel 1kW Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	1540.52	1833.22
000-13780-001		SS175H-W - Stainless Steel 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	2111.67	2512.89
000-11040-001		Adapts LSS-1 transducers to HDS Gen2 Touch units and to LSS-HD modules.	108.90	129.59
000-10874-001		LSS-2 HD Skimmer Halterung für Heckmontagegeber	69.29	82.46
000-13781-001		SS175H-W - Stainless Steel 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	2111.67	2512.89
000-12603-001		Replacement Metal Bracket for Active Imaging, TotalScan, StructureScan 3D and HD skimmer transducers.	69.29	82.46
000-12602-001		Flat Mount Bracket for Active Imaging, TotalScan and StructureScan 3D skimmer transducers.	69.29	82.46
000-13782-001		SS175H-W - Stainless Steel 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	2111.67	2512.89
000-13777-001		SS175M - Stainless Steel 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	1868.69	2223.74
000-13778-001		SS175M - Stainless Steel 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	1868.69	2223.74
000-13779-001		SS175M - Stainless Steel 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	1868.69	2223.74
000-13774-001		SS175L - Stainless Steel 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	2307.27	2745.65
000-13775-001		SS175L - Stainless Steel 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	2307.27	2745.65

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13776-001		SS175L - Stainless Steel 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	2307.27	2745.65
000-13964-001		B258 - Bronze 1kW Fairing-Block Through-Hull 50/200 kHz Depth/Temperature Transducer. Black 9pin connector and 10m (33ft) cable.	1151.64	1370.45
000-13783-001		SS260 - Stainless Steel 1kW Fairing-Block Through-Hull 50/200 kHz Depth/Temperature Transducer. Black 9pin connector and 10m (33ft) cable.	1980.10	2356.32
000-13914-001		M260 - 1kW In-Hull Tank Mount 50/200 kHz Depth Transducer. Black 9pin connector and 10m (33ft) cable.	1393.38	1658.12
000-13771-001		B275LH-W - Bronze 1kW Through Hull Low/High-Wide Chirp Depth and Temperature transducer. Dual 9-pin connectors and 10m cable.	2791.45	3321.83
000-13940-001		PM275LH-W - 1kW Pocket-Mount Low/High-Wide Chirp Depth/Temperature Transducer. Dual black 9pin connectors and 10m (33ft) cable. NSSevo3S or S5100 Sonar Module required.	2974.67	3539.86
000-13772-001		CM275LH-W - 1kW Cavity-Mount Low/High-Wide Chirp Depth/Temperature Transducer. Dual black 9pin connectors and 10m (33ft) cable. NSSevo3S or S5100 Sonar Module required.	2656.23	3160.91
000-14561-001		B285M - Bronze 1kW Through Hull Medium-Chirp Depth and Temperature transducer. 9-pin connector and 10m cable.	2036.96	2423.98
000-13915-001		P319 - Plastic 600W Thru-Hull 50/200kHz Depth/Temperature. Black 9-pin connector and 10m (33ft) cable.	204.07	242.84
000-13773-001		R509LH-W - 3kW Low Chirp / 1kW High Chirp Depth/Temperature Transducer. Dual 9pin connector and 10m (33ft) cable. NSSevo3S or S5100 Sonar module required.	6377.96	7589.77
000-13941-001		CM599LH-W - 3kW Low Chirp / 1kW High Chirp Depth/Temperature Transducer. Dual 9pin connector and 10m (33ft) cable. NSSevo3S or S5100 Sonar module required.	6694.76	7966.76
000-14804-001		B744V - Bronze 600W Smart Thru Hull 50/200 Khz Depth/Temperature Transducer. 9pin sonar connector and 10m cable. NMEA2000 Speed/Temperature paddle wheel insert.	881.63	1049.14
000-0099-95		TS-1BL Temperatursensor (non-networked)	85.00	101.15
000-0106-73		PD - WBL 83/200 kHz Durchbruch/Trolling Motor Geber Tiefe - blauer 7 pin Stecker	95.54	113.69
000-0106-74		PDT-WBL 83/200 kHz Trolling-Motor Skimmer® mit Temperatursensor und blauem Stecker	103.94	123.69
000-0106-89		PDRT-WBL 83/200 kHz Durchbruch/Trolling Motor Skimmer® mit seperatem Temperatursensor und blauem Stecker	131.25	156.19

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14887-001		9-Pin 83/200kHz Pod-Style Shoot-Through-Hull or Trolling Motor Mount Transducer w/Temp	96.59	114.94
000-14886-001		9-Pin 83/200kHz Pod-Style Shoot-Through Transducer. Depth only.	96.59	114.94
000-10802-001		StructureScan™ HD Skimmer Heckmontagegeber 455/800 kHz	325.49	387.33
000-12396-001		StructureScan 3D Transducer Only - The StructureScan 3D transducer produces three-dimensional scans of underwater terrain and fish-holding structure to create a high-resolution view. Cable length 6.0 m (20 ft)	462.00	549.78
000-14255-001		StructureScan® 3D Through-Hull Transducer with Medium and High CHIRP in one transducer. 6m (20ft) cable. Requires StructureScan® 3D Module sold separately.	1619.10	1926.73
000-14254-001		StructureScan 3D Through-Hull Transducer with Low and High CHIRP in one transducer. 7.6 m (25ft) cable. Requires StructureScan® 3D Module sold separately.	1619.10	1926.73
000-13559-001		StructureScan 3D Single Stainless Steel Thru-Hull Transducer. Cable length 7.6 m (25 ft)	1619.10	1926.73
000-13560-001		StructureScan 3D Dual Stainless Steel Thru-Hull Transducers. Cable length 7.6 m (25 ft)	2776.20	3303.68
000-11459-001		Stainless steel StructureScan™ HD Sonar thru-hull transducer. (Single). Cable length 7.6 m (25 ft)	1017.45	1210.77
000-11460-001		Stainless steel StructureScan™ HD Sonar thru-hull transducer with Y-cable. (pair). Cable length 7.6 m (25 ft)	1993.95	2372.80

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-0127-29		Ethernetkabel yellow 5 Pin 4.5 m (15 ft)	58.80	69.97
000-00128-001		4-pin Power Cable for modules and MFDs.	40.80	48.55
000-10874-001		LSS-2 HD Skimmer Halterung für Heckmontagegeber	69.29	82.46
000-10802-001		StructureScan™ HD Skimmer Heckmontagegeber 455/800 kHz	325.49	387.33
000-12396-001		StructureScan 3D Transducer Only - The StructureScan 3D transducer produces three-dimensional scans of underwater terrain and fish-holding structure to create a high-resolution view. Cable length 6.0 m (20 ft)	462.00	549.78

Hull Mount

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13907-001		Through-Hull Bronze HDI Transducer. 50/200kHz 455/800 kHz DownScan. Black 9 Pin pin connector and 10m (33ft) cable.	597.45	710.97
000-13906-001		Through-Hull Bronze HDI Transducer. 50/200kHz 455/800 kHz DownScan. Black 9 Pin pin connector and 10m (33ft) cable.	597.44	710.95
000-13905-001		Through-Hull Bronze HDI Transducer. 50/200kHz 455/800 kHz DownScan. Black 9 Pin pin connector and 10m (33ft) cable.	597.44	710.95
000-15880-001		XSONIC AIRMAR P19 20 DEGREE: single, tilted, 200/83 kHz, transducer. Fixed 20° tilted version for 16° to 24° hull deadrise	185.50	220.75
000-13946-001		B45 - Bronze 600W Through-Hull 50/200 kHz Depth and Temperature transducer. Black 9 pin connector with 10m cable. (33ft)	373.57	444.55
000-16185-001		B60 (0°) - Bronze 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	391.82	466.27
000-13784-001		SS60 (0°) - Stainless Steel 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	500.69	595.82
000-16184-001		B60 (0°) - Bronze 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 1.8m (6 ft) cable.	391.82	466.27
000-16186-001		B60 (12°) - Bronze 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	391.82	466.27
000-13785-001		SS60 (12°) - Stainless Steel 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	496.92	591.33
000-16188-001		B60 (20°) - Bronze 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	391.82	466.27
000-13786-001		SS60 (20°) - Stainless Steel 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	496.92	591.33
000-16187-001		B60 (20°) - Bronze 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 1.8m (6ft) cable. Boatbuilder only.	391.82	466.27
000-16189-001		B75H (0°) - Bronze 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	971.21	1155.74
000-13911-001		SS75H - Stainless Steel 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	1077.23	1281.90

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16190-001		B75H (12°) - Bronze 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	971.21	1155.74
000-13912-001		SS75H - Stainless Steel 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	1077.23	1281.90
000-16191-001		B75H (20°) - Bronze 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	971.21	1155.74
000-13913-001		SS75H - Stainless Steel 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	1077.23	1281.90
000-16192-001		B75M (0°) - Bronze 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	1013.40	1205.95
000-13908-001		SS75M - Stainless Steel 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	1123.94	1337.49
000-16193-001		B75M (12°) - Bronze 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	1013.40	1205.95
000-13909-001		SS75M - Stainless Steel 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	1123.94	1337.49
000-16194-001		B75M (20°) - Bronze 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	1013.40	1205.95
000-13910-001		SS75M - Stainless Steel 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	1123.94	1337.49
000-13942-001		P79 - Plastic 600 W In-Hull 50/200 kHz Depth Only. Black 9 pin connector with 10m cable. (33ft)	207.98	247.50
000-13922-001		B150M - Bronze 300W Medium-Chirp Thru-Hull Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	582.62	693.32
000-13921-001		B150M - Bronze 300W Medium-Chirp Thru-Hull Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	582.62	693.32
000-13920-001		B150M - Bronze 300W Medium-Chirp Thru-Hull Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	582.62	693.32
000-13918-001		SS164 (20°) - Stainless Steel 1kW Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	1540.52	1833.22
000-13917-001		SS164 (12°) - Stainless Steel 1kW Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	1540.52	1833.22

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13916-001		SS164 (0°) - Stainless Steel 1kW Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	1540.52	1833.22
000-16196-001		B175H-W (0°) - Bronze 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	1764.20	2099.40
000-13780-001		SS175H-W - Stainless Steel 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	2111.67	2512.89
000-16195-001		B175H-W (0°) - Bronze 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 1.8m (6ft) cable.	1764.20	2099.40
000-16198-001		B175H-W (12°) - Bronze 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	1764.20	2099.40
000-13781-001		SS175H-W - Stainless Steel 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	2111.67	2512.89
000-16197-001		B175H-W (12°) - Bronze 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 1.8m (6ft) cable.	1764.20	2099.40
000-16200-001		B175H-W (20°) - Bronze 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	1890.21	2249.35
000-13782-001		SS175H-W - Stainless Steel 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	2111.67	2512.89
000-16199-001		B175H-W (20°) - Bronze 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 1.8m (6ft) cable.	1890.21	2249.35
000-16202-001		B175M (0°) - Bronze 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	1491.65	1775.06
000-13777-001		SS175M - Stainless Steel 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	1868.69	2223.74
000-16201-001		B175M (0°) - Bronze 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 1.8m (6ft) cable.	1491.65	1775.06
000-16203-001		B175M (12°) - Bronze 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	1491.65	1775.06
000-13778-001		SS175M - Stainless Steel 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	1868.69	2223.74
000-16205-001		B175M (20°) - Bronze 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	1645.20	1957.79
000-13779-001		SS175M - Stainless Steel 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	1868.69	2223.74

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16204-001		B175M (20°) - Bronze 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 1.8m (6ft) cable.	1645.20	1957.79
000-16206-001		B175L (0°) - Bronze 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	1850.12	2201.64
000-13774-001		SS175L - Stainless Steel 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	2307.27	2745.65
000-16207-001		B175L (12°) - Bronze 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	1850.12	2201.64
000-13775-001		SS175L - Stainless Steel 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	2307.27	2745.65
000-16208-001		B175L (20°) - Bronze 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	1850.12	2201.64
000-13776-001		SS175L - Stainless Steel 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	2307.27	2745.65
000-13964-001		B258 - Bronze 1kW Fairing-Block Through-Hull 50/200 kHz Depth/Temperature Transducer. Black 9pin connector and 10m (33ft) cable.	1151.64	1370.45
000-13783-001		SS260 - Stainless Steel 1kW Fairing-Block Through-Hull 50/200 kHz Depth/Temperature Transducer. Black 9pin connector and 10m (33ft) cable.	1980.10	2356.32
000-13914-001		M260 - 1kW In-Hull Tank Mount 50/200 kHz Depth Transducer. Black 9pin connector and 10m (33ft) cable.	1393.38	1658.12
000-16370-001		Airmar B65LH CHIRP Transducer with DUAL 9-pin connectors. 10 m (33 ft) cable.	2490.32	2963.48
000-13771-001		B275LH-W - Bronze 1kW Through Hull Low/High-Wide Chirp Depth and Temperature transducer. Dual 9-pin connectors and 10m cable.	2791.45	3321.83
000-13940-001		PM275LH-W - 1kW Pocket-Mount Low/High-Wide Chirp Depth/Temperature Transducer. Dual black 9pin connectors and 10m (33ft) cable. NSSevo3S or S5100 Sonar Module required.	2974.67	3539.86
000-13772-001		CM275LH-W - 1kW Cavity-Mount Low/High-Wide Chirp Depth/Temperature Transducer. Dual black 9pin connectors and 10m (33ft) cable. NSSevo3S or S5100 Sonar Module required.	2656.23	3160.91
000-14561-001		B285M - Bronze 1kW Through Hull Medium-Chirp Depth and Temperature transducer. 9-pin connector and 10m cable.	2036.96	2423.98
000-13915-001		P319 - Plastic 600W Thru-Hull 50/200kHz Depth/Temperature. Black 9-pin connector and 10m (33ft) cable.	204.07	242.84
000-13773-001		R509LH-W - 3kW Low Chirp / 1kW High Chirp Depth/Temperature Transducer. Dual 9pin connector and 10m (33ft) cable. NSSevo3S or S5100 Sonar module required.	6377.96	7589.77

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13941-001		CM599LH-W - 3kW Low Chirp / 1kW High Chirp Depth/Temperature Transducer. Dual 9pin connector and 10m (33ft) cable. NSSevo3S or S5100 Sonar module required.	6694.76	7966.76
000-14804-001		B744V - Bronze 600W Smart Thru Hull 50/200 Khz Depth/Temperature Transducer. 9pin sonar connector and 10m cable. NMEA2000 Speed/Temperature paddle wheel insert.	881.63	1049.14
000-0099-95		TS-1BL Temperatursensor (non-networked)	85.00	101.15
000-0106-73		PD - WBL 83/200 kHz Durchbruch/Trolling Motor Geber Tiefe - blauer 7 pin Stecker	95.54	113.69
000-0106-74		PDT-WBL 83/200 kHz Trolling-Motor Skimmer® mit Temperatursensor und blauem Stecker	103.94	123.69
000-0106-89		PDRT-WBL 83/200 kHz Durchbruch/Trolling Motor Skimmer® mit seperatem Temperatursensor und blauem Stecker	131.25	156.19
000-14887-001		9-Pin 83/200kHz Pod-Style Shoot-Through-Hull or Trolling Motor Mount Transducer w/Temp	96.59	114.94
000-14886-001		9-Pin 83/200kHz Pod-Style Shoot-Through Transducer. Depth only.	96.59	114.94

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16295-001		Transducer, Network cable pulling tools	26.24	31.23
000-13313-001		Connects older 7 pin blue plug transducers to displays with 9pin transducer ports.	34.64	41.22
000-13977-001		Connects an XID Airmar CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with Airmar 9pin XID transducers.	40.95	48.73
000-12571-001		Connects a non-CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with transducers that have an analog temperature sensor.	47.25	56.23
000-00099-006		Extension cable for 9-pin transducers. *For optimum performance do not use more than 1 extension per installation.	91.34	108.69
000-13262-001		Dual 9-Pin Wiring Block Sonar Adapter, to connect a bare-wire transducer to a 9pin sonar module or display.	523.95	623.50
000-0099-93		XT-12BL Geber Verlängerungskabel 7-pin blauer Stecker	51.44	61.21

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-0099-94	 XT-20BL 6m Geberverlängerungskabel	51.44	61.21

Spare Parts

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15470-001	B744VC ACTIVE INSERT - REPLACEMENT	324.45	386.10

Transom Mount

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13919-001		P66 - Plastic 600W 50/200kHz Transom Mount Depth and Temperature transducer. 9pin connector and 6 m (19.6 ft) cable.	200.29	238.35
000-16371-001		Airmar TM265LH CHIRP Transducer with DUAL 9-pin blue connectors. 10 m (33 ft) cable.	2047.86	2436.95
000-13944-001		TM150M - Plastic 300W Transom Mount Medium-Chirp Transducer. 9pin connector and 10m cable.	422.68	502.99
000-15482-001		TM165HW - Plastic 600W Transom-Mounted High-Wide Chirp Depth and Temperature transducer. 9-pin connector and 9m cable.	731.49	870.47
000-13998-001		TM185M - Plastic 1kW Transom-Mounted Medium Chirp Depth and Temperature transducer. 9-pin connector and 10m cable.	1370.25	1630.60
000-13997-001		TM185HW - Plastic 1kW Transom-Mounted High-Wide Chirp Depth and Temperature transducer. 9-pin connector and 10m cable.	1658.37	1973.46
000-13904-001		TM260 - Plastic 1kW Transom-Mounted 50/200kHz Depth and Temperature transducer. 9-pin connector and 10m cable.	1444.62	1719.10
000-13770-001		TM275LH-W - Plastic 1kW Transom-Mounted Low/High-Wide Depth and Temperature transducer. Dual 9-pin connectors and 10m cable.	2510.71	2987.74
000-12728-001		HDI Skimmer med/high (455/800 kHz) transducer. 9 pin Black X-Sonic Connector. Cable Length 6 m (20 ft)	152.25	181.18
000-12569-001		HDI Skimmer L/H 455/800 xSonic 9-pin - Black - 6m (20 ft) Cable	299.25	356.11
000-10976-001		HDI Skimmer® transducer 83/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 6m (20 ft)	152.24	181.17
000-10977-001		HDI Skimmer® transducer 50/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 6 m (20 ft)	299.24	356.10
000-0106-77		HST - DFSBL 50/200 kHz Heckmontage-Geber Tiefe/Temperatur - blauer 7 pin Stecker	162.74	193.66
000-0106-72		HST - WSBL 83/200 kHz Heckmontage Geber Tiefe/Temp mit blauem 7 pin Stecker	80.84	96.20
000-14885-001		9 Pin 50/200 kHz transom-mount skimmer depth/temp - black 9 pin connector	163.79	194.91

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14884-001	 High speed skimmer 83/200 kHz transom-mount skimmer depth/temp - Black 9 pin connector	96.59	114.94

Accessories

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16295-001	 Transducer, Network cable pulling tools	26.24	31.23
000-13313-001	 Connects older 7 pin blue plug transducers to displays with 9pin transducer ports.	34.64	41.22
000-13977-001	 Connects an XID Airmar CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with Airmar 9pin XID transducers.	40.95	48.73
000-12571-001	 Connects a non-CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with transducers that have an analog temperature sensor.	47.25	56.23
000-00099-006	 Extension cable for 9-pin transducers. *For optimum performance do not use more than 1 extension per installation.	91.34	108.69
000-0099-93	 XT-12BL Geber Verlängerungskabel 7-pin blauer Stecker	51.44	61.21
000-0099-94	 XT-20BL 6m Geberverlängerungskabel	51.44	61.21
000-10392-001	 Skimmer™ Halterung für Heckmontagegeber 50/200kHz	26.24	31.23
000-0099-06	HS-WS-SS Installations-Set für Heckmontagegeber	26.24	31.23
000-0099-95	 TS-1BL Temperatursensor (non-networked)	85.00	101.15

Spare Parts

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-10392-001	 Skimmer™ Halterung für Heckmontagegeber 50/200kHz	26.24	31.23
000-0099-06	HS-WS-SS Installations-Set für Heckmontagegeber	26.24	31.23
000-10262-001	 Ersatzhalterung für DSI Heckmontagegeber	38.84	46.22

ActiveTarget™

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15959-001		ActiveTarget® 2 kit Includes ActiveTarget® 2 Module, Transducer with 7.62 m (25 ft) cable, and Mounts	1599.00	1902.81
000-15961-001		ActiveTarget® 2 Module Only	849.00	1010.31
000-16462-001		TM ACTIVETARGET 2 MOUNTING KIT	234.00	278.46
000-15962-001		ActiveTarget® 2 Transducer only with 7.62 m (25 ft) cable	899.00	1069.81
000-16488-001		ActiveTarget® 2 XL kit Includes, ActiveTarget® 2 module, ActiveTarget® 2 XL transducer 7.62 m (25 ft) cable, shaft mount, Ethernet cable, power cable.	1899.00	2259.81
000-16489-001		ActiveTarget® 2 XL Transducer only with 7.6 m (25 ft) cable.	1279.99	1523.19
000-16490-001		ActiveTarget® 2 XL Transducer only with 3m (10 ft) cable.	1279.99	1523.19
000-16491-001		Shaft mount bracket. ActiveTarget® 2 XL transducer	171.00	203.49
000-16501-001		ActiveTarget® 2 XL RECON™ Mount.	286.00	340.34
000-16503-001		RECON™ ActiveTarget® 2 Mounting kit.	343.00	408.17
000-16502-001		ActiveTarget® 2 Shaft Mount.	171.00	203.49

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16462-001		TM ACTIVETARGET 2 MOUNTING KIT	234.00	278.46
000-15962-001		ActiveTarget® 2 Transducer only with 7.62 m (25 ft) cable	899.00	1069.81
000-16054-001		ActiveTarget® 2 Trolling Motor Shaft Mount	75.00	89.25
000-15960-001		The ActiveTarget® 2 Scout™ Wide Bracket	105.00	124.95

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16069-001		Extension Cable for ActiveTarget, ActiveTarget 2, ActiveTarget 2 XL transducers	104.99	124.94
000-16489-001		ActiveTarget® 2 XL Transducer only with 7.6 m (25 ft) cable.	1279.99	1523.19
000-16490-001		ActiveTarget® 2 XL Transducer only with 3m (10 ft) cable.	1279.99	1523.19
000-16501-001		ActiveTarget® 2 XL RECON™ Mount.	286.00	340.34
000-16503-001		RECON™ ActiveTarget® 2 Mounting kit.	343.00	408.17
000-16502-001		ActiveTarget® 2 Shaft Mount.	171.00	203.49
000-15773-001		ActiveTarget Transom Mount Kit (Not included in the ActiveTarget Kit)	52.49	62.46

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15961-001		ActiveTarget® 2 Module Only	849.00	1010.31
000-16054-001		ActiveTarget® 2 Trolling Motor Shaft Mount	75.00	89.25
000-15962-001		ActiveTarget® 2 Transducer only with 7.62 m (25 ft) cable	899.00	1069.81
000-16489-001		ActiveTarget® 2 XL Transducer only with 7.6 m (25 ft) cable.	1279.99	1523.19
000-16491-001		Shaft mount bracket. ActiveTarget® 2 XL transducer	171.00	203.49
000-0127-29		Ethernetkabel yellow 5 Pin 4.5 m (15 ft)	58.80	69.97
000-15770-001		ActiveTarget trolling motor shaft mounting kit	61.95	73.72
000-15771-001		ActiveTarget trolling motor mounting kit. Forward / down view	55.64	66.21

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15772-001		Replacement - ActiveTarget Trolling Motor Scout Mount Kit	55.64	66.21
000-00128-001		4-pin Power Cable for modules and MFDs.	40.80	48.55

ActiveImaging™

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16062-001		ActiveImaging™ HD 3-IN-1 delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer. Comes with a 7.6m (25ft) cable with a 9-pin connector. Compatibility: Direct connect to Simrad NSS4, Lowrance HDS PRO, or to an S3100 module. For Lowrance HDS Live, Carbon, Elite FS, and Simrad NSS evo3(S) / NSOevo3(S) displays, an S3100 sonar module is required.	471.45	561.03
000-16061-001		ActiveImaging™ HD 3-in-1 (High/Wide)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.	576.45	685.98
000-16060-001		ActiveImaging™ HD 3-in-1 (Medium/High)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.	523.95	623.50
000-16239-001		Active Imaging™ HD Thru-Hull (Single) Transducer. Direct connection to HDS® PRO and Simrad NSSevo4. For SideScan FishReveal, an S3100 or S3100H is required. Lowrance HDS® LIVE, HDS Carbon, and Elite FS™. Simrad® NSSevo3(S), NSOevo3(S), and NSX require an S3100 or S3100H	996.45	1185.78
000-16240-001		Active Imaging™ HD Thru-Hull Fish Reveal (Dual) Transducers. Directly compatible with Lowrance HDS® PRO and Simrad NSSevo4. For SideScan FishReveal, an S3100 or S3100H is required. With a S3100 or S3100H module compatible with: Lowrance HDS® LIVE, HDS Carbon, and Elite FS™. Simrad® NSSevo3(S), NSOevo3(S), and NSX	1825.95	2172.88
000-16241-001		Active Imaging™ HD Thru-Hull (Dual) Transducer STARBOARD	1048.95	1248.25
000-16242-001		Active Imaging™ HD Thru-Hull (Dual) Transducer PORT	1048.95	1248.25
000-16095-001		Stainless Steel Skimmer Flush Mount Bracket for Active Imaging HD Transducers	65.10	77.47
000-14489-001		ActiveImaging™ 3-IN-1 combines the new Active Imaging sonar with traditional Medium/High CHIRP sonar for easy single transducer installation. 7.6m (25ft) cable with 9 pin connector.	380.09	452.31
000-14814-001		ActiveImaging™ 3-IN-1 combines the new Active Imaging sonar with traditional Medium/High CHIRP sonar for easy single transducer installation. 1.8m (6ft) cable with 9 pin connector.	380.09	452.31
000-16063-001		ActiveImaging™ HD 2-in-1 Transducer. Provides ActiveImaging HD technology for SideScan and DownScan while leaving you free to select other transducer options for Traditional/Chirp Sonar. 7.6m (25 ft) cable with 9-pin connector. Compatibility: Direct connect to Simrad NSS4, Lowrance HDS PRO. For Lowrance HDS Live, Carbon, Elite FS, and Simrad NSS4, NSS evo3(S) / NSOevo3(S) displays, an S3100 sonar module is required.	387.45	461.07
000-14490-001		ActiveImaging™ 2-IN-1 Transducer - Provides Active Imaging technology for SideScan and DownScan while leaving you free to select other transducer options for for Traditional/Chirp Sonar. 7.6m (25 ft) cable with 9 pin connector.	322.34	383.58

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-00099-006		Extension cable for 9-pin transducers. *For optimum performance do not use more than 1 extension per installation.	91.34	108.69
000-16095-001		Stainless Steel Skimmer Flush Mount Bracket for Active Imaging HD Transducers	65.10	77.47

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16094-001		Stainless Steel Transom Mount Bracket for Active Imaging HD Transducers.	73.49	87.45
000-12602-001		Flat Mount Bracket for Active Imaging, TotalScan and StructureScan 3D skimmer transducers.	69.29	82.46

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16094-001		Stainless Steel Transom Mount Bracket for Active Imaging HD Transducers.	73.49	87.45
000-12603-001		Replacement Metal Bracket for Active Imaging, TotalScan, StructureScan 3D and HD skimmer transducers.	69.29	82.46

LiveSight™

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14899-001		PSI-1 Performance Sonar Interface - Enable LiveSight Sonar on your HDS Carbon or NSS / NSOevo3 display by adding the PSI-1 Performance Sonar Interface to your system.	410.99	489.08

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14899-001		PSI-1 Performance Sonar Interface - Enable LiveSight Sonar on your HDS Carbon or NSS / NSOevo3 display by adding the PSI-1 Performance Sonar Interface to your system.	410.99	489.08

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14963-001	 Missing Image	Replacement Ice Mount for LiveSight Transducer	319.99	380.79
000-14959-001	 Missing Image	Replacement Mounts for LiveSight Transducer.	79.99	95.19

ForwardScan™

Main Products

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11674-001	 ForwardScan™ Transducer Kit with Sleeve & Plug. 10m (33ft) Cable	807.45	960.87
000-13284-001	 ForwardScan™ Transducer Kit (Long-Stem) with Sleeve & Plug. 10m (33ft) Cable	1133.13	1348.42

Accessories

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-00099-006	 Extension cable for 9-pin transducers. *For optimum performance do not use more than 1 extension per installation.	91.34	108.69

Spare Parts

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11675-001	 ForwardScan™ Transducer Only. With 10m (33ft) Cable	577.50	687.23
000-11669-001	 ForwardScan™ Sleeve and Plug Only (No Transducer)	282.45	336.12
000-12231-001	 ForwardScan™ Fairing Block Only	46.19	54.97
000-12230-001	 ForwardScan™ Plug Only	35.70	42.48
000-12232-001	 ForwardScan™ O-Ring (Color of supplied O-Ring may vary from shown)	19.95	23.74
000-13578-001	 ForwardScan™ Long-Stem Housing Only	481.95	573.52
000-13579-001	ForwardScan™ Long-Stem Fairing Block Only	82.95	98.71

StructureScan™

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16363-001		StructureScan 3D Transducer ONLY WITH METAL BRACKET- The StructureScan 3D transducer produces three-dimensional scans of underwater terrain and fish-holding StructureScan to create a high-resolution view. Cable length 6.0 m (20 ft)	471.45	561.03
000-10802-001		StructureScan™ HD Skimmer Heckmontagegeber 455/800 kHz	325.49	387.33
000-12396-001		StructureScan 3D Transducer Only - The StructureScan 3D transducer produces three-dimensional scans of underwater terrain and fish-holding structure to create a high-resolution view. Cable length 6.0 m (20 ft)	462.00	549.78
000-14255-001		StructureScan® 3D Through-Hull Transducer with Medium and High CHIRP in one transducer. 6m (20ft) cable. Requires StructureScan® 3D Module sold separately.	1619.10	1926.73
000-14254-001		StructureScan 3D Through-Hull Transducer with Low and High CHIRP in one transducer. 7.6 m (25ft) cable. Requires StructureScan® 3D Module sold separately.	1619.10	1926.73
000-13559-001		StructureScan 3D Single Stainless Steel Thru-Hull Transducer. Cable length 7.6 m (25 ft)	1619.10	1926.73
000-13560-001		StructureScan 3D Dual Stainless Steel Thru-Hull Transducers. Cable length 7.6 m (25 ft)	2776.20	3303.68
000-11459-001		Stainless steel StructureScan™ HD Sonar thru-hull transducer. (Single). Cable length 7.6 m (25 ft)	1017.45	1210.77
000-11460-001		Stainless steel StructureScan™ HD Sonar thru-hull transducer with Y-cable. (pair). Cable length 7.6 m (25 ft)	1993.95	2372.80

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-00099-006		Extension cable for 9-pin transducers. *For optimum performance do not use more than 1 extension per installation.	91.34	108.69
000-12752-001		Transducer Extension Cables for StructureScan® 3D - 10ft (3m)	124.95	148.69
000-13581-001		Fairing Block only for StructureScan 3D Through-Hull transducers.	114.44	136.18
000-10874-001		LSS-2 HD Skimmer Halterung für Heckmontagegeber	69.29	82.46

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11224-001		FAIRING LSS HD BRONZE TRANSDUCER SPARE	109.19	129.94
000-14256-001		Replacement fairing block for combined StructureScan® 3D L/H and M/H Through-Hull Transducers.	114.44	136.18
000-13581-001		Fairing Block only for StructureScan 3D Through-Hull transducers.	114.44	136.18

TotalScan™

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-12568-001		TotalScan™ Transducer with Medium/High Chirp and 455/800kHz Down and SideScan. 7m (24ft) Cable.	380.10	452.32
000-14259-001		TotalScan™ Through-Hull Transducer with Low/High Chirp and 455/800kHz Down and SideScan.	808.50	962.12
000-14257-001		TotalScan™ Through-Hull Transducer with Medium/High Chirp and 455/800kHz Down and SideScan.	808.50	962.12

Accessories


Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-00099-006		Extension cable for 9-pin transducers. *For optimum performance do not use more than 1 extension per installation.	91.34	108.69
000-13522-001		TotalScan and StructureScan 3D Plastic Replacement Bracket	68.24	81.21
000-12603-001		Replacement Metal Bracket for Active Imaging, TotalScan, StructureScan 3D and HD skimmer transducers.	69.29	82.46
000-12602-001		Flat Mount Bracket for Active Imaging, TotalScan and StructureScan 3D skimmer transducers.	69.29	82.46

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14260-001		TotalScan™ Through-Hull Transducer Fairing Block Only	114.45	136.20
000-12603-001		Replacement Metal Bracket for Active Imaging, TotalScan, StructureScan 3D and HD skimmer transducers.	69.29	82.46

Kabel

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16295-001		Transducer, Network cable pulling tools	26.24	31.23
000-13313-001		Connects older 7 pin blue plug transducers to displays with 9pin transducer ports.	34.64	41.22
000-13977-001		Connects an XID Airmar CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with Airmar 9pin XID transducers.	40.95	48.73
000-15965-001		9 PIN 10FT 24PK EXT CLB	43.26	51.48
000-12571-001		Connects a non-CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with transducers that have an analog temperature sensor.	47.25	56.23
000-00099-006		Extension cable for 9-pin transducers. *For optimum performance do not use more than 1 extension per installation.	91.34	108.69
000-14414-001		8 pin 10 Ft Extension Cable: This extension cable is only for Hook2 / Hook Reveal / Cruise 8 pin compatible transducers such as Splitshot, TripleShot, Cruise Skimmer	57.74	68.71
000-14068-001		7-pin Transducer to HOOK2/Reveal/Cruise Adapter Cable. Check Transducer compatability in description!	34.64	41.22
000-14069-001		xSONIC Transducer to HOOK2/Reveal/Cruise Adapter cable. Check Transducer compatability in Details!	34.64	41.22
000-13262-001		Dual 9-Pin Wiring Block Sonar Adapter, to connect a bare-wire transducer to a 9pin sonar module or display.	523.95	623.50
000-12752-001		Transducer Extension Cables for StructureScan® 3D - 10ft (3m)	124.95	148.69
000-0099-93		XT-12BL Geber Verlängerungskabel 7-pin blauer Stecker	51.44	61.21
000-0099-94		XT-20BL 6m Geberverlängerungskabel	51.44	61.21
000-10046-001		BSM-1 Adapterkabel 7pin blauer Stecker an offene Enden	30.45	36.24

System Packs

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11749-001		Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit , Standby-Auto button and Micro-C network components.	1731.45	2060.43
000-15952-001		Outboard Pilot Hydraulic Pack: Includes Point-1 AP Heading and GPS Sensor, NAC-1 Autopilot Computer, PUMP-1 MKII – 0.8L reversible hydraulic pump, hydraulic fitting kit, Standby-Auto button and Micro-C network components.	1384.95	1648.09
000-15951-001		NAC-1 Precision Hydraulic Autopilot pack: Includes Precision-9 Heading Sensor, NAC-1 Autopilot Computer, PUMP-1 (MKII) Hydraulic Pump – 0.8L reversible hydraulic pump, Standby-Auto button and Micro-C network components.	1962.45	2335.32
000-16652-001		NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass, Pump-2 and SteadySteer™ flow switch.	2680.00	3189.20
000-13337-001		NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer and Precision-9 Compass.	1421.88	1692.04
000-13335-001		NAC-2 Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	1701.87	2025.23
000-16653-001		NAC-2 VRF. Performance VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, HS65 GNSS Compass, SteadySteer™ flow switch, backbone starter kit, 4m (15 ft) NMEA 2000 cable.	2255.00	2683.45
000-16657-001		AP44 VRF. Precision VRF medium capacity pack. Comprising of AP44 controller, NAC-2 autopilot computer, Precision 9 compass, PUMP-2 hydraulic pump (MKII) and SteadySteer™ flow switch.	3330.00	3962.70
000-16504-001		AP44 VRF medium capacity pack MKII. Comprising of AP44 controller, NAC-2 autopilot computer, HS65 Satellite compass, PUMP-2 hydraulic pump (MKII), and SteadySteer™ flow switch	3655.00	4349.45
000-13291-002		AP44 VRF medium capacity pack MKII. Comprising of AP44 controller, Precision 9 compass, PUMP-2 hydraulic pump (MKII) and NAC-2 autopilot computer.	2270.63	2702.05
000-16656-001		NAC-3 RF. Performance Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, HS65 GNSS Compass, RF-25N Rudder Feedback unit, SteadySteer™ flow switch, backbone starter kit and 4m (15 ft) NMEA 2000 cable.	3390.00	4034.10
000-13336-001		NAC-3 Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	2498.13	2972.77
000-16655-001		NAC-3 VRF. Performance VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, HS65 GNSS Compass, SteadySteer™ flow switch, backbone starter kit, 4m (15 ft) NMEA 2000 cable.	2999.00	3568.81
000-13338-001		NAC-3 VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer and Precision-9 Compass.	2213.75	2634.36
000-16505-001		AP44 VRF high capacity pack. Comprising of AP44 controller, HS65 GNSS compass,PUMP-3 hydraulic pump (MKII) and NAC-3 autopilot computer and SteadySteer™ Flow Switch	4966.50	5910.14
000-13562-002		AP44 VRF high capacity pack MKII. Comprising of AP44 controller, Precision-9 compass,PUMP-3 hydraulic pump (MKII) and NAC-3 autopilot computer	3178.88	3782.87

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16654-001		NAC-D Performance Core Pack. NAC-D Autopilot computer - Comes with NAC-D Autopilot Computer, HS65 GNSS Compass, Backbone starter kit, 4m (15 ft) NMEA 2000 cable.	2150.00	2558.50
Accessories				
Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11770-002		PUMP-1: Hydraulic Pump – 0.8L reversible hydraulic pump, compatible with SeaStar manual helm pumps up to 14ci. Includes 3 x ORB-5 to 9/16 UNF fittings.	691.95	823.42
000-13289-001		AP44 Autopilot Controller - Compact and easy to use, the AP44 is your main control panel for the Autopilot. Rotary dial and key function buttons gives you what you need to steer the vessel in a compact unit.	623.00	741.37
000-15942-001		Autopilot ORB hose fitting kit for MKII Pumps 1, 2, 3, 4 & 5	177.45	211.17
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	702.45	835.92
000-15949-001		ORB hose fitting kit for MKII Pumps 1, 2, 3, 4 & 5, including SteadySteer	597.45	710.97
000-15444-002		PUMP-2: 12V DC: Reversible hydraulic gear pump. 0.8L (49 cu.in) / min. For cylinder displacement of 80 cc - 250 cc (4.9 - 15.2 cu.in). O-Ring Boss (ORB) connections. Includes 3 x ORB-5 to 9/16 UNF fittings. SteadySteer compatible. (NAC-2 / AC12 required).	754.95	898.39
000-16235-001		HS65, GNSS Compass with mount flat mount.	1199.00	1426.81
000-15445-002		PUMP-3: 12V DC: Reversible hydraulic gear pump. 1.6L (98 cu.in) / min. For cylinder displacement of 160-550 cc (9.8 - 33.5 cu.in). O-Ring Boss (ORB) connections. Includes 3 x ORB-5 to 9/16 UNF fittings. SteadySteer compatible. (NAC-3 / AC42 required).	922.95	1098.31
000-15943-001		Verado autopilot fitting kit for MKII Pumps 1, 2, 3, 4 & 5	576.45	685.98
000-16143-001		HS75 GPS Compass - Ideal heading source for non-SOLAS professional vessels like Search and Rescue, Patrol, Fishing, Workboats and more. Provides solid 0.75° RMS heading accuracy in a compact unit. Supports GPS, GLONASS, Galileo, BeiDou, QZSS for increased accuracy across the world.	2623.95	3122.50
000-13894-001		AP48 Autopilot Controller - A premium dedicated Control Unit for Simrad Autopilot Systems, with a large rotary dial, dedicated keys for 1° and 10° instant course changes as well as Standby/AUTO, Mode, Power and Menu buttons.	1075.38	1279.70
000-15950-001		Autopilot fitting kit for MKII Pumps 2, 3, 4 & 5 for use with Verado systems. Includes SteadySteer	861.00	1024.59
000-15446-002		PUMP-4: 12V DC: Reversible hydraulic gear pump. 3.0L (183 cui) / min. For cylinder displacement of 290 - 960 cc (17.7 - 58.5 cu. in.). O-Ring Boss (ORB) connections. Includes 3 x ORB-5 to 9/16 UNF fittings. SteadySteer compatible. (NAC-3 / AC42 required).	1342.95	1598.11
000-15447-002		PUMP-5: 24V DC: Reversible hydraulic gear pump. 3.0L (183 cui) / min. For cylinder displacement of 290 - 960 cc (17.7 - 58.5 cu. in.). O-Ring Boss (ORB) connections. Includes 3 x ORB-5 to 9/16 UNF fittings. SteadySteer compatible. (NAC-3 / AC42 required).	1342.95	1598.11
000-15944-001		Autopilot fitting adaptor kit. Contains 3 x ORB-5 to 1/4" NPT adaptors	52.50	62.48

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14439-001		NAC-1 / NAC-2 ONLY. The RF40 is a medium-duty rudder feedback unit designed specific for use with NAC-1 and NAC-2 autopilot computers. 3pin 15m (50ft) cable.	334.95	398.59
000-12316-001		WR10 Wireless Autopilot Remote. Includes NMEA2000 connected Bluetooth base station.	502.95	598.51
21116272		Verado Fittings Kit	239.00	284.41
000-13697-001		SD10 Mechanical Drive unit for NAC-2 Autopilot computers. The Drive will suit sailboats 25'-37' with 6' steering cable with electromagnetic clutch with override function, built in Rudder feedback and 12 V power supply	1678.95	1997.95
20193744		RF300 Frequency Rudder Feedback - 10m cable and transmission link assembly.	301.35	358.61
21119896		DD15 Direct Drive unit for sailboats 30'-40' with electromagnetic clutch, lever with tiller pin and RF300 Rudder feedback. 12 V power supply (NAC-3 / H5000 required)	2362.50	2811.38
20188074		LF3000 Linear Feedback - For use with outboard system if a rudder angle is desired. Also requires LFI3000MK2 priced/ordered separately.	418.95	498.55
RAM-T1-12V		Hydraulic Ram T1 12V High power, efficient drive units for maximum power with minimum consumption. Ram drives allow the Power Steer mode on the Pilot to be used in cases of manual steering failure. Fully Integrated hydraulic system, no external hoses, reservoirs etc.	1785.00	2124.15
22088165		JS10 Non Follow Up Joystick, designed for armrest mounting or at key positions on the vessel. Compatible with AC70, AC80A, AC80S, AC85, NAC-3. Comes with 10m cable.	399.00	474.81
20188082		LFI3000MK2 Linear Feedback Interface box - Required for use on outboard application with LF3000 Linear Feedback.	149.00	177.31
RAM-T2-12V		Hydraulic Ram T2 12V High power, efficient drive units for maximum power with minimum consumption. Ram drives allow the Power Steer mode on the Pilot to be used in cases of manual steering failure. Fully Integrated hydraulic system, no external hoses, reservoirs etc.	2173.50	2586.47
RAM-T2-24V		Hydraulic Ram T2 24V High power, efficient drive units for maximum power with minimum consumption. Ram drives allow the Power Steer mode on the Pilot to be used in cases of manual steering failure. Fully Integrated hydraulic system, no external hoses, reservoirs etc.	2173.50	2586.47
RAM-T3-24V		Hydraulic Ram T3 24V Hydraulic Steering Systems combine a hydraulic cylinder with clutch, reversing pump and reservoir in a compact installation.	2919.00	3473.61
RAM-T4-24V		Hydraulik Doppelzylinder mit Dauerläuferpumpe - Typ 4, 24 Volt	9101.40	10830.67
22096820		AP24/AP28/IS20 Optional Mounting Bracket	129.00	153.51
000-11497-001		90 DEGREE BEZEL FOR HELM DRIVE	21.00	24.99
000-14268-001		Waterproof 4-core cable joiner for NAC-1, 2 and 3 Autopilot installations. Convenient way to connect your computer to the drive unit and ensure a waterproof connection.	28.35	33.74
22014286		RF25 Rudder Rückmelder Einheit: mit transmission link und 5.5 m (18 ft) SimNet Kabel.	331.62	394.63

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11770-002		PUMP-1: Hydraulic Pump – 0.8L reversible hydraulic pump, compatible with SeaStar manual helm pumps up to 14ci. Includes 3 x ORB-5 to 9/16 UNF fittings.	691.95	823.42
000-13289-001		AP44 Autopilot Controller - Compact and easy to use, the AP44 is your main control panel for the Autopilot. Rotary dial and key function buttons gives you what you need to steer the vessel in a compact unit.	623.00	741.37
000-15942-001		Autopilot ORB hose fitting kit for MKII Pumps 1, 2, 3, 4 & 5	177.45	211.17
000-11769-001		NAC-1 Autopilot Computer – The brains behind the Outboard Pilot and Drive Pilot systems. It contains the steering computer and electronics for the drive unit motor and clutch.	765.45	910.89
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	702.45	835.92
SIMKIT-1		SimNet Starter Kit-1	125.40	149.23
000-12930-002		Point-1 AP GPS and Heading antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass with accuracy and tuning specific for Lowrance Autopilots also provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds.	292.95	348.61
000-13249-001		The low-current NAC-2 autopilot computer is ideal for smaller vessels, designed to run small hydraulic drives and mechanical drives for vessels up to 10 metres (33 feet) in length. Also provides solenoid output.	985.95	1173.28
000-15444-002		PUMP-2: 12V DC: Reversible hydraulic gear pump. 0.8L (49 cu.in) / min. For cylinder displacement of 80 cc - 250 cc (4.9 - 15.2 cu.in). O-Ring Boss (ORB) connections. Includes 3 x ORB-5 to 9/16 UNF fittings. SteadySteer compatible. (NAC-2 / AC12 required).	754.95	898.39
000-16235-001		HS65, GNSS Compass with mount flat mount.	1199.00	1426.81
000-15445-002		PUMP-3: 12V DC: Reversible hydraulic gear pump. 1.6L (98 cu.in) / min. For cylinder displacement of 160-550 cc (9.8 - 33.5 cu.in). O-Ring Boss (ORB) connections. Includes 3 x ORB-5 to 9/16 UNF fittings. SteadySteer compatible. (NAC-3 / AC42 required).	922.95	1098.31
000-13703-001		Auto-Stby Button - Metal. For a physical Auto/Stby button in systems with NAC-1 and NAC-2 Autopilot Computers.	51.45	61.23
000-13250-001		The high-current NAC-3 autopilot computer is designed for vessels over 10 metres (33 feet) in length, with the ability to run heavy-duty hydraulic drive pumps & linear rams, and also provides solenoid output.	1731.45	2060.43
000-15734-001		SteadySteer™ Flow Switch Only. Enjoy increased convenience without sacrificing safety with SteadySteer - a new functionality for autopilot systems that enables immediate, manual control of a vessel through turns without disengaging the autopilot.	481.95	573.52
000-10760-001		NMEA 2000 Micro-C Auto pilot network starter kit: Includes Network power cable, 4.5 m (15 ft) N2K cable, 3 x T-connectors, and 2 x network terminators.	94.50	112.46
000-10756-001		RF25N, Ruder Rückgeber Einheit: mit Übertragungs Gestänge und 5 m (16.5 ft) NMEA2000 Micro-C Kabel	351.00	417.69
000-15621-001		NAC-D AUTOPILOT COMPUTER. NAC™ -D is a digital steering autopilot solution for Electronic Vessel Control Systems (steering systems with a digital interface). It allows automatic switching between two speed profiles, delivering optimal steering performance at both low and high speeds.	1122.45	1335.72

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
20193744		RF300 Frequency Rudder Feedback - 10m cable and transmission link assembly.	301.35	358.61
22096986		AC70, AC12 and AC42 Terminal Cover	23.00	27.37
000-0119-86		N2KEXT-15RD - 4.55 m (15-ft) NMEA 2000® Netzwerkkabel	58.80	69.97

Computers

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11769-001		NAC-1 Autopilot Computer – The brains behind the Outboard Pilot and Drive Pilot systems. It contains the steering computer and electronics for the drive unit motor and clutch.	765.45	910.89
000-13249-001		The low-current NAC-2 autopilot computer is ideal for smaller vessels, designed to run small hydraulic drives and mechanical drives for vessels up to 10 metres (33 feet) in length. Also provides solenoid output.	985.95	1173.28
000-13250-001		The high-current NAC-3 autopilot computer is designed for vessels over 10 metres (33 feet) in length, with the ability to run heavy-duty hydraulic drive pumps & linear rams, and also provides solenoid output.	1731.45	2060.43
000-15621-001		NAC-D AUTOPILOT COMPUTER. NAC™ -D is a digital steering autopilot solution for Electronic Vessel Control Systems (steering systems with a digital interface). It allows automatic switching between two speed profiles, delivering optimal steering performance at both low and high speeds.	1122.45	1335.72
000-15597-002		Required for connecting Simrad NAC-D Autopilot Computer to Volvo EVC and IPS drives. Compatible with EV2 Replaces 000-15597-001	2809.00	3342.71
000-15804-002		Steer-by-wire Volvo EVC Kit for IPS (includes NAC-D, Precision 9, Volvo Gateway)	4108.00	4888.52
000-15598-001		AUTOPILOT GATEWAY FOR YAMAHA	1498.00	1782.62
000-15805-001		Steer-by-wire Autopilot Pack for Yamaha Helm Master (includes NAC-D, Yamaha gateway and Precision 9 heading sensor). Compatible with Helm Master, but not Helm Master Ex	3162.50	3763.38

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13289-001		AP44 Autopilot Controller - Compact and easy to use, the AP44 is your main control panel for the Autopilot. Rotary dial and key function buttons gives you what you need to steer the vessel in a compact unit.	623.00	741.37
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	702.45	835.92
000-16235-001		HS65, GNSS Compass with mount flat mount.	1199.00	1426.81
000-13894-001		AP48 Autopilot Controller - A premium dedicated Control Unit for Simrad Autopilot Systems, with a large rotary dial, dedicated keys for 1° and 10° instant course changes as well as Standby/AUTO, Mode, Power and Menu buttons.	1075.38	1279.70
000-16143-001		HS75 GPS Compass - Ideal heading source for non-SOLAS professional vessels like Search and Rescue, Patrol, Fishing, Workboats and more. Provides solid 0.75° RMS heading accuracy in a compact unit. Supports GPS, GLONASS, Galileo, BeiDou, QZSS for increased accuracy across the world.	2623.95	3122.50
000-13287-001		OP12 Autopilot Controller - Autopilot Remote keypad with intuitive keys for course change and Standby/AUTO modes. Integrates seamlessly with NAC-2 and NAC-3 based Autopilot systems.	362.25	431.08
000-14439-001		NAC-1 / NAC-2 ONLY. The RF40 is a medium-duty rudder feedback unit designed specific for use with NAC-1 and NAC-2 autopilot computers. 3pin 15m (50ft) cable.	334.95	398.59
000-12316-001		WR10 Wireless Autopilot Remote. Includes NMEA2000 connected Bluetooth base station.	502.95	598.51

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
21116272		Verado Fittings Kit	239.00	284.41
000-13697-001		SD10 Mechanical Drive unit for NAC-2 Autopilot computers. The Drive will suit sailboats 25'-37" with 6" steering cable with electromagnetic clutch with override function, built in Rudder feedback and 12 V power supply	1678.95	1997.95
20193744		RF300 Frequency Rudder Feedback - 10m cable and transmission link assembly.	301.35	358.61
22088165		JS10 Non Follow Up Joystick, designed for armrest mounting or at key positions on the vessel. Compatible with AC70, AC80A, AC80S, AC85, NAC-3. Comes with 10m cable.	399.00	474.81
20188074		LF3000 Linear Feedback - For use with outboard system if a rudder angle is desired. Also requires LFI3000MK2 priced/ordered separately.	418.95	498.55
RAM-T1-12V		Hydraulic Ram T1 12V High power, efficient drive units for maximum power with minimum consumption. Ram drives allow the Power Steer mode on the Pilot to be used in cases of manual steering failure. Fully Integrated hydraulic system, no external hoses, reservoirs etc.	1785.00	2124.15
RAM-T2-12V		Hydraulic Ram T2 12V High power, efficient drive units for maximum power with minimum consumption. Ram drives allow the Power Steer mode on the Pilot to be used in cases of manual steering failure. Fully Integrated hydraulic system, no external hoses, reservoirs etc.	2173.50	2586.47
20188082		LFI3000MK2 Linear Feedback Interface box - Required for use on outboard application with LF3000 Linear Feedback.	149.00	177.31
RAM-T2-24V		Hydraulic Ram T2 24V High power, efficient drive units for maximum power with minimum consumption. Ram drives allow the Power Steer mode on the Pilot to be used in cases of manual steering failure. Fully Integrated hydraulic system, no external hoses, reservoirs etc.	2173.50	2586.47
RAM-T3-24V		Hydraulic Ram T3 24V Hydraulic Steering Systems combine a hydraulic cylinder with clutch, reversing pump and reservoir in a compact installation.	2919.00	3473.61
RAM-T4-24V		Hydraulik Doppelzylinder mit Dauerläuferpumpe - Typ 4, 24 Volt	9101.40	10830.67
22096820		AP24/AP28/IS20 Optional Mounting Bracket	129.00	153.51
000-12259-001		Network power isolator. Separates separately powered sections of the NMEA2000 network while letting data through.	42.00	49.98
000-14268-001		Waterproof 4-core cable joiner for NAC-1, 2 and 3 Autopilot installations. Convenient way to connect your computer to the drive unit and ensure a waterproof connection.	28.35	33.74
22014286		RF25 Rudder Rückmelder Einheit: mit transmission link und 5.5 m (18 ft) SimNet Kabel.	331.62	394.63

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14464-001		NAC-1 & NAC-2 Power Cable - 2m	39.90	47.48
22096986		AC70, AC12 and AC42 Terminal Cover	23.00	27.37

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14463-001	NAC-2 Spare Drive Cable - 2m (6.5 ft)	39.90	47.48
		39.90	47.48
000-14798-001	 NAC-2 Rudder feedback cable: Used to connect resistive rudder feedback units to either NAC-1 or NAC-2. 3 Pin connector to 3 bare wires. 2 m (6.5 ft)		

Controllers

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13289-001		AP44 Autopilot Controller - Compact and easy to use, the AP44 is your main control panel for the Autopilot. Rotary dial and key function buttons gives you what you need to steer the vessel in a compact unit.	623.00	741.37
000-13894-001		AP48 Autopilot Controller - A premium dedicated Control Unit for Simrad Autopilot Systems, with a large rotary dial, dedicated keys for 1° and 10° instant course changes as well as Standby/AUTO, Mode, Power and Menu buttons.	1075.38	1279.70
000-13287-001		OP12 Autopilot Controller - Autopilot Remote keypad with intuitive keys for course change and Standby/AUTO modes. Integrates seamlessly with NAC-2 and NAC-3 based Autopilot systems.	362.25	431.08
000-12316-001		WR10 Wireless Autopilot Remote. Includes NMEA2000 connected Bluetooth base station.	502.95	598.51
000-10183-001		FU80 Follow UP remote unit with display. Take command and Mode buttons. Provides course change in Auto mode.	825.00	981.75
000-10184-001		QS80 Quickstick Fernbedien-- Einheit mit display, 6m factory mounted drop Kabel, T-connector, front bezel, installation und user manual, gasket für panel Montage-, Montage-screws. Take command und Mode buttons. Provides course change in Auto mode.	816.00	971.04
000-10185-001		NF80 Non Follow Up Fernbedien-- Einheit mit display, 6m factory mounted drop Kabel, T-connector, front bezel, installation und user manual, gasket für panel Montage-, Montage-screws. Take command und Mode buttons. Provides course change in Auto mode.	855.00	1017.45
23241227		S35 Non Follow Up Steering Lever Designed for indoor and outdoor mounting. Proven industrial and ruggedized design for use in harsh working conditions on deck.	573.00	681.87
22088165		JS10 Non Follow Up Joystick, designed for armrest mounting or at key positions on the vessel. Compatible with AC70, AC80A, AC80S, AC85, NAC-3. Comes with 10m cable.	399.00	474.81

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16143-001		HS75 GPS Compass - Ideal heading source for non-SOLAS professional vessels like Search and Rescue, Patrol, Fishing, Workboats and more. Provides solid 0.75° RMS heading accuracy in a compact unit. Supports GPS, GLONASS, Galileo, BeiDou, QZSS for increased accuracy across the world.	2623.95	3122.50
000-13250-001		The high-current NAC-3 autopilot computer is designed for vessels over 10 metres (33 feet) in length, with the ability to run heavy-duty hydraulic drive pumps & linear rams, and also provides solenoid output.	1731.45	2060.43
000-16652-001		NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass, Pump-2 and SteadySteer™ flow switch.	2680.00	3189.20
000-13337-001		NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer and Precision-9 Compass.	1421.88	1692.04

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13335-001		NAC-2 Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	1701.87	2025.23
21116272		Verado Fittings Kit	239.00	284.41
20193744		RF300 Frequency Rudder Feedback - 10m cable and transmission link assembly.	301.35	358.61
000-16657-001		AP44 VRF. Precision VRF medium capacity pack. Comprising of AP44 controller, NAC-2 autopilot computer, Precision 9 compass, PUMP-2 hydraulic pump (MKII) and SteadySteer™ flow switch.	3330.00	3962.70
000-16504-001		AP44 VRF medium capacity pack MKII. Comprising of AP44 controller, NAC-2 autopilot computer, HS65 Satellite compass, PUMP-2 hydraulic pump (MKII), and SteadySteer™ flow switch	3655.00	4349.45
000-16656-001		NAC-3 RF. Performance Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, HS65 GNSS Compass, RF-25N Rudder Feedback unit, SteadySteer™ flow switch, backbone starter kit and 4m (15 ft) NMEA 2000 cable.	3390.00	4034.10
22088165		JS10 Non Follow Up Joystick, designed for armrest mounting or at key positions on the vessel. Compatible with AC70, AC80A, AC80S, AC85, NAC-3. Comes with 10m cable.	399.00	474.81
20188074		LF3000 Linear Feedback - For use with outboard system if a rudder angle is desired. Also requires LFI3000MK2 priced/ordered separately.	418.95	498.55
000-13336-001		NAC-3 Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	2498.13	2972.77
20188082		LFI3000MK2 Linear Feedback Interface box - Required for use on outboard application with LF3000 Linear Feedback.	149.00	177.31
000-16655-001		NAC-3 VRF. Performance VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, HS65 GNSS Compass, SteadySteer™ flow switch, backbone starter kit, 4m (15 ft) NMEA 2000 cable.	2999.00	3568.81
000-13338-001		NAC-3 VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer and Precision-9 Compass.	2213.75	2634.36
000-16505-001		AP44 VRF high capacity pack. Comprising of AP44 controller, HS65 GNSS compass, PUMP-3 hydraulic pump (MKII) and NAC-3 autopilot computer and SteadySteer™ Flow Switch	4966.50	5910.14
22096820		AP24/AP28/IS20 Optional Mounting Bracket	129.00	153.51
000-14074-001		A2004/AP48 Mounting Bracket Kit	40.95	48.73
000-10589-001		NF80/FU80/QS80 bulkhead Montage- Kit	161.00	191.59
22014286		RF25 Rudder Rückmelder Einheit: mit transmission link und 5.5 m (18 ft) SimNet Kabel.	331.62	394.63

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13724-001		SUNCOVER,AP44 DISPLAY	19.95	23.74
000-13725-001		Suncover for Simrad OP12 and B&G Triton ² Pilot controllers	14.70	17.49
000-14073-001		Suncover for A2004/AP48 autopilot controllers	25.20	29.99
000-13952-001		Triton2 Pilot & OP12 Installation Kit	14.70	17.49
000-13951-001		INSTALL KIT AP44	19.95	23.74
000-12359-001		WR10 BT-1 Base Station Only	282.45	336.12
000-12358-001		WR10 Wireless Remote for Autopilot.	219.45	261.15
000-14075-001		A2004 / AP48 Dash mounting kit: Includes dash seal, 4x 1/2" Phillips pan head screws, 2x Bezels, screw mount jig tool.	51.45	61.23

Sensoren

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	702.45	835.92
000-16235-001		HS65, GNSS Compass with mount flat mount.	1199.00	1426.81
000-16143-001		HS75 GPS Compass - Ideal heading source for non-SOLAS professional vessels like Search and Rescue, Patrol, Fishing, Workboats and more. Provides solid 0.75° RMS heading accuracy in a compact unit. Supports GPS, GLONASS, Galileo, BeiDou, QZSS for increased accuracy across the world.	2623.95	3122.50
000-15734-001		SteadySteer™ Flow Switch Only. Enjoy increased convenience without sacrificing safety with SteadySteer - a new functionality for autopilot systems that enables immediate, manual control of a vessel through turns without disengaging the autopilot.	481.95	573.52
000-14439-001		NAC-1 / NAC-2 ONLY. The RF40 is a medium-duty rudder feedback unit designed specific for use with NAC-1 and NAC-2 autopilot computers. 3pin 15m (50ft) cable.	334.95	398.59
000-10756-001		RF25N, Ruder Rückgeber Einheit: mit Übertragungs Gestänge und 5 m (16.5 ft) NMEA2000 Micro-C Kabel	351.00	417.69
20193744		RF300 Frequency Rudder Feedback - 10m cable and transmission link assembly.	301.35	358.61
22011415		RF45X Profi Ruder-Rückmelder Einheit; mit transmission link und 2 m Kabel und Junction Box	673.00	800.87
000-10591-001		RF70N Medium-duty rudder rudder feedback unit. NMEA2000 interface, comes with transmission link and pre-attached 5.5m cable.	635.00	755.65
20188074		LF3000 Linear Feedback - For use with outboard system if a rudder angle is desired. Also requires LFI3000MK2 priced/ordered separately.	418.95	498.55
20188082		LFI3000MK2 Linear Feedback Interface box - Required for use on outboard application with LF3000 Linear Feedback.	149.00	177.31

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-0127-45		SimNet auf N2K Adapter-Kit - verbindet SimNet-Komponenten mit NMEA 2000® Netzwerk	124.44	148.08
000-10641-001		HS70 programming Kabel	414.00	492.66
000-10640-001		HS70 Power / NMEA0183 Kabel, 15m	347.00	412.93
000-15687-001		Surface mount kit for HS75 Antenna. Contains bracket to mount to compass, + 2 surface brackets. One mount for cables passing down through the mounting surface, and a taller version for feeding the cable out the side of the mount.	179.00	213.01
000-10937-001		HS70 SERIAL-TO-N2K ADAPTER	143.00	170.17

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15686-001		Pole Mount Bracket for HS75 - Standard 1" 14TPI threads.	139.00	165.41

000-15385-001		In-Line 120-Ohm NMEA2000 terminator, to use in one end of the network.	28.00	33.32
---------------	---	--	-------	-------

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16297-001		Standard flat mount that ships with HS65 GNSS Compass. This can be used as replacement.	77.70	92.46
000-10641-001		HS70 programming Kabel	414.00	492.66
000-10937-001		HS70 SERIAL-TO-N2K ADAPTER	143.00	170.17
20193454		Light Duty Transmission Link for RF300, RF25N and RF40 rudder feedbacks.	72.45	86.22
20193678		RF300 Transmission Lever Assembly	72.45	86.22

Pumpen/Antriebe

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11770-002		PUMP-1: Hydraulic Pump – 0.8L reversible hydraulic pump, compatible with SeaStar manual helm pumps up to 14ci. Includes 3 x ORB-5 to 9/16 UNF fittings.	691.95	823.42
000-15444-002		PUMP-2: 12V DC: Reversible hydraulic gear pump. 0.8L (49 cu.in) / min. For cylinder displacement of 80 cc - 250 cc (4.9 - 15.2 cu.in). O-Ring Boss (ORB) connections. Includes 3 x ORB-5 to 9/16 UNF fittings. SteadySteer compatible. (NAC-2 / AC12 required).	754.95	898.39
000-15445-002		PUMP-3: 12V DC: Reversible hydraulic gear pump. 1.6L (98 cu.in) / min. For cylinder displacement of 160-550 cc (9.8 - 33.5 cu.in). O-Ring Boss (ORB) connections. Includes 3 x ORB-5 to 9/16 UNF fittings. SteadySteer compatible. (NAC-3 / AC42 required).	922.95	1098.31
000-15446-002		PUMP-4: 12V DC: Reversible hydraulic gear pump. 3.0L (183 cui) / min. For cylinder displacement of 290 - 960 cc (17.7 - 58.5 cu. in.). O-Ring Boss (ORB) connections. Includes 3 x ORB-5 to 9/16 UNF fittings. SteadySteer compatible. (NAC-3 / AC42 required).	1342.95	1598.11
000-15447-002		PUMP-5: 24V DC: Reversible hydraulic gear pump. 3.0L (183 cui) / min. For cylinder displacement of 290 - 960 cc (17.7 - 58.5 cu. in.). O-Ring Boss (ORB) connections. Includes 3 x ORB-5 to 9/16 UNF fittings. SteadySteer compatible. (NAC-3 / AC42 required).	1342.95	1598.11
000-11771-001		The HELM-1 is a complete autopilot drive unit for cable-steered vessels, and replaces your existing manual helm drive behind the dash. Designed for easy installation and retrofit, the HELM-1 features an integrated rudder feedback sensor and is plug-and-play compatible with NAC-1 and NAC-2 autopilot computers.	1269.45	1510.65
000-10907-001		Helm Drive - Straight shaft Type S. The drive is a rotary mechanical autopilot drive system which makes it simple and economical to fit an autopilot on smaller powerboats with mechanical push-pull cable steering. (Steering Wheel not included), Suitable for use with NAC-3 and legacy AC12/42 Autopilot computers.	1209.00	1438.71
000-13697-001		SD10 Mechanical Drive unit for NAC-2 Autopilot computers. The Drive will suit sailboats 25'-37' with 6' steering cable with electromagnetic clutch with override function, built in Rudder feedback and 12 V power supply	1678.95	1997.95
21119896		DD15 Direct Drive unit for sailboats 30'-40' with electromagnetic clutch, lever with tiller pin and RF300 Rudder feedback. 12 V power supply (NAC-3 / H5000 required)	2362.50	2811.38
000-13902-001		Hydraulic Ram T0 12V - The RAM T0 Hydraulic linear actuator combines a cylinder, pump, motor, clutch, and reservoir in a pre-filled, sealed unit. Designed to be used on vessels fitted with mechanical primary steering that can be back-driven.	1617.00	1924.23
RAM-T1-12V		Hydraulic Ram T1 12V High power, efficient drive units for maximum power with minimum consumption. Ram drives allow the Power Steer mode on the Pilot to be used in cases of manual steering failure. Fully Integrated hydraulic system, no external hoses, reservoirs etc.	1785.00	2124.15
RAM-T2-12V		Hydraulic Ram T2 12V High power, efficient drive units for maximum power with minimum consumption. Ram drives allow the Power Steer mode on the Pilot to be used in cases of manual steering failure. Fully Integrated hydraulic system, no external hoses, reservoirs etc.	2173.50	2586.47
RAM-T2-24V		Hydraulic Ram T2 24V High power, efficient drive units for maximum power with minimum consumption. Ram drives allow the Power Steer mode on the Pilot to be used in cases of manual steering failure. Fully Integrated hydraulic system, no external hoses, reservoirs etc.	2173.50	2586.47
000-13788-001		Hydraulic Ram T3 12V Hydraulic Steering Systems combine a hydraulic cylinder with clutch, reversing pump and reservoir in a compact installation.	2919.00	3473.61
RAM-T3-24V		Hydraulic Ram T3 24V Hydraulic Steering Systems combine a hydraulic cylinder with clutch, reversing pump and reservoir in a compact installation.	2919.00	3473.61
RAM-T4-24V		Hydraulik Doppelzylinder mit Dauerläuferpumpe - Typ 4, 24 Volt	9101.40	10830.67

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15942-001		Autopilot ORB hose fitting kit for MKII Pumps 1, 2, 3, 4 & 5	177.45	211.17
000-15949-001		ORB hose fitting kit for MKII Pumps 1, 2, 3, 4 & 5, including SteadySteer	597.45	710.97
000-15943-001		Verado autopilot fitting kit for MKII Pumps 1, 2, 3, 4 & 5	576.45	685.98
000-15950-001		Autopilot fitting kit for MKII Pumps 2, 3, 4 & 5 for use with Verado systems. Includes SteadySteer	861.00	1024.59
000-15944-001		Autopilot fitting adaptor kit. Contains 3 x ORB-5 to 1/4" NPT adaptors	52.50	62.48
21116272		Verado Fittings Kit	239.00	284.41
000-11497-001		90 DEGREE BEZEL FOR HELM DRIVE	21.00	24.99
44172096		DL2030 Draglink for DD15. Length: 200-300 mm. 7.9" – 11.8"	387.45	461.07
44172088		DL3040 Draglink for DD15. Length: 300-400 mm. 11.8" - 15.7".	366.45	436.08
44172104		DL4050 Draglink for DD15. Length: 400-500 mm. 15.7" - 19.7".	334.95	398.59

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
20193744		RF300 Frequency Rudder Feedback - 10m cable and transmission link assembly.	301.35	358.61
20997953		RPU80/100/150/160/200 Seal Kit. Works for all motor types and pump sizes.	101.85	121.20
21118617		RPU80 Motor Brushes - Framco	60.90	72.47
21118633		RPU160 Motor Brushes - Framco	69.00	82.11
21118625		RPU Motor Brushes - Framco for RPU300	69.00	82.11

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
21118666		RPU Motor Brushes - Lemac for RPU80/160	85.05	101.21
21118682		RPU Motor Brushes - Lemac (Long) for RPU300	135.45	161.19
000-13960-001		Brush replacements for RPU80, RPU160 and RPU300 pumps with Parvalux motors.	87.15	103.71
000-15858-001		PUMP-X Motor Brushes - Autopilot pump brush kit for PUMP-2,3,4 & 5. 2Pcs. Note: Not for Pump-1	68.25	81.22

Fitting Kits

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15942-001		Autopilot ORB hose fitting kit for MKII Pumps 1, 2, 3, 4 & 5	177.45	211.17
000-15949-001		ORB hose fitting kit for MKII Pumps 1, 2, 3, 4 & 5, including SteadySteer	597.45	710.97
000-15943-001		Verado autopilot fitting kit for MKII Pumps 1, 2, 3, 4 & 5	576.45	685.98
000-15950-001		Autopilot fitting kit for MKII Pumps 2, 3, 4 & 5 for use with Verado systems. Includes SteadySteer	861.00	1024.59
000-15944-001		Autopilot fitting adaptor kit. Contains 3 x ORB-5 to 1/4" NPT adaptors	52.50	62.48
21116272		Verado Fittings Kit	239.00	284.41

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15734-001		SteadySteer™ Flow Switch Only. Enjoy increased convenience without sacrificing safety with SteadySteer - a new functionality for autopilot systems that enables immediate, manual control of a vessel through turns without disengaging the autopilot.	481.95	573.52



Tillerpilote

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
TP10		TP10 Tillerpilot - The TP range delivers reliable auto steering for boats with tillers up to 32ft in length.	681.45	810.93
TP22		Pinnenpilot TP22 – SimNet/NMEA	838.95	998.35
TP32		Pinnenpilot TP32 – SimNet/NMEA	996.45	1185.78

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-0127-45		SimNet auf N2K Adapter-Kit - verbindet SimNet-Komponenten mit NMEA 2000® Netzwerk	124.44	148.08
SKT100		SKT100	124.95	148.69
CB1		Cantilever bracket 135-240 mm (5.31-9.44 in)	87.15	103.71
PB30		Pedestal bracket 30 mm (1.2 in)	66.15	78.72
PB60		Pedestal bracket 60 mm (2.4 in)	66.15	78.72
PB90		Pedestal bracket 90 mm (3.6 in)	66.15	78.72
PRE30		Pushrod extension 30 mm (1.2 in)	26.25	31.24
PRE60		Pushrod extension 60 mm (2.4 in)	40.95	48.73
PRE90		Pushrod extension 90 mm (3.6 in)	26.25	31.24
PRE120		Pushrod extension 120 mm (4.8 in)	35.70	42.48
PRE150		Pushrod extension 150 mm (6.0 in)	35.70	42.48
PRE300		Pushrod extension 300 mm (12.0 in)	124.95	148.69

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
TB30		TB 30 Pinnen Halterung 30 mm	42.00	49.98
TB60		TB 60 Pinnen Halterung 60 mm	42.00	49.98
TB90		TB 90 Pinnen Halterung 90 mm	42.00	49.98
TB120		TB 120 Pinnen Halterung 120 mm	42.00	49.98

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
TPPK329		TP22/32 & WP32 MAIN PCB	189.00	224.91
TPPK7		TPXX MOUNT PIN & ROD END	36.75	43.73
TPPK21		TP10 MAIN PCB	171.15	203.67
TPPK22		TP32 DRIVE ASSY	453.60	539.78
TPPK29		TPXX TILLER PIN AND CUP	35.70	42.48
TPPK32		PUSH ROD END CAP (PACK OF 5)	33.60	39.98
TPPK321		TP32/22 PLUG, SOCKET & MOUTNING PIN	161.70	192.42
TPPK325		TP32/22 PCB COVER & SEAL	32.55	38.73

Commercial

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13895-001		The A2004 is an Autopilot Controller designed to meet the needs of professionals onboard non-SOLAS workboats. It features a proven Simrad interface, presented on a wide-angle and zero-fog colour display.	1103.00	1312.57
000-13899-001		A2004 Autopilot pack with A2004 controller, AC70 Autopilot computer and RF300 rudder feedback. For use with non-IMO professional vessels. For reversible pumps or non-isolated solenoid valve controls. Add either an AD80 or SD80 for thruster control.	2547.00	3030.93
000-13900-001		A2004 Autopilot pack with A2004 controller, AC70 Autopilot computer, RF300 rudder feedback and a Precision-9 magnetic compass. For use with non-IMO professional vessels. For reversible pumps or non-isolated solenoid valve controls. Add either an AD80 or SD80 for thruster control.	3251.00	3868.69
000-13901-001		A2004 Autopilot pack with A2004 controller, AC70 Autopilot computer, RF300 rudder feedback and a HS75 GPS compass. For use with non-IMO professional vessels. For reversible pumps or non-isolated solenoid valve controls. Add either an AD80 or SD80 for thruster control.	6287.00	7481.53
000-14958-001		AP70MK2 Professional Autopilot Controller. Designed to meet the needs of mariners aboard a variety of professional vessels. With both non-SOLAS and SOLAS system configurations available, it delivers professional autopilot performance to everyone.	1742.00	2072.98
000-15039-001		AP70MK2 Professional Autopilot basic pack. Kit contains AP70 MK2 controller, AC70 computer and RF300 rudder feedback. For reversible hydraulic pumps or non-isolated solenoid valves.	3518.00	4186.42
000-10186-001		AC70 Autopilot Computer for rudder or propeller (i.e. Voith Schneider), for reversible motor or galvanic non-isolated solenoids.	1643.00	1955.17
000-10191-001		AD80 Analog Drive Interface für rudder/thruster	1213.00	1443.47
000-10192-001		SD80 Solenoid Drive Interface für rudder/thruster	1213.00	1443.47
000-10425-001		SI80 Signal Interface - Four channel NMEA 0183 interface computer board and voltage supply for CAN bus.	1125.00	1338.75

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13895-001		The A2004 is an Autopilot Controller designed to meet the needs of professionals onboard non-SOLAS workboats. It features a proven Simrad interface, presented on a wide-angle and zero-fog colour display.	1103.00	1312.57
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	702.45	835.92
000-16143-001		HS75 GPS Compass - Ideal heading source for non-SOLAS professional vessels like Search and Rescue, Patrol, Fishing, Workboats and more. Provides solid 0.75° RMS heading accuracy in a compact unit. Supports GPS, GLONASS, Galileo, BeiDou, QZSS for increased accuracy across the world.	2623.95	3122.50
000-14073-001		Suncover for A2004/AP48 autopilot controllers	25.20	29.99
000-12316-001		WR10 Wireless Autopilot Remote. Includes NMEA2000 connected Bluetooth base station.	502.95	598.51

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-10756-001		RF25N, Ruder Rückgeber Einheit: mit Übertragungs Gestänge und 5 m (16.5 ft) NMEA2000 Micro-C Kabel	351.00	417.69
000-10186-001		AC70 Autopilot Computer for rudder or propeller (i.e. Voith Schneider), for reversible motor or galvanic non-isolated solenoids.	1643.00	1955.17
000-10183-001		FU80 Follow UP remote unit with display. Take command and Mode buttons. Provides course change in Auto mode.	825.00	981.75
000-10596-001		AP80 Schutz- Abdeckung	58.00	69.02
000-10184-001		QS80 Quickstick Fernbedien-- Einheit mit display, 6m factory mounted drop Kabel, T-connector, front bezel, installation und user manual, gasket für panel Montage-, Montage-screws. Take command und Mode buttons. Provides course change in Auto mode.	816.00	971.04
20193744		RF300 Frequency Rudder Feedback - 10m cable and transmission link assembly.	301.35	358.61
000-10191-001		AD80 Analog Drive Interface für rudder/thruster	1213.00	1443.47
000-10192-001		SD80 Solenoid Drive Interface für rudder/thruster	1213.00	1443.47
000-10185-001		NF80 Non Follow Up Fernbedien-- Einheit mit display, 6m factory mounted drop Kabel, T-connector, front bezel, installation und user manual, gasket für panel Montage-, Montage-screws. Take command und Mode buttons. Provides course change in Auto mode.	855.00	1017.45
22011415		RF45X Profi Ruder-Rückmelder Einheit; mit transmission link und 2 m Kabel und Junction Box	673.00	800.87
000-10587-001		SD80 PCB assembly. Solenoid und proportional Drive Interface für rudder und thruster	978.00	1163.82
000-10591-001		RF70N Medium-duty rudder rudder feedback unit. NMEA2000 interface, comes with transmission link and pre-attached 5.5m cable.	635.00	755.65
000-10586-001		AD80 PCB assembly	978.00	1163.82
000-10425-001		SI80 Signal Interface - Four channel NMEA 0183 interface computer board and voltage supply for CAN bus.	1125.00	1338.75

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
23241227		S35 Non Follow Up Steering Lever Designed for indoor and outdoor mounting. Proven industrial and ruggedized design for use in harsh working conditions on deck.	573.00	681.87
22088165		JS10 Non Follow Up Joystick, designed for armrest mounting or at key positions on the vessel. Compatible with AC70, AC80A, AC80S, AC85, NAC-3. Comes with 10m cable.	399.00	474.81
000-10590-001		AP70 Optional Montage-Halterung	196.00	233.24
22096820		AP24/AP28/IS20 Optional Mounting Bracket	129.00	153.51
000-10438-001		Ethernet-Adapter Direkt RJ45 M auf yellow 5 pin	38.85	46.23
22014286		RF25 Rudder Rückmelder Einheit: mit transmission link und 5.5 m (18 ft) SimNet Kabel.	331.62	394.63

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
24005729		SimNet to Micro-C (male) cable that connects a SimNet product to a NMEA 2000® backbone. 0.5 m (1.6 ft)	39.90	47.48
000-10186-001		AC70 Autopilot Computer for rudder or propeller (i.e. Voith Schneider), for reversible motor or galvanic non-isolated solenoids.	1643.00	1955.17
000-10191-001		AD80 Analog Drive Interface für rudder/thruster	1213.00	1443.47
000-10192-001		SD80 Solenoid Drive Interface für rudder/thruster	1213.00	1443.47
000-10588-001		SI80 PCB assembly. Signal Interface board mit 4 NMEA 0183 RX/TX ports und built-in 12V Netzwerk Power und Termination	978.00	1163.82
22096986		AC70, AC12 and AC42 Terminal Cover	23.00	27.37
000-10590-001		AP70 Optional Montage-Halterung	196.00	233.24
22096820		AP24/AP28/IS20 Optional Mounting Bracket	129.00	153.51
000-14075-001		A2004 / AP48 Dash mounting kit: Includes dash seal, 4x 1/2" Phillips pan head screws, 2x Bezels, screw mount jig tool.	51.45	61.23
000-14074-001		A2004/AP48 Mounting Bracket Kit	40.95	48.73

RECON™

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16157-001		Simrad RECON™ Saltwater 54" Trolling Motor. Includes Simrad FreeSteer™ joystick remote.	4054.80	4825.21
000-16158-001		Simrad RECON™ Saltwater 60" Trolling Motor. Includes Simrad FreeSteer™ joystick remote.	4146.54	4934.38
000-16159-001		Simrad RECON™ Saltwater 72" Trolling Motor. Includes Simrad FreeSteer™ joystick remote.	4238.71	5044.06

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16353-001		RECON™ Active Imaging 3-in-1 Nosecone.	397.76	473.33
000-16177-001		Lowrance advanced wireless trolling motor foot pedal	584.95	696.09
000-16287-001		Compact GPS Remote.	139.99	166.59
000-16420-001		RECON™ Quick Release Bracket - HD Composite - WHITE	418.11	497.55

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16178-001		RECON™ 2-blade Weedless Prop. For fresh / salt water RECON™ trolling motors (Not compatible with GHOST)	70.18	83.51
000-16160-001		Simrad FreeSteer™ Trolling motor joystick remote	350.97	417.65
000-16412-001		PEDAL ASSY,ADV WRLESS,NOPWR_NOMODL	467.96	556.87
000-15723-001		The Prop Shaft Anode for the Lowrance Ghost® & RECON trolling motors allows for use in brackish water without voiding the Lowrance Ghost trolling motor warranty. The Prop Shaft Anode is a ring-shaped fitting that is installed over the existing propeller nut, on the back of the propeller. The anode prevents corrosion that could result from using the trolling motor in brackish water. NOTE: Using the Ghost Trolling Motor in saltwater WILL void the warranty.	22.99	27.36
000-16415-001		BUTTON MODL ASSY LWR,PEDAL,ADV WRLESS	116.98	139.21
000-16385-001		COLUMN CAP KIT	13.37	15.91
000-16386-001		MOUNT HW/LINKAGE KIT,RECON	188.02	223.74

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16387-001		TRANSMISSION TILT PIN KIT,RECON	20.89	24.86
000-16388-001		RECON,PEDAL,STOW/DEPLOY	18.38	21.87
000-0119-79		N2K-T-RD - NMEA 2000® T-connector zur Netzwerkerweiterung	23.10	27.49
000-16392-001		UI COVER DECAL KIT,RECON	16.70	19.87
000-16405-001		COIL CABLE KIT (48-54")	450.00	535.50
000-16406-001		COIL CABLE KIT (60")	278.63	331.57
000-16407-001		COIL CABLE KIT (72")	298.53	355.25
000-16414-001		BATT DOOR/CENTER CLIP,PEDAL,ADV WRLESS	23.88	28.42
000-16416-001		DAMPER ASSEMBLY,PEDAL,ADV WIRELESS	67.67	80.53
000-16375-001		DEPTH COLLAR ASSEMBLY,CAM LOCK	20.89	24.86
000-16397-001		MOUNT CONTROLLER/UI BOARD KIT,RECON	346.80	412.69
000-16373-001		LOWER UNIT,RECON,24/36,SW	1169.92	1392.20
000-16380-001		COLUMN KIT,RECON,54",SW	250.69	298.32
000-16381-001		COLUMN KIT,RECON,60",SW	271.58	323.18
000-16382-001		COLUMN KIT,RECON,72",SW	313.36	372.90
000-16383-001		TRANSMISSION ASSEMBLY,RECON,SW	417.82	497.21
000-16390-001		SIDEPLATE KIT,RECON,LSW	93.59	111.37
000-16394-001		UI COVER,RECON,SW	66.85	79.55

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16396-001		MOUNT CRADLE KIT,RECON,SW	58.50	69.62
000-16400-001		MOUNT ASSEMBLY,MECH,SERVICE,RECON,SW	675.88	804.30
000-16402-001		HEAD COVER GPS PCB ASSY,RECON,SW	357.45	425.37
000-16404-001		HEAD BASE AND WEDGE KIT SW	31.84	37.89
000-16391-001		SIDEPLATE KIT,RECON,SIMRAD SW	93.59	111.37
000-16374-001		NOSECONE,NOXD,RECON,WHITE	50.13	59.65

RECON™ Accessories

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16178-001		RECON™ 2-blade Weedless Prop. For fresh / salt water RECON™ trolling motors (Not compatible with GHOST)	70.18	83.51
000-16362-001		RECON HDI Nose cone transducer: Traditional 200 kHz High Chirp, 83 kHz Medium Chirp, and DownScan 455 kHz, 800 kHz. (Not compatible with GHOST trolling motors.)	150.41	178.99
000-16428-001		Simrad lanyard for FreeSteer™ joystick remote	29.24	34.80
000-16420-001		RECON™ Quick Release Bracket - HD Composite - WHITE	418.11	497.55
000-16177-001		Lowrance advanced wireless trolling motor foot pedal	584.95	696.09
000-16353-001		RECON™ Active Imaging 3-in-1 Nosecone.	397.76	473.33
000-16287-001		Compact GPS Remote.	139.99	166.59
000-16160-001		Simrad FreeSteer™ Trolling motor joystick remote	350.97	417.65
000-15723-001		The Prop Shaft Anode for the Lowrance Ghost® & RECON trolling motors allows for use in brackish water without voiding the Lowrance Ghost trolling motor warranty. The Prop Shaft Anode is a ring-shaped fitting that is installed over the existing propeller nut, on the back of the propeller. The anode prevents corrosion that could result from using the trolling motor in brackish water. NOTE: Using the Ghost Trolling Motor in saltwater WILL void the warranty.	22.99	27.36

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16428-001		Simrad lanyard for FreeSteer™ joystick remote	29.24	34.80
000-16413-001		12 V DC Power cable for Advanced wireless trolling motor foot pedal.	23.87	28.41

Service Parts

Main Products

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16413-001	 12 V DC Power cable for Advanced wireless trolling motor foot pedal.	23.87	28.41
000-16412-001	 PEDAL ASSY, ADV WRLESS, NOPWR_NOMODL	467.96	556.87
000-16415-001	 BUTTON MODL ASSY LWR, PEDAL, ADV WRLESS	116.98	139.21
000-16385-001	 COLUMN CAP KIT	13.37	15.91
000-16386-001	 MOUNT HW/LINKAGE KIT, RECON	188.02	223.74
000-16387-001	 TRANSMISSION TILT PIN KIT, RECON	20.89	24.86
000-16388-001	 RECON, PEDAL, STOW/DEPLOY	18.38	21.87
000-16392-001	 UI COVER DECAL KIT, RECON	16.70	19.87
000-16405-001	 COIL CABLE KIT (48-54")	450.00	535.50
000-16406-001	 COIL CABLE KIT (60")	278.63	331.57
000-16407-001	 COIL CABLE KIT (72")	298.53	355.25
000-16414-001	 BATT DOOR/CENTER CLIP, PEDAL, ADV WRLESS	23.88	28.42
000-16416-001	 DAMPER ASSEMBLY, PEDAL, ADV WIRELESS	67.67	80.53
000-16375-001	 DEPTH COLLAR ASSEMBLY, CAM LOCK	20.89	24.86
000-16397-001	 MOUNT CONTROLLER/UI BOARD KIT, RECON	346.80	412.69

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16373-001		LOWER UNIT,RECON,24/36,SW	1169.92	1392.20
000-16380-001		COLUMN KIT,RECON,54",SW	250.69	298.32
000-16381-001		COLUMN KIT,RECON,60",SW	271.58	323.18
000-16382-001		COLUMN KIT,RECON,72",SW	313.36	372.90
000-16383-001		TRANSMISSION ASSEMBLY,RECON,SW	417.82	497.21
000-16390-001		SIDEPLATE KIT,RECON,LSW	93.59	111.37
000-16394-001		UI COVER,RECON,SW	66.85	79.55
000-16396-001		MOUNT CRADLE KIT,RECON,SW	58.50	69.62
000-16400-001		MOUNT ASSEMBLY,MECH,SERVICE,RECON,SW	675.88	804.30
000-16402-001		HEAD COVER GPS PCB ASSY,RECON,SW	357.45	425.37
000-16404-001		HEAD BASE AND WEDGE KIT SW	31.84	37.89
000-16391-001		SIDEPLATE KIT,RECON,SIMRAD SW	93.59	111.37
000-16374-001		NOSECONE,NOXD,RECON,WHITE	50.13	59.65

AIS Class A

Main Products

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16280-001	 V5043 Class A AIS System - IMO Compliant AIS system. Includes GPS antenna, junction box and pilot plug.	2547.00	3030.93

Accessories

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-12325-001	 SIMRAD V50xx AIS Pilot Plug	105.00	124.95

Spare Parts

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-12329-001	 V50xx AIS 3pin Power Cable	63.00	74.97
000-12328-001	 V50xx AIS 37pin Cable - Data cable from AIS Main unit to Junction Box.	68.00	80.92
000-12327-001	 V5035 AIS Bracket with mounting kit.	60.00	71.40
000-12326-001	 V50xx AIS GPS Antenna - 10 m (33 ft) cable	137.00	163.03
000-12325-001	 SIMRAD V50xx AIS Pilot Plug	105.00	124.95
000-12324-001	 SIMRAD V50xx AIS Junction Box	200.00	238.00

AIS Class B

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14380-001		The V3100 Class B AIS incorporates SOTDMA technology and increased transmission power to enhance transmission frequency, reliability, and range compared to standard Class B AIS. This 'black-box' solution integrates with MFD displays, and features industry-standard connectivity.	935.00	1112.65
000-13609-001		NAIS-500 class B AIS with GPS-500 GPS antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	870.45	1035.84
000-13963-001		NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	1153.95	1373.20
000-13612-001		NSPL-500 AIS/VHF Antenna Splitter - Enables use of one VHF antenna on the vessel for both VHF and AIS.	282.45	336.12

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13612-001		NSPL-500 AIS/VHF Antenna Splitter - Enables use of one VHF antenna on the vessel for both VHF and AIS.	282.45	336.12
AA000352		UKW-Antenne Mastmontage	78.75	93.71
AA000224		Antennenhalterung Edelstahl mit 5 m Kabel	124.95	148.69
AA000358		UKW-Antenne Gfk 100 cm	51.45	61.23
000-15859-001		VHF ANTENNA, 1Meter Back Fiberglass Stainless Steel, Quick fit fitting.	89.25	106.21
AA000223		Antennenhalterung Kunststoff mit 5 m Kabel	56.70	67.47
AA000355		UKW-Antenne Gfk 240 cm	93.45	111.21
000-14968-001		Navico 1710 VHF antenna, 2.5 m (8 ft) ultraglass, quickfit @ 6dB BLACK	92.40	109.96
AA000401		VHF mast cable 30 m (98 ft) for 1720 whip antenna. With Quick Fit Connector one end and Masthead connector on the other.	93.45	111.21
AA000400		VHF extension cable 5 m (16 ft)	30.45	36.24
000-16055-001		VHF antenna mount. Heavy-duty stainless steel fold-down antenna mount. With attached 7 m (23 ft) cable. Fastfit connector	124.95	148.69

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14806-001		V3100 Power cable, 1.8 m (6ft)	32.00	38.08
000-13611-001		NAIS-500 class B AIS module only. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	828.45	985.86
000-13959-001		NAIS500/400 & Naviop OP-BOX Power & Serial Cable	61.95	73.72
000-13613-001		GPS-500 - GPS antenna for Navico AIS transceivers and VHF systems. 10 m (33 ft) cable with SMA connector.	156.45	186.18
000-14807-001		V3100 NMEA 0183 Cable 1.8 m (6ft)	32.00	38.08

RS100

Main Products

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15792-001	 Simrad RS100-B Blackbox VHF Radio with integrated Class-B AIS transceiver and GPS. Kit includes NRS-2 VHF Blackbox module with Class B AIS built-in, GPS-500 antenna, one HS100 wired handset, and one SP100 speaker.	1652.70	1966.71
000-15643-001	 Simrad RS100 Blackbox VHF radio system. Kit includes NRS-1 VHF Blackbox module, one HS100 wired handset, and one SP100 speaker.	987.00	1174.53
000-15647-001	 Simrad HS100 wired handset and SP100 speaker kit for RS100/RS100-B VHF radio systems. Up to 4 wired handsets and 4 speakers can be added to one system.	391.65	466.06
000-15649-001	 Simrad HS100 wired handset only, for RS100 / RS100-B VHF radios. Up to 4 wired handsets can be added to one system.	345.45	411.09
000-15651-001	 SP100: External VHF speaker. 10W @ 4 Ohms. Comes with an attached twin core 2 m (6.5 ft) cable.	99.75	118.70

Accessories

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15649-001	 Simrad HS100 wired handset only, for RS100 / RS100-B VHF radios. Up to 4 wired handsets can be added to one system.	345.45	411.09
000-14475-001	 Simrad HS40 - Wireless handset for the RS40 and RS100 VHF radios. HS40 duplicates the radios display and controls, enabling remote control access to all key functions.	261.45	311.13
000-13612-001	 NSPL-500 AIS/VHF Antenna Splitter - Enables use of one VHF antenna on the vessel for both VHF and AIS.	282.45	336.12
000-15651-001	 SP100: External VHF speaker. 10W @ 4 Ohms. Comes with an attached twin core 2 m (6.5 ft) cable.	99.75	118.70
AA000352	 UKW-Antenne Mastmontage	78.75	93.71
AA000224	 Antennenhalterung Edelstahl mit 5 m Kabel	124.95	148.69
AA000358	 UKW-Antenne Gfk 100 cm	51.45	61.23
000-15859-001	 VHF ANTENNA, 1Meter Back Fiberglass Stainless Steel, Quick fit fitting.	89.25	106.21
AA000223	 Antennenhalterung Kunststoff mit 5 m Kabel	56.70	67.47

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15657-001		NRS-1/ NRS-2 Bulkhead WiFi Antenna Mount Cable - 6m - For mounting the WiFi antenna in more suitable location if reception from antenna on Blackbox is not adequate.	135.45	161.19
AA000355		UKW-Antenne Gfk 240 cm	93.45	111.21
000-14968-001		Navico 1710 VHF antenna, 2.5 m (8 ft) ultraglass, quickfit @ 6dB BLACK	92.40	109.96
000-15803-001		Wireless dipole antenna for NRS-1, NRS-2 and Information Display	26.25	31.24
AA000401		VHF mast cable 30 m (98 ft) for 1720 whip antenna. With Quick Fit Connector one end and Masthead connector on the other.	93.45	111.21
000-14923-001		5m Extension Cable for RS40, RS40-B, V60, V60B and Link-9 VHF Fist Mics, and H100/HS100 Handsets.	46.20	54.98
000-14924-001		10m Extension Cable for RS40, RS40-B, V60, V60B and Link-9 VHF Fist Mics, and H100/HS100 Handsets.	57.75	68.72
000-15656-001		HS100/H100 Handset cable with bulkhead mount 20m (65.5 ft)	114.45	136.20
LSH80		Waterproof Hailer Horn Speaker (8 Ohms) for use with Navico VHF Systems.	292.95	348.61
AA000400		VHF extension cable 5 m (16 ft)	30.45	36.24
000-16055-001		VHF antenna mount. Heavy-duty stainless steel fold-down antenna mount. With attached 7 m (23 ft) cable. Fastfit connector	124.95	148.69
000-13613-001		GPS-500 - GPS antenna for Navico AIS transceivers and VHF systems. 10 m (33 ft) cable with SMA connector.	156.45	186.18

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15649-001		Simrad HS100 wired handset only, for RS100 / RS100-B VHF radios. Up to 4 wired handsets can be added to one system.	345.45	411.09
000-15641-001		NRS-1 Marine VHF Radio. Black box only	786.45	935.88
000-15651-001		SP100: External VHF speaker. 10W @ 4 Ohms. Comes with an attached twin core 2 m (6.5 ft) cable.	99.75	118.70

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15642-001		NRS-2 Marine VHF Radio with built in AIS Class B transceiver. Black box only	1405.95	1673.08
000-15803-001		Wireless dipole antenna for NRS-1, NRS-2 and Information Display	26.25	31.24
000-13613-001		GPS-500 - GPS antenna for Navico AIS transceivers and VHF systems. 10 m (33 ft) cable with SMA connector.	156.45	186.18

RS40 VHF

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14473-001		Simrad RS40-B Marine VHF Radio - Stay safer on the water with this VHF Marine Radio. See and be seen by nearby AIS-equipped vessels thanks the integrated Class B AIS transceiver, and add up to two optional wireless handsets.	1048.95	1248.25
000-14818-001		Simrad RS40-B Marine VHF Radio - Stay safer on the water with this VHF Marine Radio. See and be seen by nearby AIS-equipped vessels thanks the integrated Class B AIS transceiver, and add up to two optional wireless handsets. Includes with GPS500 GPS antenna.	1153.95	1373.20
000-14470-001		RS40 Marine VHF Radio - Stay safe and connected with this VHF marine radio featuring removable fist mic, Class D DSC functionality, and built-in GPS. Keep track of nearby AIS-equipped vessels with an integrated AIS receiver, and add up to two optional wireless handsets.	723.45	860.91
000-14475-001		Simrad HS40 - Wireless handset for the RS40 and RS100 VHF radios. HS40 duplicates the radios display and controls, enabling remote control access to all key functions.	261.45	311.13

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11567-001		RS35 Suncover	22.66	26.97
000-14475-001		Simrad HS40 - Wireless handset for the RS40 and RS100 VHF radios. HS40 duplicates the radios display and controls, enabling remote control access to all key functions.	261.45	311.13
000-15651-001		SP100: External VHF speaker. 10W @ 4 Ohms. Comes with an attached twin core 2 m (6.5 ft) cable.	99.75	118.70
AA000352		UKW-Antenne Mastmontage	78.75	93.71
AA000224		Antennenhalterung Edelstahl mit 5 m Kabel	124.95	148.69
AA000358		UKW-Antenne Gfk 100 cm	51.45	61.23
000-15859-001		VHF ANTENNA, 1 Meter Back Fiberglass Stainless Steel, Quick fit fitting.	89.25	106.21
AA000223		Antennenhalterung Kunststoff mit 5 m Kabel	56.70	67.47
AA000355		UKW-Antenne Gfk 240 cm	93.45	111.21
000-14968-001		Navico 1710 VHF antenna, 2.5 m (8 ft) ultraglass, quickfit @ 6dB BLACK	92.40	109.96
AA000401		VHF mast cable 30 m (98 ft) for 1720 whip antenna. With Quick Fit Connector one end and Masthead connector on the other.	93.45	111.21

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14923-001		5m Extension Cable for RS40, RS40-B, V60, V60B and Link-9 VHF Fist Mics, and H100/HS100 Handsets.	46.20	54.98
000-14924-001		10m Extension Cable for RS40, RS40-B, V60, V60B and Link-9 VHF Fist Mics, and H100/HS100 Handsets.	57.75	68.72
LSH80		Waterproof Hailer Horn Speaker (8 Ohms) for use with Navico VHF Systems.	292.95	348.61
000-14066-001		VHF Interface - Type 6. For Simrad RS20/RS40, B&G V20/V60, Lowrance Link-9, Link-6 S	92.40	109.96
AA000400		VHF extension cable 5 m (16 ft)	30.45	36.24
000-16055-001		VHF antenna mount. Heavy-duty stainless steel fold-down antenna mount. With attached 7 m (23 ft) cable. Fastfit connector	124.95	148.69
000-13613-001		GPS-500 - GPS antenna for Navico AIS transceivers and VHF systems. 10 m (33 ft) cable with SMA connector.	156.45	186.18

Spare Parts


Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11567-001		RS35 Suncover	22.66	26.97
000-14912-001		RS40 VHF Suncover	23.10	27.49
000-14921-001		Simrad RS40 Remote Mountable Fist Mic. Can be connected to the front or rear of the radio, and optional extension cable allows the radio and mic to be mounted in separate locations.	81.90	97.46
000-14919-001		RS40/V60 Bulkhead Fist Mic Mounting Clip	9.45	11.25
000-14917-001		RS40/V60 VHF Mounting bracket with Knobs and Screws	28.35	33.74
000-14915-001		RS40/V60 VHF Flush Mounting kit.:Includes teplate, Gasket, Bezels and screws	12.60	14.99
000-14925-001		HS40/H60 VHF Wireless handset Inductive charging cradle	57.75	68.72
000-13613-001		GPS-500 - GPS antenna for Navico AIS transceivers and VHF systems. 10 m (33 ft) cable with SMA connector.	156.45	186.18

RS20S

Main Products

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14491-001	 Simrad RS20S Class D DSC VHF Radio - The versatile RS20S is ideal for a variety of boats from small RIBs to larger cruisers, and is designed to match the low-profile style of our glass bridge displays and accessories.	413.70	492.30

Accessories

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14055-001	 RS20S Suncover	23.10	27.49
000-15651-001	 SP100: External VHF speaker. 10W @ 4 Ohms. Comes with an attached twin core 2 m (6.5 ft) cable.	99.75	118.70
AA000352	 UKW-Antenne Mastmontage	78.75	93.71
AA000224	 Antennenhalterung Edelstahl mit 5 m Kabel	124.95	148.69
AA000358	 UKW-Antenne Gfk 100 cm	51.45	61.23
000-15859-001	 VHF ANTENNA, 1Meter Back Fiberglass Stainless Steel, Quick fit fitting.	89.25	106.21
AA000223	 Antennenhalterung Kunststoff mit 5 m Kabel	56.70	67.47
AA000355	 UKW-Antenne Gfk 240 cm	93.45	111.21
000-14968-001	 Navico 1710 VHF antenna, 2.5 m (8 ft) ultraglass, quickfit @ 6dB BLACK	92.40	109.96
AA000401	 VHF mast cable 30 m (98 ft) for 1720 whip antenna. With Quick Fit Connector one end and Masthead connector on the other.	93.45	111.21
000-14059-001	 RS20/V20 Flush Mount Kit	12.60	14.99
000-14066-001	 VHF Interface - Type 6. For Simrad RS20/RS40, B&G V20/V60, Lowrance Link-9, Link-6 S	92.40	109.96
AA000400	 VHF extension cable 5 m (16 ft)	30.45	36.24
000-10378-001	 VKIT-9 Einbausatz für versenkten Einbau RS10, RS12 und RS25	10.58	12.59

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16055-001		VHF antenna mount. Heavy-duty stainless steel fold-down antenna mount. With attached 7 m (23 ft) cable. Fastfit connector	124.95	148.69
000-13613-001		GPS-500 - GPS antenna for Navico AIS transceivers and VHF systems. 10 m (33 ft) cable with SMA connector.	156.45	186.18

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14055-001		RS20S Suncover	23.10	27.49
000-14262-001		RS20/V20 Fist Mic Clip	9.45	11.25
000-14261-001		RS20/V20 Mounting Bracket	34.65	41.23
000-14059-001		RS20/V20 Flush Mount Kit	12.60	14.99
000-14263-001		RS20/V20 Mounting Bracket Knobs	16.80	19.99
000-10378-001		VKIT-9 Einbausatz für versenkten Einbau RS10, RS12 und RS25	10.58	12.59

IS42

Main Products

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13285-001	 IS42 Instrument - This multi-purpose instrument display features a colour screen that's designed for optimal visibility in all conditions. See wind data, boat speed, depth, engine information, autopilot status, AIS data and more at a glance.	540.75	643.49
000-13293-002	 IS42 Speed & Depth Instrument System Pack. Includes IS42 and DST810 Depth/Speed/Temp transducer.	1057.35	1258.25
000-14479-001	 IS42J - 4.1-inch colour display offering a clear view of engine status and performance for one or two J1939 compatible diesel engines. More than a standalone gauge, the IS42J also bridges the gap between those engines and your boat's NMEA 2000® network.	870.63	1036.05

Accessories

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14382-001	 WS310 Wired Wind Sensor with 20m (65.5ft) mast cable and interface for connection to the NMEA 2000® network.	576.45	685.98
000-13285-001	 IS42 Instrument - This multi-purpose instrument display features a colour screen that's designed for optimal visibility in all conditions. See wind data, boat speed, depth, engine information, autopilot status, AIS data and more at a glance.	540.75	643.49
000-14383-001	 WS320 Wireless Wind Sensor including Wireless Interface for connection to NMEA 2000® networks. For masts up to 25m in height.	691.95	823.42
000-10614-001	 N2K, IS40 CABLE, MICRO-C, RIGHT ANGLE INTERCONNECT 0.4m (1.3 ft)	25.20	29.99

Spare Parts

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13285-001	 IS42 Instrument - This multi-purpose instrument display features a colour screen that's designed for optimal visibility in all conditions. See wind data, boat speed, depth, engine information, autopilot status, AIS data and more at a glance.	540.75	643.49
000-13723-001	 Suncover for Simrad IS42 Display.	26.25	31.24
000-15735-001	 DST-810 Depth/Speed/Temp Sensor. Plastic thru-hull housing.	461.88	549.64
000-13950-001	 IS42 & Triton2 Installation Kit - Includes edge bezel, screws and guide tool.	19.95	23.74

IS35

Main Products

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13334-001	 IS35 offers a smart interface to engine data, fuel efficiency, depth history and more. This digital gauge automatically displays the most relevant information available from your boat's on-board electronics, and can be easily retrofit in place of a standard analogue gauge.	398.13	473.77

Spare Parts

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11773-001	 IS35 Suncover	23.10	27.49

Transducer



Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14382-001		WS310 Wired Wind Sensor with 20m (65.5ft) mast cable and interface for connection to the NMEA 2000® network.	576.45	685.98
000-14391-001		WS310 Wired Wind Sensor only.	476.70	567.27
000-14383-001		WS320 Wireless Wind Sensor including Wireless Interface for connection to NMEA 2000® networks. For masts up to 25m in height.	691.95	823.42
000-11741-001		Airmar 110WX Weather Station. Provides Windspeed and wind direction, barometric pressure and air temperature. Comes with a 6m (19.8ft) NMEA2000 cable.	1348.76	1605.02
000-16154-001		Airmar® 110WX WeatherStation® Sensor Only	1320.72	1571.66
000-10163-001		Wind Sensor WS80 Ultrasonic Wind Sensor. Wandelt Winddaten in NMEA0183 Datenformat via RS485 (RS422) Data Interface. Wassergeschützt nach IP66 .	4389.00	5222.91
000-15735-001		DST-810 Depth/Speed/Temp Sensor. Plastic thru-hull housing.	461.88	549.64
000-15735-002		DST-820 Depth/Speed/Temp Sensor. Plastic thru-hull housing. With Gen2 Paddlewheel, 6 m (20') NMEA 2000® cable.	439.89	523.47
000-15736-001		DST-810 Depth/Speed/Temp Sensor. Bronze thru-hull housing	657.11	781.96
000-15736-002		IDST-820 Depth/Speed/Temp Sensor. Bronze thru-hull housing. With Gen2 Paddlewheel, 6 m (20') NMEA 2000® cable.	625.82	744.73
22098586		ST950 passive S/T sensor TH plastic with 1 m (7 ft) Pigtail (Connects speed to D800 (22098560))	122.85	146.19
000-11738-001		DT800 Depth/Temp Sensor. Plastic thru-hull housing.	425.26	506.06
000-11852-001		Airmar IDST800L 235F B-122-RETR 6M	740.25	880.90

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14389-001		WS310 Wired Interface. Converts NMEA 0183 wind data from the Masthead Unit to NMEA 2000®.	162.75	193.67
000-14396-001		20m (65') mast cable with pre-molded connectors for the WS310 and WS700 series wired wind sensors.	124.95	148.69
000-14388-001		The WS320 Wireless Interface: Spare Wireless Interface for the WS320 Wind Sensor system. Receives wireless signals from the WS320 and converts to NMEA 2000.	191.10	227.41
000-11740-001		Airmar 110WX/ 120WX Cable 6 m (19.6 ft) (NMEA 2000 to Device cable)	95.48	113.62
24006421		35 m (115 ft) SimNet Wind Vane cable	166.95	198.67
24006405		20 m (66 ft) SimNet Wind vane cable	93.45	111.21

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15139-001		Replacement PCB for WS700/310 series wind sensors.	312.90	372.35
000-15141-001		Replacement battery for WS320 wireless wind sensor.	23.10	27.49
000-14391-001		WS310 Wired Wind Sensor only.	476.70	567.27
000-15142-001		Replacement wind angle bearing for the WS300/700 series wind sensors.	87.15	103.71
000-15143-001		WS300/700 Support Moulding inc. O-Ring	17.85	21.24
000-16154-001		Airmar® 110WX WeatherStation® Sensor Only	1320.72	1571.66
000-14389-001		WS310 Wired Interface. Converts NMEA 0183 wind data from the Masthead Unit to NMEA 2000®.	162.75	193.67
000-14396-001		20m (65') mast cable with pre-molded connectors for the WS310 and WS700 series wired wind sensors.	124.95	148.69
000-14388-001		The WS320 Wireless Interface: Spare Wireless Interface for the WS320 Wind Sensor system. Receives wireless signals from the WS320 and converts to NMEA 2000.	191.10	227.41
000-15615-001		Replacement PCB for the WS320 wind sensor.	312.90	372.35
000-10568-001		Accessory plug assembly for DST800	29.58	35.20
000-10388-001		Ersatzteil Kit Paddelrad für DST800	36.75	43.73
000-11740-001		Airmar 110WX/ 120WX Cable 6 m (19.6 ft) (NMEA 2000 to Device cable)	95.48	113.62

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-10573-001	 Missing image	IS20 Windfahnen Masthalterung	69.22	82.37
000-10567-001		P617V DST HSG VLV KIT	69.00	82.11

Sensoren

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15939-001		NMEA 0183® - NMEA 2000® converter. 1.8 m (6 ft) Micro-C to bare wire cable	192.15	228.66
000-11043-002		GS25 Antenna with built-in rate compass. 10 Hz position update rate. Built-in rate compass is perfect for providing heading data for Radar Chart Overlay and for orienting charts in Head-Up Mode. Note: This heading sensor is not recommended for MARPA or Autopilot control! Please use the Precision 9 for this.	292.95	348.61
000-15940-001		NMEA 2000® Remote MOB Button. An emergency Man-Over-Board (MOB) button, which will trigger alerts across the NMEA2000® network.	175.35	208.67
000-11518-001		Fluid Level Sensor - Connects to a standard suitable tank level sensor and transmits the tank level on the the NMEA 2000 network.	114.45	136.20
000-11517-001		Fuel Flow Sensor - For gasoline engines. In-line sensor for 3/8" (9.5 mm) Inside Diameter fuel line. Comes with 10ft cable and T-connector.	250.95	298.63
000-11522-001		Fuel Data Manager - Monitors Fuel Rate/Fuel Flow from NMEA 2000 engines and fuel flow sensors, and accumulates Fuel Rate into Fuel Used. Outputs seasonal, trip and total fuel used.	124.95	148.69
000-11520-001		Temperature Sensor - Can be mounted anywhere you want to monitor the temperature. Can be configured to output a variety of different temperature types.	124.95	148.69
000-11521-001		Through-Hull Temperature Sensor - Mount through the hull of the vessel or wall of a tank you want to monitor the temperature inside. Can be configured to output a variety of different temperature types.	108.90	129.59
000-11519-001		Speed Through Water Sensor - Transom-mount paddle wheel sensor, ideal for slow trolling speeds where GPS is not as accurate. 3.1m (10ft) cable with Micro-C connector.	124.95	148.69
000-11523-001		Pressure Sensor - Configurable Pressure Sensor for various engine pressures. Max pressure 100PSI.	166.95	198.67

Accessories


Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11522-001		Fuel Data Manager - Monitors Fuel Rate/Fuel Flow from NMEA 2000 engines and fuel flow sensors, and accumulates Fuel Rate into Fuel Used. Outputs seasonal, trip and total fuel used.	124.95	148.69
000-12612-001		Low loss NMEA2000 4-way joiner. Connect four NMEA2000 Micro-C devices to the NMEA2000 Network.	75.60	89.96
000-0119-88		N2KEXT-2RD - 0.61 m (2-ft) NMEA 2000® Netzwirkkabel	33.60	39.98
000-0127-53		N2KEXT-6RD - 1.82 m (6-ft) NMEA 2000® Netzwirkkabel	52.50	62.48
000-0119-86		N2KEXT-15RD - 4.55 m (15-ft) NMEA 2000® Netzwirkkabel	58.80	69.97

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16564-001	 Missing image	POLE MOUNT KIT GS25/ZG100/POINT-1	36.00	42.84
000-0119-79		N2K-T-RD - NMEA 2000® T-connector zur Netzwerkerweiterung	23.10	27.49
000-0119-86		N2KEXT-15RD - 4.55 m (15-ft) NMEA 2000® Netzwerkkabel	58.80	69.97
000-11148-001	 Missing image	Pole Mount for GS25 / ZG100 / POINT-1	30.00	35.70

NMEA2000

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16556-001		NMEA 2000® cable for backbone extension or drop cable to connect an additional network device. 1.82 m (6-ft). Right angle connector.	68.25	81.22
000-16555-001		NMEA 2000® cable for backbone extension or drop cable to connect an additional network device. 0.61 m (2-ft). Right angle connector.	51.45	61.23
000-10760-001		NMEA 2000 Micro-C Auto pilot network starter kit: Includes Network power cable, 4.5 m (15 ft) N2K cable, 3 x T-connectors, and 2 x network terminators.	94.50	112.46
000-0124-69		NMEA 2000® Starter Kit - NMEA 2000® Netzwerkzubehör: Stromkabel / N2K Kabel 4.5 m / 2 x Endwiderstände/ 2 x T-Verbinder	94.50	112.46
000-00020-002		ST10 USB-NMEA 2000 Micro-C gateway/programming Toolkit	213.13	253.62
000-0119-79		N2K-T-RD - NMEA 2000® T-connector zur Netzwerkerweiterung	23.10	27.49
000-12612-001		Low loss NMEA2000 4-way joiner. Connect four NMEA2000 Micro-C devices to the NMEA2000 Network.	75.60	89.96
000-0119-88		N2KEXT-2RD - 0.61 m (2-ft) NMEA 2000® Netzwerkkabel	33.60	39.98
000-0127-53		N2KEXT-6RD - 1.82 m (6-ft) NMEA 2000® Netzwerkkabel	52.50	62.48
000-0119-86		N2KEXT-15RD - 4.55 m (15-ft) NMEA 2000® Netzwerkkabel	58.80	69.97
000-0119-83		N2KEXT-25RD - 7.58 m (25-ft) NMEA 2000® Netzwerkkabel	82.95	98.71
000-14376-001		NMEA 2000 Micro-C Medium duty cable. 2 m (6.5 ft) Low loss 18 gauge cable recommended for network backbone runs	82.95	98.71
000-14377-001		NMEA 2000 Micro-C Medium duty cable. 6 m (19.7 ft) Low loss 18 gauge cable recommended for network backbone runs	103.95	123.70
000-14378-001		NMEA 2000 Micro-C Medium duty cable. 10 m (33 ft) Low loss 18 gauge cable recommended for network backbone runs	135.45	161.19
000-14379-001		NMEA 2000 Micro-C Medium duty cable. 20 m (65.6 ft) Low loss 18-gauge cable recommended for network backbone runs resulting in a more robust network. Cables are identified by orange locking collars.	166.95	198.67
000-15385-001		In-Line 120-Ohm NMEA2000 terminator, to use in one end of the network.	28.00	33.32
000-0127-52		TR-120-KIT - Set (2Stück) NMEA 2000® Abschlusswiderstände	23.10	27.49
000-0119-75		N2K-PWR-RD - NMEA 2000® Power Note (Kabel und T-Verbinder) zum erweitern von älteren Lowrance Geräten ans HDS	63.54	75.61

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-10828-001		CZONE™ Network Bridge Interface - Designed to isolate sections of the NMEA 2000 network to decrease standby current draw. Can be used for Isolation when bridging between two CAN networks.	329.00	391.51
000-12259-001		Network power isolator. Separates separately powered sections of the NMEA2000 network while letting data through.	42.00	49.98
000-10757-001		Kabel 20 m (66 ft) NMEA2000 Wind-Masteinheit (Micro-C male - Simnet)	100.80	119.95
000-10758-001		Kabel 35 m (66 ft) NMEA2000 Wind-Masteinheit (Micro-C male - Simnet)	139.65	166.18
000-0120-62		Evinrude Motor-Interfacekabel 4.5 m (15 ft) und T-connector	124.95	148.69
000-0120-37		Yamaha Motor-Interfacekabel 4.5 m (15 ft) und T-connector	124.95	148.69
000-10614-001		N2K, IS40 CABLE,MICRO-C,RIGHT ANGLE INTERCONNECT 0.4m (1.3 ft)	25.20	29.99

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13714-001		Networked wind sensor for Triton2, Triton, IS42, IS40 and IS20 systems. Sensor only, does not include cable.	451.50	537.29
000-10573-001		IS20 Windfahnen Masthalterung	69.22	82.37

Ethernet 10/100

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-10029-001		NEP-2 Network Expansion Port (Ethernetverteiler mit 5 Ports)	324.45	386.10
000-16144-001		Ethernet Cable -Yellow 5-Pin Male-Male - 0.6 m (2 ft)	26.24	31.23
000-0127-51		Ethernetkabel yellow 5 Pin 1.8 m (6 ft)	39.90	47.48
000-0127-29		Ethernetkabel yellow 5 Pin 4.5 m (15 ft)	58.80	69.97
000-0127-30		Ethernetkabel yellow 5 Pin 7.7 m (25 ft)	82.95	98.71
000-0127-37		Ethernetkabel yellow 5 Pin 15.2 m (50 ft)	114.45	136.20
000-14552-001		Ethernet adapter cable, RJ45 F to 5 Pin male, 1.5 m (4.9 ft). Ships with water proof boot.	44.10	52.48
000-11246-001		RJ45-Yellow Round Ethernet adapter cable RJ45 Male / 5 Pin Female 10 cm (6")	25.20	29.99
000-0127-56		Adapter cable: Ethernet yellow 5 pin male to RJ45 female, 2m (6.5ft)	44.10	52.48
000-10779-001		5 Pin Ethernet cable joiner (Female to Female). Lets you join together two lengths of 5-pin Ethernet Cables. 14 cm (5.5")	47.25	56.23

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16295-001		Transducer, Network cable pulling tools	26.24	31.23
000-0127-51		Ethernetkabel yellow 5 Pin 1.8 m (6 ft)	39.90	47.48
000-0127-29		Ethernetkabel yellow 5 Pin 4.5 m (15 ft)	58.80	69.97
000-0127-30		Ethernetkabel yellow 5 Pin 7.7 m (25 ft)	82.95	98.71
000-0127-37		Ethernetkabel yellow 5 Pin 15.2 m (50 ft)	114.45	136.20

Spare Parts

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-00128-001	 4-pin Power Cable for modules and MFDs.	40.80	48.55

Ethernet GbE

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16075-001		Ethernet Cable - Green M12 8-pin male-male 1.8 m (6 ft)	38.85	46.23
000-16076-001		Ethernet Cable - Green M12 8-pin male-male 5 m (16.5 ft)	59.85	71.22
000-16077-001		Ethernet Cable - Green M12 8-pin male-male 15 m (49.2 ft)	112.35	133.70
000-16558-001		Ethernet cable. M12 Straight to M12 right angle for NSO® 4, Zeus® SRX. 4.5 m (14.8 ft).Connector keyway for NSO 4, Zeus SRX.	192.15	228.66
000-16557-001		Ethernet Cable. M12 Straight to M12 Right angle for NSS® 4, Zeus® SR. 5.0 m (16.4 ft).Connector keyway for NSS 4, Zeus SR	192.15	228.66
000-16078-001		Ethernet Cable - Green M12 8-pin male - RJ45 male 1.8 m (6 ft)	34.65	41.23
000-16079-001		Ethernet Cable - Green M12 8-pin male - RJ45 male 5 m (16.5 ft)	55.65	66.22
000-16080-001		Ethernet Cable - Green M12 8-pin male - RJ45 male 15 m (49.2 ft)	107.10	127.45
000-16550-001		M12 to five pin yellow Ethernet cable 1.8 m (6 ft)	114.45	136.20
000-16551-001		M12 to five pin yellow Ethernet cable 5 m (16.4 ft)	135.45	161.19
000-16495-001		Ethernet cable. M12 TO RJ45 female 1.5 m (5 ft)	80.85	96.21
000-16008-001		NEP-3: Five port (M12) Gigabit Ethernet switch.	387.45	461.07
000-16448-001		Ethernet Adapter cable Green M12M 8-pin - Yellow 5 pin female 0.37 m (1.2 ft)	72.45	86.22
000-16494-001		CABLE M12M5PF ETH ADP CONN2 10PK Boatbuilder Pack. Price is for one cable.	69.00	82.11

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16075-001		Ethernet Cable - Green M12 8-pin male-male 1.8 m (6 ft)	38.85	46.23

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16076-001		Ethernet Cable - Green M12 8-pin male-male 5 m (16.5 ft)	59.85	71.22
000-16077-001		Ethernet Cable - Green M12 8-pin male-male 15 m (49.2 ft)	112.35	133.70
000-16078-001		Ethernet Cable - Green M12 8-pin male - RJ45 male 1.8 m (6 ft)	34.65	41.23
000-13335-001		NAC-2 Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	1701.87	2025.23
000-16079-001		Ethernet Cable - Green M12 8-pin male - RJ45 male 5 m (16.5 ft)	55.65	66.22
000-16080-001		Ethernet Cable - Green M12 8-pin male - RJ45 male 15 m (49.2 ft)	107.10	127.45
000-16495-001		Ethernet cable. M12 TO RJ45 female 1.5 m (5 ft)	80.85	96.21
000-16448-001		Ethernet Adapter cable Green M12M 8-pin - Yellow 5 pin female 0.37 m (1.2 ft)	72.45	86.22

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-00128-001		4-pin Power Cable for modules and MFDs.	40.80	48.55

SimNet Accy

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-0127-45		SimNet auf N2K Adapter-Kit - verbindet SimNet-Komponenten mit NMEA 2000® Netzwerk	124.44	148.08
000-00020-001		ST10 Simnet Programmier Toolkit	397.95	473.56
24006413		Micro-C female to SimNet 4 m (13 ft) cable that connects a NMEA 2000® product to a SimNet backbone	72.45	86.22
24006199		Micro-C female to SimNet 1.0 m (3.2 ft) cable that connects a NMEA 2000® product to a SimNet backbone	36.75	43.73
24005729		SimNet to Micro-C (male) cable that connects a SimNet product to a NMEA 2000® backbone. 0.5 m (1.6 ft)	39.90	47.48

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
24005729		SimNet to Micro-C (male) cable that connects a SimNet product to a NMEA 2000® backbone. 0.5 m (1.6 ft)	39.90	47.48

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
24005729		SimNet to Micro-C (male) cable that connects a SimNet product to a NMEA 2000® backbone. 0.5 m (1.6 ft)	39.90	47.48
44172260		SimNet joiner yellow without terminator	22.05	26.24

Cameras

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15876-001		The IP CAM-1 marine grade 316 stainless steel IP camera. Powered by 12V DC or PoE.	586.95	698.47

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14552-001		Ethernet adapter cable, RJ45 F to 5 Pin male, 1.5 m (4.9 ft). Ships with water proof boot.	44.10	52.48

DISCOVER™

Main Products

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
M-EN-Y200-MS	 C-MAP DISCOVER: M-EN-Y200-MS Bodø - Kirkenes	129.00	153.51
M-EN-Y201-MS	 DISCOVER: M-EN-Y201-MS Kristiansund - Finnsnes	129.00	153.51
M-EN-Y202-MS	 DISCOVER: M-EN-Y202-MS Bergen to Brandsfjorden	129.00	153.51
M-EN-Y203-MS	 DISCOVER: M-EN-Y203-MS Farsund to Måløy	129.00	153.51
M-EN-Y204-MS	 DISCOVER: M-EN-Y204-MS Fiskebäckskil to Lyndgal	129.00	153.51
M-EN-Y205-MS	 DISCOVER: M-EN-Y205-MS Karlskrona to Emden	129.00	153.51
M-EN-Y206-MS	 DISCOVER: M-EN-Y206-MS Torekov to Larvik	129.00	153.51
M-EN-Y207-MS	 DISCOVER: M-EN-Y207-MS Malmö to Valdemarsvik	129.00	153.51
M-EN-Y208-MS	 DISCOVER: M-EN-Y208-MS Västervik to Valdemarsvik	129.00	153.51
M-EN-Y209-MS	 DISCOVER: M-EN-Y209-MS Gulf of Bothnia	129.00	153.51
M-EN-Y210-MS	 DISCOVER: M-EN-Y210-MS Scandinavia Inland Waters	129.00	153.51
M-EN-Y211-MS	 DISCOVER: M-EN-Y211-MS Finland Lakes	129.00	153.51
M-EN-Y212-MS	 DISCOVER: M-EN-Y212-MS Gulf of Finland & Åland Islands Archipelago	129.00	153.51
M-EN-Y213-MS	 DISCOVER: M-EN-Y213-MS Latvia, Lithuania & Russia	129.00	153.51
M-AF-Y214-MS	 DISCOVER: M-AF-Y214-MS Cape Verde & Guinea Bissau	129.00	153.51
M-EN-Y214-MS	 DISCOVER: M-EN-Y214-MS Polish Coast & Inland	129.00	153.51
M-EN-Y215-MS	 DISCOVER: M-EN-Y215-MS Germany & Netherland Inland	129.00	153.51


Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
M-EN-Y216-MS		DISCOVER: M-EN-Y216-MS Benelux Inland & Coastal	129.00	153.51
M-EN-Y217-MS		DISCOVER: M-EN-Y217-MS Central Europe Inland	129.00	153.51
M-EN-Y218-MS		DISCOVER: M-EN-Y218-MS Iceland, Faroe, Shetland & Orkney Islands	129.00	153.51
M-EN-Y630-MS		DISCOVER: M-EN-Y630-MS Pechenga to Lumbovski Gulf	129.00	153.51
M-EN-Y050-MS		DISCOVER: M-EN-Y050-MS Northern & Central Europe	199.00	236.81
M-EN-Y055-MS		DISCOVER: M-EN-Y055-MS Baltic Sea	199.00	236.81
M-EN-Y040-MS		DISCOVER: M-EN-Y040-MS Greenland	199.00	236.81
M-EM-Y200-MS		DISCOVER: M-EM-Y200-MS West Mediterranean	129.00	153.51
M-EM-Y201-MS		DISCOVER: M-EM-Y201-MS Central Mediterranean	129.00	153.51
M-EM-Y202-MS		DISCOVER: M-EM-Y202-MS Mediterranean South Central	129.00	153.51
M-EM-Y203-MS		DISCOVER: M-EM-Y203-MS Adriatic & Ionian Seas	129.00	153.51
M-EM-Y204-MS		DISCOVER: M-EM-Y204-MS Aegean Sea & Sea of Marmara	129.00	153.51
M-EM-Y205-MS		DISCOVER: M-EM-Y205-MS Black Sea & Sea of Azov	129.00	153.51
M-EM-Y206-MS		DISCOVER: M-EM-Y206-MS Mediterranean South East	129.00	153.51
M-EM-Y040-MS		DISCOVER: M-EM-Y040-MS Italian Lakes & Po River	129.00	153.51
M-EW-Y200-MS		DISCOVER: M-EW-Y200-MS United Kingdom & Ireland	150.86	179.53
M-EW-Y206-MS		DISCOVER: M-EW-Y206-MS French Inland Waters	129.00	153.51
M-EW-Y207-MS		DISCOVER: M-EW-Y207-MS Bay of Biscay	129.00	153.51

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
M-EW-Y208-MS		DISCOVER: M-EW-Y208-MS Portugal & Galicia	129.00	153.51
M-EW-Y209-MS		DISCOVER: M-EW-Y209-MS Canary Island to Gibraltar	129.00	153.51
M-EM-Y045-MS		DISCOVER: M-EM-Y045-MS Southern Europe	199.00	236.81
M-AF-Y050-MS		DISCOVER: M-AF-Y050-MS Africa & Arabian Sea	199.00	236.81
M-AF-Y200-MS		DISCOVER: M-AF-Y200-MS Cameroon to South Africa	129.00	153.51
M-AF-Y201-MS		DISCOVER: M-AF-Y201-MS South Africa to Mozambique	129.00	153.51
M-AF-Y220-MS		DISCOVER: M-AF-Y220-MS Pemba to Mogadishu	129.00	153.51
M-ME-Y200-MS		DISCOVER: M-ME-Y200-MS Red Sea	129.00	153.51
M-ME-Y201-MS		DISCOVER: M-ME-Y201-MS Persian Gulf to Oman	129.00	153.51
M-RS-Y009-MS		DISCOVER: M-RS-Y009-MS Kyongsong Man to Plastun	129.00	153.51
M-EW-Y060-MS		DISCOVER: M-EW-Y060-MS Central & West Europe	199.00	236.81
M-RS-Y221-MS		DISCOVER: M-RS-Y221-MS White Sea	129.00	153.51
M-RS-Y240-MS		DISCOVER: M-RS-Y240-MS Tauyskaya Bay	83.00	98.77
M-AF-Y003-MS		DISCOVER: M-AF-Y003-MS Antarctica	199.00	236.81

REVEAL™ COASTAL

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
M-AF-Y209-MS		REVEAL: M-AF-Y209-MS South & East Africa	199.00	236.81
M-AF-Y210-MS		REVEAL: M-AF-Y210-MS West Africa	199.00	236.81
M-EM-Y076-MS		REVEAL: M-EM-Y076-MS South-West European Coasts	199.00	236.81
M-EM-Y111-MS		REVEAL: M-EM-Y111-MS East Mediterranean, Caspian Seas	199.00	236.81
M-EN-Y070-MS		REVEAL: M-EN-Y070-MS Central Europe Inland	199.00	236.81
M-EN-Y299-MS		C-MAP REVEAL - M-EN-Y299-MS - Baltic Sea	199.00	236.81
M-EN-Y300-MS		C-MAP REVEAL - M-EN-Y300-MS - North Sea & Denmark	199.00	236.81
M-EN-Y326-MS		C-MAP REVEAL - M-EN-Y326-MS - Finland Lakes	199.00	236.81
M-EN-Y580-MS		C-MAP REVEAL - M-EN-Y580-MS - Scandinavia Inland	199.00	236.81
M-EW-Y065-MS		REVEAL: M-EW-Y065-MS France Coastal & Inland	199.00	236.81
M-EW-Y226-MS		REVEAL: M-EW-Y226-MS United Kingdom	199.00	236.81
M-EW-Y227-MS		REVEAL: M-EW-Y227-MS North-West European Coasts	199.00	236.81
M-EW-Y228-MS		REVEAL: M-EW-Y228-MS West European Coasts	199.00	236.81
M-ME-Y204-MS		REVEAL: M-ME-Y204-MS Red Sea to The Gulf & Seychelles Islands	199.00	236.81
M-RS-Y013-MS		REVEAL: M-RS-Y013-MS Kamchatka Peninsula & Kuril Islands	199.00	236.81
M-RS-Y202-MS		REVEAL: M-RS-Y202-MS Russian Federation – North West	199.00	236.81
M-RS-Y203-MS		REVEAL: M-RS-Y203-MS Russian Federation – North Central	199.00	236.81

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
M-RS-Y204-MS		REVEAL: M-RS-Y204-MS Russian Federation – North East	199.00	236.81
M-RS-Y207-MS		REVEAL: M-RS-Y207-MS Hokkaido and Sakhalin Islands	199.00	236.81

DISCOVER™ X

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
M-AF-T-050-D-MS		AF-T-050-D-MS - DISCOVER X Africa, Arabic Sea	199.18	237.02
M-AF-T-209-D-MS		AF-T-209-D-MS - DISCOVER X South and East Africa	130.33	155.09
M-AF-T-210-D-MS		AF-T-210-D-MS - DISCOVER X West Africa	130.33	155.09
M-EM-T-045-D-MS		EM-T-045-D-MS - DISCOVER X Southern Europe	199.18	237.02
M-EM-T-076-D-MS		EM-T-076-D-MS - DISCOVER X West Mediterranean	130.33	155.09
M-EM-T-111-D-MS		EM-T-111-D-MS - DISCOVER X East Mediterranean	130.33	155.09
M-EM-T-112-D-MS		EM-T-112-D-MS - DISCOVER X Black and Caspian Seas	130.33	155.09
M-EN-T-050-D-MS		EN-T-050-D-MS - DISCOVER X Northern, Central Europe	199.18	237.02
M-EN-T-055-D-MS		EN-T-055-D-MS - DISCOVER X Sweden, Finland Baltic Sea	199.18	237.02
M-EN-T-200-D-MS		EN-T-200-D-MS - DISCOVER X Skagerrak, Kattegatt and Baltic Sea	130.33	155.09
M-EN-T-218-D-MS		EN-T-218-D-MS - DISCOVER X Greenland and Iceland	130.33	155.09
M-EN-T-040-D-MS		EN-T-040-D-MS - DISCOVER X Greenland	199.18	237.02
M-EN-T-300-D-MS		EN-T-300-D-MS - DISCOVER X North Sea	130.33	155.09

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
M-EN-T-326-D-MS		EN-T-326-D-MS - DISCOVER X Finland Inland and Baltic Sea	130.33	155.09
M-EN-T-580-D-MS		EN-T-580-D-MS - DISCOVER X Scandinavia Inland	130.33	155.09
M-EW-T-060-D-MS		EW-T-060-D-MS - DISCOVER X Central-West Europe	199.18	237.02
M-EW-T-226-D-MS		EW-T-226-D-MS - DISCOVER X United Kingdom	130.33	155.09
M-EW-T-227-D-MS		EW-T-227-D-MS - DISCOVER X North-West Europe	130.33	155.09
M-EW-T-228-D-MS		EW-T-228-D-MS - DISCOVER X West European Coasts	130.33	155.09
M-RS-T-013-D-MS		RS-T-013-D-MS - DISCOVER X Kamchatka Peninsula and Kuril Islands	130.33	155.09
M-RS-T-202-D-MS		RS-T-202-D-MS - DISCOVER X Russian Federation North West	130.33	155.09
M-RS-T-204-D-MS		RS-T-204-D-MS - DISCOVER X Russian Federation North East	130.33	155.09
M-RS-T-210-D-MS		RS-T-210-D-MS - DISCOVER X West Russia Inland	130.33	155.09
M-RS-T-211-D-MS		RS-T-211-D-MS - DISCOVER X East Russia Inland	130.33	155.09

REVEAL™ X COASTAL

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
M-AF-T-209-R-MS		AF-T-209-R-MS - REVEAL X South and East Africa	204.10	242.88
M-AF-T-210-R-MS		AF-T-210-R-MS - REVEAL X West Africa	204.10	242.88
M-EM-T-076-R-MS		EM-T-076-R-MS - REVEAL X West Mediterranean	204.10	242.88
M-EM-T-111-R-MS		EM-T-111-R-MS - REVEAL X East Mediterranean	204.10	242.88
M-EM-T-112-R-MS		EM-T-112-R-MS - REVEAL X Black and Caspian Seas	204.10	242.88
M-EN-T-200-R-MS		EN-T-200-R-MS - REVEAL X Skagerak, Kattegatt and Baltic Sea	204.10	242.88
M-EN-T-218-R-MS		EN-T-218-R-MS - REVEAL X Greenland and Iceland	204.10	242.88
M-EN-T-300-R-MS		EN-T-300-R-MS - REVEAL X North Sea	204.10	242.88
M-EN-T-326-R-MS		EN-T-326-R-MS - REVEAL X Finland Inland and Baltic Sea	204.10	242.88
M-EN-T-580-R-MS		EN-T-580-R-MS - REVEAL X Scandinavia Inland	204.10	242.88
M-EW-T-226-R-MS		EW-T-226-R-MS - REVEAL X United Kingdom	204.10	242.88
M-EW-T-227-R-MS		EW-T-227-R-MS - REVEAL X North-West Europe	204.10	242.88
M-EW-T-228-R-MS		EW-T-228-R-MS - REVEAL X West European Coasts	204.10	242.88

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
M-ME-T-204-R-MS		ME-T-204-R-MS - REVEAL X Red Sea, The Gulf and Seychelles Is.	204.10	242.88
M-RS-T-013-R-MS		RS-T-013-R-MS - REVEAL X Kamchatka Peninsula and Kuril Islands	204.10	242.88

Naviop Kits

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15665-001		DDS-1 Dynamic Digital Switching - Simple (BoatBuilder Only)	1258.95	1498.15
000-15664-001		DDS-M Dynamic Digital Switching Kit (BoatBuilder Only)	1999.00	2378.81
000-14666-001		Naviop LOOP S Digital Switching System Kit - Simple, yet powerful control and monitoring features through an integrated sidebar on an MFD showing dedicated functions. 8 fused relay controlled channels + 8 fused channels.	1144.23	1361.63
000-14665-001		Naviop LOOP S+ Digital Switching System Kit - Simple, yet powerful control and monitoring features through an integrated sidebar on an MFD showing dedicated functions. 16 fused relay controlled channels + 16 fused channels.	1976.98	2352.61
000-14664-001		Naviop LOOP M+ Digital Switching System Kit - A customized monitoring and control system sporting dedicated pages with a clear view of power board status, down to the single fuse or relay. 8 fused relay controlled channels + 8 fused channels.	1771.50	2108.09
000-14663-001		Naviop LOOP M+ Digital Switching System Kit - A customized monitoring and control system sporting dedicated pages with a clear view of power board status, down to the single fuse or relay. 16 fused relay controlled channels + 16 fused channels.	2809.74	3343.59

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15212-001		Naviop OP-BOX - LOOP M / M+ - Processing and protocols Unit with PLC programming capability.	1029.00	1224.51
BERMINI-USAA-1M		Naviop OP-BOX USB Cable	67.57	80.41
000-15667-001		DDS Module - 4x 12-Pin Cables. For Initial prototyping or low-volume custom boatbuilders.	313.95	373.60
31M-336-0		Naviop EGON+ Power 12V DC - 8 channels Fuse+Relay	913.50	1087.07
31M-316-0		Naviop EGON+ 12V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only	913.50	1087.07
000-14844-001		Naviop EGON+ 12VDC Replacement Relay	25.93	30.86
31M-335-0		Naviop EGON+ 24V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only	913.50	1087.07
31M-337-0		Naviop EGON+ Power - 24V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only	913.50	1087.07

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14901-001		Naviop EGON Plug Set- Includes 1x Blue connector, 1x Green connector, 1x Grey connector, 1x Black Connector, 24x EGON Power Contacts, 24x Cable Seals.	51.45	61.23
C-EGON-01		Naviop EGON Power and CAN Cable - CAN ID 2	81.90	97.46
C-EGON-02		Naviop EGON Power and CAN Cable - CAN ID 2	81.90	97.46
C-EGON-03		Naviop EGON Power and CAN Cable - CAN ID 3	81.90	97.46
C-EGON-04		Naviop EGON Power and CAN Cable - CAN ID 4	81.90	97.46
C-28576		Naviop CAN Drop Cable NA30	61.95	73.72
C-28574		Naviop CAN Drop Cable for NOVA+ - 1.2m	58.80	69.97
C-34686		Axial DB9 Male Cable for RS323/485 - 2m	32.03	38.12
C-DAU-CABLE		Naviop Wiring Harness for DAU Units - 2m	110.25	131.20
DAU-B-128		Naviop DAU Bridge - CAN ID 128	1102.50	1311.98
DAU-E-136		Naviop DAU Easy - CAN ID 136	1102.50	1311.98
DAU-E-137		Naviop DAU Easy - CAN ID 137	1102.50	1311.98
NA05-0003		Naviop SE NOVA+ Light Board - NOVA+ is a solid state lighting control board designed specifically for use in marine environments, and enables dimmable lighting control of up to 8 separate circuits, each of them being protected by a pull-out fuse. Naviop-CAN connection to the monitoring and control system is available. Only for Naviop LOOP-P Systems.	976.50	1162.04
NA05-0003-H		Naviop SE NOVA+ Light Board w/ Harness - NOVA+ is a solid state lighting control board designed specifically for use in marine environments, and enables dimmable lighting control of up to 8 separate circuits, each of them being protected by a pull-out fuse. Naviop-CAN connection to the monitoring and control system is available. Only for Naviop LOOP-P Systems.	997.50	1187.03

Naviop Parts

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15756-001		Naviop OP-BOX Programmable 1GHz	1338.75	1593.11
000-15212-001		Naviop OP-BOX - LOOP M / M+ - Processing and protocols Unit with PLC programming capability.	1029.00	1224.51
BERMINI-USAA-1M		Naviop OP-BOX USB Cable	67.57	80.41
000-15667-001		DDS Module - 4x 12-Pin Cables. For Initial prototyping or low-volume custom boatbuilders.	313.95	373.60
000-14991-001		Naviop AT30 Protocol Converter - N2K To Naviop CAN Gateway for bridging the vessels NMEA2000 network to the Naviop Digital Switching system.	292.95	348.61
31M-336-0		Naviop EGON+ Power 12V DC - 8 channels Fuse+Relay	913.50	1087.07
31M-316-0		Naviop EGON+ 12V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only	913.50	1087.07
000-14844-001		Naviop EGON+ 12VDC Replacement Relay	25.93	30.86
31M-335-0		Naviop EGON+ 24V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only	913.50	1087.07
31M-337-0		Naviop EGON+ Power - 24V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only	913.50	1087.07
000-14901-001		Naviop EGON Plug Set- Includes 1x Blue connector, 1x Green connector, 1x Grey connector, 1x Black Connector, 24x EGON Power Contacts, 24x Cable Seals.	51.45	61.23
C-EGON-01		Naviop EGON Power and CAN Cable - CAN ID 2	81.90	97.46
C-EGON-02		Naviop EGON Power and CAN Cable - CAN ID 2	81.90	97.46
C-EGON-03		Naviop EGON Power and CAN Cable - CAN ID 3	81.90	97.46
C-EGON-04		Naviop EGON Power and CAN Cable - CAN ID 4	81.90	97.46
000-13959-001		NAIS500/400 & Naviop OP-BOX Power & Serial Cable	61.95	73.72

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
C-28576		Naviop CAN Drop Cable NA30	61.95	73.72
C-28574		Naviop CAN Drop Cable for NOVA+ - 1.2m	58.80	69.97
C-34686		Axial DB9 Male Cable for RS323/485 - 2m	32.03	38.12
C-DAU-CABLE		Naviop Wiring Harness for DAU Units - 2m	110.25	131.20
DAU-B-128		Naviop DAU Bridge - CAN ID 128	1102.50	1311.98
DAU-E-136		Naviop DAU Easy - CAN ID 136	1102.50	1311.98
DAU-E-137		Naviop DAU Easy - CAN ID 137	1102.50	1311.98
NA05-0003		Naviop SE NOVA+ Light Board - NOVA+ is a solid state lighting control board designed specifically for use in marine environments, and enables dimmable lighting control of up to 8 separate circuits, each of them being protected by a pull-out fuse. Naviop-CAN connection to the monitoring and control system is available. Only for Naviop LOOP-P Systems.	976.50	1162.04
NA05-0003-H		Naviop SE NOVA+ Light Board w/ Harness - NOVA+ is a solid state lighting control board designed specifically for use in marine environments, and enables dimmable lighting control of up to 8 separate circuits, each of them being protected by a pull-out fuse. Naviop-CAN connection to the monitoring and control system is available. Only for Naviop LOOP-P Systems.	997.50	1187.03


Navigation



Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16554-001		Power cable. Right angle 10 pin connector for NSO® 4, Zeus® SRX. 3 m (9.8 ft). Four core cable.	103.95	123.70
000-16626-001		REPLACEMENT SD DOOR,NSS4 & ZEUS SR	11.21	13.34
000-16628-001		REAR MOUNT NUT - 10 PK,NSS4 & ZEUS SR	14.27	16.98
000-16627-001		Replacement rubber boot for rear mount of the Simrad® NSO® 4 and B&G Zeus® SRX. Sold in packs of ten.	9.99	11.89
000-16328-001		USB audio adaptor, for NSO®4 & Zeus® SRX. Contains 1 x USB male to USB female 0.5 m (1.6 ft) AND USB Male to 3.5 mm audio jack 13.5 cm (5.3").	91.77	109.21
000-16329-001		USB to USB-A Female adapter cable	24.99	29.74
000-16514-001		CAP-2 MFD CONNECTOR CAP SET. CAP-1 Pack + USB A + USB C + HDM	32.63	38.83
000-16461-001		USB Video out (female) Video cable for NSS 4, Zeus SR	153.93	183.17
000-16515-001		SD CARD DOOR REPLACEMENT NSS-4 / ZEUS SR	15.99	19.03
000-16460-001		10 Inch Gimbal Bracket - NSS 4,ZEUS SR	50.00	59.50
000-16459-001		12 Inch Gimbal Bracket - NSS 4,ZEUS SR	66.00	78.54
000-16458-001		16 Inch Gimbal Bracket - NSS 4,ZEUS SR	69.00	82.11
000-16457-001		10 Inch Rear Mount Kit - NSS 4,ZEUS SR	50.00	59.50
000-16456-001		12 Inch Rear Mount Kit - NSS 4,ZEUS SR	66.00	78.54
000-16455-001		16 Inch Rear Mount Kit - NSS 4,ZEUS SR	69.00	82.11
000-16451-001		NSS 4-10 Suncover	45.90	54.62
000-16450-001		NSS 4-12 Suncover	61.20	72.83
000-16449-001		NSS 4-16 Suncover	54.76	65.16



Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16218-001		NSX 3012UW Suncover	61.20	72.83
000-16217-001		NSX / ZeusS UW Gimbal Bracket	56.10	66.76
000-16219-001		NSX/ZeusS 3012UW Rear mount kit. Includes 2x powder-coated brackets, 2x threaded studs, 8x thumb nuts, and a foam gasket.	71.40	84.97
000-16220-001		NSX, ZeusS 3015UW Gimbal Bracket.	66.30	78.90
000-16221-001		NSX 3015UW Suncover	81.60	97.10
000-16222-001		Simrad NSX 3015UW , B&G ZeusS UW Rear mount kit. Includes 2x powder-coated brackets, 2x threaded studs, 8x thumb nuts, and a foam gasket.	71.40	84.97
000-00128-001		4-pin Power Cable for modules and MFDs.	40.80	48.55
000-13171-001		GO5 & Vulcan-5 Power & N2K Cable	80.58	95.89
000-14172-001		Power Cable for Hook2, Hook Reveal & Cruise	22.43	26.69
000-15067-001		Cruise-5 Sun Cover	22.00	26.18
000-15068-001		Cruise-7Sun Cover	28.00	33.32
000-15069-001		Cruise-9 Sun Cover	33.00	39.27
000-13168-001		Suncover for Simrad GO5, I3005 and P2005.	25.50	30.35
000-14227-001		Suncover for GO7 XSR, P3007 and I3007.	35.70	42.48
000-13698-001		Suncover for Simrad GO9 XSE	40.80	48.55
000-14147-001		GO12 Suncover	61.20	72.83
000-15816-001		NSX 3007 Suncover	35.70	42.48
000-15817-001		NSX 3009 Suncover	40.80	48.55

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15818-001		NSX 3012 Suncover	61.20	72.83
000-11590-001		NSS7 evo2 Sun Cover	23.00	27.37
000-11592-001		NSS9 evo2 Sun Cover	25.00	29.75
000-11594-001		NSS12 evo2 Sun Cover	27.00	32.13
000-11596-001		NSS16 evo2 Sun Cover	30.00	35.70
000-13740-001		NSS7 evo3 Sun Cover	31.62	37.63
000-13741-001		NSS9 evo3/evo3S Sun Cover	30.60	36.41
000-13743-001		NSS16 evo3/evo3S Sun Cover	45.90	54.62
000-13742-001		NSS12 evo3/evo3S Sun Cover	41.82	49.77
000-15632-001		Magnetic Suncover for SIMRAD MO16 Monitor and NSO evo3S MFD	131.58	156.58
000-15633-001		Magnetic Suncover for 19" SIMRAD Monitor and NSOevo3S MFD	151.98	180.86
000-15634-001		Magnetic Suncover for 24" SIMRAD Monitor and NSOevo3S MFD	193.80	230.62
000-12743-001		OP50 / ZC2 Suncover	14.28	16.99
000-10467-001		NSS Kartenschachtklappe	15.00	17.85
000-14169-001		HOOK2 4"/5" Cruise 5" Bracket Swivel Adapter	13.38	15.92
000-14170-001		Lowrance Hook2-4"/5", HOOK Reveal 5", Eagle-5", SIMRAD Cruise-5" quick release bracket.	22.43	26.69
000-10027-001		Quick Release Bracket - GO5 / Vulcan5 / P2005 / I3005 / Mark / Elite	35.70	42.48
000-12372-001		Mounting bracket for Simrad NSX 3007, GO7 XSR, I3007, P3007, and B&G Vulcan 7R,	54.06	64.33

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14148-001		U-BRACKET 12" GO, VULCAN, NSX, ZEUS S	79.00	94.01
000-10465-001		NSS8 Halterung (Bügel)	33.66	40.06
000-10466-001		NSS12 Halterung (Bügel)	37.00	44.03
000-13702-001		Gimbal mounting bracket for Simrad NSX 3009, GO9, NSS7 evo3, and B&G Vulcan9, Zeus3 7 (Plastic)	55.08	65.55
000-10464-001		NSS7 Halterung (Bügel)	51.00	60.69
000-13758-001		NSSevo3/3S & ZEUS³/³S 9" Mounting Bracket (Plastic)	36.72	43.70
000-13759-001		NSSevo3/3S & ZEUS³/³S 12" Mounting Bracket	100.98	120.17
000-13760-001		NSS16evo3/3S & ZEUS³/³S 16" Mounting Bracket (Metal)	100.98	120.17
000-14488-001		Spacer required if using the Heavy Duty Gimbal bracket kit (000-13547-001) to mount an NSO16 evo3 or ZEUS3-16 display.(not required for 19 and 24 " displays)	51.49	61.27
000-13547-001		Extra heavy duty Gimbal bracket for desk-mounting the M5000 IMO Monitors, Simrad MO-Series Touch Monitors, B&G ZM-Series Monitors as well as NSO evo3S MFD and Zeus3S Glass Helm Displays.	579.00	689.01
000-13170-001		Edge Bezel for P2005, I3005, GO5 & Vulcan-5	11.22	13.35
000-13700-001		Replacement bezel for Simrad GO9 or B&G Vulcan9.	18.36	21.85
000-14230-001		Edge Bezel for GO7 XSR, Vulcan 7R, I3007 & P3007	17.34	20.63
000-14247-001		GO12 & Vulcan 12 Edge Bezel	22.00	26.18
000-11598-001		NSS evo2 & ZEUS² 7 Edge Bezels (Pair)	18.00	21.42
000-11599-001		NSS evo2 & ZEUS² 9 Edge Bezels (Pair)	19.00	22.61
000-11600-001		NSS evo2 & ZEUS² 12 Edge Bezels (Pair)	14.00	16.66
000-11601-001		NSS16 evo2 Edge Bezels	19.00	22.61

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13749-001		NSSevo3 & ZEUS ³ 7" Edge Bezels	18.36	21.85
000-13750-001		NSSevo3/3S & ZEUS ³ /3S 9" Edge Bezels	21.42	25.49
000-13751-001		NSSevo3/3S & ZEUS ³ /3S 12" Edge Bezels	25.50	30.35
000-13752-001		NSSevo3/3S & ZEUS ³ /3S 16" Edge Bezels	29.58	35.20
000-11620-001		16" Edge Bezels for Monitors and MFDs. Check compatability in description.	60.18	71.61
000-11621-001		19" Edge Bezels for Monitors and MFDs. Check compatability in description.	49.98	59.48
000-11622-001		24" Edge Bezels for Monitors and MFDs. Check compatability in description.	60.18	71.61
000-11587-001		NSS evo2 & ZEUS ² Chart Card Door, Replacement	16.32	19.42
000-13748-001		NSSevo3 & ZEUS ³ Chart Card Door	14.28	16.99
000-15070-001		Cruise-5, Dash mount kit, includes template and gasket, and screws.	23.00	27.37
000-15071-001		Cruise-7, Dash mount kit, includes template and gasket, and screws.	23.00	27.37
000-15072-001		Cruise-9, Dash mount kit, includes template and gasket, and screws.	29.00	34.51
000-13169-001		Dash Mount kit for P2005, I3005, GO5 & Vulcan-5	14.28	16.99
000-14229-001		Dash Mount Kit for GO7 XSR, Vulcan 7R, I3007 & P3007	22.44	26.70
000-12374-001		Flush mount O'ring type seal for use with the Flush mount kit for GO7 & Vulcan 7 displays.	22.00	26.18
000-12373-001		Replacement panel / dashboard gasket for GO7 & Vulcan 7 displays	11.00	13.09
000-14246-001		GO12/V12 DASH MOUNT KIT	33.00	39.27

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-12366-001		FLUSH MOUNT KIT,GO7 & VULCAN 7 Note: If flush mounting the Go7 or Vulcan 7 you may need the specific sun cover for the flush mount installation method. For GO7 please order 000-12368-001 or for Vulcan order 000-12370-001).	30.59	36.40
000-13699-001		GO9 XSE & Vulcan 9 Dash Mount Kit	22.44	26.70
000-15823-001		NSX 3007 Dash mount kit. Contains gasket and four screws and cutout template	25.49	30.33
000-15824-001		NSX 3009 Dash mount kit. Contains gasket and four screws and cutout template	25.49	30.33
000-15825-001		NSX 3012 Dash mount kit. Contains gasket and four screws and cutout template	49.98	59.48
000-12207-001		16" NSS EVO2 & ZEUS2 Dash mount kit. Contains mounting template, front mount dash screws, drill guide and dash gasket.	37.07	44.11
000-13753-001		NSSevo3 & ZEUS³ 7" Dash Mount Kit	27.54	32.77
000-13754-001		NSSevo3/3S & ZEUS³/S 9" Dash Mount Kit	23.46	27.92
000-13755-001		NSSevo3/3S & ZEUS³/S 12" Dash Mount Kit	45.90	54.62
000-13756-001		NSSevo3/3S & ZEUS³/S 16" Dash Mount Kit	66.30	78.90
000-12744-001		OP50 / ZC2 Dash Mounting Kit	25.50	30.35
000-14317-001		Replacement Rotary knob for Simrad NSS evo3 & Zeus³ MFDs	22.44	26.70
000-12746-001		OP50 / ZC2 Dial Knob with grub screw	41.19	49.02
000-11614-001		MO, NSO evo3 16/19/24 Cable retention bracket	27.53	32.76
000-11619-001		MO16/19/24 Dash Seal Kit	7.59	9.03
000-11623-001		MO16/19/24 Air Inlet Filters - 5pcs	12.36	14.71
000-11624-001		MO16/19/24 Air Inlet Cover	6.46	7.69
000-11604-001		NSS16 evo2 VESA Mount Kit	22.00	26.18

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11625-001		MO16/19/24 Connector Kit - Power and Serial	19.38	23.06
000-11618-001		MO, NSO evo3 16/19/24 Rear mount bracket kit. Includes: dash seal for 16,19,24" and Bracket kit	64.26	76.47
000-14803-001		INFO DISPLAY,SEA RAY,SLX/O 310,SIM,D12	2545.75	3029.44
000-11615-001		MO16 VESA Mount Bracket Kit	77.38	92.09
000-12745-001		OP50 / ZC2 Flush Mounting Bracket Kit	89.76	106.81
000-12742-001		HDMI Cable with vibration resistant and waterproof connector on one end to connect to Navico MFDs with HDMI port.	70.38	83.75
000-12741-001		HDMI Cable with vibration resistant and waterproof connector on one end to connect to Navico MFDs with HDMI port.	117.30	139.59
000-00129-001		Video/Data Cable - Provides 2x Analog Composite Video Inputs (RCA Female) and a NMEA 0183 Interface.	44.88	53.41
000-15822-001		Corner bezel clips for NSX range of displays. Set of four corner clips	25.49	30.33
000-15053-001		83/200 Transom mounted Bullet Transducer for Hook2 and Cruise.	80.85	96.21
000-11247-001		NSOevo2, NSOevo3S, Zeus2 and Zeus3S NMEA0183 and Touch Monitor Serial Cable. 2m (6.5 ft)	29.58	35.20
000-11248-001		HDMI monitor video cable 3 m (9.8 ft)	40.80	48.55
000-11249-001		HDMI monitor video cable 10 m (33 ft)	66.30	78.90

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11749-001		Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit , Standby-Auto button and Micro-C network components.	1731.45	2060.43
000-14473-001		Simrad RS40-B Marine VHF Radio - Stay safer on the water with this VHF Marine Radio. See and be seen by nearby AIS-equipped vessels thanks the integrated Class B AIS transceiver, and add up to two optional wireless handsets.	1048.95	1248.25

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14470-001		RS40 Marine VHF Radio - Stay safe and connected with this VHF marine radio featuring removable fist mic, Class D DSC functionality, and built-in GPS. Keep track of nearby AIS-equipped vessels with an integrated AIS receiver, and add up to two optional wireless handsets.	723.45	860.91
000-16143-001		HS75 GPS Compass - Ideal heading source for non-SOLAS professional vessels like Search and Rescue, Patrol, Fishing, Workboats and more. Provides solid 0.75° RMS heading accuracy in a compact unit. Supports GPS, GLONASS, Galileo, BeiDou, QZSS for increased accuracy across the world.	2623.95	3122.50
000-15621-001		NAC-D AUTOPILOT COMPUTER. NAC™ -D is a digital steering autopilot solution for Electronic Vessel Control Systems (steering systems with a digital interface). It allows automatic switching between two speed profiles, delivering optimal steering performance at both low and high speeds.	1122.45	1335.72
000-13338-001		NAC-3 VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer and Precision-9 Compass.	2213.75	2634.36
000-14488-001		Spacer required if using the Heavy Duty Gimbal bracket kit (000-13547-001) to mount an NSO16 evo3 or ZEUS3-16 display.(not required for 19 and 24 " displays)	51.49	61.27
000-14491-001		Simrad RS20S Class D DSC VHF Radio - The versatile RS20S is ideal for a variety of boats from small RIBs to larger cruisers, and is designed to match the low-profile style of our glass bridge displays and accessories.	413.70	492.30



Spare Parts


Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-0099-06		HS-WS-SS Installations-Set für Heckmontagegeber	26.24	31.23
000-10467-001		NSS Kartenschachtklappe	15.00	17.85

Echolot

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16054-001		ActiveTarget® 2 Trolling Motor Shaft Mount	75.00	89.25
000-15960-001		The ActiveTarget® 2 Scout™ Wide Bracket	105.00	124.95
000-16069-001		Extension Cable for ActiveTarget, ActiveTarget 2, ActiveTarget 2 XL transducers	104.99	124.94
000-0127-54		Stromkabel BSM-1, LSS-2	48.96	58.26
000-12413-001		Suncover for S2009, and R2009	69.00	82.11
000-15470-001		B744VC ACTIVE INSERT - REPLACEMENT	324.45	386.10
000-16094-001		Stainless Steel Transom Mount Bracket for Active Imaging HD Transducers.	73.49	87.45
000-12411-001		S2009, S3009 & R2009 Bracket mount kit: Includes bracket, 2 x Knobs and Screws	99.00	117.81
000-12519-001		S2009, S3009 & R2009 Spare Edge Bezels	19.00	22.61
000-14963-001		Replacement Ice Mount for LiveSight Transducer	319.99	380.79
000-15773-001		ActiveTarget Transom Mount Kit (Not included in the ActiveTarget Kit)	52.49	62.46
000-12520-001		S2016 & R3016 Edge Bezels	18.00	21.42
000-12410-001		S2016 & R3016 Dash Mounting Kit	35.00	41.65
000-15770-001		ActiveTarget trolling motor shaft mounting kit	61.95	73.72
000-15771-001		ActiveTarget trolling motor mounting kit. Forward / down view	55.64	66.21
000-11675-001		ForwardScan™ Transducer Only. With 10m (33ft) Cable	577.50	687.23
000-11669-001		ForwardScan™ Sleeve and Plug Only (No Transducer)	282.45	336.12

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15772-001		Replacement - ActiveTarget Trolling Motor Scout Mount Kit	55.64	66.21
000-12231-001		ForwardScan™ Fairing Block Only	46.19	54.97
000-12230-001		ForwardScan™ Plug Only	35.70	42.48
000-12232-001		ForwardScan™ O-Ring (Color of supplied O-Ring may vary from shown)	19.95	23.74
000-13578-001		ForwardScan™ Long-Stem Housing Only	481.95	573.52
000-13579-001		ForwardScan™ Long-Stem Fairing Block Only	82.95	98.71
000-11224-001		FAIRING LSS HD BRONZE TRANSDUCER SPARE	109.19	129.94
000-10567-001		P617V DST HSG VLV KIT	69.00	82.11
000-14260-001		TotalScan™ Through-Hull Transducer Fairing Block Only	114.45	136.20
000-13522-001		TotalScan and StructureScan 3D Plastic Replacement Bracket	68.24	81.21
000-14256-001		Replacement fairing block for combined StructureScan® 3D L/H and M/H Through-Hull Transducers.	114.44	136.18
000-13581-001		Fairing Block only for StructureScan 3D Through-Hull transducers.	114.44	136.18
000-14959-001		Replacement Mounts for LiveSight Transducer.	79.99	95.19
000-10392-001		Skimmer™ Halterung für Heckmontagegeber 50/200kHz	26.24	31.23
000-11462-001		STRUCTURESCAN HD STAINLESS PORT SRVC	905.27	1077.27
000-0099-06		HS-WS-SS Installations-Set für Heckmontagegeber	26.24	31.23
000-11040-001		Adapts LSS-1 transducers to HDS Gen2 Touch units and to LSS-HD modules.	108.90	129.59
000-10874-001		LSS-2 HD Skimmer Halterung für Heckmontagegeber	69.29	82.46
000-10262-001		Ersatzhalterung für DSI Heckmontagegeber	38.84	46.22


Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-12603-001		Replacement Metal Bracket for Active Imaging, TotalScan, StructureScan 3D and HD skimmer transducers.	69.29	82.46
000-12602-001		Flat Mount Bracket for Active Imaging, TotalScan and StructureScan 3D skimmer transducers.	69.29	82.46
000-14411-001		SPLITSHOT Inline temperature sensor: Hook2/Reveal	57.74	68.71






Spare Parts








Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-12232-001		ForwardScan™ O-Ring (Color of supplied O-Ring may vary from shown)	19.95	23.74




Autopilot

Main Products

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
TPPK329	TP22/32 & WP32 MAIN PCB	189.00	224.91
000-14464-001	NAC-1 & NAC-2 Power Cable - 2m	39.90	47.48
000-13703-001	 Auto-Stby Button - Metal. For a physical Auto/Stby button in systems with NAC-1 and NAC-2 Autopilot Computers.	51.45	61.23
000-13724-001	 SUNCOVER,AP44 DISPLAY	19.95	23.74
000-14073-001	 Suncover for A2004/AP48 autopilot controllers	25.20	29.99
000-10596-001	 AP80 Schutz- Abdeckung	58.00	69.02
000-10190-001	 AC85 Autopilot Computer Cabinet only.	1029.00	1224.51
000-10587-001	 SD80 PCB assembly. Solenoid und proportional Drive Interface für rudder und thruster	978.00	1163.82
000-10586-001	 AD80 PCB assembly	978.00	1163.82
000-10588-001	 SI80 PCB assembly. Signal Interface board mit 4 NMEA 0183 RX/TX ports und built-in 12V Netzwerk Power und Termination	978.00	1163.82
000-10595-001	 AC70 PCB assembly; option für Voith Schneider propeller	1472.00	1751.68
22096986	 AC70, AC12 and AC42 Terminal Cover	23.00	27.37
000-14463-001	NAC-2 Spare Drive Cable - 2m (6.5 ft)	39.90	47.48
000-14798-001	 NAC-2 Rudder feedback cable: Used to connect resistive rudder feedback units to either NAC-1 or NAC-2. 3 Pin connector to 3 bare wires. 2 m (6.5 ft)	39.90	47.48
000-10641-001	 HS70 programming Kabel	414.00	492.66
000-10640-001	 HS70 Power / NMEA0183 Kabel, 15m	347.00	412.93
000-10937-001	 HS70 SERIAL-TO-N2K ADAPTER	143.00	170.17

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-10590-001		AP70 Optional Montage-Halterung	196.00	233.24
22096820		AP24/AP28/IS20 Optional Mounting Bracket	129.00	153.51
20193454		Light Duty Transmission Link for RF300, RF25N and RF40 rudder feedbacks.	72.45	86.22
TPPK8		TPXX MOTOR ASSY	189.00	224.91
SKT100		SKT100	124.95	148.69
000-10409-001		SPARES KIT FOR T1/T2 BLACK RAMS	366.68	436.35
000-11497-001		90 DEGREE BEZEL FOR HELM DRIVE	21.00	24.99
000-12359-001		WR10 BT-1 Base Station Only	282.45	336.12
000-12358-001		WR10 Wireless Remote for Autopilot.	219.45	261.15
20997953		RPU80/100/150/160/200 Seal Kit. Works for all motor types and pump sizes.	101.85	121.20
21118617		RPU80 Motor Brushes - Framco	60.90	72.47
21118633		RPU160 Motor Brushes - Framco	69.00	82.11
21118625		RPU Motor Brushes - Framco for RPU300	69.00	82.11
21118666		RPU Motor Brushes - Lemac for RPU80/160	85.05	101.21
21118682		RPU Motor Brushes - Lemac (Long) for RPU300	135.45	161.19
000-13960-001		Brush replacements for RPU80, RPU160 and RPU300 pumps with Parvalux motors.	87.15	103.71

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15858-001		PUMP-X Motor Brushes - Autopilot pump brush kit for PUMP-2,3,4 & 5. 2Pcs. Note: Not for Pump-1	68.25	81.22
CB1		Cantilever bracket 135-240 mm (5.31-9.44 in)	87.15	103.71
PB30		Pedestal bracket 30 mm (1.2 in)	66.15	78.72
PB60		Pedestal bracket 60 mm (2.4 in)	66.15	78.72
PB90		Pedestal bracket 90 mm (3.6 in)	66.15	78.72
PRE30		Pushrod extension 30 mm (1.2 in)	26.25	31.24
PRE60		Pushrod extension 60 mm (2.4 in)	40.95	48.73
PRE90		Pushrod extension 90 mm (3.6 in)	26.25	31.24
PRE120		Pushrod extension 120 mm (4.8 in)	35.70	42.48
PRE150		Pushrod extension 150 mm (6.0 in)	35.70	42.48
PRE300		Pushrod extension 300 mm (12.0 in)	124.95	148.69
TPPK7		TPXX MOUNT PIN & ROD END	36.75	43.73
TPPK21		TP10 MAIN PCB	171.15	203.67
TPPK22		TP32 DRIVE ASSY	453.60	539.78
TPPK29		TPXX TILLER PIN AND CUP	35.70	42.48

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
TPPK32		PUSH ROD END CAP (PACK OF 5)	33.60	39.98
TPPK321		TP32/22 PLUG, SOCKET & MOUNTING PIN	161.70	192.42
TPPK325		TP32/22 PCB COVER & SEAL	32.55	38.73
TB30		TB 30 Pinnen Halterung 30 mm	42.00	49.98
TB60		TB 60 Pinnen Halterung 60 mm	42.00	49.98
TB90		TB 90 Pinnen Halterung 90 mm	42.00	49.98
TB120		TB 120 Pinnen Halterung 120 mm	42.00	49.98
44172096		DL2030 Draglink for DD15. Length: 200-300 mm. 7.9" – 11.8"	387.45	461.07
44172088		DL3040 Draglink for DD15. Length: 300-400 mm. 11.8" - 15.7".	366.45	436.08
44172104		DL4050 Draglink for DD15. Length: 400-500 mm. 15.7" - 19.7".	334.95	398.59
PMP-SPRS-T1		Ersatzteilsatz für PMP-T1-12V, PMP-T2-12V	162.00	192.78
PMP-SPRS-T3		Ersatzteilsatz für PMP-T3-24V	162.00	192.78
RAM-BRSH-T2		Ersatz Bürsten für T3 und T4 Antriebe (Für T4 2 Satz erforderlich)	152.25	181.18
RAM-SPRS-T1		Ersatzteilsatz für RAM-T1-12V, RAM-T2-12V, RAM-T2-24V	373.80	444.82
RAM-SPRS-T3		Ersatzteilsatz für RAM-T3-24V	537.60	639.74
000-14075-001		A2004 / AP48 Dash mounting kit: Includes dash seal, 4x 1/2" Phillips pan head screws, 2x Bezels, screw mount jig tool.	51.45	61.23
000-14074-001		A2004/AP48 Mounting Bracket Kit	40.95	48.73

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-10589-001		NF80/FU80/QS80 bulkhead Montage- Kit	161.00	191.59
22014286		RF25 Rudder Rückmelder Einheit: mit transmission link und 5.5 m (18 ft) SimNet Kabel.	331.62	394.63
20193678		RF300 Transmission Lever Assembly	72.45	86.22

Accessories


Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16143-001		HS75 GPS Compass - Ideal heading source for non-SOLAS professional vessels like Search and Rescue, Patrol, Fishing, Workboats and more. Provides solid 0.75° RMS heading accuracy in a compact unit. Supports GPS, GLONASS, Galileo, BeiDou, QZSS for increased accuracy across the world.	2623.95	3122.50
21116272		Verado Fittings Kit	239.00	284.41
20193744		RF300 Frequency Rudder Feedback - 10m cable and transmission link assembly.	301.35	358.61
000-10587-001		SD80 PCB assembly. Solenoid und proportional Drive Interface für rudder und thruster	978.00	1163.82
000-10586-001		AD80 PCB assembly	978.00	1163.82
22088165		JS10 Non Follow Up Joystick, designed for armrest mounting or at key positions on the vessel. Compatible with AC70, AC80A, AC80S, AC85, NAC-3. Comes with 10m cable.	399.00	474.81
20188074		LF3000 Linear Feedback - For use with outboard system if a rudder angle is desired. Also requires LFI3000MK2 priced/ordered separately.	418.95	498.55
20188082		LFI3000MK2 Linear Feedback Interface box - Required for use on outboard application with LF3000 Linear Feedback.	149.00	177.31
000-10595-001		AC70 PCB assembly; option für Voith Schneider propeller	1472.00	1751.68
22096820		AP24/AP28/IS20 Optional Mounting Bracket	129.00	153.51
000-14268-001		Waterproof 4-core cable joiner for NAC-1, 2 and 3 Autopilot installations. Convenient way to connect your computer to the drive unit and ensure a waterproof connection.	28.35	33.74
22014286		RF25 Rudder Rückmelder Einheit: mit transmission link und 5.5 m (18 ft) SimNet Kabel.	331.62	394.63


Spare Parts


Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
TP10		TP10 Tillerpilot - The TP range delivers reliable auto steering for boats with tillers up to 32ft in length.	681.45	810.93
TP22		Pinnenpilot TP22 – SimNet/NMEA	838.95	998.35
TP32		Pinnenpilot TP32 – SimNet/NMEA	996.45	1185.78
22096986		AC70, AC12 and AC42 Terminal Cover	23.00	27.37
20193454		Light Duty Transmission Link for RF300, RF25N and RF40 rudder feedbacks.	72.45	86.22
20997953		RPU80/100/150/160/200 Seal Kit. Works for all motor types and pump sizes.	101.85	121.20
21118625		RPU Motor Brushes - Framco for RPU300	69.00	82.11
21118682		RPU Motor Brushes - Lemac (Long) for RPU300	135.45	161.19
000-13960-001		Brush replacements for RPU80, RPU160 and RPU300 pumps with Parvalux motors.	87.15	103.71
PMP-SPRS-T1		Ersatzteilsatz für PMP-T1-12V, PMP-T2-12V	162.00	192.78
PMP-SPRS-T3		Ersatzteilsatz für PMP-T3-24V	162.00	192.78

UKW und AIS

Main Products


Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14806-001		V3100 Power cable, 1.8 m (6ft)	32.00	38.08
000-11567-001		RS35 Suncover	22.66	26.97
000-14912-001		RS40 VHF Suncover	23.10	27.49
000-14055-001		RS20S Suncover	23.10	27.49
000-15641-001		NRS-1 Marine VHF Radio. Black box only	786.45	935.88
000-15642-001		NRS-2 Marine VHF Radio with built in AIS Class B transceiver. Black box only	1405.95	1673.08
AA000352		UKW-Antenne Mastmontage	78.75	93.71
AA000224		Antennenhalterung Edelstahl mit 5 m Kabel	124.95	148.69
AA000358		UKW-Antenne Gfk 100 cm	51.45	61.23
000-15859-001		VHF ANTENNA, 1Meter Back Fiberglass Stainless Steel, Quick fit fitting.	89.25	106.21
AA000223		Antennenhalterung Kunststoff mit 5 m Kabel	56.70	67.47
000-15657-001		NRS-1/ NRS-2 Bulkhead WiFi Antenna Mount Cable - 6m - For mounting the WiFi antenna in more suitable location if reception from antenna on Blackbox is not adequate.	135.45	161.19
AA000355		UKW-Antenne Gfk 240 cm	93.45	111.21
000-14968-001		Navico 1710 VHF antenna, 2.5 m (8 ft) ultraglass, quickfit @ 6dB BLACK	92.40	109.96
000-15803-001		Wireless dipole antenna for NRS-1, NRS-2 and Information Display	26.25	31.24
AA000401		VHF mast cable 30 m (98 ft) for 1720 whip antenna. With Quick Fit Connector one end and Masthead connector on the other.	93.45	111.21

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14262-001		RS20/V20 Fist Mic Clip	9.45	11.25
000-14261-001		RS20/V20 Mounting Bracket	34.65	41.23
000-14059-001		RS20/V20 Flush Mount Kit	12.60	14.99
000-14263-001		RS20/V20 Mounting Bracket Knobs	16.80	19.99
000-14921-001		Simrad RS40 Remote Mountable Fist Mic. Can be connected to the front or rear of the radio, and optional extension cable allows the radio and mic to be mounted in separate locations.	81.90	97.46
000-14919-001		RS40/V60 Bulkhead Fist Mic Mounting Clip	9.45	11.25
000-14917-001		RS40/V60 VHF Mounting bracket with Knobs and Screws	28.35	33.74
000-14915-001		RS40/V60 VHF Flush Mounting kit.:Includes teplate, Gasket, Bezels and screws	12.60	14.99
000-14925-001		HS40/H60 VHF Wireless handset Inductive charging cradle	57.75	68.72
000-14531-001		RS90S Black Box VHF AIS RX system. Compliant to European Regulation - EN 301 025 (v2.2.1)	936.27	1114.16
000-15653-001		CR100 Mounting cradle for HS100 & H100 VHF radio handsets	21.00	24.99
000-11727-001		RS90/V90 20m (65 ft) Handset cable. Includes phoenix connector and bulkhead mount	89.51	106.51
000-14923-001		5m Extension Cable for RS40, RS40-B, V60, V60B and Link-9 VHF Fist Mics, and H100/HS100 Handsets.	46.20	54.98
000-14924-001		10m Extension Cable for RS40, RS40-B, V60, V60B and Link-9 VHF Fist Mics, and H100/HS100 Handsets.	57.75	68.72
000-15656-001		HS100/H100 Handset cable with bulkhead mount 20m (65.5 ft)	114.45	136.20
LSH80		Waterproof Hailer Horn Speaker (8 Ohms) for use with Navico VHF Systems.	292.95	348.61
000-14066-001		VHF Interface - Type 6. For Simrad RS20/RS40, B&G V20/V60, Lowrance Link-9, Link-6 S	92.40	109.96

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
AA000400		VHF extension cable 5 m (16 ft)	30.45	36.24
000-10378-001		VKIT-9 Einbausatz für versenkten Einbau RS10, RS12 und RS25	10.58	12.59
000-10737-001		Hydrostatic Release Unit EP70/EG70	85.00	101.15
000-12329-001		V50xx AIS 3pin Power Cable	63.00	74.97
000-12328-001		V50xx AIS 37pin Cable - Data cable from AIS Main unit to Junction Box.	68.00	80.92
000-12327-001		V5035 AIS Bracket with mounting kit.	60.00	71.40
000-12326-001		V50xx AIS GPS Antenna - 10 m (33 ft) cable	137.00	163.03
000-12325-001		SIMRAD V50xx AIS Pilot Plug	105.00	124.95
000-12324-001		SIMRAD V50xx AIS Junction Box	200.00	238.00
000-14064-001		LINK-6 Mounting Bracket Knobs	16.80	19.99
000-14060-001		LINK-6 Mounting Bracket	34.65	41.23
000-16055-001		VHF antenna mount. Heavy-duty stainless steel fold-down antenna mount. With attached 7 m (23 ft) cable. Fastfit connector	124.95	148.69
000-15475-001		WM-4 SIRIUS SAT WEATHER ETHERNET EXT 5M	54.60	64.97
000-14974-001		WM-4 SIRIUS Satellite weather installation kit: Includes SMA Adapter and mounting screws.	17.85	21.24
000-14973-001		WM-4 SIRIUS satellite weather audio cable: 2 m (6.5 ft) 2 x RCA male plugs	28.35	33.74
000-14972-001		WM-4 SIRIUS Satellite Weather Ethernet adapter cable 2.5 m (8 ft)	38.85	46.23
000-14971-001		WM-4 SIRIUS SAT WEATHER POWER CABLE	24.15	28.74
000-13613-001		GPS-500 - GPS antenna for Navico AIS transceivers and VHF systems. 10 m (33 ft) cable with SMA connector.	156.45	186.18

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14268-001	 Waterproof 4-core cable joiner for NAC-1, 2 and 3 Autopilot installations. Convenient way to connect your computer to the drive unit and ensure a waterproof connection.	28.35	33.74
000-14807-001	 V3100 NMEA 0183 Cable 1.8 m (6ft)	32.00	38.08
000-11564-001	 BC-10 VHF Charger w/ US Power Adapter for HH36 and LINK-2 VHF.	56.65	67.41
000-11562-001	 BC-10 VHF Charger w/ 12V CIG Plug for HH36 and LINK-2 VHF.	39.66	47.19



Accessories

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
AA000352	 UKW-Antenne Mastmontage	78.75	93.71
AA000224	 Antennenhalterung Edelstahl mit 5 m Kabel	124.95	148.69
AA000358	 UKW-Antenne Gfk 100 cm	51.45	61.23
000-15859-001	 VHF ANTENNA, 1Meter Back Fiberglass Stainless Steel, Quick fit fitting.	89.25	106.21
AA000223	 Antennenhalterung Kunststoff mit 5 m Kabel	56.70	67.47
000-15657-001	 NRS-1/ NRS-2 Bulkhead WiFi Antenna Mount Cable - 6m - For mounting the WiFi antenna in more suitable location if reception from antenna on Blackbox is not adequate.	135.45	161.19
AA000355	 UKW-Antenne Gfk 240 cm	93.45	111.21
000-14968-001	 Navico 1710 VHF antenna, 2.5 m (8 ft) ultraglass, quickfit @ 6dB BLACK	92.40	109.96
AA000401	 VHF mast cable 30 m (98 ft) for 1720 whip antenna. With Quick Fit Connector one end and Masthead connector on the other.	93.45	111.21
000-11727-001	 RS90/V90 20m (65 ft) Handset cable. Includes phoenix connector and bulkhead mount	89.51	106.51
000-14923-001	 5m Extension Cable for RS40, RS40-B, V60, V60B and Link-9 VHF Fist Mics, and H100/HS100 Handsets.	46.20	54.98

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14924-001		10m Extension Cable for RS40, RS40-B, V60, V60B and Link-9 VHF Fist Mics, and H100/HS100 Handsets.	57.75	68.72
LSH80		Waterproof Hailer Horn Speaker (8 Ohms) for use with Navico VHF Systems.	292.95	348.61
AA000400		VHF extension cable 5 m (16 ft)	30.45	36.24
000-16055-001		VHF antenna mount. Heavy-duty stainless steel fold-down antenna mount. With attached 7 m (23 ft) cable. Fastfit connector	124.95	148.69

Netzwerk

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
SIMKIT-1		SimNet Starter Kit-1	125.40	149.23
000-10628-001		SIMKIT-3. Micro-C auf SimNet.	123.50	146.96
24005829		SimNet cable 0.3 m (1 ft)	32.55	38.73
24005837		SimNet cable 2 m (6.6 ft)	57.75	68.72
24005845		SimNet cable 5 m (16 ft)	68.25	81.22
24005852		SimNet cable 10 m (33 ft) note: for simNet backbone only	124.95	148.69
24005860		SimNet 3 Prong Multi-joiner	30.45	36.24
24006298		SimNet 7 Prong Multi-joiner	114.45	136.20
44172278		SimNet joiner red with terminator	21.00	24.99
44172260		SimNet joiner yellow without terminator	22.05	26.24
24006934		SIMNET NOISE FILTER	35.00	41.65
24006421		35 m (115 ft) SimNet Wind Vane cable	166.95	198.67
24006405		20 m (66 ft) SimNet Wind vane cable	93.45	111.21
24006306		SimNet bulkhead T-connector	78.75	93.71
24005910		SimNet power cable without terminator 2 m (6.6 ft) -yellow tip	51.45	61.23
24005902		SimNet power cable with terminator 2 m (6.6 ft) -red tip	35.70	42.48

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
24005894		SimNet termination plug	26.25	31.24
24005886		SimNet protection plug	5.25	6.25
000-10438-001		Ethernet-Adapter Direkt RJ45 M auf yellow 5 pin	38.85	46.23
000-11584-001		NMEA0183 Serial Cable - LTW 8 Way - 10M	55.08	65.55

Instrumente

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15139-001		Replacement PCB for WS700/310 series wind sensors.	312.90	372.35
000-11773-001		IS35 Suncover	23.10	27.49
000-15141-001		Replacement battery for WS320 wireless wind sensor.	23.10	27.49
000-15143-001		WS300/700 Support Moulding inc. O-Ring	17.85	21.24
000-15142-001		Replacement wind angle bearing for the WS300/700 series wind sensors.	87.15	103.71
000-11073-001		IS40 Abdeckung	13.20	15.71
000-13723-001		Suncover for Simrad IS42 Display.	26.25	31.24
000-13725-001		Suncover for Simrad OP12 and B&G Triton² Pilot controllers	14.70	17.49
000-13714-001		Networked wind sensor for Triton2, Triton, IS42, IS40 and IS20 systems. Sensor only, does not include cable.	451.50	537.29
000-14389-001		WS310 Wired Interface. Converts NMEA 0183 wind data from the Masthead Unit to NMEA 2000®.	162.75	193.67
000-14396-001		20m (65') mast cable with pre-molded connectors for the WS310 and WS700 series wired wind sensors.	124.95	148.69
000-14388-001		The WS320 Wireless Interface: Spare Wireless Interface for the WS320 Wind Sensor system. Receives wireless signals from the WS320 and converts to NMEA 2000.	191.10	227.41
000-15615-001		Replacement PCB for the WS320 wind sensor.	312.90	372.35
000-10568-001		Accessory plug assembly for DST800	29.58	35.20
000-10388-001		Ersatzteil Kit Paddelrad für DST800	36.75	43.73
000-11740-001		Airmar 110WX/ 120WX Cable 6 m (19.6 ft) (NMEA 2000 to Device cable)	95.48	113.62
000-13952-001		Triton2 Pilot & OP12 Installation Kit	14.70	17.49
000-13951-001		INSTALL KIT AP44	19.95	23.74
000-13950-001		IS42 & Triton2 Installation Kit - Includes edge bezel, screws and guide tool.	19.95	23.74

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15687-001		Surface mount kit for HS75 Antenna. Contains bracket to mount to compass, + 2 surface brackets. One mount for cables passing down through the mounting surface, and a taller version for feeding the cable out the side of the mount.	179.00	213.01
000-15686-001		Pole Mount Bracket for HS75 - Standard 1" 14TPI threads.	139.00	165.41
000-13716-001		Bracket Kit - Water Level or Antenna Mount	6.18	7.35
000-10573-001		IS20 Windfahnen Masthalterung	69.22	82.37
000-10862-001		TRITON DISPLAY MAIN MOUNTING KIT	28.00	33.32

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-10757-001		Kabel 20 m (66 ft) NMEA2000 Wind-Masteinheit (Micro-C male - Simnet)	100.80	119.95
000-10758-001		Kabel 35 m (66 ft) NMEA2000 Wind-Masteinheit (Micro-C male - Simnet)	139.65	166.18

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-10573-001		IS20 Windfahnen Masthalterung	69.22	82.37

Service Parts

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16297-001		Standard flat mount that ships with HS65 GNSS Compass. This can be used ad replacement.	77.70	92.46
000-14503-001		LINKPRO SERVICE TOOL	219.00	260.61