LOWRANCE®



PRICE LIST

MARINE ELECTRONICS

HDS-16 PRO

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16006-001		Lowrance HDS-16 PRO, No Transducer. 16" SolarMAX HD IPS display, Dual 1kW sonar with CHIRP, ActiveImaging™ HD ready. Networkable to Lowrance performance sonars (ActiveTarget™ and ActiveTarget™2), Radars, Trolling Motors, and Autopilots along with waypoint, chart, and sonar sharing. Worlwide basemap (chart card required).	4421.00	5260.99
000-15991-001		Lowrance HDS-16 PRO with ActiveImaging™ HD 3-in-1 transducer. 16" SolarMAX HD IPS display, Dual 1kW sonar with CHIRP. Networkable to Lowrance performance sonars (ActiveTarget™ and ActiveTarget™2), Radars, Trolling Motors, and Autopilots along with waypoint, chart, and sonar sharing. Worlwide basemap (chart card required).	4629.00	5508.51

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16062-001		ActiveImaging™ HD 3-IN-1 delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer. Comes with a 7.6m (25ft) cable with a 9-pin connector. Compatibility: Direct connect to Simrad NSS4, Lowrance HDS PRO, or to an S3100 module. For Lowrance HDS Live, Carbon, Elite FS, and Simrad NSS evo3(S) / NSOevo3(S) displays, an S3100 sonar module is required.	481.00	572.39
000-14472-001		Lowrance LINK-9 marine VHF radio with DSC and AIS receiver.	738.00	878.22
000-11047-002		Point-1 GPS antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds. Note: For Autopilot, use Point-1AP or Precision9!	299.00	355.81
000-11749-001		Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit , Standby-Auto button and Micro-C network components.	1766.00	2101.54
000-12395-001		StructureScan® 3D Module and Transom mount Transducer kit.	1157.00	1376.83
000-16172-001		Lowrance RECON™ Freshwater 48” Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.	3759.00	4473.21
000-13260-001		S5100 High-performance CHIRP sonar module. Three fully independent channels able to deliver high-resolution sonar coverage across multiple depth ranges, precision-focused for offshore sportfishing anglers.	1736.00	2065.84
000-14493-001		Lowrance Link-6S Marine DSC VHF Radio. With built in GPS.	422.00	502.18
000-13963-001		NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	1177.00	1400.63
000-16061-001		ActiveImaging™ HD 3-in-1 (High/Wide)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.	588.00	699.72
000-16060-001		ActiveImaging™ HD 3-in-1 (Medium/High)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.	534.00	635.46
000-12742-001		HDMI Cable with vibration resistant and waterproof connector on one end to connect to Navico MFDs with HDMI port.	71.79	85.43
000-14938-001		Ghost™ freshwater trolling motor 52", HDI Transducer, Compass	3511.57	4178.77

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16173-001		Lowrance RECON™ Freshwater 54” Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.	3853.00	4585.07
000-16235-001		HS65, GNSS Compass with mount flat mount.	1223.00	1455.37
000-16174-001		Lowrance RECON™ Freshwater 60” Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.	3947.00	4696.93
000-15480-001		Ghost™ freshwater trolling motor 60", HDI Transducer, Compass and remote	3710.74	4415.78
000-12741-001		HDMI Cable with vibration resistant and waterproof connector on one end to connect to Navico MFDs with HDMI port.	120.00	142.80
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	716.00	852.04
000-16175-001		Lowrance RECON™ Freshwater 72” Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.	4229.00	5032.51
000-16652-001		NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass, Pump-2 and SteadySteer™ flow switch.	2734.00	3253.46
000-16655-001		NAC-3 VRF. Performance VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, HS65 GNSS Compass, SteadySteer™ flow switch, backbone starter kit, 4m (15 ft) NMEA 2000 cable.	3059.00	3640.21
000-16656-001		NAC-3 RF. Performance Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, HS65 GNSS Compass, RF-25N Rudder Feedback unit, SteadySteer™ flow switch, backbone starter kit and 4m (15 ft) NMEA 2000 cable.	3458.00	4115.02
000-14505-001		LOWRANCE REMOTE CONTROLLER LR-1 Bluetooth Remote controller for HDS Live and HDS Carbon	128.00	152.32
000-14543-001		HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.	2196.00	2613.24
000-14542-001		HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	2581.00	3071.39
000-14541-001		HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	2892.00	3441.48
000-11010-001		Video Adapter Kabel	106.00	126.14

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16062-001		ActiveImaging™ HD 3-IN-1 delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer. Comes with a 7.6m (25ft) cable with a 9-pin connector. Compatibility: Direct connect to Simrad NSS4, Lowrance HDS PRO, or to an S3100 module. For Lowrance HDS Live, Carbon, Elite FS, and Simrad NSS evo3(S) / NSOevo3(S) displays, an S3100 sonar module is required.	481.00	572.39
000-0124-70		CAP-1 - Schutzkappen für die rückseitigen Steckerbuchsen der HDS Serie	22.88	27.23
000-16088-001		HDS-16 PRO Bezel and SD Door	49.93	59.42
000-14585-001		HDS-16 LIVE/PRO Suncover	40.58	48.28
000-14589-001		HDS-16 LIVE/PRO Bracket and Knobs	92.60	110.19
000-0127-49		Lowrance Power/0183 Cable for HDS, EliteTi/Ti2 and HOOK Gen1 series.	38.48	45.80

HDS-12 PRO

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16003-001		Lowrance HDS-12 PRO, No Transducer. 12" SolarMAX HD IPS display, Dual 1kW sonar with CHIRP, ActiveImaging™ HD ready. Networkable to Lowrance performance sonars (ActiveTarget™ and ActiveTarget™2), Radars, Trolling Motors, and Autopilots along with waypoint, chart, and sonar sharing. Worlwide basemap (chart card required).	2808.00	3341.52
000-15988-001		Lowrance HDS-12 PRO with ActiveImaging™ HD 3-in-1 transducer. 12" SolarMAX HD IPS display, Dual 1kW sonar with CHIRP. Networkable to Lowrance performance sonars (ActiveTarget™ and ActiveTarget™2), Radars, Trolling Motors, and Autopilots along with waypoint, chart, and sonar sharing. Worlwide basemap (chart card required).	3016.00	3589.04

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16062-001		ActiveImaging™ HD 3-IN-1 delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer. Comes with a 7.6m (25ft) cable with a 9-pin connector. Compatibility: Direct connect to Simrad NSS4, Lowrance HDS PRO, or to an S3100 module. For Lowrance HDS Live, Carbon, Elite FS, and Simrad NSS evo3(S) / NSOevo3(S) displays, an S3100 sonar module is required.	481.00	572.39
000-14472-001		Lowrance LINK-9 marine VHF radio with DSC and AIS receiver.	738.00	878.22
000-11047-002		Point-1 GPS antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds. Note: For Autopilot, use Point-1AP or Precision9!	299.00	355.81
000-11749-001		Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit , Standby-Auto button and Micro-C network components.	1766.00	2101.54
000-12395-001		StructureScan® 3D Module and Transom mount Transducer kit.	1157.00	1376.83
000-16172-001		Lowrance RECON™ Freshwater 48” Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.	3759.00	4473.21
000-13963-001		NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	1177.00	1400.63
000-14493-001		Lowrance Link-6S Marine DSC VHF Radio. With built in GPS.	422.00	502.18
000-13260-001		S5100 High-performance CHIRP sonar module. Three fully independent channels able to deliver high-resolution sonar coverage across multiple depth ranges, precision-focused for offshore sportfishing anglers.	1736.00	2065.84
000-16061-001		ActiveImaging™ HD 3-in-1 (High/Wide)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.	588.00	699.72
000-16060-001		ActiveImaging™ HD 3-in-1 (Medium/High)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.	534.00	635.46
000-12742-001		HDMI Cable with vibration resistant and waterproof connector on one end to connect to Navico MFDs with HDMI port.	71.79	85.43
000-14938-001		Ghost™ freshwater trolling motor 52", HDI Transducer, Compass	3511.57	4178.77

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16173-001		Lowrance RECON™ Freshwater 54” Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.	3853.00	4585.07
000-16235-001		HS65, GNSS Compass with mount flat mount.	1223.00	1455.37
000-16174-001		Lowrance RECON™ Freshwater 60” Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.	3947.00	4696.93
000-15480-001		Ghost™ freshwater trolling motor 60", HDI Transducer, Compass and remote	3710.74	4415.78
000-12741-001		HDMI Cable with vibration resistant and waterproof connector on one end to connect to Navico MFDs with HDMI port.	120.00	142.80
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	716.00	852.04
000-16175-001		Lowrance RECON™ Freshwater 72” Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.	4229.00	5032.51
000-15959-001		ActiveTarget® 2 kit Includes ActiveTarget® 2 Module,Transducer with 7.62 m (25 ft) cable, and Mounts	1631.00	1940.89
000-16652-001		NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass, Pump-2 and SteadySteer™ flow switch.	2734.00	3253.46
000-16655-001		NAC-3 VRF. Performance VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, HS65 GNSS Compass, SteadySteer™ flow switch, backbone starter kit, 4m (15 ft) NMEA 2000 cable.	3059.00	3640.21
000-16656-001		NAC-3 RF. Performance Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, HS65 GNSS Compass, RF-25N Rudder Feedback unit, SteadySteer™ flow switch, backbone starter kit and 4m (15 ft) NMEA 2000 cable.	3458.00	4115.02
000-14505-001		LOWRANCE REMOTE CONTROLLER LR-1 Bluetooth Remote controller for HDS Live and HDS Carbon	128.00	152.32
000-14543-001		HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.	2196.00	2613.24
000-14542-001		HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	2581.00	3071.39
000-14541-001		HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	2892.00	3441.48
000-11010-001		Video Adapter Kabel	106.00	126.14

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16062-001		ActiveImaging™ HD 3-IN-1 delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer. Comes with a 7.6m (25ft) cable with a 9-pin connector. Compatibility: Direct connect to Simrad NSS4, Lowrance HDS PRO, or to an S3100 module. For Lowrance HDS Live, Carbon, Elite FS, and Simrad NSS evo3(S) / NSOevo3(S) displays, an S3100 sonar module is required.	481.00	572.39
000-0124-70		CAP-1 - Schutzkappen für die rückseitigen Steckerbuchsen der HDS Serie	22.88	27.23
000-16087-001		HDS-12 PRO Bezel and SD Door	61.38	73.05
000-14584-001		HDS-12 LIVE/PRO Suncover	62.42	74.28
000-14588-001		Lowrance HDS-12 LIVE/PRO & Elite FS-12 Bracket and Knobs	82.19	97.81
000-0127-49		Lowrance Power/0183 Cable for HDS, EliteTi/Ti2 and HOOK Gen1 series.	38.48	45.80

HDS-10 PRO

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16000-001		Lowrance HDS-10 PRO, No Transducer. 10" SolarMAX HD IPS display, Dual 1kW sonar with CHIRP, ActiveImaging™ HD ready. Networkable to Lowrance performance sonars (ActiveTarget™ and ActiveTarget™2), Radars, Trolling Motors, and Autopilots along with waypoint, chart, and sonar sharing. Worlwide basemap (chart card required).	2080.00	2475.20
000-15985-001		Lowrance HDS-10 PRO with ActiveImaging™ HD 3-in-1 transducer. 10" SolarMAX HD IPS display, Dual 1kW sonar with CHIRP. Networkable to Lowrance performance sonars (ActiveTarget™ and ActiveTarget™2), Radars, Trolling Motors, and Autopilots along with waypoint, chart, and sonar sharing. Worlwide basemap (chart card required).	2288.00	2722.72

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16062-001		ActiveImaging™ HD 3-IN-1 delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer. Comes with a 7.6m (25ft) cable with a 9-pin connector. Compatibility: Direct connect to Simrad NSS4, Lowrance HDS PRO, or to an S3100 module. For Lowrance HDS Live, Carbon, Elite FS, and Simrad NSS evo3(S) / NSOevo3(S) displays, an S3100 sonar module is required.	481.00	572.39
000-14472-001		Lowrance LINK-9 marine VHF radio with DSC and AIS receiver.	738.00	878.22
000-11047-002		Point-1 GPS antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds. Note: For Autopilot, use Point-1AP or Precision9!	299.00	355.81
000-11749-001		Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit , Standby-Auto button and Micro-C network components.	1766.00	2101.54
000-12395-001		StructureScan® 3D Module and Transom mount Transducer kit.	1157.00	1376.83
000-16172-001		Lowrance RECON™ Freshwater 48” Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.	3759.00	4473.21
000-13260-001		S5100 High-performance CHIRP sonar module. Three fully independent channels able to deliver high-resolution sonar coverage across multiple depth ranges, precision-focused for offshore sportfishing anglers.	1736.00	2065.84
000-14493-001		Lowrance Link-6S Marine DSC VHF Radio. With built in GPS.	422.00	502.18
000-13963-001		NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	1177.00	1400.63
000-16061-001		ActiveImaging™ HD 3-in-1 (High/Wide)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.	588.00	699.72
000-16060-001		ActiveImaging™ HD 3-in-1 (Medium/High)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.	534.00	635.46
000-14938-001		Ghost™ freshwater trolling motor 52", HDI Transducer, Compass	3511.57	4178.77
000-16173-001		Lowrance RECON™ Freshwater 54” Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.	3853.00	4585.07

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16235-001		HS65, GNSS Compass with mount flat mount.	1223.00	1455.37
000-16174-001		Lowrance RECON™ Freshwater 60” Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.	3947.00	4696.93
000-15480-001		Ghost™ freshwater trolling motor 60", HDI Transducer, Compass and remote	3710.74	4415.78
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	716.00	852.04
000-16175-001		Lowrance RECON™ Freshwater 72” Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.	4229.00	5032.51
000-15959-001		ActiveTarget® 2 kit Includes ActiveTarget® 2 Module,Transducer with 7.62 m (25 ft) cable, and Mounts	1631.00	1940.89
000-16652-001		NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass, Pump-2 and SteadySteer™ flow switch.	2734.00	3253.46
000-16655-001		NAC-3 VRF. Performance VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, HS65 GNSS Compass, SteadySteer™ flow switch, backbone starter kit, 4m (15 ft) NMEA 2000 cable.	3059.00	3640.21
000-16656-001		NAC-3 RF. Performance Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, HS65 GNSS Compass, RF-25N Rudder Feedback unit, SteadySteer™ flow switch, backbone starter kit and 4m (15 ft) NMEA 2000 cable.	3458.00	4115.02
000-14505-001		LOWRANCE REMOTE CONTROLLER LR-1 Bluetooth Remote controller for HDS Live and HDS Carbon	128.00	152.32
000-14543-001		HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.	2196.00	2613.24
000-14542-001		HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	2581.00	3071.39
000-14541-001		HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	2892.00	3441.48
000-11010-001		Video Adapter Kabel	106.00	126.14

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16062-001		ActiveImaging™ HD 3-IN-1 delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer. Comes with a 7.6m (25ft) cable with a 9-pin connector. Compatibility: Direct connect to Simrad NSS4, Lowrance HDS PRO, or to an S3100 module. For Lowrance HDS Live, Carbon, Elite FS, and Simrad NSS evo3(S) / NSOevo3(S) displays, an S3100 sonar module is required.	481.00	572.39
000-16057-001		HDS-10 PRO Bezel and SD Door	49.93	59.42

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16056-001		HDS-10 PRO / Elite FS-10 Bracket	67.63	80.47
000-16059-001		HDS-10 PRO Suncover	46.82	55.71
000-0124-70		CAP-1 - Schutzkappen für die rückseitigen Steckerbuchsen der HDS Serie	22.88	27.23
000-0127-49		Lowrance Power/0183 Cable for HDS, EliteTi/Ti2 and HOOK Gen1 series.	38.48	45.80

HDS-9 PRO

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15997-001		Lowrance HDS-9 PRO, No Transducer. 9" SolarMAX HD IPS display, Dual 1kW sonar with CHIRP, ActiveImaging™ HD ready. Networkable to Lowrance performance sonars (ActiveTarget™ and ActiveTarget™2), Radars, Trolling Motors, and Autopilots along with waypoint, chart, and sonar sharing. Worlwide basemap (chart card required).	1768.00	2103.92
000-15982-001		Lowrance HDS-9 PRO with ActiveImaging™ HD 3-in-1 transducer. 9" SolarMAX HD IPS display, Dual 1kW sonar with CHIRP. Networkable to Lowrance performance sonars (ActiveTarget™ and ActiveTarget™2), Radars, Trolling Motors, and Autopilots along with waypoint, chart, and sonar sharing. Worlwide basemap (chart card required).	1976.00	2351.44

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16062-001		ActiveImaging™ HD 3-IN-1 delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer. Comes with a 7.6m (25ft) cable with a 9-pin connector. Compatibility: Direct connect to Simrad NSS4, Lowrance HDS PRO, or to an S3100 module. For Lowrance HDS Live, Carbon, Elite FS, and Simrad NSS evo3(S) / NSOevo3(S) displays, an S3100 sonar module is required.	481.00	572.39
000-14472-001		Lowrance LINK-9 marine VHF radio with DSC and AIS receiver.	738.00	878.22
000-11047-002		Point-1 GPS antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds. Note: For Autopilot, use Point-1AP or Precision9!	299.00	355.81
000-11749-001		Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit , Standby-Auto button and Micro-C network components.	1766.00	2101.54
000-12395-001		StructureScan® 3D Module and Transom mount Transducer kit.	1157.00	1376.83
000-16172-001		Lowrance RECON™ Freshwater 48” Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.	3759.00	4473.21
000-13963-001		NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	1177.00	1400.63
000-14493-001		Lowrance Link-6S Marine DSC VHF Radio. With built in GPS.	422.00	502.18
000-13260-001		S5100 High-performance CHIRP sonar module. Three fully independent channels able to deliver high-resolution sonar coverage across multiple depth ranges, precision-focused for offshore sportfishing anglers.	1736.00	2065.84
000-16061-001		ActiveImaging™ HD 3-in-1 (High/Wide)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.	588.00	699.72
000-16060-001		ActiveImaging™ HD 3-in-1 (Medium/High)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.	534.00	635.46
000-14938-001		Ghost™ freshwater trolling motor 52", HDI Transducer, Compass	3511.57	4178.77
000-16173-001		Lowrance RECON™ Freshwater 54” Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.	3853.00	4585.07

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16235-001		HS65, GNSS Compass with mount flat mount.	1223.00	1455.37
000-16174-001		Lowrance RECON™ Freshwater 60” Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.	3947.00	4696.93
000-15480-001		Ghost™ freshwater trolling motor 60", HDI Transducer, Compass and remote	3710.74	4415.78
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	716.00	852.04
000-16175-001		Lowrance RECON™ Freshwater 72” Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.	4229.00	5032.51
000-15959-001		ActiveTarget® 2 kit Includes ActiveTarget® 2 Module,Transducer with 7.62 m (25 ft) cable, and Mounts	1631.00	1940.89
000-16652-001		NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass, Pump-2 and SteadySteer™ flow switch.	2734.00	3253.46
000-16655-001		NAC-3 VRF. Performance VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, HS65 GNSS Compass, SteadySteer™ flow switch, backbone starter kit, 4m (15 ft) NMEA 2000 cable.	3059.00	3640.21
000-16656-001		NAC-3 RF. Performance Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, HS65 GNSS Compass, RF-25N Rudder Feedback unit, SteadySteer™ flow switch, backbone starter kit and 4m (15 ft) NMEA 2000 cable.	3458.00	4115.02
000-14505-001		LOWRANCE REMOTE CONTROLLER LR-1 Bluetooth Remote controller for HDS Live and HDS Carbon	128.00	152.32
000-14543-001		HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.	2196.00	2613.24
000-14542-001		HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	2581.00	3071.39
000-14541-001		HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	2892.00	3441.48
000-11010-001		Video Adapter Kabel	106.00	126.14

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16062-001		ActiveImaging™ HD 3-IN-1 delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer. Comes with a 7.6m (25ft) cable with a 9-pin connector. Compatibility: Direct connect to Simrad NSS4, Lowrance HDS PRO, or to an S3100 module. For Lowrance HDS Live, Carbon, Elite FS, and Simrad NSS evo3(S) / NSOevo3(S) displays, an S3100 sonar module is required.	481.00	572.39
000-16086-001		HDS-9 PRO Bezel and SD Door	49.93	59.42

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-0124-70		CAP-1 - Schutzkappen für die rückseitigen Steckerbuchsen der HDS Serie	22.88	27.23
000-14583-001		HDS-9 LIVE/PRO Suncover	36.41	43.33
000-14587-001		HDS-9 LIVE/PRO / Elite FS9 Bracket and Knobs	61.38	73.05
000-0127-49		Lowrance Power/0183 Cable for HDS, EliteTi/Ti2 and HOOK Gen1 series.	38.48	45.80

Elite-12 FS

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16440-001		Elite™ FS 12 with Active Imaging 3-in-1 Transducer (ROW): The Elite™ Fishing System (FS) gives you access to the full line-up of Lowrance fishfinding tools – including ActiveTarget™ 2 live sonar, Active Imaging™ and Active Imaging™ HD* and preloaded C-MAP® Discover Onboard charts – to help you make the most of your time on the water. *Active Imaging HD requires S3100 Module	2345.00	2790.55
000-16439-001		Elite™ FS 12 No Transducer (ROW): The Elite™ Fishing System (FS) gives you access to the full line-up of Lowrance fishfinding tools – including ActiveTarget™ 2 live sonar, Active Imaging™ and Active Imaging™ HD* and preloaded C-MAP® Discover Onboard charts – to help you make the most of your time on the water. *Active Imaging HD requires S3100 Module	2192.00	2608.48

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-12395-001		StructureScan® 3D Module and Transom mount Transducer kit.	1157.00	1376.83
000-14472-001		Lowrance LINK-9 marine VHF radio with DSC and AIS receiver.	738.00	878.22
000-11047-002		Point-1 GPS antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds. Note: For Autopilot, use Point-1AP or Precision9!	299.00	355.81
000-11749-001		Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit , Standby-Auto button and Micro-C network components.	1766.00	2101.54
000-14493-001		Lowrance Link-6S Marine DSC VHF Radio. With built in GPS.	422.00	502.18
000-13963-001		NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	1177.00	1400.63
000-16172-001		Lowrance RECON™ Freshwater 48” Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.	3759.00	4473.21
000-16173-001		Lowrance RECON™ Freshwater 54” Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.	3853.00	4585.07
000-16235-001		HS65, GNSS Compass with mount flat mount.	1223.00	1455.37
000-14938-001		Ghost™ freshwater trolling motor 52", HDI Transducer, Compass	3511.57	4178.77
000-15480-001		Ghost™ freshwater trolling motor 60", HDI Transducer, Compass and remote	3710.74	4415.78
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	716.00	852.04
000-10029-001		NEP-2 Network Expansion Port (Ethernetverteiler mit 5 Ports)	331.00	393.89
000-16174-001		Lowrance RECON™ Freshwater 60” Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.	3947.00	4696.93

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16175-001		Lowrance RECON™ Freshwater 72” Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.	4229.00	5032.51
000-15959-001		ActiveTarget® 2 kit Includes ActiveTarget® 2 Module,Transducer with 7.62 m (25 ft) cable, and Mounts	1631.00	1940.89
000-16446-001		Elite™ FS 12 Flushmount kit	46.82	55.71
000-14505-001		LOWRANCE REMOTE CONTROLLER LR-1 Bluetooth Remote controller for HDS Live and HDS Carbon	128.00	152.32
000-14543-001		HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.	2196.00	2613.24
000-14542-001		HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	2581.00	3071.39
000-14541-001		HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	2892.00	3441.48

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16444-001		Protective suncover for Elite FS 12	62.42	74.28
000-14489-001		ActiveImaging™ 3-IN-1 combines the new Active Imaging sonar with traditional Medium/High CHIRP sonar for easy single transducer installation. 7.6m (25ft) cable with 9 pin connector.	388.00	461.72
000-14041-001		2-Wire POWER ONLY cable for Mark, Elite, Hook, Elite Ti, HDS.	34.32	40.84
000-12568-001		TotalScan™ Transducer with Medium/High Chirp and 455/800kHz Down and SideScan. 7m (24ft) Cable.	388.00	461.72
000-15777-001		Corner Clip ELITE-7, 9, 10, and 12 FS	17.67	21.02
000-14588-001		Lowrance HDS-12 LIVE/PRO & Elite FS-12 Bracket and Knobs	82.19	97.81

Elite-10 FS

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16438-001		Elite™ FS 10 with Active Imaging 3-in-1 Transducer (ROW): The Elite™ Fishing System (FS) gives you access to the full line-up of Lowrance fishfinding tools – including ActiveTarget™ 2 live sonar, Active Imaging™ and Active Imaging™ HD* and preloaded C-MAP® Discover Onboard charts – to help you make the most of your time on the water. *Active Imaging HD requires S3100 Module	1733.00	2062.27
000-16437-001		Elite™ FS 10 No Transducer (ROW):The Elite™ Fishing System (FS) gives you access to the full line-up of Lowrance fishfinding tools – including ActiveTarget™ 2 live sonar, Active Imaging™ and Active Imaging™ HD* and preloaded C-MAP® Discover Onboard charts – to help you make the most of your time on the water. *Active Imaging HD requires S3100 Module	1580.00	1880.20

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-12395-001		StructureScan® 3D Module and Transom mount Transducer kit.	1157.00	1376.83
000-14472-001		Lowrance LINK-9 marine VHF radio with DSC and AIS receiver.	738.00	878.22
000-11749-001		Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit , Standby-Auto button and Micro-C network components.	1766.00	2101.54
000-11047-002		Point-1 GPS antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds. Note: For Autopilot, use Point-1AP or Precision9!	299.00	355.81
000-13963-001		NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	1177.00	1400.63
000-14493-001		Lowrance Link-6S Marine DSC VHF Radio. With built in GPS.	422.00	502.18
000-16172-001		Lowrance RECON™ Freshwater 48” Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.	3759.00	4473.21
000-16173-001		Lowrance RECON™ Freshwater 54” Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.	3853.00	4585.07
000-16235-001		HS65, GNSS Compass with mount flat mount.	1223.00	1455.37
000-14938-001		Ghost™ freshwater trolling motor 52", HDI Transducer, Compass	3511.57	4178.77
000-15480-001		Ghost™ freshwater trolling motor 60", HDI Transducer, Compass and remote	3710.74	4415.78
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	716.00	852.04
000-10029-001		NEP-2 Network Expansion Port (Ethernetverteiler mit 5 Ports)	331.00	393.89
000-16174-001		Lowrance RECON™ Freshwater 60” Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.	3947.00	4696.93

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16175-001		Lowrance RECON™ Freshwater 72” Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.	4229.00	5032.51
000-15959-001		ActiveTarget® 2 kit Includes ActiveTarget® 2 Module,Transducer with 7.62 m (25 ft) cable, and Mounts	1631.00	1940.89
000-16445-001		Elite™ FS 10 Flushmount kit	46.82	55.71
000-14505-001		LOWRANCE REMOTE CONTROLLER LR-1 Bluetooth Remote controller for HDS Live and HDS Carbon	128.00	152.32
000-14543-001		HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.	2196.00	2613.24
000-14542-001		HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	2581.00	3071.39
000-14541-001		HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	2892.00	3441.48

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16443-001		Protective suncover for Elite FS 10	46.82	55.71
000-16056-001		HDS-10 PRO / Elite FS-10 Bracket	67.63	80.47
000-14489-001		ActiveImaging™ 3-IN-1 combines the new Active Imaging sonar with traditional Medium/High CHIRP sonar for easy single transducer installation. 7.6m (25ft) cable with 9 pin connector.	388.00	461.72
000-14041-001		2-Wire POWER ONLY cable for Mark, Elite, Hook, Elite Ti, HDS.	34.32	40.84
000-12568-001		TotalScan™ Transducer with Medium/High Chirp and 455/800kHz Down and SideScan. 7m (24ft) Cable.	388.00	461.72
000-15777-001		Corner Clip ELITE-7, 9, 10, and 12 FS	17.67	21.02

Elite-9 FS

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15706-001		ELITE FS 9 with No Transducer (ROW) The new Elite™ Fishing System (FS) gives you access to the full line-up of Lowrance fishfinding tools – including ActiveTarget™ live sonar, Active Imaging™, FishReveal™ and preloaded C-MAP® Contour™ + charts – all at a more affordable price than other fishfinder/chartplotters in its category	968.00	1151.92
000-15693-001		ELITE FS 9 with Active Imaging 3-in-1 Transducer (ROW) The new Elite™ Fishing System (FS) gives you access to the full line-up of Lowrance fishfinding tools – including ActiveTarget™ live sonar, Active Imaging™, FishReveal™ and preloaded C-MAP® Contour™ + charts – all at a more affordable price than other fishfinder/chartplotters in its category	1121.00	1333.99

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14472-001		Lowrance LINK-9 marine VHF radio with DSC and AIS receiver.	738.00	878.22
000-11749-001		Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit , Standby-Auto button and Micro-C network components.	1766.00	2101.54
000-11047-002		Point-1 GPS antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds. Note: For Autopilot, use Point-1AP or Precision9!	299.00	355.81
000-12395-001		StructureScan® 3D Module and Transom mount Transducer kit.	1157.00	1376.83
000-16172-001		Lowrance RECON™ Freshwater 48” Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.	3759.00	4473.21
000-16145-001		Power Harness Cable for Explorer Series Pack with Elite FS 9	48.18	57.34
000-13963-001		NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	1177.00	1400.63
000-14493-001		Lowrance Link-6S Marine DSC VHF Radio. With built in GPS.	422.00	502.18
000-14938-001		Ghost™ freshwater trolling motor 52", HDI Transducer, Compass	3511.57	4178.77
000-16173-001		Lowrance RECON™ Freshwater 54” Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.	3853.00	4585.07
000-16235-001		HS65, GNSS Compass with mount flat mount.	1223.00	1455.37
000-16174-001		Lowrance RECON™ Freshwater 60” Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.	3947.00	4696.93
000-15480-001		Ghost™ freshwater trolling motor 60", HDI Transducer, Compass and remote	3710.74	4415.78
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	716.00	852.04

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-10029-001		NEP-2 Network Expansion Port (Ethernetverteiler mit 5 Ports)	331.00	393.89
000-16175-001		Lowrance RECON™ Freshwater 72” Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.	4229.00	5032.51
000-15959-001		ActiveTarget® 2 kit Includes ActiveTarget® 2 Module,Transducer with 7.62 m (25 ft) cable, and Mounts	1631.00	1940.89
000-15786-001		FLUSH MOUNT KIT: ELITE FS 9	26.01	30.95
000-14505-001		LOWRANCE REMOTE CONTROLLER LR-1 Bluetooth Remote controller for HDS Live and HDS Carbon	128.00	152.32
000-14543-001		HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.	2196.00	2613.24
000-14542-001		HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	2581.00	3071.39
000-14541-001		HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	2892.00	3441.48

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14041-001		2-Wire POWER ONLY cable for Mark, Elite, Hook, Elite Ti, HDS.	34.32	40.84
000-15779-001		SUNCOVER: ELITE-9 FS	41.62	49.52
000-15777-001		Corner Clip ELITE-7, 9, 10, and 12 FS	17.67	21.02
000-14587-001		HDS-9 LIVE/PRO / Elite FS9 Bracket and Knobs	61.38	73.05

Elite-7 FS

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15702-001		ELITE FS 7 with No Transducer (ROW) The new Elite™ Fishing System (FS) gives you access to the full line-up of Lowrance fishfinding tools – including ActiveTarget™ live sonar, Active Imaging™, FishReveal™ and preloaded C-MAP® Contour™ + charts – all at a more affordable price than other fishfinder/chartplotters in its category	866.00	1030.54
000-15697-001		ELITE FS 7 with xSonic HDI M/H 455/800 Transducer (ROW) The new Elite™ Fishing System (FS) gives you access to the full line-up of Lowrance fishfinding tools – including ActiveTarget™ live sonar, Active Imaging™, FishReveal™ and preloaded C-MAP® Contour™ + charts – all at a more affordable price than other fishfinder/chartplotters in its category	917.00	1091.23
000-15689-001		ELITE FS 7 with Active Imaging 3-in-1 Transducer (ROW) The new Elite™ Fishing System (FS) gives you access to the full line-up of Lowrance fishfinding tools – including ActiveTarget™ live sonar, Active Imaging™, FishReveal™ and preloaded C-MAP® Contour™ + charts – all at a more affordable price than other fishfinder/chartplotters in its category	1019.00	1212.61

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14472-001		Lowrance LINK-9 marine VHF radio with DSC and AIS receiver.	738.00	878.22
000-11749-001		Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit , Standby-Auto button and Micro-C network components.	1766.00	2101.54
000-11047-002		Point-1 GPS antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds. Note: For Autopilot, use Point-1AP or Precision9!	299.00	355.81
000-12395-001		StructureScan® 3D Module and Transom mount Transducer kit.	1157.00	1376.83
000-16172-001		Lowrance RECON™ Freshwater 48” Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.	3759.00	4473.21
000-14493-001		Lowrance Link-6S Marine DSC VHF Radio. With built in GPS.	422.00	502.18
000-13963-001		NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	1177.00	1400.63
000-14938-001		Ghost™ freshwater trolling motor 52", HDI Transducer, Compass	3511.57	4178.77
000-16173-001		Lowrance RECON™ Freshwater 54” Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.	3853.00	4585.07
000-16235-001		HS65, GNSS Compass with mount flat mount.	1223.00	1455.37
000-16174-001		Lowrance RECON™ Freshwater 60” Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.	3947.00	4696.93
000-15480-001		Ghost™ freshwater trolling motor 60", HDI Transducer, Compass and remote	3710.74	4415.78
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	716.00	852.04

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-10029-001		NEP-2 Network Expansion Port (Ethernetverteiler mit 5 Ports)	331.00	393.89
000-16175-001		Lowrance RECON™ Freshwater 72” Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.	4229.00	5032.51
000-15959-001		ActiveTarget® 2 kit Includes ActiveTarget® 2 Module,Transducer with 7.62 m (25 ft) cable, and Mounts	1631.00	1940.89
000-15785-001		FLUSH MOUNT KIT: ELITE FS 7	26.01	30.95
000-14505-001		LOWRANCE REMOTE CONTROLLER LR-1 Bluetooth Remote controller for HDS Live and HDS Carbon	128.00	152.32
000-14543-001		HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.	2196.00	2613.24
000-14542-001		HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	2581.00	3071.39
000-14541-001		HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	2892.00	3441.48

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14041-001		2-Wire POWER ONLY cable for Mark, Elite, Hook, Elite Ti, HDS.	34.32	40.84
000-15778-001		SUNCOVER: ELITE-7 FS	36.41	43.33
000-15777-001		Corner Clip ELITE-7, 9, 10, and 12 FS	17.67	21.02
000-14586-001		HDS-7 LIVE Bracket and Knobs	40.58	48.28

Eagle-4x

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16110-001		Eagle-4x: 4" IPS Portrait Fish Finder: Bullet transducer	152.00	180.88

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16252-001		EAGLE 4" Dash gasket kit	23.93	28.48
000-16248-001		EAGLE 4" Sun cover	23.63	28.12

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16367-001		Eagle 4X Bullet Skimmer transducer / power cable	81.59	97.09
000-14170-001		Lowrance Hook2-4"/5", HOOK Reveal 5", Eagle-5", SIMRAD Cruise-5" quick release bracket.	22.88	27.23

Eagle-5

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16236-001		Eagle-5 No Transducer ROW: 5" IPS screen, Worldwide basemap chart. (Option to upgrade to CMAP® DISCOVER™ charts).	295.00	351.05
000-16310-001		Eagle-5 50/200 KHz ROW: 5" IPS screen, HDI 50/200 kHz transducer. Worldwide base map chart. (Option to upgrade to CMAP® DISCOVER™ charts)	366.00	435.54
000-16307-001		Eagle-5 83/200 KHz ROW: 5" IPS screen, HDI 83/200 kHz transducer. Worldwide base map chart. (Option to upgrade to CMAP® DISCOVER™ charts)	346.00	411.74
000-16112-001		Eagle-5 SplitShot™ HD ROW: 5" IPS screen, SplitShot™ HD transducer. Worldwide basemap chart. (Option to upgrade to CMAP® DISCOVER™ charts)	336.00	399.84

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16253-001		EAGLE 5" Dash gasket kit	14.18	16.87
000-16249-001		EAGLE 5" Sun cover	23.63	28.12
000-16473-001	Missing Image	EAGLE HDI Skimmer transducer 83/200 455/800 KHz New connector system	139.00	165.41
000-16474-001	Missing Image	EAGLE HDI SKIMMER XDCR 50/200 455/800KHZ	336.00	399.84

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15640-001		HDI Skimmer® transducer 83/200/455/800kHz for Hook2*, Hook Reveal, and Eagle 7,9. Built-in temp. Includes mounting bracket and hardware. Cable Length 6m (20 ft). Connector: 8-pin push fit. (*83 kHz / Mid CHIRP frequency options are not available on Hook2)	125.00	148.75
000-15639-001		HDI Skimmer® transducer 50/200/455/800kHz for Hook2* and Hook Reveal, with built in temp. Includes mounting bracket and hardware. Cable Length 6m (20 ft). Connector: 8 pin push fit. (* 50 kHz / Low CHIRP frequency options are not available on Hook2)	258.00	307.02
000-16284-001		EAGLE SplitShot™ HD 8 pin transducer. 6 m (20 ft cable)	107.00	127.33
000-16314-001		EAGLE 5, 7, 9 Power cable	23.92	28.46
000-16315-001		EAGLE replacement twist locks	16.65	19.81
000-14170-001		Lowrance Hook2-4"/5", HOOK Reveal 5", Eagle-5", SIMRAD Cruise-5" quick release bracket.	22.88	27.23

Eagle-7

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16230-001		Eagle-7 No Transducer ROW: 7" IPS screen, Worldwide basemap chart. (Option to upgrade to CMAP® DISCOVER™ charts)	427.00	508.13
000-16311-001		Eagle-7 50/200 ROW: 7" IPS screen, 50/200 kHz HDI transducer, Worldwide base map chart. (Option to upgrade to CMAP® DISCOVER™ charts)	499.00	593.81
000-16308-001		Eagle-7 83/200 ROW: 7" IPS screen, 83/200 kHz HDI transducer, Worldwide base map chart. (Option to upgrade to CMAP® DISCOVER™ charts)	478.00	568.82
000-16115-001		Eagle-7 SplitShot HD ROW: 7" IPS screen, SplitShot™ HD transducer, Worldwide basemap chart. (Option to upgrade to CMAP® DISCOVER™ charts)	468.00	556.92
000-16121-001		Eagle-7 TripleShot™ ROW: 7" IPS screen, TripleShot™ HD transducer, Worldwide basemap chart. (Option to upgrade to CMAP® DISCOVER™ charts)	560.00	666.40

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16254-001		EAGLE 7" Dash gasket kit	15.61	18.57
000-16250-001		EAGLE 7" Sun cover	23.63	28.12
000-16473-001	Missing Image	EAGLE HDI Skimmer transducer 83/200 455/800 KHz New connector system	139.00	165.41
000-16474-001	Missing Image	EAGLE HDI SKIMMER XDCR 50/200 455/800KHZ	336.00	399.84

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15640-001		HDI Skimmer® transducer 83/200/455/800kHz for Hook2*, Hook Reveal, and Eagle 7,9. Built-in temp. Includes mounting bracket and hardware. Cable Length 6m (20 ft). Connector: 8-pin push fit. (*83 kHz / Mid CHIRP frequency options are not available on Hook2)	125.00	148.75
000-15639-001		HDI Skimmer® transducer 50/200/455/800kHz for Hook2* and Hook Reveal, with built in temp. Includes mounting bracket and hardware. Cable Length 6m (20 ft). Connector: 8 pin push fit. (* 50 kHz / Low CHIRP frequency options are not available on Hook2)	258.00	307.02
000-16284-001		EAGLE SplitShot™ HD 8 pin transducer. 6 m (20 ft cable)	107.00	127.33
000-16285-001		EAGLE TripleShot™ HD 8-pin transducer. 6 m (20 ft cable)	195.00	232.05
000-16314-001		EAGLE 5, 7, 9 Power cable	23.92	28.46

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16313-001		EAGLE 7, 9 corner clips	15.60	18.56
000-16315-001		EAGLE replacement twist locks	16.65	19.81
000-11019-001		Gimbal mounting bracket with knobs for 7" HDS Gen2 Touch/HDS Gen3/HDS Carbon/Hook/Hook2/Hook Reveal/Elite-HDI-CHIRP/Eagle 7 *Not for use with Elite-7 Ti	46.96	55.88
000-14172-001		Power Cable for Hook2, Hook Reveal & Cruise	22.88	27.23

Eagle-9

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16231-001		Eagle-9 No Transducer ROW: 9" IPS screen, Worldwide basemap chart. (Option to upgrade to CMAP® DISCOVER™ charts)	611.00	727.09
000-16124-001		Eagle-9 HDI ROW: 9" IPS screen, 50/200 kHz HDI CHIRP transducer, Worldwide base map chart. (Option to upgrade to CMAP® DISCOVER™ charts).	662.00	787.78
000-16127-001		Eagle-9 TripleShot™ ROW: 9" IPS screen, TripleShot™ HD transducer, Worldwide basemap chart. (Option to upgrade to CMAP® DISCOVER™ charts)	713.00	848.47

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16255-001		EAGLE 9" Dash gasket kit	21.75	25.88
000-16251-001		EAGLE 9" Sun cover	25.53	30.38
000-16473-001	Missing Image	EAGLE HDI Skimmer transducer 83/200 455/800 KHz New connector system	139.00	165.41
000-16474-001	Missing Image	EAGLE HDI SKIMMER XDCR 50/200 455/800KHZ	336.00	399.84

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15639-001		HDI Skimmer® transducer 50/200/455/800kHz for Hook2* and Hook Reveal, with built in temp. Includes mounting bracket and hardware. Cable Length 6m (20 ft). Connector: 8 pin push fit. (* 50 kHz / Low CHIRP frequency options are not available on Hook2)	258.00	307.02
000-16285-001		EAGLE TripleShot™ HD 8-pin transducer. 6 m (20 ft cable)	195.00	232.05
000-16314-001		EAGLE 5, 7, 9 Power cable	23.92	28.46
000-16313-001		EAGLE 7, 9 corner clips	15.60	18.56
000-16315-001		EAGLE replacement twist locks	16.65	19.81
000-14171-001		Gimbal Bracket for Hook2/Hook Reveal 9"	52.01	61.89

Eagle Eye-9

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16130-001		Eagle Eye™ 9 Live ROW: 9" IPS screen, Eagle Eye™ transducer, Worldwide basemap chart. (Option to upgrade to CMAP® DISCOVER™ charts)	1284.00	1527.96
000-16368-001		Lowrance Eagle Eye LIVE Transducer pack: Eagle Eye™ Transducer offers focused forward and down live sonar combined with CHIRP & DownScan in one transducer, exclusively available with Eagle Eye Fishfinders. The Eagle Eye live sonar transducer is also not compatible with other Lowrance Eagle series displays.	427.00	508.13
000-16369-001		Eagle Eye™ Transducer Trolling Motor Mount	31.06	36.96

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16468-001		Eagle Eye™ Transducer Pole Mount	52.01	61.89
000-16255-001		EAGLE 9" Dash gasket kit	21.75	25.88
000-16251-001		EAGLE 9" Sun cover	25.53	30.38

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16368-001		Lowrance Eagle Eye LIVE Transducer pack: Eagle Eye™ Transducer offers focused forward and down live sonar combined with CHIRP & DownScan in one transducer, exclusively available with Eagle Eye Fishfinders. The Eagle Eye live sonar transducer is also not compatible with other Lowrance Eagle series displays.	427.00	508.13
000-16369-001		Eagle Eye™ Transducer Trolling Motor Mount	31.06	36.96
000-16314-001		EAGLE 5, 7, 9 Power cable	23.92	28.46
000-16313-001		EAGLE 7, 9 corner clips	15.60	18.56
000-16315-001		EAGLE replacement twist locks	16.65	19.81
000-14171-001		Gimbal Bracket for Hook2/Hook Reveal 9"	52.01	61.89

ACCESSORIES

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16252-001		EAGLE 4" Dash gasket kit	23.93	28.48
000-16248-001		EAGLE 4" Sun cover	23.63	28.12
000-16468-001		Eagle Eye™ Transducer Pole Mount	52.01	61.89
000-16253-001		EAGLE 5" Dash gasket kit	14.18	16.87
000-16249-001		EAGLE 5" Sun cover	23.63	28.12
000-16254-001		EAGLE 7" Dash gasket kit	15.61	18.57
000-16250-001		EAGLE 7" Sun cover	23.63	28.12
000-16255-001		EAGLE 9" Dash gasket kit	21.75	25.88
000-16251-001		EAGLE 9" Sun cover	25.53	30.38
000-16473-001	Missing Image	EAGLE HDI Skimmer transducer 83/200 455/800 KHz New connector system	139.00	165.41
000-16474-001	Missing Image	EAGLE HDI SKIMMER XDCR 50/200 455/800KHZ	336.00	399.84
000-16463-001		EAGLE SPLITSHOT HD SKIMMER XDCR	117.00	139.23
000-16367-001		Eagle 4X Bullet Skimmer transducer / power cable	81.59	97.09
000-16284-001		EAGLE SplitShot™ HD 8 pin transducer. 6 m (20 ft cable)	107.00	127.33
000-16285-001		EAGLE TripleShot™ HD 8-pin transducer. 6 m (20 ft cable)	195.00	232.05
000-16317-001		Transom mount bracket for Eagle TripleShot™ HD and Eagle Eye™ Transducer	23.93	28.48
000-16314-001		EAGLE 5, 7, 9 Power cable	23.92	28.46

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16313-001		EAGLE 7, 9 corner clips	15.60	18.56
000-16315-001		EAGLE replacement twist locks	16.65	19.81

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14414-001		8 pin 10 Ft Extension Cable: This extension cable is only for Hook2 / Hook Reveal / Cruise 8 pin compatible transducers such as Splitshot, TripleShot, Cruise Skimmer	58.89	70.08
000-14411-001	Missing Image	SPLITSHOT Inline temperature sensor: Hook2/Reveal	58.89	70.08

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16317-001		Transom mount bracket for Eagle TripleShot™ HD and Eagle Eye™ Transducer	23.93	28.48

ACCESSORIES

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14414-001		8 pin 10 Ft Extension Cable: This extension cable is only for Hook2 / Hook Reveal / Cruise 8 pin compatible transducers such as Splitshot, TripleShot, Cruise Skimmer	58.89	70.08
000-14413-001	Missing Image	Hook2 Bullet Skimmer Transducer 10 Ft Extension Cable	58.89	70.08
000-14412-001	Missing Image	Hook2 Transducer Y-Cable Allows an Active Imaging 2 in 1 or LSS-2 and HST-WSBL to be connected to a Hook2 TripleShot Display.	61.79	73.53
000-14027-001		Bullet Skimmer Transducer for Hook2-4X, with built in power cable.	73.90	87.94
000-14028-001		SplitShot Skimmer Transducer	106.00	126.14
000-14029-001		TripleShot Skimmer Transducer. With 6 m (19.7 ft) cable.	195.00	232.05
000-14192-001		Bullet/SplitShot Transom Bracket	14.98	17.83
000-14193-001		TripleShot Transom Bracket	19.28	22.94
000-14410-001	Missing Image	HOOK2-4X INLINE TEMP SENSOR	69.00	82.11
000-14070-001		HOOK2-4X to 7pin Blue Transducer Adapter & Power Cable	35.34	42.06
000-14173-001		HOOK2 4x Sun Cover	22.88	27.23
000-14170-001		Lowrance Hook2-4"/5", HOOK Reveal 5", Eagle-5", SIMRAD Cruise-5" quick release bracket.	22.88	27.23
000-14068-001		7-pin Transducer to HOOK2/Reveal/Cruise Adapter Cable. Check Transducer compatability in description!	35.33	42.05
000-14069-001		xSONIC Transducer to HOOK2/Reveal/Cruise Adapter cable. Check Transducer compatability in Details!	35.33	42.05
000-14172-001		Power Cable for Hook2, Hook Reveal & Cruise	22.88	27.23
000-14191-001		HOOK2 7"/9"/12", Hook Reveal 7"/9" corner clips	14.56	17.32
000-14411-001	Missing Image	SPLITSHOT Inline temperature sensor: Hook2/Reveal	58.89	70.08

Hook2

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14174-001		HOOK2 / HOOK Reveal 5" Sun Cover	22.88	27.23
000-14175-001		HOOK2 7" Sun Cover	22.88	27.23
000-14176-001		HOOK2 9" Sun Cover	24.96	29.70
000-14171-001		Gimbal Bracket for Hook2/Hook Reveal 9"	52.01	61.89
000-14177-001		HOOK2 12" Sun Cover	36.41	43.33

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14414-001		8 pin 10 Ft Extension Cable: This extension cable is only for Hook2 / Hook Reveal / Cruise 8 pin compatible transducers such as Splitshot, TripleShot, Cruise Skimmer	58.89	70.08

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14192-001		Bullet/SplitShot Transom Bracket	14.98	17.83
000-14193-001		TripleShot Transom Bracket	19.28	22.94

Ice / All season

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14183-001		HOOK2-4x All Season Pack (EU) The world's easiest fishfinder, HOOK2 4x Bullet offers simple menus, easy access to key functions and Autotuning sonar. Powered by proven Lowrance® performance, HOOK2 4x features wide-angle, Broadband sonar coverage. Just plug it in and fish, it's that easy.	269.99	321.29
000-14184-001		HOOK2-4x GPS All Season Pack (EU) The world's easiest fishfinder, HOOK2 4x GPS Bullet offers simple menus, easy access to key functions and Autotuning sonar. Powered by proven Lowrance® performance, HOOK2 4x GPS features wide-angle, Broadband sonar coverage, plus a simple and accurate GPS Plotter. Just plug it in and fish, it's that easy.	299.99	356.99
000-15544-001		HOOK REVEAL 5 ROW ICEMACHINE: Hook Reveal 5/ Ice Transducer / Ice Bag	462.18	549.99

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14088-001		HOOK2-4x Ice Transducer with power lead.	160.00	190.40
000-14089-001		Hook Reveal and Hook2 5"/7"/9"/12" Ice Transducer. 200kHz	127.00	151.13
000-14414-001		8 pin 10 Ft Extension Cable: This extension cable is only for Hook2 / Hook Reveal / Cruise 8 pin compatible transducers such as Splitshot, TripleShot, Cruise Skimmer	58.89	70.08
000-14413-001	Missing Image	Hook2 Bullet Skimmer Transducer 10 Ft Extension Cable	58.89	70.08
000-14028-001		SplitShot Skimmer Transducer	106.00	126.14
000-14192-001		Bullet/SplitShot Transom Bracket	14.98	17.83
000-14070-001		HOOK2-4X to 7pin Blue Transducer Adapter & Power Cable	35.34	42.06
000-14173-001		HOOK2 4x Sun Cover	22.88	27.23
000-14170-001		Lowrance Hook2-4"/5", HOOK Reveal 5", Eagle-5", SIMRAD Cruise-5" quick release bracket.	22.88	27.23
000-14068-001		7-pin Transducer to HOOK2/Reveal/Cruise Adapter Cable. Check Transducer compatability in description!	35.33	42.05
000-14069-001		xSONIC Transducer to HOOK2/Reveal/Cruise Adapter cable. Check Transducer compatability in Details!	35.33	42.05
000-14172-001		Power Cable for Hook2, Hook Reveal & Cruise	22.88	27.23

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14411-001	Missing Image	SPLITSHOT Inline temperature sensor: Hook2/Reveal	58.89	70.08
000-14174-001		HOOK2 / HOOK Reveal 5" Sun Cover	22.88	27.23
000-14175-001		HOOK2 7" Sun Cover	22.88	27.23

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14089-001		Hook Reveal and Hook2 5"/7"/9"/12" Ice Transducer. 200kHz	127.00	151.13
000-11019-001		Gimbal mounting bracket with knobs for 7" HDS Gen2 Touch/HDS Gen3/HDS Carbon/Hook/Hook2/Hook Reveal/Elite-HDI-CHIRP/Eagle 7 *Not for use with Elite-7 Ti	46.96	55.88
000-14027-001		Bullet Skimmer Transducer for Hook2-4X, with built in power cable.	73.90	87.94
000-14192-001		Bullet/SplitShot Transom Bracket	14.98	17.83
000-14170-001		Lowrance Hook2-4"/5", HOOK Reveal 5", Eagle-5", SIMRAD Cruise-5" quick release bracket.	22.88	27.23
000-14172-001		Power Cable for Hook2, Hook Reveal & Cruise	22.88	27.23
000-14191-001		HOOK2 7"/9"/12", Hook Reveal 7"/9" corner clips	14.56	17.32

Premium Ice

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15954-001		Explorer Ice Bag & Transducer Pole Comes With: - Premium Explorer Bag and Shuttle Frame - Custom wiring harness and master power switch - Premium Ice Transducer Pole for ActiveTarget™ Down/Forward or Scout	482.00	573.58
000-15953-001		Explorer Ice Bag Comes With: - Premium Explorer Bag and Shuttle Frame - Custom wiring harness and master power switch	321.00	381.99
000-15955-001		Explorer Ice Pole Comes With: - Premium Ice Transducer Pole for ActiveTarget™ Down/Forward or Scout	182.00	216.58

Portable ACCY.

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16145-001		Power Harness Cable for Explorer Series Pack with Elite FS 9	48.18	57.34
000-16146-001		0.3m (1 ft) Extension pole for Explorer Series Ice Pole (not Included), ideal for thicker ice areas and more depth	32.12	38.22
000-14088-001		HOOK2-4x Ice Transducer with power lead.	160.00	190.40
000-14089-001		Hook Reveal and Hook2 5"/7"/9"/12" Ice Transducer. 200kHz	127.00	151.13
000-14889-001		Ice transducer with 9 Pin connector. 83/200 Medium/High frequencies.	127.00	151.13
000-15112-001	Missing Image	PORTABLE PK 7" & UNDER HOOK2/ELITE TI EMEA	387.00	460.53

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14414-001		8 pin 10 Ft Extension Cable: This extension cable is only for Hook2 / Hook Reveal / Cruise 8 pin compatible transducers such as Splitshot, TripleShot, Cruise Skimmer	58.89	70.08

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14963-001	Missing Image	Replacement Ice Mount for LiveSight Transducer	319.99	380.79

RECON Freshwater

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16172-001		Lowrance RECON™ Freshwater 48” Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.	3759.00	4473.21
000-16173-001		Lowrance RECON™ Freshwater 54” Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.	3853.00	4585.07
000-16174-001		Lowrance RECON™ Freshwater 60” Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.	3947.00	4696.93
000-16175-001		Lowrance RECON™ Freshwater 72” Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.	4229.00	5032.51

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16421-001		Recon™ Quick Release Bracket - HD Composite - BLACK	426.00	506.94
000-16422-001		Recon™ Quick Release Bracket – HD Aluminum – BLACK	264.00	314.16
000-16501-001		ActiveTarget® 2 XL RECON™ Mount.	292.00	347.48
000-16420-001		RECON™ Quick Release Bracket - HD Composite - WHITE	426.00	506.94
000-16287-001		Compact GPS Remote.	164.00	195.16
000-16353-001		RECON™ Active Imaging 3-in-1 Nosecone.	406.00	483.14
000-16503-001		RECON™ ActiveTarget® 2 Mounting kit.	350.00	416.50
000-16462-001		TM ACTIVETARGET 2 MOUNTING KIT	239.00	284.41

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16178-001		RECON™ 2-blade Weedless Prop. For fresh / salt water RECON™ trolling motors (Not compatible with GHOST)	71.58	85.18
000-16412-001		PEDAL ASSY,ADV WRLESS,NOPWR_NOMODL	477.00	567.63
000-16177-001		Lowrance advanced wireless trolling motor foot pedal	597.00	710.43

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16176-001		Lowrance FreeSteer™ Trolling motor joystick remote	358.00	426.02
000-16415-001		BUTTON MODL ASSY LWR,PEDAL,ADV WRLESS	119.00	141.61
000-0119-79		N2K-T-RD - NMEA 2000® T-connector zur Netzwerkerweiterung	23.56	28.04
000-16385-001		COLUMN CAP KIT	13.64	16.23
000-16386-001		MOUNT HW/LINKAGE KIT,RECON	192.00	228.48
000-16387-001		TRANSMISSION TILT PIN KIT,RECON	21.31	25.36
000-16388-001		RECON,PEDAL,STOW/DEPLOY	18.75	22.31
000-16392-001		UI COVER DECAL KIT,RECON	16.70	19.87
000-15327-001		Mini 9-pin to 9-pin Sonar adapter cable	50.99	60.68
000-16362-001		RECON HDI Nose cone transducer: Traditional 200 kHz High Chirp, 83 kHz Medium Chirp, and DownScan 455 kHz, 800 kHz. (Not compatible with GHOST trolling motors.)	153.00	182.07
000-16405-001		COIL CABLE KIT (48-54")	459.00	546.21
000-16406-001		COIL CABLE KIT (60")	284.00	337.96
000-16407-001		COIL CABLE KIT (72")	305.00	362.95
000-16414-001		BATT DOOR/CENTER CLIP,PEDAL,ADV WRLESS	24.36	28.99
000-16416-001		DAMPER ASSEMBLY,PEDAL,ADV WIRELESS	69.02	82.14
000-16375-001		DEPTH COLLAR ASSEMBLY,CAM LOCK	21.31	25.36

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16397-001		MOUNT CONTROLLER/UI BOARD KIT,RECON	354.00	421.26
000-16372-001		LOWER UNIT,RECON,24/36,FW	1108.00	1318.52
000-16376-001		COLUMN KIT,RECON,48",FW	256.00	304.64
000-16377-001		COLUMN KIT,RECON,54",FW	256.00	304.64
000-16378-001		COLUMN KIT,RECON,60",FW	256.00	304.64
000-16379-001		COLUMN KIT,RECON,72",FW	298.00	354.62
000-16384-001		TRANSMISSION ASSEMBLY,RECON,FW	405.00	481.95
000-16389-001		SIDEPLATE KIT,RECON,LFW	83.53	99.40
000-16393-001		UI COVER,RECON,FW	68.19	81.14
000-16395-001		MOUNT CRADLE KIT,RECON,FW	59.67	71.01
000-16399-001		MOUNT ASSEMBLY,MECH,SERVICE,RECON,FW	681.00	810.39
000-16401-001		HEAD COVER GPS PCB ASSY,RECON,FW	365.00	434.35
000-16403-001		HEAD BASE AND WEDGE KIT FW	32.48	38.65
000-16408-001		BATT DOOR,JOYSTICK REMOTE	16.24	19.32

RECON Saltwater

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16179-001		Lowrance RECON™ Saltwater 54” Trolling Motor. Includes FreeSteer™ Joystick Remote.	4136.00	4921.84
000-16180-001		Lowrance RECON™ Saltwater 60” Trolling Motor. Includes FreeSteer™ Joystick Remote.	4229.00	5032.51
000-16181-001		Lowrance RECON™ Saltwater 72” Trolling Motor. Includes FreeSteer™ Joystick Remote.	4323.00	5144.37

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16177-001		Lowrance advanced wireless trolling motor foot pedal	597.00	710.43
000-16421-001		Recon™ Quick Release Bracket - HD Composite - BLACK	426.00	506.94
000-16422-001		Recon™ Quick Release Bracket – HD Aluminum – BLACK	264.00	314.16
000-16420-001		RECON™ Quick Release Bracket - HD Composite - WHITE	426.00	506.94
000-16287-001		Compact GPS Remote.	164.00	195.16
000-16362-001		RECON HDI Nose cone transducer: Traditional 200 kHz High Chirp, 83 kHz Medium Chirp, and DownScan 455 kHz, 800 kHz. (Not compatible with GHOST trolling motors.)	153.00	182.07
000-16353-001		RECON™ Active Imaging 3-in-1 Nosecone.	406.00	483.14

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16178-001		RECON™ 2-blade Weedless Prop. For fresh / salt water RECON™ trolling motors (Not compatible with GHOST)	71.58	85.18
000-16412-001		PEDAL ASSY,ADV WRLESS,NOPWR_NOMODL	477.00	567.63
000-16176-001		Lowrance FreeSteer™ Trolling motor joystick remote	358.00	426.02
000-16415-001		BUTTON MODL ASSY LWR,PEDAL,ADV WRLESS	119.00	141.61

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-0119-79		N2K-T-RD - NMEA 2000® T-connector zur Netzwerkerweiterung	23.56	28.04
000-16385-001		COLUMN CAP KIT	13.64	16.23
000-16386-001		MOUNT HW/LINKAGE KIT,RECON	192.00	228.48
000-16387-001		TRANSMISSION TILT PIN KIT,RECON	21.31	25.36
000-16388-001		RECON,PEDAL,STOW/DEPLOY	18.75	22.31
000-16392-001		UI COVER DECAL KIT,RECON	16.70	19.87
000-16405-001		COIL CABLE KIT (48-54")	459.00	546.21
000-15723-001		The Prop Shaft Anode for the Lowrance Ghost® & RECON trolling motors allows for use in brackish water without voiding the Lowrance Ghost trolling motor warranty. The Prop Shaft Anode is a ring-shaped fitting that is installed over the existing propeller nut, on the back of the propeller. The anode prevents corrosion that could result from using the trolling motor in brackish water. NOTE: Using the Ghost Trolling Motor in saltwater WILL void the warranty.	23.45	27.91
000-16406-001		COIL CABLE KIT (60")	284.00	337.96
000-16407-001		COIL CABLE KIT (72")	305.00	362.95
000-16414-001		BATT DOOR/CENTER CLIP,PEDAL,ADV WRLESS	24.36	28.99
000-16416-001		DAMPER ASSEMBLY,PEDAL,ADV WIRELESS	69.02	82.14
000-16375-001		DEPTH COLLAR ASSEMBLY,CAM LOCK	21.31	25.36
000-16397-001		MOUNT CONTROLLER/UI BOARD KIT,RECON	354.00	421.26
000-16380-001		COLUMN KIT,RECON,54",SW	256.00	304.64
000-16381-001		COLUMN KIT,RECON,60",SW	277.00	329.63
000-16382-001		COLUMN KIT,RECON,72",SW	320.00	380.80

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16383-001		TRANSMISSION ASSEMBLY,RECON,SW	426.00	506.94
000-16390-001		SIDEPLATE KIT,RECON,LSW	95.46	113.60
000-16394-001		UI COVER,RECON,SW	68.19	81.14
000-16396-001		MOUNT CRADLE KIT,RECON,SW	59.67	71.01
000-16400-001		MOUNT ASSEMBLY,MECH,SERVICE,RECON,SW	689.00	819.91
000-16402-001		HEAD COVER GPS PCB ASSY,RECON,SW	365.00	434.35
000-16404-001		HEAD BASE AND WEDGE KIT SW	32.48	38.65
000-16408-001		BATT DOOR,JOYSTICK REMOTE	16.24	19.32
000-16374-001		NOSECONE,NOXD,RECON,WHITE	51.13	60.85

RECON Accessories

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16178-001		RECON™ 2-blade Weedless Prop. For fresh / salt water RECON™ trolling motors (Not compatible with GHOST)	71.58	85.18
000-16177-001		Lowrance advanced wireless trolling motor foot pedal	597.00	710.43
000-16176-001		Lowrance FreeSteer™ Trolling motor joystick remote	358.00	426.02
000-16421-001		Recon™ Quick Release Bracket - HD Composite - BLACK	426.00	506.94
000-16422-001		Recon™ Quick Release Bracket – HD Aluminum – BLACK	264.00	314.16
000-16420-001		RECON™ Quick Release Bracket - HD Composite - WHITE	426.00	506.94
000-16287-001		Compact GPS Remote.	164.00	195.16
000-16362-001		RECON HDI Nose cone transducer: Traditional 200 kHz High Chirp, 83 kHz Medium Chirp, and DownScan 455 kHz, 800 kHz. (Not compatible with GHOST trolling motors.)	153.00	182.07
000-16353-001		RECON™ Active Imaging 3-in-1 Nosecone.	406.00	483.14
000-16409-001		Lowrance lanyard for FreeSteer joystick remote	29.82	35.49

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16413-001		12 V DC Power cable for Advanced wireless trolling motor foot pedal.	24.35	28.97
000-16409-001		Lowrance lanyard for FreeSteer joystick remote	29.82	35.49

Service Parts

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16413-001		12 V DC Power cable for Advanced wireless trolling motor foot pedal.	24.35	28.97
000-16412-001		PEDAL ASSY,ADV WRLESS,NOPWR_NOMODL	477.00	567.63
000-16415-001		BUTTON MODL ASSY LWR,PEDAL,ADV WRLESS	119.00	141.61
000-16385-001		COLUMN CAP KIT	13.64	16.23
000-16386-001		MOUNT HW/LINKAGE KIT,RECON	192.00	228.48
000-16387-001		TRANSMISSION TILT PIN KIT,RECON	21.31	25.36
000-16388-001		RECON,PEDAL,STOW/DEPLOY	18.75	22.31
000-16392-001		UI COVER DECAL KIT,RECON	16.70	19.87
000-16405-001		COIL CABLE KIT (48-54")	459.00	546.21
000-16406-001		COIL CABLE KIT (60")	284.00	337.96
000-16407-001		COIL CABLE KIT (72")	305.00	362.95
000-16414-001		BATT DOOR/CENTER CLIP,PEDAL,ADV WRLESS	24.36	28.99
000-16416-001		DAMPER ASSEMBLY,PEDAL,ADV WIRELESS	69.02	82.14
000-16375-001		DEPTH COLLAR ASSEMBLY,CAM LOCK	21.31	25.36
000-16397-001		MOUNT CONTROLLER/UI BOARD KIT,RECON	354.00	421.26

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16372-001		LOWER UNIT,RECON,24/36,FW	1108.00	1318.52
000-16376-001		COLUMN KIT,RECON,48",FW	256.00	304.64
000-16377-001		COLUMN KIT,RECON,54",FW	256.00	304.64
000-16378-001		COLUMN KIT,RECON,60",FW	256.00	304.64
000-16379-001		COLUMN KIT,RECON,72",FW	298.00	354.62
000-16384-001		TRANSMISSION ASSEMBLY,RECON,FW	405.00	481.95
000-16389-001		SIDEPLATE KIT,RECON,LFW	83.53	99.40
000-16393-001		UI COVER,RECON,FW	68.19	81.14
000-16395-001		MOUNT CRADLE KIT,RECON,FW	59.67	71.01
000-16399-001		MOUNT ASSEMBLY,MECH,SERVICE,RECON,FW	681.00	810.39
000-16401-001		HEAD COVER GPS PCB ASSY,RECON,FW	365.00	434.35
000-16403-001		HEAD BASE AND WEDGE KIT FW	32.48	38.65
000-16373-001		LOWER UNIT,RECON,24/36,SW	1193.00	1419.67
000-16380-001		COLUMN KIT,RECON,54",SW	256.00	304.64
000-16381-001		COLUMN KIT,RECON,60",SW	277.00	329.63
000-16382-001		COLUMN KIT,RECON,72",SW	320.00	380.80
000-16383-001		TRANSMISSION ASSEMBLY,RECON,SW	426.00	506.94
000-16390-001		SIDEPLATE KIT,RECON,LSW	95.46	113.60
000-16394-001		UI COVER,RECON,SW	68.19	81.14
000-16396-001		MOUNT CRADLE KIT,RECON,SW	59.67	71.01
000-16400-001		MOUNT ASSEMBLY,MECH,SERVICE,RECON,SW	689.00	819.91

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16402-001		HEAD COVER GPS PCB ASSY,RECON,SW	365.00	434.35
000-16404-001		HEAD BASE AND WEDGE KIT SW	32.48	38.65
000-16408-001		BATT DOOR,JOYSTICK REMOTE	16.24	19.32
000-16374-001		NOSECONE,NOXD,RECON,WHITE	51.13	60.85

GHOST™

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16475-001		GHOST X 47" Trolling motor. 47" Shaft length, with Active Imaging 3-in-1 Nosecone and foot pedal.	4385.00	5218.15
000-14938-001		Ghost™ freshwater trolling motor 52", HDI Transducer, Compass	3511.57	4178.77
000-15480-001		Ghost™ freshwater trolling motor 60", HDI Transducer, Compass and remote	3710.74	4415.78

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14900-001		ACTIVE IMAGING 3-IN-1 Trolling Motor Nosecone for GHOST™. Not compatible with RECON™	481.00	572.39
000-15301-002		MISC. HARDWARE,MOUNT KIT	20.39	24.26
000-16508-001		Ghost X Indicator Upgrade Kit: The Ghost X Indicator Kit can be used as a direct replacement for existing indicators on Ghost X or as an upgrade for Ghost Trolling Motors.	203.00	241.57
000-15237-001		GHOST Propeller kit.	55.08	65.55
000-15582-001		GHOST Trolling motor compass extension cable, 6 m (20')	46.91	55.82
000-15327-001		Mini 9-pin to 9-pin Sonar adapter cable	50.99	60.68
000-15325-001		Replacement trolling motor compass (TMC-1)	148.00	176.12
000-15723-001		The Prop Shaft Anode for the Lowrance Ghost® & RECON trolling motors allows for use in brackish water without voiding the Lowrance Ghost trolling motor warranty. The Prop Shaft Anode is a ring-shaped fitting that is installed over the existing propeller nut, on the back of the propeller. The anode prevents corrosion that could result from using the trolling motor in brackish water. NOTE: Using the Ghost Trolling Motor in saltwater WILL void the warranty.	23.45	27.91
000-15468-001		TMR-1: Remote controll for the Ghost trolling motor.	129.00	153.51

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15319-001		Center cover kit: 1x Center cover, pedal, 1x Screw, no. 6x3/8, Phillips, pan, SS	13.25	15.77
000-16507-001		GHOST/X 47" LOWER UNIT + SHAFT KIT	2076.00	2470.44
000-16509-001		GHOST X INDICATOR ARROW & PULLEY KIT	39.78	47.34
000-15672-001		1x Column, inner shaft, 52"	51.99	61.87
000-16511-001		GHOST/X 47" MOUNT KIT,NO SIDE COVERS	816.00	971.04

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15301-002		MISC. HARDWARE,MOUNT KIT	20.39	24.26
000-16508-001		Ghost X Indicator Upgrade Kit: The Ghost X Indicator Kit can be used as a direct replacement for existing indicators on Ghost X or as an upgrade for Ghost Trolling Motors.	203.00	241.57
000-15318-001		Switch housing kit: 1x Switch housing, pedal, 2x Screw, no. 6x3/8, Phillips, pan, SS	7.99	9.51
000-16506-001		GHOST X,47" SERVICE,NO MOUNT	4549.00	5413.31
000-16510-001		GHOST X HEAD SEAL,COVER KIT	112.00	133.28
000-16512-001		GHOST X 47" SIDE PLATE KIT	45.89	54.61
000-15673-001		1x Column, inner shaft, 60"	58.99	70.20
000-15235-001		360 Head HW kit: 2x Screw, SHCS M8 x 1.25 x 20	2.54	3.02
000-15314-001		Momentary switch kit: 1x Momentary switch, pedal, 2x Screw, M3x18mm, hex, button, 304SS, 1xScrew, no. 6x3/8, Phillips, pan, SS, 2x Cable tie, anchored, 2x Nylock SS nut M3, 1x Momentary button, pedal, 1x Spring, compression, 7mm ID x 15mm x 1m, 1x Momentary pin, pedal	28.55	33.97
000-15253-001		Lowrance label 1x Head decal	15.99	19.03
000-15315-001		Bluetooth module kit: 4x Screw 7mm torx T8, 1x Screw, no. 6x3/8, Phillips, pan, SS, 2x Cable tie, anchored, 1x Bluetooth seal, pedal, 1x Bluetooth cover, pedal, 1x Bluetooth cable grommet, pedal, 1x PCB TST assembly Bluetooth	44.87	53.40
000-15237-001		GHOST Propeller kit.	55.08	65.55
000-15674-001		2x Nose cone O-ring, 1x Cable tie/heat shrink kit (not shown in the illustration), 1x Column, inner, GHOST 52”/lower unit (pre-assembled)	1479.00	1760.01
000-15238-001	Missing Image	Propeller hardware kit: 1x M10 Propeller washer 1x M10 Nylock nut	9.17	10.91
000-15239-001		1x Column, inner shaft, 47"	44.99	53.54
000-15730-001		Indicator ring decal kit: 1x Indicator ring decal	2.44	2.90
000-15675-001		2x Nose cone O-ring, 1x Cable tie/heat shrink kit (not shown in the illustration), 1x Column, inner, GHOST 60”/lower unit (pre-assembled)	1529.00	1819.51
000-15310-001		GHOST foot pedal Configurable button 1 kit. 1 x Front left button assembly, pedal, 1x Spring, compression, 7mm ID x 15mm x 1m.	19.37	23.05
000-15312-001		GHOST foot pedal Configurable button 2 kit. 1 x Back left button assembly, pedal, 1x Spring, compression, 7mm ID x 15mm x 1m.	19.37	23.05
000-15395-001		Lower unit front cap kit: 1x Front cap, 1x O-ring, 80x3 mm, 4x Screw, M3, 5x10 1x Screw, M5x8, 1x Seal washer, 5x9x1	68.99	82.10
000-15246-001	Missing Image	1x Lower housing assy with outer column, GHOST 47", 1x Cable tie/heat shrink kit (not shown in the illustration), 2x Screw, M3 x 10, torx, 1x PCBA thermal pad	224.00	266.56
000-15311-001		GHOST foot pedal anchor button kit (front right button): Kit contains 1 x front right "Anchor" button assembly, 1x Spring, compression, 7mm ID x 15mm x 1m	20.39	24.26
000-15285-001		Upper dressing cap kit: 1x Upper dressing cap, 1x Lock pin upper extrusion, 1x Screw, M6x16, hex, flat, SS	15.29	18.19
000-15313-001		GHOST foot pedal Configurable button 3.1 x Back right button assembly, pedal, 1x Spring, compression, 7mm ID x 15mm x 1m.	20.39	24.26

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15242-001		Bearing, sealed kit: 2x Bearing sealed, 2x Bearing wedge, 1x Seal, shaft, 1x Cable tie/heat shrink kit	66.30	78.90
000-15292-001		Upper extrusion kit with bushing, GHOST 47": 1x Upper extrusion assembly, GHOST 47"	249.99	297.49
000-15243-001		Bearing cup: 1x Bearing cup	12.99	15.46
000-15387-001		Lower unit rotor assembly: 1x Rotor assembly	299.99	356.99
000-15320-001		Driving gear kit: 1x Driving gear, pedal, 2x Screw, no. 6x3/4, torx, pan, SS	9.17	10.91
000-15676-001		Upper extrusion kit, GHOST GHOST 52”/GHOST 60”: 1x Upper extrusion assembly, GHOST GHOST 52”/GHOST 60”	327.99	390.31
000-15264-002		Head sensor assy: 1x Sensor assembly, 2x Screw, M3 x 10, torx	28.55	33.97
000-15322-001		Pedal, upper: 1x Upper, pedal	33.99	40.45
000-15247-001		Lower unit hardware kit: 1x Seal washer, 5x9x1, 1x Screw, M5x8, 4x Screw, M3, 5x10, 1x Bearing-shim washer, 1x O-ring, 85x3 mm, 1x O-ring, 80x3 mm	2.49	2.96
000-15244-001		Lower bearing clamp kit: 2x Collar, lower, 2x Screw, M5x20 mm, hex	24.47	29.12
000-15281-001		Cable management clip kit: 2x Cable management clips, 2x M4 x 8 socket screw with patch, 2x M4 round base weld nut	12.23	14.55
000-15250-001		Indicator assembly 1x Indicator w/magnet, 1x Indicator ring	23.45	27.91
000-15298-001		Pushrod pin kit: 1x Pushrod pin 2x Pushrod pin clip	22.43	26.69
000-15252-001		Top housing assembly 1x Housing, upper assembly (including head decal and indicator decal ring), 14x Screw, torx, no. 6 x 3/4	61.19	72.82
000-15241-001		Nose cone O-ring kit: 1x O-ring, 41x2.62mm, 1x O-ring, 15x3.53mm, 2x O-ring, 84x4.10mm	7.13	8.48
000-15271-001		Upper clamp kit: 1x Collar, plain, upper, 1x Collar threaded, upper, 2x Screw, M4x25 mm, hex, socket, SS316	25.50	30.35
000-15321-001		Pivot pin: 1x Pivot pin, pedal	9.17	10.91
000-15289-001		Pushrod kit, GHOST 47" 1x Clevis bracket 4x Screw, M5x8mm, hex, button, SS 1x Pushrod, finish machine with bushing, GHOST 47"	224.00	266.56
000-15272-001		Shaft seal: 1x Seal, shaft	5.99	7.13
000-15668-001		1x Lower housing assy with outer column, GHOST 52”, 1x Cable tie/heat shrink kit (not shown in the illustration), 2x Screw, M3 x 10, torx, 1x PCBA thermal pad	212.00	252.28
000-15317-001		Potentiometer kit: 1x Potentiometer, pedal, 1x Lock washer, 3/8", internal tooth, SS, 1x Nut, 3/8-32, SS, 1x Screw, no. 6x3/8, Phillips, pan, SS (not shown in the illustration), 2x Cable tie, anchored (not shown in the illustration)	40.79	48.54
000-15251-001		Housing hardware 14x Screw, torx, no. 6 x 3/4	10.19	12.13
000-15254-001		Case seal 1x Seal, case	15.29	18.19
000-15277-001		Nose cone hardware kit: 1x O-ring, 15x3.53mm, 1x O-ring, 41x2.62mm, 1x Nose cone cap, 1x Bolt, transducer, 2x O-ring, 84x4.10mm	23.45	27.91
000-15316-001		Speed knob kit: 1x Speed knob, pedal: 1x Spring, Compression, speed knob, 1x E-clip 3/4”, 1x D-clip, 1/4” shaft	14.27	16.98

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15677-001		Pushrod kit, GHOST 52”/GHOST 60”: 1x Clevis bracket, 4x Screw, M5x8mm, hex, button, SS, 1x Pushrod, finish machine with bushing, GHOST 52”/GHOST 60”	218.00	259.42
000-15669-001		1x Lower housing assy with outer column, GHOST 60”, 1x Cable tie/heat shrink kit (not shown in the illustration), 2x Screw, M3 x 10, torx, 1x PCBA thermal pad	216.00	257.04
000-15306-001		Label, battery: 1x Label status panel w/adhesive, pedal	8.99	10.70
000-15278-001		Rod, stabilizer kit: 1xRod, stabilizer, 1x Nut, 3/4"-10, nylon, 1x Foot, stabilizer, 1x Top cap	40.79	48.54
000-15255-001		GPS PCBA 1x PCB Test Assembely: 2x Screw, torx, no. 6 x 3/8, 1x GPS PCBA cable (not shown in the illustration)	49.98	59.48
000-15293-001		Secondary latch kit: 1x Secondary latch, 1x Spring, secondary latch torsion, 2x Washer, 1/2", nylon, 1x C-ring, 1/2", 15-7 PH SS, 1x Pull cable spacer	23.45	27.91
000-15256-001		PCBA, main head kit: 1x PCB TST ASY head controller CC, 1x Thermal pad, 6x Screw, torx, no. 6 x 3/8, 1x Screw, M3 x 10, torx	180.00	214.20
000-15309-001		Housing, lower, pedal kit, 47”: 1x Base, pedal, 1x Wiper seal, pedal, 3x Grommet wires pedal, 1x Cable tie/heat shrink kit (not shown in the illustration), 1x Misc. hardware, pedal kit	53.99	64.25
000-15291-001		Upper head adapter pin kit: 1x Pin, upper head, 2x E-clip, 1/2", 15-7 PH SS	14.99	17.84
000-15294-001		Lower head adapter pin kit: 1x Pin bracket/bow arm, 1x Set screw, M6 x 8, SS	16.31	19.41
000-15307-001		Damper kit: 1x Damper, pedal, 1xScrew M4X8 socket cap head S/S 304, 1x Washer M4 flat OD 12mm SST, 1x PSA washer damper	20.39	24.26
000-15257-001		Thermal spreader kit, 1x Spreader, thermal, 1x Thermal pad, 3x Screw, M3 x 10, torx	12.23	14.55
000-15290-001		Head adapter kit: 1x Head adapter with bushing	122.00	145.18
000-15258-001		Gear cover kit: 1x Cover, gear drive, 8x Screw, M3 x 18, hex, 1x Cable tie/heat shrink kit.	32.99	39.26
000-15830-001		ROD,STABILIZER HARDWARE KIT	5.09	6.06
000-15305-001		PCBA, battery kit, 1x PCB TST ASY power/battery potted, 1x Cable tie/heat shrink kit, 3x Screw 7 mm torx T8	49.98	59.48
000-15297-001		Latch trigger kit, GHOST 47": 2x Latch trigger, GHOST 47"	18.35	21.84
000-15259-001		12x Screw, M3 x 20, torx	9.99	11.89
000-15303-001		Pedal PCBA, potted assembly kit: 1x Potted main controller assembly, pedal, 1xCable tie/heat shrink kit, 6x Screw M2.5 x 10 T8 PT THR	265.00	315.35
000-15249-001		1x Cable, head to pedal, GHOST 47", 2x Screw, M3 x 10, torx, 1x Seal, strain relief, 1x Cable tie/heat shrink kit, 1x PCBA thermal pad	306.00	364.14
000-15260-001		1x Motor belt	8.15	9.70
000-15678-001		Latch trigger, GHOST 52”/GHOST 60” 2x Latch trigger, GHOST 52”/GHOST 60”	22.27	26.51

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15296-001		Front latch guide kit: 1x Guide, front latch, 1x Spring, extension, front latch	16.31	19.41
000-15261-001		1x Indicator belt	6.99	8.32
000-15670-001		1x Cable, head to pedal, GHOST 52”, 2x Screw, M3 x 10, torx, 1x Seal, strain relief, 1x Cable tie/heat shrink kit, 1x PCBA thermal pad	323.00	384.37
000-15671-001		1x Cable, head to pedal, GHOST GHOST 52”, 2x Screw, M3 x 10, torx, 1x Seal, strain relief, 1x Cable tie/heat shrink kit, 1x PCBA thermal pad	377.00	448.63
000-15262-001		1x Indicator pulley assembly	19.38	23.06
000-15295-001		Front latch block: 1x Front latch block	17.33	20.62
000-15581-001		Lift assist crutch: 1x Lift assist crutch	10.19	12.13
000-15263-001		1x Idler, gear, pully, assembly	35.69	42.47
000-15304-001		Bottom plate, pedal kit: 1x Bottom plate, pedal, 2x Screw, M5x10 mm, hex, button, SS316, 8x Screw, no. 6x3/4, torx, pan, SS, 4x Rubber foot pedal	25.49	30.33
000-15323-001		Battery power cable kit: 1x Power cable, 2x Screw, M5 x 10 mm, hex	36.71	43.68
000-15265-001		Steering motor kit: 1x Motor assembly, 1x Motor thermal pad, 1x PCBA thermal pad, 1x Screw, M5x20 mm, hex, socket, SS316, 1x Seal, adjusting screw, O-ring, 4x Screw, M3 x 10, torx, 1x Motor belt	241.00	286.79
000-15288-001		Lift assist spring kit, GHOST 47": 1x Gas spring, compression/traction, GHOST 47", 2x Binding barrel, 5/16 x 1”, Pan, PH, SS, 2x Screw, 1/4-20 x 5/16”, Pan, PH, SS	143.00	170.17
000-15679-001		Lift assist kit, GHOST 52”/GHOST 60”: 1x Gas spring, compression/traction, GHOST 52”/60”, 2x Binding barrel, 5/16 x 1”, Pan, PH, SS, 2x Screw, 1/4-20 x 5/16”, Pan, PH, SS	151.00	179.69
000-15308-001		Damper gear assembly kit: 1x Damper gear assembly, 1x Screw, cap, M4x16, 1x Screw, no. 6x3/4, torx, pan, ss	67.31	80.10
000-15266-001		Tensioning bolt kit: 1x Screw, M5x20 mm, hex, socket, SS316, 1x Seal, adjusting screw, O-ring	2.03	2.42
000-15284-001		Wear bearing kit, GHOST 47": 2x Wear bearing, GHOST 47"	13.25	15.77
000-15324-001		Miscellaneous hardware kit for GHOST Trolling motor foot pedal	20.39	24.26
000-15267-001		Thermal pad, steering motor: 1x Motor thermal pad	7.13	8.48
000-15273-001		Cable tie/heat shrink kit: 6x Cable tie anchored, 12x Cable tie small, 2x Heat shrink tubing 1.5”	9.18	10.92
000-15269-001		Steering motor thermocouple kit: 1x Cable assembly thermistor 150 mm, 1x Thermocouple adhesive, 1x PCBA thermal pad	9.17	10.91

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15680-001		Wear bearing kit, GHOST 52”/GHOST 60”: 2x Wear bearing, GHOST 52”/GHOST 60”	22.43	26.69
000-15286-001		Lower dressing cap kit: 1x Lower dressing cap, 1x Spring, latch extension	13.25	15.77
000-15268-001		Thermal pad, PCBA: 1x PCBA thermal pad	4.99	5.94
000-15270-001		Slip gear assembly: 1x Gear assembly, 2x Screw, M3 x 20, torx	36.71	43.68
000-15287-001		Rear latch kit: 1x Mount rear latch 1x Pin, rear latch pivot	40.79	48.54
000-15248-001		Lower bezel kit: 1x Bezel, lower, 2x Screw, M3 x 10, torx	10.19	12.13
000-15299-001		Lower extrusion hardware kit: 2x Bolt, rear hinge, 4x Bushing, 1/2”, 2x Washer, M10, 316SS, 2x Jam nut, M10	24.99	29.74
000-15279-001		Stabilizer, rubber foot: 1x Foot, stabilizer	3.05	3.63
000-15300-001		Lower extrusion kit, GHOST 47": 1x Lower extrusion, with bushing, GHOST 47"	269.99	321.29
000-15681-001		Lower extrusion kit, GHOST 52”/GHOST 60”:1x Lower extrusion, with bushing, , GHOST 52”/GHOST 60”	336.99	401.02
000-15283-001		Side plate kit, GHOST 47": 1x Cover mount RH, GHOST 47", 1x Cover mount LH, GHOST 47", 6x Screw, SHCS M4 x 0.7 x14, SS	44.99	53.54
000-15682-001		Side plate kit, GHOST 52”/GHOST 60”: 1x Cover mount RH, GHOST 52”/GHOST 60” 1x Cover mount LH, GHOST 52”/GHOST 60” 6x Screw, SHCS M4 x 0.7 x14, SS	69.35	82.53
000-15282-001		Kicker kit: 1x Front kicker, 2x Screw, SHCS M6 x 1 x 8	19.38	23.06
000-15476-001		Upper extrusion bushing kit: 2x Upper sleeve bushing 4x Rear pivot bushing	15.29	18.19
000-15479-001		Pushrod bushing kit: 2x Bushing bronze 5/8 x 1/2	13.25	15.77
000-15478-001		Head adapter bushing kit: 4x Head adaptor bushing, 2x Threaded inserts	24.47	29.12
000-15477-001		Lower extrusion bushing kit 4x 1/2” Shaft bushing	11.21	13.34
000-15829-001		GAS SPRING HARDWARE KIT Screw, 1/4-20 x 5/16”, Pan, PH, SS	12.23	14.55
000-15828-001		TIE DOWN STRAP KIT	14.27	16.98
000-15831-001		GAS SPRING CLEVIS BRACKET KIT	13.99	16.65

ACCESSORIES

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14900-001		ACTIVE IMAGING 3-IN-1 Trolling Motor Nosecone for GHOST™. Not compatible with RECON™	481.00	572.39
000-15301-002		MISC. HARDWARE,MOUNT KIT	20.39	24.26
000-16508-001		Ghost X Indicator Upgrade Kit: The Ghost X Indicator Kit can be used as a direct replacement for existing indicators on Ghost X or as an upgrade for Ghost Trolling Motors.	203.00	241.57
000-15275-001		HDI Nose cone transducer for GHOST™: Traditional 200 kHz High Chirp, 83 kHz Medium Chirp and DownScan 455 kHz, 800 kHz. Not compatible with RECON™	163.00	193.97
000-15237-001		GHOST Propeller kit.	55.08	65.55
000-15582-001		GHOST Trolling motor compass extension cable, 6 m (20')	46.91	55.82
000-15327-001		Mini 9-pin to 9-pin Sonar adapter cable	50.99	60.68
000-15325-001		Replacement trolling motor compass (TMC-1)	148.00	176.12
000-15468-001		TMR-1: Remote controll for the Ghost trolling motor.	129.00	153.51

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15582-001		GHOST Trolling motor compass extension cable, 6 m (20')	46.91	55.82

Mount parts

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16511-001		GHOST/X 47" MOUNT KIT,NO SIDE COVERS	816.00	971.04
000-16512-001		GHOST X 47" SIDE PLATE KIT	45.89	54.61
000-15280-002		PULL CABLE KIT V2: Kit includes: 1x Braided stainless pull cable, 1x Handle bottom, 1x Handle top, 1x rectangular washer, 1x Pull cable barrel, 2x Hex bolts, M4.0 x 0.7 x 6.	35.69	42.47
000-15631-001		GHOST 47" MOUNT ASSEMBLY KIT	799.99	951.99
000-15809-001		GHOST 52/60" MOUNT ASSEMBLY KIT	867.00	1031.73
000-15914-001		GHOST MOUNT HARDWARE KIT	18.35	21.84
000-15285-001		Upper dressing cap kit: 1x Upper dressing cap, 1x Lock pin upper extrusion, 1x Screw, M6x16, hex, flat, SS	15.29	18.19
000-15292-001		Upper extrusion kit with bushing, GHOST 47": 1x Upper extrusion assembly, GHOST 47"	249.99	297.49
000-15676-001		Upper extrusion kit, GHOST GHOST 52”/GHOST 60”: 1x Upper extrusion assembly, GHOST GHOST 52”/GHOST 60”	327.99	390.31
000-15281-001		Cable management clip kit: 2x Cable management clips, 2x M4 x 8 socket screw with patch, 2x M4 round base weld nut	12.23	14.55
000-15298-001		Pushrod pin kit: 1x Pushrod pin 2x Pushrod pin clip	22.43	26.69
000-15289-001		Pushrod kit, GHOST 47" 1x Clevis bracket 4x Screw, M5x8mm, hex, button, SS 1x Pushrod, finish machine with bushing, GHOST 47"	224.00	266.56
000-15677-001		Pushrod kit, GHOST 52”/GHOST 60”: 1x Clevis bracket, 4x Screw, M5x8mm, hex, button, SS, 1x Pushrod, finish machine with bushing, GHOST 52”/GHOST 60”	218.00	259.42
000-15293-001		Secondary latch kit: 1x Secondary latch, 1x Spring, secondary latch torsion, 2x Washer, 1/2", nylon, 1x C-ring, 1/2", 15-7 PH SS, 1x Pull cable spacer	23.45	27.91
000-15291-001		Upper head adapter pin kit: 1x Pin, upper head, 2x E-clip, 1/2", 15-7 PH SS	14.99	17.84
000-15294-001		Lower head adapter pin kit: 1x Pin bracket/bow arm, 1x Set screw, M6 x 8, SS	16.31	19.41
000-15290-001		Head adapter kit: 1x Head adapter with bushing	122.00	145.18
000-15297-001		Latch trigger kit, GHOST 47": 2x Latch trigger, GHOST 47"	18.35	21.84
000-15678-001		Latch trigger, GHOST 52”/GHOST 60” 2x Latch trigger, GHOST 52”/GHOST 60”	22.27	26.51
000-15296-001		Front latch guide kit: 1x Guide, front latch, 1x Spring, extension, front latch	16.31	19.41
000-15295-001		Front latch block: 1x Front latch block	17.33	20.62
000-15581-001		Lift assist crutch: 1x Lift assist crutch	10.19	12.13
000-15288-001		Lift assist spring kit, GHOST 47": 1x Gas spring, compression/traction, GHOST 47", 2x Binding barrel, 5/16 x 1”, Pan, PH, SS, 2x Screw, 1/4-20 x 5/16”, Pan, PH, SS	143.00	170.17

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15679-001		Lift assist kit, GHOST 52”/GHOST 60”: 1x Gas spring, compression/traction, GHOST 52”/60”, 2x Binding barrel, 5/16 x 1”, Pan, PH, SS, 2x Screw, 1/4-20 x 5/16”, Pan, PH, SS	151.00	179.69
000-15284-001		Wear bearing kit, GHOST 47": 2x Wear bearing, GHOST 47"	13.25	15.77
000-15680-001		Wear bearing kit, GHOST 52”/GHOST 60”: 2x Wear bearing, GHOST 52”/GHOST 60”	22.43	26.69
000-15286-001		Lower dressing cap kit: 1x Lower dressing cap, 1x Spring, latch extension	13.25	15.77
000-15287-001		Rear latch kit: 1x Mount rear latch 1x Pin, rear latch pivot	40.79	48.54
000-15299-001		Lower extrusion hardware kit: 2x Bolt, rear hinge, 4x Bushing, 1/2”, 2x Washer, M10, 316SS, 2x Jam nut, M10	24.99	29.74
000-15300-001		Lower extrusion kit, GHOST 47": 1x Lower extrusion, with bushing, GHOST 47"	269.99	321.29
000-15681-001		Lower extrusion kit, GHOST 52”/GHOST 60”:1x Lower extrusion, with bushing, , GHOST 52”/GHOST 60”	336.99	401.02
000-15283-001		Side plate kit, GHOST 47": 1x Cover mount RH, GHOST 47", 1x Cover mount LH, GHOST 47", 6x Screw, SHCS M4 x 0.7 x14, SS	44.99	53.54
000-15682-001		Side plate kit, GHOST 52”/GHOST 60”: 1x Cover mount RH, GHOST 52”/GHOST 60” 1x Cover mount LH, GHOST 52”/GHOST 60” 6x Screw, SHCS M4 x 0.7 x14, SS	69.35	82.53
000-15282-001		Kicker kit: 1x Front kicker, 2x Screw, SHCS M6 x 1 x 8	19.38	23.06
000-15476-001		Upper extrusion bushing kit: 2x Upper sleeve bushing 4x Rear pivot bushing	15.29	18.19
000-15479-001		Pushrod bushing kit: 2x Bushing bronze 5/8 x 1/2	13.25	15.77
000-15478-001		Head adapter bushing kit: 4x Head adaptor bushing, 2x Threaded inserts	24.47	29.12
000-15477-001		Lower extrusion bushing kit 4x 1/2” Shaft bushing	11.21	13.34
000-15829-001		GAS SPRING HARDWARE KIT Screw, 1/4-20 x 5/16”, Pan, PH, SS	12.23	14.55
000-15828-001		TIE DOWN STRAP KIT	14.27	16.98
000-15831-001		GAS SPRING CLEVIS BRACKET KIT	13.99	16.65

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15829-001		GAS SPRING HARDWARE KIT Screw, 1/4-20 x 5/16”, Pan, PH, SS	12.23	14.55

Head parts

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16509-001		GHOST X INDICATOR ARROW & PULLEY KIT	39.78	47.34
000-16510-001		GHOST X HEAD SEAL,COVER KIT	112.00	133.28
000-16492-001	Missing Image	Gear Cover / Belt Combo Kit, Ghost	50.99	60.68
000-15253-001		Lowrance label 1x Head decal	15.99	19.03
000-15730-001		Indicator ring decal kit: 1x Indicator ring decal	2.44	2.90
000-15810-001		GHOST 52" -TM SERVICE KIT - NO MOUNT	2958.00	3520.02
000-15811-001		GHOST 60" -TM SERVICE KIT - NO MOUNT	3019.00	3592.61
000-15264-002		Head sensor assy: 1x Sensor assembly, 2x Screw, M3 x 10, torx	28.55	33.97
000-15250-001		Indicator assembly 1x Indicator w/magnet, 1x Indicator ring	23.45	27.91
000-15252-001		Top housing assembly 1x Housing, upper assembly (including head decal and indicator decal ring), 14x Screw, torx, no. 6 x 3/4	61.19	72.82
000-15251-001		Housing hardware 14x Screw, torx, no. 6 x 3/4	10.19	12.13
000-15254-001		Case seal 1x Seal, case	15.29	18.19
000-15255-001		GPS PCBA 1x PCB Test Assembely: 2x Screw, torx, no. 6 x 3/8, 1x GPS PCBA cable (not shown in the illustration)	49.98	59.48
000-15256-001		PCBA, main head kit: 1x PCB TST ASY head controller CC, 1x Thermal pad, 6x Screw, torx, no. 6 x 3/8, 1x Screw, M3 x 10, torx	180.00	214.20
000-15257-001		Thermal spreader kit, 1x Spreader, thermal, 1x Thermal pad, 3x Screw, M3 x 10, torx	12.23	14.55
000-15258-001		Gear cover kit: 1x Cover, gear drive, 8x Screw, M3 x 18, hex, 1x Cable tie/heat shrink kit.	32.99	39.26
000-15259-001		12x Screw, M3 x 20, torx	9.99	11.89
000-15260-001		1x Motor belt	8.15	9.70
000-15261-001		1x Indicator belt	6.99	8.32
000-15262-001		1x Indicator pulley assembly	19.38	23.06

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15263-001		1x Idler, gear, pully, assembly	35.69	42.47
000-15265-001		Steering motor kit: 1x Motor assembly, 1x Motor thermal pad, 1x PCBA thermal pad, 1x Screw, M5x20 mm, hex, socket, SS316, 1x Seal, adjusting screw, O-ring, 4x Screw, M3 x 10, torx, 1x Motor belt	241.00	286.79
000-15266-001		Tensioning bolt kit: 1x Screw, M5x20 mm, hex, socket, SS316, 1x Seal, adjusting screw, O-ring	2.03	2.42
000-15267-001		Thermal pad, steering motor: 1x Motor thermal pad	7.13	8.48
000-15269-001		Steering motor thermocouple kit: 1x Cable assembly thermistor 150 mm, 1x Thermocouple adhesive, 1x PCBA thermal pad	9.17	10.91
000-15268-001		Thermal pad, PCBA: 1x PCBA thermal pad	4.99	5.94
000-15270-001		Slip gear assembly: 1x Gear assembly, 2x Screw, M3 x 20, torx	36.71	43.68
000-15248-001		Lower bezel kit: 1x Bezel, lower, 2x Screw, M3 x 10, torx	10.19	12.13
000-15279-001		Stabilizer, rubber foot: 1x Foot, stabilizer	3.05	3.63

Lower unit parts

Main Products

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16507-001	GHOST/X 47" LOWER UNIT + SHAFT KIT	2076.00	2470.44
000-16506-001	GHOST X,47" SERVICE,NO MOUNT	4549.00	5413.31
000-15674-001	2x Nose cone O-ring, 1x Cable tie/heat shrink kit (not shown in the illustration), 1x Column, inner, GHOST 52”/lower unit (pre-assembled)	1479.00	1760.01
000-15675-001	2x Nose cone O-ring, 1x Cable tie/heat shrink kit (not shown in the illustration), 1x Column, inner, GHOST 60”/lower unit (pre-assembled)	1529.00	1819.51
000-15395-001	Lower unit front cap kit: 1x Front cap, 1x O-ring, 80x3 mm, 4x Screw, M3, 5x10 1x Screw, M5x8, 1x Seal washer, 5x9x1	68.99	82.10
000-15723-001 	The Prop Shaft Anode for the Lowrance Ghost® & RECON trolling motors allows for use in brackish water without voiding the Lowrance Ghost trolling motor warranty. The Prop Shaft Anode is a ring-shaped fitting that is installed over the existing propeller nut, on the back of the propeller. The anode prevents corrosion that could result from using the trolling motor in brackish water. NOTE: Using the Ghost Trolling Motor in saltwater WILL void the warranty.	23.45	27.91
000-15387-001	Lower unit rotor assembly: 1x Rotor assembly	299.99	356.99
000-15247-001	Lower unit hardware kit: 1x Seal washer, 5x9x1, 1x Screw, M5x8, 4x Screw, M3, 5x10, 1x Bearing-shim washer, 1x O-ring, 85x3 mm, 1x O-ring, 80x3 mm	2.49	2.96
000-15241-001	Nose cone O-ring kit: 1x O-ring, 41x2.62mm, 1x O-ring, 15x3.53mm, 2x O-ring, 84x4.10mm	7.13	8.48
000-15668-001	1x Lower housing assy with outer column, GHOST 52”, 1x Cable tie/heat shrink kit (not shown in the illustration), 2x Screw, M3 x 10, torx, 1x PCBA thermal pad	212.00	252.28
000-15669-001	1x Lower housing assy with outer column, GHOST 60”, 1x Cable tie/heat shrink kit (not shown in the illustration), 2x Screw, M3 x 10, torx, 1x PCBA thermal pad	216.00	257.04

Pedal parts

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15319-001		Center cover kit: 1x Center cover, pedal, 1x Screw, no. 6x3/8, Phillips, pan, SS	13.25	15.77
000-15318-001		Switch housing kit: 1x Switch housing, pedal, 2x Screw, no. 6x3/8, Phillips, pan, SS	7.99	9.51
000-15314-001		Momentary switch kit: 1x Momentary switch, pedal, 2x Screw, M3x18mm, hex, button, 304SS, 1xScrew, no. 6x3/8, Phillips, pan, SS, 2x Cable tie, anchored, 2x Nylock SS nut M3, 1x Momentary button, pedal, 1x Spring, compression, 7mm ID x 15mm x 1m, 1x Momentary pin, pedal	28.55	33.97
000-15315-001		Bluetooth module kit: 4x Screw 7mm torx T8, 1x Screw, no. 6x3/8, Phillips, pan, SS, 2x Cable tie, anchored, 1x Bluetooth seal, pedal, 1x Bluetooth cover, pedal, 1x Bluetooth cable grommet, pedal, 1x PCB TST assembly Bluetooth	44.87	53.40
000-15310-001		GHOST foot pedal Configurable button 1 kit. 1 x Front left button assembly, pedal, 1x Spring, compression, 7mm ID x 15mm x 1m.	19.37	23.05
000-15312-001		GHOST foot pedal Configurable button 2 kit. 1 x Back left button assembly, pedal, 1x Spring, compression, 7mm ID x 15mm x 1m.	19.37	23.05
000-15311-001		GHOST foot pedal anchor button kit (front right button): Kit contains 1 x front right "Anchor" button assembly, 1x Spring, compression, 7mm ID x 15mm x 1m	20.39	24.26
000-15313-001		GHOST foot pedal Configurable button 3.1 x Back right button assembly, pedal, 1x Spring, compression, 7mm ID x 15mm x 1m.	20.39	24.26
000-15320-001		Driving gear kit: 1x Driving gear, pedal, 2x Screw, no. 6x3/4, torx, pan, SS	9.17	10.91
000-15322-001		Pedal, upper: 1x Upper, pedal	33.99	40.45
000-15321-001		Pivot pin: 1x Pivot pin, pedal	9.17	10.91
000-15317-001		Potentiometer kit: 1x Potentiometer, pedal, 1x Lock washer, 3/8", internal tooth, SS, 1x Nut, 3/8-32, SS, 1x Screw, no. 6x3/8, Phillips, pan, SS (not shown in the illustration), 2x Cable tie, anchored (not shown in the illustration)	40.79	48.54
000-15316-001		Speed knob kit: 1x Speed knob, pedal: 1x Spring, Compression, speed knob, 1x E-clip 3/4", 1x D-clip, 1/4" shaft	14.27	16.98
000-15306-001		Label, battery: 1x Label status panel w/adhesive, pedal	8.99	10.70
000-15309-001		Housing, lower, pedal kit, 47": 1x Base, pedal, 1x Wiper seal, pedal, 3x Grommet wires pedal, 1x Cable tie/heat shrink kit (not shown in the illustration), 1x Misc. hardware, pedal kit	53.99	64.25
000-15307-001		Damper kit: 1x Damper, pedal, 1xScrew M4X8 socket cap head S/S 304, 1x Washer M4 flat OD 12mm SST, 1x PSA washer damper	20.39	24.26
000-15305-001		PCBA, battery kit, 1x PCB TST ASY power/battery potted, 1x Cable tie/heat shrink kit, 3x Screw 7 mm torx T8	49.98	59.48
000-15303-001		Pedal PCBA, potted assembly kit: 1x Potted main controller assembly, pedal, 1xCable tie/heat shrink kit, 6x Screw M2.5 x 10 T8 PT THR	265.00	315.35
000-15249-001		1x Cable, head to pedal, GHOST 47", 2x Screw, M3 x 10, torx, 1x Seal, strain relief, 1x Cable tie/heat shrink kit, 1x PCBA thermal pad	306.00	364.14
000-15670-001		1x Cable, head to pedal, GHOST 52", 2x Screw, M3 x 10, torx, 1x Seal, strain relief, 1x Cable tie/heat shrink kit, 1x PCBA thermal pad	323.00	384.37

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15671-001		1x Cable, head to pedal, GHOST GHOST 52”, 2x Screw, M3 x 10, torx, 1x Seal, strain relief, 1x Cable tie/heat shrink kit, 1x PCBA thermal pad	377.00	448.63
000-15304-001		Bottom plate, pedal kit: 1x Bottom plate, pedal, 2x Screw, M5x10 mm, hex, button, SS316, 8x Screw, no. 6x3/4, torx, pan, SS, 4x Rubber foot pedal	25.49	30.33
000-15323-001		Battery power cable kit: 1x Power cable, 2x Screw, M5 x 10 mm, hex	36.71	43.68
000-15308-001		Damper gear assembly kit: 1x Damper gear assembly, 1x Screw, cap, M4x16, 1x Screw, no. 6x3/4, torx, pan, ss	67.31	80.10
000-15324-001		Miscellaneous hardware kit for GHOST Trolling motor foot pedal	20.39	24.26
000-15273-001		Cable tie/heat shrink kit: 6x Cable tie anchored, 12x Cable tie small, 2x Heat shrink tubing 1.5”	9.18	10.92

Shaft parts

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15672-001		1x Column, inner shaft, 52"	51.99	61.87
000-15673-001		1x Column, inner shaft, 60"	58.99	70.20
000-15235-001		360 Head HW kit: 2x Screw, SHCS M8 x 1.25 x 20	2.54	3.02
000-15238-001	Missing Image	Propeller hardware kit: 1x M10 Propeller washer 1x M10 Nylock nut	9.17	10.91
000-15239-001		1x Column, inner shaft, 47"	44.99	53.54
000-15246-001	Missing Image	1x Lower housing assy with outer column, GHOST 47", 1x Cable tie/heat shrink kit (not shown in the illustration), 2x Screw, M3 x 10, torx, 1x PCBA thermal pad	224.00	266.56
000-15242-001		Bearing, sealed kit: 2x Bearing sealed, 2x Bearing wedge, 1x Seal, shaft, 1x Cable tie/heat shrink kit	66.30	78.90
000-15243-001		Bearing cup: 1x Bearing cup	12.99	15.46
000-15244-001		Lower bearing clamp kit: 2x Collar, lower, 2x Screw, M5x20 mm, hex	24.47	29.12
000-15271-001		Upper clamp kit: 1x Collar, plain, upper, 1x Collar threaded, upper, 2x Screw, M4x25 mm, hex, socket, SS316	25.50	30.35
000-15272-001		Shaft seal: 1x Seal, shaft	5.99	7.13
000-15277-001		Nose cone hardware kit: 1x O-ring, 15x3.53mm, 1x O-ring, 41x2.62mm, 1x Nose cone cap, 1x Bolt, transducer, 2x O-ring, 84x4.10mm	23.45	27.91
000-15278-001		Rod, stabilizer kit: 1xRod, stabilizer, 1x Nut, 3/4"-10, nylon, 1x Foot, stabilizer, 1x Top cap	40.79	48.54
000-15807-001		COLLAR CLAMP KIT V.1.1	36.71	43.68
000-15808-001		360 HEAD ASSEMBLY V.1.1	235.00	279.65
000-15830-001		ROD,STABILIZER HARDWARE KIT	5.09	6.06


Tools

Main Products

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15577-001	TROLLING MOTOR SERVICE FIXTURE	679.00	808.01
000-15579-001 	M32 Hollow tap for composite shaft replacement.	70.37	83.74
000-15578-001	5/8”-18 Slide hammer adapter	13.25	15.77
000-15580-001	10lb. weight for shaft bearing pre-load	49.00	58.31

ActiveTarget™

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16488-001		ActiveTarget® 2 XL kit Includes, ActiveTarget® 2 module, ActiveTarget® 2 XL transducer 7.62 m (25 ft) cable, shaft mount, Ethernet cable, power cable.	1937.00	2305.03
000-16489-001		ActiveTarget® 2 XL Transducer only with 7.6 m (25 ft) cable.	1306.00	1554.14
000-16490-001		ActiveTarget® 2 XL Transducer only with 3m (10 ft) cable.	1306.00	1554.14
000-16491-001		Shaft mount bracket. ActiveTarget® 2 XL transducer	174.00	207.06
000-16501-001		ActiveTarget® 2 XL RECON™ Mount.	292.00	347.48
000-15959-001		ActiveTarget® 2 kit Includes ActiveTarget® 2 Module,Transducer with 7.62 m (25 ft) cable, and Mounts	1631.00	1940.89
000-15961-001		ActiveTarget® 2 Module Only	866.00	1030.54
000-15962-001		ActiveTarget® 2 Transducer only with 7.62 m (25 ft) cable	917.00	1091.23
000-16502-001		ActiveTarget® 2 Shaft Mount.	174.00	207.06
000-16503-001		RECON™ ActiveTarget® 2 Mounting kit.	350.00	416.50
000-16462-001		TM ACTIVETARGET 2 MOUNTING KIT	239.00	284.41
000-16054-001		ActiveTarget® 2 Trolling Motor Shaft Mount	76.50	91.04
000-15773-001		ActiveTarget Transom Mount Kit (Not included in the ActiveTarget Kit)	53.54	63.71
000-15960-001		The ActiveTarget® 2 Scout™ Wide Bracket	107.00	127.33
000-16069-001		Extension Cable for ActiveTarget, ActiveTarget 2, ActiveTarget 2 XL transducers	107.00	127.33
000-15770-001		ActiveTarget trolling motor shaft mounting kit	63.19	75.19

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15771-001		ActiveTarget trolling motor mounting kit. Forward / down view	56.75	67.54
000-15772-001		Replacement - ActiveTarget Trolling Motor Scout Mount Kit	56.75	67.54

Accessories


Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16489-001		ActiveTarget® 2 XL Transducer only with 7.6 m (25 ft) cable.	1306.00	1554.14
000-16490-001		ActiveTarget® 2 XL Transducer only with 3m (10 ft) cable.	1306.00	1554.14
000-16501-001		ActiveTarget® 2 XL RECON™ Mount.	292.00	347.48
000-15962-001		ActiveTarget® 2 Transducer only with 7.62 m (25 ft) cable	917.00	1091.23
000-16502-001		ActiveTarget® 2 Shaft Mount.	174.00	207.06
000-16503-001		RECON™ ActiveTarget® 2 Mounting kit.	350.00	416.50
000-16462-001		TM ACTIVETARGET 2 MOUNTING KIT	239.00	284.41
000-16054-001		ActiveTarget® 2 Trolling Motor Shaft Mount	76.50	91.04
000-15773-001		ActiveTarget Transom Mount Kit (Not included in the ActiveTarget Kit)	53.54	63.71
000-15960-001		The ActiveTarget® 2 Scout™ Wide Bracket	107.00	127.33
000-16069-001		Extension Cable for ActiveTarget, ActiveTarget 2, ActiveTarget 2 XL transducers	107.00	127.33

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16489-001		ActiveTarget® 2 XL Transducer only with 7.6 m (25 ft) cable.	1306.00	1554.14
000-16491-001		Shaft mount bracket. ActiveTarget® 2 XL transducer	174.00	207.06

Sonar

LOWRANCE

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-0127-29		Ethernetkabel yellow 5 Pin 4.5 m (15 ft)	59.98	71.37
000-15961-001		ActiveTarget® 2 Module Only	866.00	1030.54
000-15962-001		ActiveTarget® 2 Transducer only with 7.62 m (25 ft) cable	917.00	1091.23
000-16054-001		ActiveTarget® 2 Trolling Motor Shaft Mount	76.50	91.04
000-15770-001		ActiveTarget trolling motor shaft mounting kit	63.19	75.19
000-15771-001		ActiveTarget trolling motor mounting kit. Forward / down view	56.75	67.54
000-15772-001		Replacement - ActiveTarget Trolling Motor Scout Mount Kit	56.75	67.54
000-00128-001		4-pin Power Cable for modules and MFDs.	41.62	49.52

Active Imaging™

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16062-001		ActiveImaging™ HD 3-IN-1 delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer. Comes with a 7.6m (25ft) cable with a 9-pin connector. Compatibility: Direct connect to Simrad NSS4, Lowrance HDS PRO, or to an S3100 module. For Lowrance HDS Live, Carbon, Elite FS, and Simrad NSS evo3(S) / NSOevo3(S) displays, an S3100 sonar module is required.	481.00	572.39
000-16061-001		ActiveImaging™ HD 3-in-1 (High/Wide)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.	588.00	699.72
000-16060-001		ActiveImaging™ HD 3-in-1 (Medium/High)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.	534.00	635.46
000-16063-001		ActiveImaging™ HD 2-in-1 Transducer. Provides ActiveImaging HD technology for SideScan and DownScan while leaving you free to select other transducer options for Traditional/Chirp Sonar. 7.6m (25 ft) cable with 9-pin connector. Compatibility: Direct connect to Simrad NSS4, Lowrance HDS PRO. For Lowrance HDS Live, Carbon, Elite FS, and Simrad NSS4, NSS evo3(S) / NSOevo3(S) displays, an S3100 sonar module is required.	395.00	470.05
000-16239-001		Active Imaging™ HD Thru-Hull (Single) Transducer. Direct connection to HDS® PRO and Simrad NSSevo4. For SideScan FishReveal, an S3100 or S3100H is required. Lowrance HDS® LIVE, HDS Carbon, and Elite FS™. Simrad® NSSevo3(S), NSOevo3(S), and NSX require an S3100 or S3100H	1016.00	1209.04
000-16240-001		Active Imaging™ HD Thru-Hull Fish Reveal (Dual) Transducers. Directly compatible with Lowrance HDS® PRO and Simrad NSSevo4. For SideScan FishReveal, an S3100 or S3100H is required. With a S3100 or S3100H module compatible with: Lowrance HDS® LIVE, HDS Carbon, and Elite FS™. Simrad® NSSevo3(S), NSOevo3(S), and NSX	1862.00	2215.78
000-16241-001		Active Imaging™ HD Thru-Hull (Dual) Transducer STARBOARD	1070.00	1273.30
000-16242-001		Active Imaging™ HD Thru-Hull (Dual) Transducer PORT	1070.00	1273.30
000-14489-001		ActiveImaging™ 3-IN-1 combines the new Active Imaging sonar with traditional Medium/High CHIRP sonar for easy single transducer installation. 7.6m (25ft) cable with 9 pin connector.	388.00	461.72
000-14814-001		ActiveImaging™ 3-IN-1 combines the new Active Imaging sonar with traditional Medium/High CHIRP sonar for easy single transducer installation. 1.8m (6ft) cable with 9 pin connector.	388.00	461.72
000-14490-001		ActiveImaging™ 2-IN-1 Transducer - Provides Active Imaging technology for SideScan and DownScan while leaving you free to select other transducer options for for Traditional/Chirp Sonar. 7.6m (25 ft) cable with 9 pin connector.	329.00	391.51
000-15813-001		ActiveImaging 2-IN-1 Transducer with 83/200 in-hull puck (Depth only) and 9 Pin Y cable.	361.99	430.77
000-15812-001		ActiveImaging™ 2-in-1 Transducer with 83/200 Skimmer Transducer and Y-Cable	361.99	430.77
000-16095-001		Stainless Steel Skimmer Flush Mount Bracket for Active Imaging HD Transducers	66.40	79.02
000-16094-001		Stainless Steel Transom Mount Bracket for Active Imaging HD Transducers.	74.96	89.20

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16095-001		Stainless Steel Skimmer Flush Mount Bracket for Active Imaging HD Transducers	66.40	79.02
000-16094-001		Stainless Steel Transom Mount Bracket for Active Imaging HD Transducers.	74.96	89.20
000-12602-001		Flat Mount Bracket for Active Imaging, TotalScan and StructureScan 3D skimmer transducers.	70.68	84.10
000-00099-006		Extension cable for 9-pin transducers. *For optimum performance do not use more than 1 extension per installation.	93.17	110.87

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16094-001		Stainless Steel Transom Mount Bracket for Active Imaging HD Transducers.	74.96	89.20
000-12603-001		Replacement Metal Bracket for Active Imaging, TotalScan, StructureScan 3D and HD skimmer transducers.	70.68	84.10

StructureScan™

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-12395-001		StructureScan® 3D Module and Transom mount Transducer kit.	1157.00	1376.83
000-16363-001		StructureScan 3D Transducer ONLY WITH METAL BRACKET- The StructureScan 3D transducer produces three-dimensional scans of underwater terrain and fish-holding StuctureScan to create a high-resolution view. Cable length 6.0 m (20 ft)	481.00	572.39
000-12397-001		StructureScan® 3D module only. Transom mount and Through-Hull transducers available separately.	694.00	825.86
000-12396-001		StructureScan 3D Transducer Only - The StructureScan 3D transducer produces three-dimensional scans of underwater terrain and fish-holding structure to create a high-resolution view. Cable length 6.0 m (20 ft)	471.00	560.49
000-14254-001		StructureScan 3D Through-Hull Transducer with Low and High CHIRP in one transducer. 7.6 m (25ft) cable. Requires StructureScan® 3D Module sold separately.	1651.00	1964.69
000-14255-001		StructureScan® 3D Through-Hull Transducer with Medium and High CHIRP in one transducer. 6m (20ft) cable. Requires StructureScan® 3D Module sold separately.	1651.00	1964.69
000-13559-001		StructureScan 3D Single Stainless Steel Thru-Hull Transducer. Cable length 7.6 m (25 ft)	1651.00	1964.69
000-13560-001		StructureScan 3D Dual Stainless Steel Thru-Hull Transducers. Cable length 7.6 m (25 ft)	2832.00	3370.08
000-12752-001		Transducer Extension Cables for StructureScan® 3D - 10ft (3m)	127.00	151.13
000-12568-001		TotalScan™ Transducer with Medium/High Chirp and 455/800kHz Down and SideScan. 7m (24ft) Cable.	388.00	461.72
000-14259-001		TotalScan™ Through-Hull Transducer with Low/High Chirp and 455/800kHz Down and SideScan.	825.00	981.75
000-14257-001		TotalScan™ Through-Hull Transducer with Medium/High Chirp and 455/800kHz Down and SideScan.	825.00	981.75
000-13522-001		TotalScan and StructureScan 3D Plastic Replacement Bracket	69.60	82.83
000-10802-001		StructureScan™ HD Skimmer Heckmontagegeber 455/800 kHz	332.00	395.08
000-11459-001		Stainless steel StructureScan™ HD Sonar thru-hull transducer. (Single). Cable length 7.6 m (25 ft)	1038.00	1235.22
000-11460-001		Stainless steel StructureScan™ HD Sonar thru-hull transducer with Y-cable. (pair). Cable length 7.6 m (25 ft)	2034.00	2420.46
000-12603-001		Replacement Metal Bracket for Active Imaging, TotalScan, StructureScan 3D and HD skimmer transducers.	70.68	84.10
000-12602-001		Flat Mount Bracket for Active Imaging, TotalScan and StructureScan 3D skimmer transducers.	70.68	84.10

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-00099-006		Extension cable for 9-pin transducers. *For optimum performance do not use more than 1 extension per installation.	93.17	110.87

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11142-001		SonarHub Module, with power cable and Ethernet cable 4.5m (15ft). Requires adapter 000-12571-001 or 000-13977-001 adapter cable to use Airmar Non-Chirp or Chirp 9-pin transducers.	694.00	825.86
000-0106-72		HST - WSBL 83/200 kHz Heckmontage Geber Tiefe/Temp mit blauem 7 pin Stecker	82.46	98.12
000-12396-001		StructureScan 3D Transducer Only - The StructureScan 3D transducer produces three-dimensional scans of underwater terrain and fish-holding structure to create a high-resolution view. Cable length 6.0 m (20 ft)	471.00	560.49
000-0106-77		HST - DFSBL 50/200 kHz Heckmontage-Geber Tiefe/Temperatur - blauer 7 pin Stecker	166.00	197.54
000-14254-001		StructureScan 3D Through-Hull Transducer with Low and High CHIRP in one transducer. 7.6 m (25ft) cable. Requires StructureScan® 3D Module sold separately.	1651.00	1964.69
000-14255-001		StructureScan® 3D Through-Hull Transducer with Medium and High CHIRP in one transducer. 6m (20ft) cable. Requires StructureScan® 3D Module sold separately.	1651.00	1964.69
000-0127-51		Ethernetkabel yellow 5 Pin 1.8 m (6 ft)	40.70	48.43
000-0106-73		PD - WBL 83/200 kHz Durchbruch/Trolling Motor Geber Tiefe - blauer 7 pin Stecker	97.45	115.97
000-0106-74		PDT-WBL 83/200 kHz Trolling-Motor Skimmer® mit Temperatursensor und blauem Stecker	106.00	126.14
000-13559-001		StructureScan 3D Single Stainless Steel Thru-Hull Transducer. Cable length 7.6 m (25 ft)	1651.00	1964.69
000-0127-29		Ethernetkabel yellow 5 Pin 4.5 m (15 ft)	59.98	71.37
000-0127-30		Ethernetkabel yellow 5 Pin 7.7 m (25 ft)	84.61	100.68
000-13560-001		StructureScan 3D Dual Stainless Steel Thru-Hull Transducers. Cable length 7.6 m (25 ft)	2832.00	3370.08
000-0106-89		PDRT-WBL 83/200 kHz Durchbruch/Trolling Motor Skimmer® mit seperatem Temperatursensor und blauem Stecker	134.00	159.46
000-0127-37		Ethernetkabel yellow 5 Pin 15.2 m (50 ft)	117.00	139.23

Sonar

LOWRANCE

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-12752-001		Transducer Extension Cables for StructureScan® 3D - 10ft (3m)	127.00	151.13
000-0106-94		PTI-WBL - Ice Fishing Geber mit blauem Stecker	106.00	126.14
000-11040-001	Missing Image	Adapts LSS-1 transducers to HDS Gen2 Touch units and to LSS-HD modules.	108.90	129.59
000-10046-001		BSM-1 Adapterkabel 7pin blauer Stecker an offene Enden	31.06	36.96
000-10976-001		HDI Skimmer® transducer 83/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 6m (20 ft)	155.00	184.45
000-0099-93		XT-12BL Geber Verlängerungskabel 7-pin blauer Stecker	52.47	62.44
000-0099-94		XT-20BL 6m Geberverlängerungskabel	52.47	62.44
000-13522-001		TotalScan and StructureScan 3D Plastic Replacement Bracket	69.60	82.83
000-10977-001		HDI Skimmer® transducer 50/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 6 m (20 ft)	305.00	362.95
000-10802-001		StructureScan™ HD Skimmer Heckmontagegeber 455/800 kHz	332.00	395.08
000-11459-001		Stainless steel StructureScan™ HD Sonar thru-hull transducer. (Single). Cable length 7.6 m (25 ft)	1038.00	1235.22
000-11460-001		Stainless steel StructureScan™ HD Sonar thru-hull transducer with Y-cable. (pair). Cable length 7.6 m (25 ft)	2034.00	2420.46
000-12603-001		Replacement Metal Bracket for Active Imaging, TotalScan, StructureScan 3D and HD skimmer transducers.	70.68	84.10
000-12602-001		Flat Mount Bracket for Active Imaging, TotalScan and StructureScan 3D skimmer transducers.	70.68	84.10
000-00099-006		Extension cable for 9-pin transducers. *For optimum performance do not use more than 1 extension per installation.	93.17	110.87
000-13581-001		Fairing Block only for StructureScan 3D Through-Hull transducers.	117.00	139.23
000-10874-001		LSS-2 HD Skimmer Halterung für Heckmontagegeber	70.68	84.10


Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-10978-001		HDI TROLLING MOTOR ADAPTOR FOR SKIMMER (*only for 83/200/455/800 HDI Skimmer transducer)	27.04	32.18

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-12396-001		StructureScan 3D Transducer Only - The StructureScan 3D transducer produces three-dimensional scans of underwater terrain and fish-holding structure to create a high-resolution view. Cable length 6.0 m (20 ft)	471.00	560.49
000-0127-29		Ethernetkabel yellow 5 Pin 4.5 m (15 ft)	59.98	71.37
000-14256-001		Replacement fairing block for combined StructureScan® 3D L/H and M/H Through-Hull Transducers.	117.00	139.23
000-14260-001		TotalScan™ Through-Hull Transducer Fairing Block Only	117.00	139.23
000-10802-001		StructureScan™ HD Skimmer Heckmontagegeber 455/800 kHz	332.00	395.08
000-12603-001		Replacement Metal Bracket for Active Imaging, TotalScan, StructureScan 3D and HD skimmer transducers.	70.68	84.10
000-13581-001		Fairing Block only for StructureScan 3D Through-Hull transducers.	117.00	139.23
000-10874-001		LSS-2 HD Skimmer Halterung für Heckmontagegeber	70.68	84.10
000-00128-001		4-pin Power Cable for modules and MFDs.	41.62	49.52

XSONIC Transducers

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15918-002		S3100H High-performance sonar module with HEAVE compensation. Two independent 1kW channels supporting 1 kW Low, Med, High, and High-Wide transducers. Support for high-frequency ActiveImaging HD transducers. MFDs will need compatible software.	963.00	1145.97
000-13260-001		S5100 High-performance CHIRP sonar module. Three fully independent channels able to deliver high-resolution sonar coverage across multiple depth ranges, precision-focused for offshore sportfishing anglers.	1736.00	2065.84
000-12571-001		Connects a non-CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with transducers that have an analog temperature sensor.	48.20	57.35
000-13977-001		Connects an XID Airmar CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with Airmar 9pin XID transducers.	41.77	49.71
000-15880-001		XSONIC AIRMAR P19 20 DEGREE: single, tilted, 200/83 kHz, transducer. Fixed 20° tilted version for 16° to 24° hull deadrise	189.00	224.91
000-13907-001		Through-Hull Bronze HDI Transducer. 50/200kHz 455/800 kHz DownScan. Black 9 Pin pin connector and 10m (33ft) cable.	609.00	724.71
000-13906-001		Through-Hull Bronze HDI Transducer. 50/200kHz 455/800 kHz DownScan. Black 9 Pin pin connector and 10m (33ft) cable.	609.00	724.71
000-13905-001		Through-Hull Bronze HDI Transducer. 50/200kHz 455/800 kHz DownScan. Black 9 Pin pin connector and 10m (33ft) cable.	609.00	724.71
000-13946-001		B45 - Bronze 600W Through-Hull 50/200 kHz Depth and Temperature transducer. Black 9 pin connector with 12m (40ft) cable	381.00	453.39
000-16185-001		B60 (0°) - Bronze 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 12m (40ft) cable.	400.00	476.00
000-13784-001		SS60 (0°) - Stainless Steel 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 12m (40ft) cable.	511.00	608.09
000-16184-001		B60 (0°) - Bronze 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 1.8m (6 ft) cable.	400.00	476.00
000-16186-001		B60 (12°) - Bronze 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 12m (40ft) cable.	400.00	476.00
000-13785-001		SS60 (12°) - Stainless Steel 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 12m (40ft) cable.	507.00	603.33
000-16188-001		B60 (20°) - Bronze 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 12m (40ft) cable.	400.00	476.00
000-13786-001		SS60 (20°) - Stainless Steel 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 12m (40ft) cable.	507.00	603.33

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16187-001		B60 (20°) - Bronze 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 1.8m (6ft) cable. Boatbuilder only.	400.00	476.00
000-16189-001		B75H (0°) - Bronze 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 12m (40ft) cable.	991.00	1179.29
000-13911-001		SS75H - Stainless Steel 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	1099.00	1307.81
000-16190-001		B75H (12°) - Bronze 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 12m (40ft) cable.	991.00	1179.29
000-13912-001		SS75H - Stainless Steel 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 12m (40ft) cable.	1099.00	1307.81
000-16191-001		B75H (20°) - Bronze 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 12m (40ft) cable.	991.00	1179.29
000-13913-001		SS75H - Stainless Steel 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 12m (40ft) cable.	1099.00	1307.81
000-16192-001		B75M (0°) - Bronze 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	1034.00	1230.46
000-13908-001		SS75M - Stainless Steel 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	1146.00	1363.74
000-16193-001		B75M (12°) - Bronze 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	1034.00	1230.46
000-13909-001		SS75M - Stainless Steel 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	1146.00	1363.74
000-16194-001		B75M (20°) - Bronze 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	1034.00	1230.46
000-13910-001		SS75M - Stainless Steel 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	1146.00	1363.74
000-13942-001		P79 - Plastic 600 W In-Hull 50/200 kHz Depth Only. Black 9 pin connector with 12m cable. (40ft)	212.00	252.28
000-13922-001		B150M - Bronze 300W Medium-Chirp Thru-Hull Depth/Temperature Transducer. 9pin connector with 12m (40ft) cable.	594.00	706.86
000-13921-001		B150M - Bronze 300W Medium-Chirp Thru-Hull Depth/Temperature Transducer. 9pin connector with 12m (40ft) cable.	594.00	706.86

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13920-001		B150M - Bronze 300W Medium-Chirp Thru-Hull Depth/Temperature Transducer. 9pin connector with 12m (40ft) cable.	594.00	706.86
000-13918-001		SS164 (20°) - Stainless Steel 1kW Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 12m (40ft) cable.	1571.00	1869.49
000-13917-001		SS164 (12°) - Stainless Steel 1kW Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 12m (40ft) cable.	1571.00	1869.49
000-13916-001		SS164 (0°) - Stainless Steel 1kW Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 12m (40ft) cable.	1571.00	1869.49
000-16196-001		B175H-W (0°) - Bronze 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	1799.00	2140.81
000-13780-001		SS175H-W - Stainless Steel 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	2154.00	2563.26
000-16195-001		B175H-W (0°) - Bronze 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 1.8m (6ft) cable.	1799.00	2140.81
000-16198-001		B175H-W (12°) - Bronze 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	1799.00	2140.81
000-13781-001		SS175H-W - Stainless Steel 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	2154.00	2563.26
000-16197-001		B175H-W (12°) - Bronze 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 1.8m (6ft) cable.	1799.00	2140.81
000-16200-001		B175H-W (20°) - Bronze 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	1928.00	2294.32
000-13782-001		SS175H-W - Stainless Steel 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	2154.00	2563.26
000-16199-001		B175H-W (20°) - Bronze 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 1.8m (6ft) cable.	1928.00	2294.32
000-16202-001		B175M (0°) - Bronze 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	1521.00	1809.99
000-13777-001		SS175M - Stainless Steel 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	1906.00	2268.14
000-16201-001		B175M (0°) - Bronze 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 1.8m (6ft) cable.	1521.00	1809.99

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16203-001		B175M (12°) - Bronze 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	1521.00	1809.99
000-13778-001		SS175M - Stainless Steel 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	1906.00	2268.14
000-16205-001		B175M (20°) - Bronze 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	1678.00	1996.82
000-13779-001		SS175M - Stainless Steel 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	1906.00	2268.14
000-16204-001		B175M (20°) - Bronze 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 1.8m (6ft) cable.	1678.00	1996.82
000-16206-001		B175L (0°) - Bronze 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	1887.00	2245.53
000-13774-001		SS175L - Stainless Steel 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	2353.00	2800.07
000-16207-001		B175L (12°) - Bronze 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	1887.00	2245.53
000-13775-001		SS175L - Stainless Steel 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	2353.00	2800.07
000-16208-001		B175L (20°) - Bronze 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	1887.00	2245.53
000-13776-001		SS175L - Stainless Steel 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	2353.00	2800.07
000-13964-001		B258 - Bronze 1kW Fairing-Block Through-Hull 50/200 kHz Depth/Temperature Transducer. Black 9pin connector and 12m (40ft) cable.	1175.00	1398.25
000-13783-001		SS260 - Stainless Steel 1kW Fairing-Block Through-Hull 50/200 kHz Depth/Temperature Transducer. Black 9pin connector and 12m (40ft) cable.	2020.00	2403.80
000-13914-001		M260 - 1kW In-Hull Tank Mount 50/200 kHz Depth Transducer. Black 9pin connector and 10m (33ft) cable.	1421.00	1690.99
000-16370-001		Airmar B65LH CHIRP Transducer with DUAL 9-pin connectors. 10 m (33 ft) cable.	2540.00	3022.60
000-13771-001		B275LH-W - Bronze 1kW Through Hull Low/High-Wide Chirp Depth and Temperature transducer. Dual 9-pin connectors and 12m (40ft) cable.	2847.00	3387.93
000-13940-001		PM275LH-W - 1kW Pocket-Mount Low/High-Wide Chirp Depth/Temperature Transducer. Dual black 9pin connectors and 12m (40ft) cable. NSSevo3S or S5100 Sonar Module required.	3034.00	3610.46

Sonar

LOWRANCE

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13772-001		CM275LH-W - 1kW Cavity-Mount Low/High-Wide Chirp Depth/Temperature Transducer. Dual black 9pin connectors and 12m (40ft) cable. NSSevo3S or S5100 Sonar Module required.	2709.00	3223.71
000-14561-001		B285M - Bronze 1kW Through Hull Medium-Chirp Depth and Temperature transducer. 9-pin connector and 12m (40ft) cable.	2078.00	2472.82
000-13915-001		P319 - Plastic 600W Thru-Hull 50/200kHz Depth/Temperature. Black 9-pin connector and 12m (40ft) cable.	208.00	247.52
000-13773-001		R509LH-W - 3kW Low Chirp / 1kW High Chirp Depth/Temperature Transducer. Dual 9pin connector and 10m (33ft) cable. NSSevo3S or S5100 Sonar module required.	6506.00	7742.14
000-13941-001		CM599LH-W - 3kW Low Chirp / 1kW High Chirp Depth/Temperature Transducer. Dual 9pin connector and 10m (33ft) cable. NSSevo3S or S5100 Sonar module required.	6829.00	8126.51
000-14804-001		B744V - Bronze 600W Smart Thru Hull 50/200 Khz Depth/Temperature Transducer. 9pin sonar connector and 10m cable. NMEA2000 Speed/Temperature paddle wheel insert.	899.00	1069.81
000-13919-001		P66 - Plastic 600W 50/200kHz Transom Mount Depth and Temperature transducer. 9pin connector and 6 m (19.6 ft) cable.	204.00	242.76
000-13944-001		TM150M - Plastic 300W Transom Mount Medium-Chirp Transducer. 9pin connector and 12m (40ft) cable.	431.00	512.89
000-15482-001		TM165HW - Plastic 600W Transom-Mounted High-Wide Chirp Depth and Temperature transducer. 9-pin connector and 12m (40ft) cable.	746.00	887.74
000-13998-001		TM185M - Plastic 1kW Transom-Mounted Medium Chirp Depth and Temperature transducer. 9-pin connector and 12m (40ft) cable.	1398.00	1663.62
000-13997-001		TM185HW - Plastic 1kW Transom-Mounted High-Wide Chirp Depth and Temperature transducer. 9-pin connector and 12m (40ft) cable.	1692.00	2013.48
000-16371-001		Airmar TM265LH CHIRP Transducer with DUAL 9-pin blue connectors. 10 m (33 ft) cable.	2089.00	2485.91
000-13904-001		TM260 - Plastic 1kW Transom-Mounted 50/200kHz Depth and Temperature transducer. 9-pin connector and 12m (40ft) cable.	1474.00	1754.06
000-13770-001		TM275LH-W - Plastic 1kW Transom-Mounted Low/High-Wide Depth and Temperature transducer. Dual 9-pin connectors and 12m (40ft) cable.	2561.00	3047.59
000-13262-001		Dual 9-Pin Wiring Block Sonar Adapter, to connect a bare-wire transducer to a 9pin sonar module or display.	534.00	635.46


Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14884-001		High speed skimmer 83/200 kHz transom-mount skimmer depth/temp - Black 9 pin connector	98.52	117.24
000-14885-001		9 Pin 50/200 kHz transom-mount skimmer depth/temp - black 9 pin connector	167.00	198.73
000-14886-001		9-Pin 83/200kHz Pod-Style Shoot-Through Trandsucer. Depth only.	98.52	117.24
000-14887-001		9-Pin 83/200kHz Pod-Style Shoot-Through-Hull or Trolling Motor Mount Transducer w/Temp	98.52	117.24
000-14888-001		9-Pin 83/200kHz Trolling-Motor Pod Transducer w/Temp	108.00	128.52

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16062-001		ActiveImaging™ HD 3-IN-1 delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer. Comes with a 7.6m (25ft) cable with a 9-pin connector. Compatibility: Direct connect to Simrad NSS4, Lowrance HDS PRO, or to an S3100 module. For Lowrance HDS Live, Carbon, Elite FS, and Simrad NSS evo3(S) / NSOevo3(S) displays, an S3100 sonar module is required.	481.00	572.39
000-16061-001		ActiveImaging™ HD 3-in-1 (High/Wide)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.	588.00	699.72
000-13313-001		Connects older 7 pin blue plug transducers to displays with 9pin transducer ports.	35.33	42.05
000-16295-001		Transducer, Network cable pulling tools	26.76	31.85
000-12571-001		Connects a non-CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with transducers that have an analog temperature sensor.	48.20	57.35
000-16060-001		ActiveImaging™ HD 3-in-1 (Medium/High)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.	534.00	635.46
000-16063-001		ActiveImaging™ HD 2-in-1 Transducer. Provides ActiveImaging HD technology for SideScan and DownScan while leaving you free to select other transducer options for Traditional/Chirp Sonar. 7.6m (25 ft) cable with 9-pin connector. Compatibility: Direct connect to Simrad NSS4, Lowrance HDS PRO. For Lowrance HDS Live, Carbon, Elite FS, and Simrad NSS4, NSS evo3(S) / NSOevo3(S) displays, an S3100 sonar module is required.	395.00	470.05
000-13977-001		Connects an XID Airmar CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with Airmar 9pin XID transducers.	41.77	49.71
000-0106-73		PD - WBL 83/200 kHz Durchbruch/Trolling Motor Geber Tiefe - blauer 7 pin Stecker	97.45	115.97

Sonar

LOWRANCE

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15880-001		XSONIC AIRMAR P19 20 DEGREE: single, tilted, 200/83 kHz, transducer. Fixed 20° tilted version for 16° to 24° hull deadrise	189.00	224.91
000-0106-74		PDT-WBL 83/200 kHz Trolling-Motor Skimmer® mit Temperatursensor und blauem Stecker	106.00	126.14
000-13907-001		Through-Hull Bronze HDI Transducer. 50/200kHz 455/800 kHz DownScan. Black 9 Pin pin connector and 10m (33ft) cable.	609.00	724.71
000-13906-001		Through-Hull Bronze HDI Transducer. 50/200kHz 455/800 kHz DownScan. Black 9 Pin pin connector and 10m (33ft) cable.	609.00	724.71
000-0106-89		PDRT-WBL 83/200 kHz Durchbruch/Trolling Motor Skimmer® mit seperatem Temperatursensor und blauem Stecker	134.00	159.46
000-13905-001		Through-Hull Bronze HDI Transducer. 50/200kHz 455/800 kHz DownScan. Black 9 Pin pin connector and 10m (33ft) cable.	609.00	724.71
000-13946-001		B45 - Bronze 600W Through-Hull 50/200 kHz Depth and Temperature transducer. Black 9 pin connector with 12m (40ft) cable	381.00	453.39
000-14489-001		ActiveImaging™ 3-IN-1 combines the new Active Imaging sonar with traditional Medium/High CHIRP sonar for easy single transducer installation. 7.6m (25ft) cable with 9 pin connector.	388.00	461.72
000-0099-95		TS-1BL Temperatursensor (non-networked)	85.00	101.15
000-13784-001		SS60 (0°) - Stainless Steel 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 12m (40ft) cable.	511.00	608.09
000-13785-001		SS60 (12°) - Stainless Steel 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 12m (40ft) cable.	507.00	603.33
000-13786-001		SS60 (20°) - Stainless Steel 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 12m (40ft) cable.	507.00	603.33
000-00099-006		Extension cable for 9-pin transducers. *For optimum performance do not use more than 1 extension per installation.	93.17	110.87
000-13911-001		SS75H - Stainless Steel 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	1099.00	1307.81
000-13912-001		SS75H - Stainless Steel 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 12m (40ft) cable.	1099.00	1307.81
000-13913-001		SS75H - Stainless Steel 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 12m (40ft) cable.	1099.00	1307.81

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13908-001		SS75M - Stainless Steel 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	1146.00	1363.74
000-13909-001		SS75M - Stainless Steel 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	1146.00	1363.74
000-13910-001		SS75M - Stainless Steel 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	1146.00	1363.74
000-13942-001		P79 - Plastic 600 W In-Hull 50/200 kHz Depth Only. Black 9 pin connector with 12m cable. (40ft)	212.00	252.28
000-13922-001		B150M - Bronze 300W Medium-Chirp Thru-Hull Depth/Temperature Transducer. 9pin connector with 12m (40ft) cable.	594.00	706.86
000-13921-001		B150M - Bronze 300W Medium-Chirp Thru-Hull Depth/Temperature Transducer. 9pin connector with 12m (40ft) cable.	594.00	706.86
000-13920-001		B150M - Bronze 300W Medium-Chirp Thru-Hull Depth/Temperature Transducer. 9pin connector with 12m (40ft) cable.	594.00	706.86
000-13918-001		SS164 (20°) - Stainless Steel 1kW Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 12m (40ft) cable.	1571.00	1869.49
000-13917-001		SS164 (12°) - Stainless Steel 1kW Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 12m (40ft) cable.	1571.00	1869.49
000-13916-001		SS164 (0°) - Stainless Steel 1kW Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 12m (40ft) cable.	1571.00	1869.49
000-13780-001		SS175H-W - Stainless Steel 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	2154.00	2563.26
000-13781-001		SS175H-W - Stainless Steel 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	2154.00	2563.26
000-13782-001		SS175H-W - Stainless Steel 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	2154.00	2563.26
000-13777-001		SS175M - Stainless Steel 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	1906.00	2268.14
000-13778-001		SS175M - Stainless Steel 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	1906.00	2268.14
000-13779-001		SS175M - Stainless Steel 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	1906.00	2268.14

Sonar

LOWRANCE

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13774-001		SS175L - Stainless Steel 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	2353.00	2800.07
000-13775-001		SS175L - Stainless Steel 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	2353.00	2800.07
000-13776-001		SS175L - Stainless Steel 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 12m (40ft) cable.	2353.00	2800.07
000-13964-001		B258 - Bronze 1kW Fairing-Block Through-Hull 50/200 kHz Depth/Temperature Transducer. Black 9pin connector and 12m (40ft) cable.	1175.00	1398.25
000-13783-001		SS260 - Stainless Steel 1kW Fairing-Block Through-Hull 50/200 kHz Depth/Temperature Transducer. Black 9pin connector and 12m (40ft) cable.	2020.00	2403.80
000-13914-001		M260 - 1kW In-Hull Tank Mount 50/200 kHz Depth Transducer. Black 9pin connector and 10m (33ft) cable.	1421.00	1690.99
000-13771-001		B275LH-W - Bronze 1kW Through Hull Low/High-Wide Chirp Depth and Temperature transducer. Dual 9-pin connectors and 12m (40ft) cable.	2847.00	3387.93
000-13940-001		PM275LH-W - 1kW Pocket-Mount Low/High-Wide Chirp Depth/Temperature Transducer. Dual black 9pin connectors and 12m (40ft) cable. NSSevo3S or S5100 Sonar Module required.	3034.00	3610.46
000-13772-001		CM275LH-W - 1kW Cavity-Mount Low/High-Wide Chirp Depth/Temperature Transducer. Dual black 9pin connectors and 12m (40ft) cable. NSSevo3S or S5100 Sonar Module required.	2709.00	3223.71
000-14561-001		B285M - Bronze 1kW Through Hull Medium-Chirp Depth and Temperature transducer. 9-pin connector and 12m (40ft) cable.	2078.00	2472.82
000-13915-001		P319 - Plastic 600W Thru-Hull 50/200kHz Depth/Temperature. Black 9-pin connector and 12m (40ft) cable.	208.00	247.52
000-13773-001		R509LH-W - 3kW Low Chirp / 1kW High Chirp Depth/Temperature Transducer. Dual 9pin connector and 10m (33ft) cable. NSSevo3S or S5100 Sonar module required.	6506.00	7742.14
000-13941-001		CM599LH-W - 3kW Low Chirp / 1kW High Chirp Depth/Temperature Transducer. Dual 9pin connector and 10m (33ft) cable. NSSevo3S or S5100 Sonar module required.	6829.00	8126.51
000-14804-001		B744V - Bronze 600W Smart Thru Hull 50/200 Khz Depth/Temperature Transducer. 9pin sonar connector and 10m cable. NMEA2000 Speed/Temperature paddle wheel insert.	899.00	1069.81
000-13919-001		P66 - Plastic 600W 50/200kHz Transom Mount Depth and Temperature transducer. 9pin connector and 6 m (19.6 ft) cable.	204.00	242.76
000-13944-001		TM150M - Plastic 300W Transom Mount Medium-Chirp Transducer. 9pin connector and 12m (40ft) cable.	431.00	512.89

Sonar

LOWRANCE

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15482-001		TM165HW - Plastic 600W Transom-Mounted High-Wide Chirp Depth and Temperature transducer. 9-pin connector and 12m (40ft) cable.	746.00	887.74
000-13998-001		TM185M - Plastic 1kW Transom-Mounted Medium Chirp Depth and Temperature transducer. 9-pin connector and 12m (40ft) cable.	1398.00	1663.62
000-13997-001		TM185HW - Plastic 1kW Transom-Mounted High-Wide Chirp Depth and Temperature transducer. 9-pin connector and 12m (40ft) cable.	1692.00	2013.48
000-13904-001		TM260 - Plastic 1kW Transom-Mounted 50/200kHz Depth and Temperature transducer. 9-pin connector and 12m (40ft) cable.	1474.00	1754.06
000-13770-001		TM275LH-W - Plastic 1kW Transom-Mounted Low/High-Wide Depth and Temperature transducer. Dual 9-pin connectors and 12m (40ft) cable.	2561.00	3047.59
000-13262-001		Dual 9-Pin Wiring Block Sonar Adapter, to connect a bare-wire transducer to a 9pin sonar module or display.	534.00	635.46
000-14884-001		High speed skimmer 83/200 kHz transom-mount skimmer depth/temp - Black 9 pin connector	98.52	117.24
000-14885-001		9 Pin 50/200 kHz transom-mount skimmer depth/temp - black 9 pin connector	167.00	198.73
000-14886-001		9-Pin 83/200kHz Pod-Style Shoot-Through Trandsucer. Depth only.	98.52	117.24
000-14887-001		9-Pin 83/200kHz Pod-Style Shoot-Through-Hull or Trolling Motor Mount Transducer w/Temp	98.52	117.24
000-14888-001		9-Pin 83/200kHz Trolling-Motor Pod Transducer w/Temp	108.00	128.52
000-0051-45		TMB-S Trolling-Motor Halterung fürStandard Skimmer® Heckmontagegeber	21.41	25.48
000-0051-52		Saugnapfmontage Kit für Heckmontagegeber	21.41	25.48
000-10392-001		Skimmer™ Halterung für Heckmontagegeber 50/200kHz	26.76	31.85
000-0106-98		Epoxy 6 pack	11.77	14.01

Sonar

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-0099-06		HS-WS-SS Installations-Set für Heckmontagegeber	26.76	31.85
000-10606-001		Kayak Lenzloch Geber-Befestigung (Sit On Top)	52.99	63.06

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15470-001		B744VC ACTIVE INSERT - REPLACEMENT	331.00	393.89
000-0127-29		Ethernetkabel yellow 5 Pin 4.5 m (15 ft)	59.98	71.37
000-10392-001		Skimmer™ Halterung für Heckmontagegeber 50/200kHz	26.76	31.85
000-00128-001		4-pin Power Cable for modules and MFDs.	41.62	49.52

Blue

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11142-001		SonarHub Module, with power cable and Ethernet cable 4.5m (15ft). Requires adapter 000-12571-001 or 000-13977-001 adapter cable to use Airmar Non-Chirp or Chirp 9-pin transducers.	694.00	825.86
000-13313-001		Connects older 7 pin blue plug transducers to displays with 9pin transducer ports.	35.33	42.05
000-0106-72		HST - WSBL 83/200 kHz Heckmontage Geber Tiefe/Temp mit blauem 7 pin Stecker	82.46	98.12
000-0106-77		HST - DFSBL 50/200 kHz Heckmontage-Geber Tiefe/Temperatur - blauer 7 pin Stecker	166.00	197.54
000-0106-73		PD - WBL 83/200 kHz Durchbruch/Trolling Motor Geber Tiefe - blauer 7 pin Stecker	97.45	115.97
000-0106-74		PDT-WBL 83/200 kHz Trolling-Motor Skimmer® mit Temperatursensor und blauem Stecker	106.00	126.14
000-0106-89		PDRT-WBL 83/200 kHz Durchbruch/Trolling Motor Skimmer® mit seperatem Temperatursensor und blauem Stecker	134.00	159.46
000-0106-94		PTI-WBL - Ice Fishing Geber mit blauem Stecker	106.00	126.14
000-0099-95		TS-1BL Temperatursensor (non-networked)	85.00	101.15
000-10046-001		BSM-1 Adapterkabel 7pin blauer Stecker an offene Enden	31.06	36.96
000-0099-93		XT-12BL Geber Verlängerungskabel 7-pin blauer Stecker	52.47	62.44
000-0099-94		XT-20BL 6m Geberverlängerungskabel	52.47	62.44

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13313-001		Connects older 7 pin blue plug transducers to displays with 9pin transducer ports.	35.33	42.05
000-16295-001		Transducer, Network cable pulling tools	26.76	31.85

Sonar

LOWRANCE

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-12571-001		Connects a non-CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with transducers that have an analog temperature sensor.	48.20	57.35
000-13977-001		Connects an XID Airmar CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with Airmar 9pin XID transducers.	41.77	49.71
000-10046-001		BSM-1 Adapterkabel 7pin blauer Stecker an offene Enden	31.06	36.96
000-0099-93		XT-12BL Geber Verlängerungskabel 7-pin blauer Stecker	52.47	62.44
000-0099-94		XT-20BL 6m Geberverlängerungskabel	52.47	62.44
000-00099-006		Extension cable for 9-pin transducers. *For optimum performance do not use more than 1 extension per installation.	93.17	110.87
000-0106-98		Epoxy 6 pack	11.77	14.01

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-0127-29		Ethernetkabel yellow 5 Pin 4.5 m (15 ft)	59.98	71.37
000-10392-001		Skimmer™ Halterung für Heckmontagegeber 50/200kHz	26.76	31.85
000-0099-06		HS-WS-SS Installations-Set für Heckmontagegeber	26.76	31.85
000-00128-001		4-pin Power Cable for modules and MFDs.	41.62	49.52

HDI™

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15640-001		HDI Skimmer® transducer 83/200/455/800kHz for Hook2*, Hook Reveal, and Eagle 7,9. Built-in temp. Includes mounting bracket and hardware. Cable Length 6m (20 ft). Connector: 8-pin push fit. (*83 kHz / Mid CHIRP frequency options are not available on Hook2)	125.00	148.75
000-15639-001		HDI Skimmer® transducer 50/200/455/800kHz for Hook2* and Hook Reveal, with built in temp. Includes mounting bracket and hardware. Cable Length 6m (20 ft). Connector: 8 pin push fit. (* 50 kHz / Low CHIRP frequency options are not available on Hook2)	258.00	307.02
000-12570-001		HDI Skimmer MED/HIGH 455/800 transducer. 9 pin Black xSonic Connector in Lowrance branded blue housing. 4.5 m (15 ft) cable	153.00	182.07
000-12728-001		HDI Skimmer med/high (455/800 kHz) transducer. 9 pin Black X-Sonic Connector. Cable Length 6 m (20 ft)	155.00	184.45
000-12569-001		HDI Skimmer L/H 455/800 xSonic 9-pin - Black - 6m (20 ft) Cable	305.00	362.95
000-13889-001		HDI Skimmer® transducer 83/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 1.8m (6ft). Blue Lowrance branded body.	155.00	184.45
000-10976-001		HDI Skimmer® transducer 83/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 6m (20 ft)	155.00	184.45
000-10977-001		HDI Skimmer® transducer 50/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 6 m (20 ft)	305.00	362.95

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13313-001		Connects older 7 pin blue plug transducers to displays with 9pin transducer ports.	35.33	42.05
000-16295-001		Transducer, Network cable pulling tools	26.76	31.85
000-13977-001		Connects an XID Airmar CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with Airmar 9pin XID transducers.	41.77	49.71
000-0099-95		TS-1BL Temperatursensor (non-networked)	85.00	101.15
000-0099-93		XT-12BL Geber Verlängerungskabel 7-pin blauer Stecker	52.47	62.44
000-0099-94		XT-20BL 6m Geberverlängerungskabel	52.47	62.44
000-0051-52		Saugnapfmontage Kit für Heckmontagegeber	21.41	25.48

Sonar

LOWRANCE

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-10606-001		Kayak Lenzloch Geber-Befestigung (Sit On Top)	52.99	63.06
000-10978-001		HDI TROLLING MOTOR ADADPTOR FOR SKIMMER (*only for 83/200/455/800 HDI Skimmer transducer)	27.04	32.18
000-14414-001		8 pin 10 Ft Extension Cable: This extension cable is only for Hook2 / Hook Reveal / Cruise 8 pin compatible transducers such as Splitshot, TripleShot, Cruise Skimmer	58.89	70.08

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-10262-001		Ersatzhalterung für DSI Heckmontagegeber	39.62	47.14

Uniplug

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-0106-48		HST-WSU 83/200kHz Heckmontagegeber Tiefe/Temperatur mit 6 m Kabel	79.24	94.30
000-0106-69		PDRT-WSU - 83/200kHz Trolling-Motor Geber mit separatem Temperatursensor blauer Stecker	85.11	101.28
000-0106-68		PTI-WSU - 83/200kHz Ice transducer with 7ft cable	119.00	141.61

Spare Parts

Part Number	Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-0099-06	HS-WS-SS Installations-Set für Heckmontagegeber	26.76	31.85

DSI™

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-10260-001		455/800kHz DSI Skimmer® Heckmontagegeber Tiefe/Temp	138.00	164.22

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-0051-52		Saugnapfmontage Kit für Heckmontagegeber	21.41	25.48
000-0099-06		HS-WS-SS Installations-Set für Heckmontagegeber	26.76	31.85
000-10261-001		Low Profile Trolling Motor Halterung für DSI Skimmer Heckmontagegeber	27.84	33.12
000-10606-001		Kayak Lenzloch Geber-Befestigung (Sit On Top)	52.99	63.06

Kabel

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16295-001		Transducer, Network cable pulling tools	26.76	31.85

Halo

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14543-001		HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.	2196.00	2613.24
000-14542-001		HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	2581.00	3071.39
000-14541-001		HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	2892.00	3441.48

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-10795-001		SC20 Mast mount kit for HALO 20/20+ and Broadband Dome Radars.	642.00	763.98
000-16235-001		HS65, GNSS Compass with mount flat mount.	1223.00	1455.37
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	716.00	852.04
000-14551-001		Enables re-use of the existing BR24/3G/4G cable onboard when upgrading to a HALO Dome radar.	69.62	82.84
000-14548-001		Power / Ethernet cable, 10 m (33 ft) for HALO dome radars and B&G Nemesis displays	127.00	151.13
000-14549-001		Power / Ethernet cable, 20 m (65.5 ft) for HALO dome radars and B&G Nemesis displays	192.00	228.48
000-14550-001		Power / Ethernet cable, 30 m (98.5 ft) for HALO dome radars and B&G Nemesis displays	256.00	304.64

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14552-001		Ethernet adapter cable, RJ45 F to 5 Pin male, 1.5 m (4.9 ft). Ships with water proof boot.	44.98	53.53
000-14547-001		Power / Ethernet cable, 5 m (16.5 ft) for HALO dome radars and B&G Nemesis displays	82.47	98.14

Autopilot Kits

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11749-001		Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit , Standby-Auto button and Micro-C network components.	1766.00	2101.54
000-15952-001		Outboard Pilot Hydraulic Pack: Includes Point-1 AP Heading and GPS Sensor, NAC-1 Autopilot Computer, PUMP-1 MKII – 0.8L reversible hydraulic pump, hydraulic fitting kit, Standby-Auto button and Micro-C network components.	1413.00	1681.47
000-15951-001		NAC-1 Precision Hydraulic Autopilot pack: Includes Precision-9 Heading Sensor, NAC-1 Autopilot Computer, PUMP-1 (MkII) Hydraulic Pump – 0.8L reversible hydraulic pump, Standby-Auto button and Micro-C network components.	2002.00	2382.38
000-16652-001		NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass, Pump-2 and SteadySteer™ flow switch.	2734.00	3253.46
000-16653-001		NAC-2 VRF. Performance VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, HS65 GNSS Compass, SteadySteer™ flow switch, backbone starter kit, 4m (15 ft) NMEA 2000 cable.	2300.00	2737.00
000-16655-001		NAC-3 VRF. Performance VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, HS65 GNSS Compass, SteadySteer™ flow switch, backbone starter kit, 4m (15 ft) NMEA 2000 cable.	3059.00	3640.21
000-16656-001		NAC-3 RF. Performance Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, HS65 GNSS Compass, RF-25N Rudder Feedback unit, SteadySteer™ flow switch, backbone starter kit and 4m (15 ft) NMEA 2000 cable.	3458.00	4115.02
000-16654-001		NAC-D Performance Core Pack. NAC-D Autopilot computer - Comes with NAC-D Autopilot Computer, HS65 GNSS Compass, Backbone starter kit, 4m (15 ft) NMEA 2000 cable.	2193.00	2609.67

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16235-001		HS65, GNSS Compass with mount flat mount.	1223.00	1455.37
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	716.00	852.04
000-12316-001		WR10 Wireless Autopilot Remote. Includes NMEA2000 connected Bluetooth base station.	513.00	610.47
000-11770-002		PUMP-1: Hydraulic Pump – 0.8L reversible hydraulic pump, compatible with SeaStar manual helm pumps up to 14ci. Includes 3 x ORB-5 to 9/16 UNF fittings.	706.00	840.14
000-15444-002		PUMP-2: 12V DC: Reversible hydraulic gear pump. 0.8L (49 cu.in) / min. For cylinder displacement of 80 cc - 250 cc (4.9 - 15.2 cu.in). O-Ring Boss (ORB) connections. Includes 3 x ORB-5 to 9/16 UNF fittings. SteadySteer compatible. (NAC-2 / AC12 required).	770.00	916.30
000-15445-002		PUMP-3: 12V DC: Reversible hydraulic gear pump. 1.6L (98 cu.in) / min. For cylinder displacement of 160-550 cc (9.8 - 33.5 cu.in). O-Ring Boss (ORB) connections. Includes 3 x ORB-5 to 9/16 UNF fittings. SteadySteer compatible. (NAC-3 / AC42 required).	941.00	1119.79
000-15446-002		PUMP-4: 12V DC: Reversible hydraulic gear pump. 3.0L (183 cui) / min. For cylinder displacement of 290 - 960 cc (17.7 - 58.5 cu. in.). O-Ring Boss (ORB) connections. Includes 3 x ORB-5 to 9/16 UNF fittings. SteadySteer compatible. (NAC-3 / AC42 required).	1370.00	1630.30

Autopilot

LOWRANCE

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15447-002		PUMP-5: 24V DC: Reversible hydraulic gear pump. 3.0L (183 cui) / min. For cylinder displacement of 290 - 960 cc (17.7 - 58.5 cu. in.). O-Ring Boss (ORB) connections. Includes 3 x ORB-5 to 9/16 UNF fittings. SteadySteer compatible. (NAC-3 / AC42 required).	1370.00	1630.30
000-14439-001		NAC-1 / NAC-2 ONLY. The RF40 is a medium-duty rudder feedback unit designed specific for use with NAC-1 and NAC-2 autopilot computers. 3pin 15m (50ft) cable.	342.00	406.98
000-14268-001		Waterproof 4-core cable joiner for NAC-1, 2 and 3 Autopilot installations. Convenient way to connect your computer to the drive unit and ensure a waterproof connection.	28.92	34.41

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11769-001		NAC-1 Autopilot Computer – The brains behind the Outboard Pilot and Drive Pilot systems. It contains the steering computer and electronics for the drive unit motor and clutch.	781.00	929.39
000-13249-001		The low-current NAC-2 autopilot computer is ideal for smaller vessels, designed to run small hydraulic drives and mechanical drives for vessels up to 10 metres (33 feet) in length. Also provides solenoid output.	1006.00	1197.14
000-12930-002		Point-1 AP GPS and Heading antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass with accuracy and tuning specific for Lowrance Autopilots also provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds.	299.00	355.81
000-10760-001		NMEA 2000 Micro-C Auto pilot network starter kit: Includes Network power cable, 4.5 m (15 ft) N2K cable, 3 x T-connectors, and 2 x network terminators.	96.39	114.70
000-16235-001		HS65, GNSS Compass with mount flat mount.	1223.00	1455.37
000-13250-001		The high-current NAC-3 autopilot computer is designed for vessels over 10 metres (33 feet) in length, with the ability to run heavy-duty hydraulic drive pumps & linear rams, and also provides solenoid output.	1766.00	2101.54
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	716.00	852.04
000-11770-002		PUMP-1: Hydraulic Pump – 0.8L reversible hydraulic pump, compatible with SeaStar manual helm pumps up to 14ci. Includes 3 x ORB-5 to 9/16 UNF fittings.	706.00	840.14
000-15444-002		PUMP-2: 12V DC: Reversible hydraulic gear pump. 0.8L (49 cu.in) / min. For cylinder displacement of 80 cc - 250 cc (4.9 - 15.2 cu.in). O-Ring Boss (ORB) connections. Includes 3 x ORB-5 to 9/16 UNF fittings. SteadySteer compatible. (NAC-2 / AC12 required).	770.00	916.30
000-0119-86		N2KEXT-15RD - 4.55 m (15-ft) NMEA 2000® Netzwerkkabel	59.98	71.37
000-10756-001		RF25N, Ruder Rückgeber Einheit: mit Übertragungs Gestänge und 5 m (16.5 ft) NMEA2000 Micro-C Kabel	358.00	426.02
000-15942-001		Autopilot ORB hose fitting kit for MKII Pumps 1, 2, 3, 4 &5	181.00	215.39
000-15734-001		SteadySteer™ Flow Switch Only. Enjoy increased convenience without sacrificing safety with SteadySteer - a new functionality for autopilot systems that enables immediate, manual control of a vessel through turns without disengaging the autopilot.	492.00	585.48

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13703-001		Auto-Stby Button - Metal. For a physical Auto/Stby button in systems with NAC-1 and NAC-2 Autopilot Computers.	52.48	62.45

Autopilot Accessories

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11769-001		NAC-1 Autopilot Computer – The brains behind the Outboard Pilot and Drive Pilot systems. It contains the steering computer and electronics for the drive unit motor and clutch.	781.00	929.39
000-13249-001		The low-current NAC-2 autopilot computer is ideal for smaller vessels, designed to run small hydraulic drives and mechanical drives for vessels up to 10 metres (33 feet) in length. Also provides solenoid output.	1006.00	1197.14
000-13250-001		The high-current NAC-3 autopilot computer is designed for vessels over 10 metres (33 feet) in length, with the ability to run heavy-duty hydraulic drive pumps & linear rams, and also provides solenoid output.	1766.00	2101.54
000-12316-001		WR10 Wireless Autopilot Remote. Includes NMEA2000 connected Bluetooth base station.	513.00	610.47
000-11771-001		The HELM-1 is a complete autopilot drive unit for cable-steered vessels, and replaces your existing manual helm drive behind the dash. Designed for easy installation and retrofit, the HELM-1 features an integrated rudder feedback sensor and is plug-and-play compatible with NAC-1 and NAC-2 autopilot computers.	1295.00	1541.05
000-11770-002		PUMP-1: Hydraulic Pump – 0.8L reversible hydraulic pump, compatible with SeaStar manual helm pumps up to 14ci. Includes 3 x ORB-5 to 9/16 UNF fittings.	706.00	840.14
000-15444-002		PUMP-2: 12V DC: Reversible hydraulic gear pump. 0.8L (49 cu.in) / min. For cylinder displacement of 80 cc - 250 cc (4.9 - 15.2 cu.in). O-Ring Boss (ORB) connections. Includes 3 x ORB-5 to 9/16 UNF fittings. SteadySteer compatible. (NAC-2 / AC12 required).	770.00	916.30
000-15445-002		PUMP-3: 12V DC: Reversible hydraulic gear pump. 1.6L (98 cu.in) / min. For cylinder displacement of 160-550 cc (9.8 - 33.5 cu.in). O-Ring Boss (ORB) connections. Includes 3 x ORB-5 to 9/16 UNF fittings. SteadySteer compatible. (NAC-3 / AC42 required).	941.00	1119.79
000-15446-002		PUMP-4: 12V DC: Reversible hydraulic gear pump. 3.0L (183 cui) / min. For cylinder displacement of 290 - 960 cc (17.7 - 58.5 cu. in.). O-Ring Boss (ORB) connections. Includes 3 x ORB-5 to 9/16 UNF fittings. SteadySteer compatible. (NAC-3 / AC42 required).	1370.00	1630.30
000-15447-002		PUMP-5: 24V DC: Reversible hydraulic gear pump. 3.0L (183 cui) / min. For cylinder displacement of 290 - 960 cc (17.7 - 58.5 cu. in.). O-Ring Boss (ORB) connections. Includes 3 x ORB-5 to 9/16 UNF fittings. SteadySteer compatible. (NAC-3 / AC42 required).	1370.00	1630.30
000-10756-001		RF25N, Ruder Rückgeber Einheit: mit Übertragungs Gestänge und 5 m (16.5 ft) NMEA2000 Micro-C Kabel	358.00	426.02
20193744		RF300 Frequency Rudder Feedback - 10m cable and transmission link assembly.	307.00	365.33
000-14439-001		NAC-1 / NAC-2 ONLY. The RF40 is a medium-duty rudder feedback unit designed specific for use with NAC-1 and NAC-2 autopilot computers. 3pin 15m (50ft) cable.	342.00	406.98
000-15942-001		Autopilot ORB hose fitting kit for MKII Pumps 1, 2, 3, 4 &5	181.00	215.39
000-15944-001		Autopilot fitting adaptor kit. Contains 3 x ORB-5 to ¼" NPT adaptors	53.55	63.72
000-15734-001		SteadySteer™ Flow Switch Only. Enjoy increased convenience without sacrificing safety with SteadySteer - a new functionality for autopilot systems that enables immediate, manual control of a vessel through turns without disengaging the autopilot.	492.00	585.48
000-15949-001		ORB hose fitting kit for MKII Pumps 1, 2, 3, 4 &5, including SteadySteer	609.00	724.71

Autopilot

LOWRANCE

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15950-001		Autopilot fitting kit for MKII Pumps 2, 3, 4 &5 for use with Verado systems. Includes SteadySteer	878.00	1044.82
000-15943-001		Verado autopilot fitting kit for MKII Pumps 1, 2, 3, 4 &5	588.00	699.72
20188074		LF3000 Linear Feedback - For use with outboard system if a rudder angle is desired. Also requires LFI3000MK2 priced/ordered separately.	427.00	508.13
20188082		LFI3000MK2 Linear Feedback Interface box - Required for use on outboard application with LF3000 Linear Feedback.	152.00	180.88
000-13703-001		Auto-Stby Button - Metal. For a physical Auto/Stby button in systems with NAC-1 and NAC-2 Autopilot Computers.	52.48	62.45

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16235-001		HS65, GNSS Compass with mount flat mount.	1223.00	1455.37
000-12316-001		WR10 Wireless Autopilot Remote. Includes NMEA2000 connected Bluetooth base station.	513.00	610.47
000-14439-001		NAC-1 / NAC-2 ONLY. The RF40 is a medium-duty rudder feedback unit designed specific for use with NAC-1 and NAC-2 autopilot computers. 3pin 15m (50ft) cable.	342.00	406.98
000-15942-001		Autopilot ORB hose fitting kit for MKII Pumps 1, 2, 3, 4 &5	181.00	215.39
000-15944-001		Autopilot fitting adaptor kit. Contains 3 x ORB-5 to ¼" NPT adaptors	53.55	63.72
000-15949-001		ORB hose fitting kit for MKII Pumps 1, 2, 3, 4 &5, including SteadySteer	609.00	724.71
000-15950-001		Autopilot fitting kit for MKII Pumps 2, 3, 4 &5 for use with Verado systems. Includes SteadySteer	878.00	1044.82
000-15943-001		Verado autopilot fitting kit for MKII Pumps 1, 2, 3, 4 &5	588.00	699.72
000-14268-001		Waterproof 4-core cable joiner for NAC-1, 2 and 3 Autopilot installations. Convenient way to connect your computer to the drive unit and ensure a waterproof connection.	28.92	34.41

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-12359-001		WR10 BT-1 Base Station Only	288.00	342.72
000-12358-001		WR10 Wireless Remote for Autopilot.	224.00	266.56

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15858-001		PUMP-X Motor Brushes - Autopilot pump brush kit for PUMP-2,3,4 & 5. 2Pcs. Note: Not for Pump-1	69.62	82.84
000-15734-001		SteadySteer™ Flow Switch Only. Enjoy increased convenience without sacrificing safety with SteadySteer - a new functionality for autopilot systems that enables immediate, manual control of a vessel through turns without disengaging the autopilot.	492.00	585.48
000-14464-001		NAC-1 & NAC-2 Power Cable - 2m	40.70	48.43
000-14798-001		NAC-2 Rudder feedback cable: Used to connect resistive rudder feedback units to either NAC-1 or NAC-2. 3 Pin connector to 3 bare wires. 2 m (6.5 ft)	40.70	48.43
000-14463-001		NAC-2 Spare Drive Cable - 2m (6.5 ft)	40.70	48.43

UKW

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14472-001		Lowrance LINK-9 marine VHF radio with DSC and AIS receiver.	738.00	878.22
000-14493-001		Lowrance Link-6S Marine DSC VHF Radio. With built in GPS.	422.00	502.18
000-15651-001		SP100: External VHF speaker. 10W @ 4 Ohms. Comes with an attached twin core 2 m (6.5 ft) cable.	101.75	121.08

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
AA000355		UKW-Antenne Gfk 240 cm	95.32	113.43
AA000358		UKW-Antenne Gfk 100 cm	52.48	62.45
AA000223		Antennenhalterung Kunststoff mit 5 m Kabel	57.83	68.82
AA000224		Antennenhalterung Edelstahl mit 5 m Kabel	127.00	151.13
000-16055-001		VHF antenna mount. Heavy-duty stainless steel fold-down antenna mount. With attached 7 m (23 ft) cable. Fastfit connector	127.00	151.13
AA000352		UKW-Antenne Mastmontage	80.33	95.59
AA000400		VHF extension cable 5 m (16 ft)	31.06	36.96
000-15859-001		VHF ANTENNA,1Meter Back Fiberglass Stainless Steel, Quick fit fitting.	91.04	108.33
000-14924-001		10m Extension Cable for RS40, RS40-B, V60, V60B and Link-9 VHF Fist Mics, and H100/HS100 Handsets.	58.91	70.10
000-14923-001		5m Extension Cable for RS40, RS40-B, V60, V60B and Link-9 VHF Fist Mics, and H100/HS100 Handsets.	47.12	56.08
000-14968-001		Navico 1710 VHF antenna, 2.5 m (8 ft) ultraglass, quickfit @ 6dB BLACK	94.25	112.16
000-13613-001		GPS-500 - GPS antenna for Navico AIS transceivers and VHF systems. 10 m (33 ft) cable with SMA connector.	160.00	190.40

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14065-001		Bracket mount knobs for Link-6 VHF radio (White)	15.44	18.37
000-14063-001		VHF,MIC CLIP FOR LINK-6W	8.23	9.79
000-14061-001		Mounting Bracket for Link 6 VHF (White)	30.89	36.76
000-14058-001		VHF,FLUSH MOUNT KIT,LINK-6W	11.32	13.47
000-14057-001	Missing Image	LINK-6 Flush Mount Kit	12.84	15.28
000-14060-001		LINK-6 Mounting Bracket	35.34	42.06
000-14064-001		LINK-6 Mounting Bracket Knobs	17.14	20.39
000-14062-001		LINK-6 Mic Clip	9.64	11.47
000-14054-001		LINK-6 Suncover	23.55	28.03

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14911-001		LINK-9 VHF Suncover	23.55	28.03
000-14920-001		Lowrance Link-9 Remote Mountable Fist Mic. Can be connected to the front or rear of the radio, and optional extension cable allows the radio and mic to be mounted in seperate locations.	82.46	98.12
000-14918-001		LINK-9 Fist Mic mounting clip	9.63	11.46
000-14916-001		Link-9 VHF Mounting bracket with Knobs and Screws	29.98	35.67
000-14914-001		Link-9 VHF Flush Mounting kit.:Includes teplate, Gasket, Bezels and screws	12.84	15.28
000-14060-001		LINK-6 Mounting Bracket	35.34	42.06
000-14064-001		LINK-6 Mounting Bracket Knobs	17.14	20.39
000-14062-001		LINK-6 Mic Clip	9.64	11.47
000-10002-001	Missing Image	Abdeckkappe UKW LVR-880	30.26	36.01

AIS Class B

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13609-001		NAIS-500 class B AIS with GPS-500 GPS antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	888.00	1056.72
000-13963-001		NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	1177.00	1400.63
000-13612-001		NSPL-500 AIS/VHF Antenna Splitter - Enables use of one VHF antenna on the vessel for both VHF and AIS.	288.00	342.72

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13612-001		NSPL-500 AIS/VHF Antenna Splitter - Enables use of one VHF antenna on the vessel for both VHF and AIS.	288.00	342.72
AA000355		UKW-Antenne Gfk 240 cm	95.32	113.43
AA000358		UKW-Antenne Gfk 100 cm	52.48	62.45
AA000223		Antennenhalterung Kunststoff mit 5 m Kabel	57.83	68.82
AA000224		Antennenhalterung Edelstahl mit 5 m Kabel	127.00	151.13
000-16055-001		VHF antenna mount. Heavy-duty stainless steel fold-down antenna mount. With attached 7 m (23 ft) cable. Fastfit connector	127.00	151.13
AA000352		UKW-Antenne Mastmontage	80.33	95.59
AA000400		VHF extension cable 5 m (16 ft)	31.06	36.96
AA000401		VHF mast cable 30 m (98 ft) for 1720 whip antenna. With Quick Fit Connector one end and Masthead connector on the other.	95.32	113.43
000-15859-001		VHF ANTENNA,1Meter Back Fiberglass Stainless Steel, Quick fit fitting.	91.04	108.33
000-14968-001		Navico 1710 VHF antenna, 2.5 m (8 ft) ultraglass, quickfit @ 6dB BLACK	94.25	112.16

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-13611-001		NAIS-500 class B AIS module only. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	845.00	1005.55
000-13959-001		NAIS500/400 & Naviop OP-BOX Power & Serial Cable	63.19	75.19

NMEA2000

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-0124-69		NMEA 2000® Starter Kit - NMEA 2000® Netzwerkzubehör: Stromkabel / N2K Kabel 4.5 m / 2 x Endwiderstände/ 2 x T-Verbinder	96.39	114.70
000-10760-001		NMEA 2000 Micro-C Auto pilot network starter kit: Includes Network power cable, 4.5 m (15 ft) N2K cable, 3 x T-connectors, and 2 x network terminators.	96.39	114.70
000-0119-79		N2K-T-RD - NMEA 2000® T-connector zur Netzwerkerweiterung	23.56	28.04
000-12612-001		Low loss NMEA2000 4-way joiner. Connect four NMEA2000 Micro-C devices to the NMEA2000 Network.	77.11	91.76
000-0119-88		N2KEXT-2RD - 0.61 m (2-ft) NMEA 2000® Netzwerkkabel	34.27	40.78
000-0127-53		N2KEXT-6RD - 1.82 m (6-ft) NMEA 2000® Netzwerkkabel	53.55	63.72
000-0119-86		N2KEXT-15RD - 4.55 m (15-ft) NMEA 2000® Netzwerkkabel	59.98	71.37
000-0119-83		N2KEXT-25RD - 7.58 m (25-ft) NMEA 2000® Netzwerkkabel	84.61	100.68
000-14376-001		NMEA 2000 Micro-C Medium duty cable. 2 m (6.5 ft) Low loss 18 gauge cable recommended for network backbone runs	84.61	100.68
000-14377-001		NMEA 2000 Micro-C Medium duty cable. 6 m (19.7 ft) Low loss 18 gauge cable recommended for network backbone runs	106.00	126.14
000-14378-001		NMEA 2000 Micro-C Medium duty cable. 10 m (33 ft) Low loss 18 gauge cable recommended for network backbone runs	138.00	164.22
000-14379-001		NMEA 2000 Micro-C Medium duty cable. 20 m (65.6 ft) Low loss 18-gauge cable recommended for network backbone runs resulting in a more robust network. Cables are identified by orange locking collars.	170.00	202.30
000-0127-52		TR-120-KIT - Set (2Stück) NMEA 2000® Abschlusswiderstände	23.56	28.04
000-0119-75		N2K-PWR-RD - NMEA 2000® Power Note (Kabel und T-Verbinder) zum erweitern von älteren Lowrance Geräten ans HDS	64.81	77.12
000-12259-001		Network power isolator. Separates separately powered sections of the NMEA2000 network while letting data through.	42.84	50.98
000-0127-04		NAC-MRD2MBL - Adapterkabel zur Verbindung von NMEA 2000® blau auf rotes oder schwarzes Netzwerk	49.65	59.09
000-0127-05		NAC-FRD2FBL - Adapterkabel zur Verbindung von roten oder schwarzen NMEA 2000® Komponenten auf blaues Netzwerk	49.65	59.09

Netzwerk

LOWRANCE

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-0127-45		SimNet auf N2K Adapter-Kit - verbindet SimNet-Komponenten mit NMEA 2000® Netzwerk	127.00	151.13
24005729		SimNet to Micro-C (male) cable that connects a SimNet product to a NMEA 2000® backbone. 0.5 m (1.6 ft)	40.70	48.43

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
24005729		SimNet to Micro-C (male) cable that connects a SimNet product to a NMEA 2000® backbone. 0.5 m (1.6 ft)	40.70	48.43

Sensoren

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11047-002		Point-1 GPS antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds. Note: For Autopilot, use Point-1AP or Precision9!	299.00	355.81
000-12930-002		Point-1 AP GPS and Heading antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass with accuracy and tuning specific for Lowrance Autopilots also provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds.	299.00	355.81
000-16235-001		HS65, GNSS Compass with mount flat mount.	1223.00	1455.37
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	716.00	852.04
000-15735-002		DST-820 Depth/Speed/Temp Sensor. Plastic thru-hull housing. With Gen2 Paddlewheel, 6 m (20') NMEA 2000® cable.	449.00	534.31
000-15736-002		IDST-820 Depth/Speed/Temp Sensor. Bronze thru-hull housing. With Gen2 Paddlewheel, 6 m (20') NMEA 2000® cable.	638.00	759.22
000-15939-001		NMEA 0183® - NMEA 2000® converter. 1.8 m (6 ft) Micro-C to bare wire cable	196.00	233.24
000-15940-001		NMEA 2000® Remote MOB Button. An emergency Man-Over-Board (MOB) button, which will trigger alerts across the NMEA2000® network.	179.00	213.01
000-11517-001		Fuel Flow Sensor - For gasoline engines. In-line sensor for 3/8" (9.5 mm) Inside Diameter fuel line. Comes with 10ft cable and T-connector.	256.00	304.64
000-0120-62		Evinrude Motor-Interfacekabel 4.5 m (15 ft) und T-connector	127.00	151.13
000-0120-37		Yamaha Motor-Interfacekabel 4.5 m (15 ft) und T-connector	127.00	151.13
000-11518-001		Fluid Level Sensor - Connects to a standard suitable tank level sensor and transmits the tank level on the the NMEA 2000 network.	117.00	139.23
000-11519-001		Speed Though Water Sensor - Transom-mount paddle wheel sensor, ideal for slow trolling speeds where GPS is not as accurate. 3.1m (10ft) cable with Micro-C connector.	127.00	151.13
000-11520-001		Temperature Sensor - Can be mounted anywhere you want to monitor the temperature. Can be configured to output a variety of different temperature types.	127.00	151.13
000-11522-001		Fuel Data Manager - Monitors Fuel Rate/Fuel Flow from NMEA 2000 engines and fuel flow sensors, and accumulates Fuel Rate into Fuel Used. Outputs seasonal, trip and total fuel used.	127.00	151.13

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11523-001		Pressure Sensor - Configurable Pressure Sensor for various engine pressures. Max pressure 100PSI.	170.00	202.30

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16564-001		POLE MOUNT KIT GS25/ZG100/POINT-1	36.72	43.70
000-16296-001		POLE MOUNT,HS65 GPS COMPASS	99.60	118.53
000-12612-001		Low loss NMEA2000 4-way joiner. Connect four NMEA2000 Micro-C devices to the NMEA2000 Network.	77.11	91.76
000-0119-88		N2KEXT-2RD - 0.61 m (2-ft) NMEA 2000® Netzwerkkabel	34.27	40.78
000-0127-53		N2KEXT-6RD - 1.82 m (6-ft) NMEA 2000® Netzwerkkabel	53.55	63.72
000-0119-86		N2KEXT-15RD - 4.55 m (15-ft) NMEA 2000® Netzwerkkabel	59.98	71.37
000-11522-001		Fuel Data Manager - Monitors Fuel Rate/Fuel Flow from NMEA 2000 engines and fuel flow sensors, and accumulates Fuel Rate into Fuel Used. Outputs seasonal, trip and total fuel used.	127.00	151.13
000-0127-45		SimNet auf N2K Adapter-Kit - verbindet SimNet-Komponenten mit NMEA 2000® Netzwerk	127.00	151.13
000-11148-001		Pole Mount for GS25 / ZG100 / POINT-1	30.00	35.70
000-10568-001	Missing Image	Accessory plug assembly for DST800	30.17	35.90

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16297-001		Standard flat mount that ships with HS65 GNSS Compass. This can be used ad replacement.	79.25	94.31
000-16296-001		POLE MOUNT,HS65 GPS COMPASS	99.60	118.53
000-10568-001	Missing Image	Accessory plug assembly for DST800	30.17	35.90

Ethernet

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16144-001		Ethernet Cable -Yellow 5-Pin Male-Male - 0.6 m (2 ft)	26.76	31.85
000-10029-001		NEP-2 Network Expansion Port (Ethernetverteiler mit 5 Ports)	331.00	393.89
000-0127-51		Ethernetkabel yellow 5 Pin 1.8 m (6 ft)	40.70	48.43
000-0127-29		Ethernetkabel yellow 5 Pin 4.5 m (15 ft)	59.98	71.37
000-0127-30		Ethernetkabel yellow 5 Pin 7.7 m (25 ft)	84.61	100.68
000-0127-37		Ethernetkabel yellow 5 Pin 15.2 m (50 ft)	117.00	139.23
000-0127-56		Adapter cable: Ethernet yellow 5 pin male to RJ45 female, 2m (6.5ft)	44.98	53.53

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16295-001		Transducer, Network cable pulling tools	26.76	31.85
000-0127-51		Ethernetkabel yellow 5 Pin 1.8 m (6 ft)	40.70	48.43
000-0127-29		Ethernetkabel yellow 5 Pin 4.5 m (15 ft)	59.98	71.37
000-0127-30		Ethernetkabel yellow 5 Pin 7.7 m (25 ft)	84.61	100.68
000-0127-37		Ethernetkabel yellow 5 Pin 15.2 m (50 ft)	117.00	139.23

Spare Parts

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-00128-001		4-pin Power Cable for modules and MFDs.	41.62	49.52

Cameras

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15876-001		The IP CAM-1 marine grade 316 stainless steel IP camera. Powered by 12V DC or PoE.	599.00	712.81

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14552-001		Ethernet adapter cable, RJ45 F to 5 Pin male, 1.5 m (4.9 ft). Ships with water proof boot.	44.98	53.53

REVEAL COASTAL™

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
M-AF-Y209-MS		REVEAL: M-AF-Y209-MS South & East Africa	199.00	236.81
M-AF-Y210-MS		REVEAL: M-AF-Y210-MS West Africa	199.00	236.81
M-EM-Y076-MS		REVEAL: M-EM-Y076-MS South-West European Coasts	199.00	236.81
M-EM-Y111-MS		REVEAL: M-EM-Y111-MS East Mediterranean, Caspian Seas	199.00	236.81
M-EN-Y070-MS		REVEAL: M-EN-Y070-MS Central Europe Inland	199.00	236.81
M-EN-Y299-MS		C-MAP REVEAL - M-EN-Y299-MS - Baltic Sea	199.00	236.81
M-EN-Y300-MS		C-MAP REVEAL - M-EN-Y300-MS - North Sea & Denmark	199.00	236.81
M-EN-Y326-MS		C-MAP REVEAL - M-EN-Y326-MS - Finland Lakes	199.00	236.81
M-EN-Y580-MS		C-MAP REVEAL - M-EN-Y580-MS - Scandinavia Inland	199.00	236.81
M-EW-Y065-MS		REVEAL: M-EW-Y065-MS France Coastal & Inland	199.00	236.81
M-EW-Y226-MS		REVEAL: M-EW-Y226-MS United Kingdom	199.00	236.81
M-EW-Y227-MS		REVEAL: M-EW-Y227-MS North-West European Coasts	199.00	236.81
M-EW-Y228-MS		REVEAL: M-EW-Y228-MS West European Coasts	199.00	236.81
M-ME-Y204-MS		REVEAL: M-ME-Y204-MS Red Sea to The Gulf & Seychelles Islands	199.00	236.81
M-RS-Y013-MS		REVEAL: M-RS-Y013-MS Kamchatka Peninsula & Kuril Islands	199.00	236.81
M-RS-Y202-MS		REVEAL: M-RS-Y202-MS Russian Federation – North West	199.00	236.81
M-RS-Y203-MS		REVEAL: M-RS-Y203-MS Russian Federation – North Central	199.00	236.81

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
M-RS-Y204-MS		REVEAL: M-RS-Y204-MS Russian Federation – North East	199.00	236.81
M-RS-Y207-MS		REVEAL: M-RS-Y207-MS Hokkaido and Sakhalin Islands	199.00	236.81

C-MAP Discover

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
M-AF-Y200-MS		DISCOVER: M-AF-Y200-MS Cameroon to South Africa	129.00	153.51
M-AF-Y201-MS		DISCOVER: M-AF-Y201-MS South Africa to Mozambique	129.00	153.51
M-AF-Y220-MS		DISCOVER: M-AF-Y220-MS Pemba to Mogadishu	129.00	153.51
M-EM-Y040-MS		DISCOVER: M-EM-Y040-MS Italian Lakes & Po River	129.00	153.51
M-EM-Y200-MS		DISCOVER: M-EM-Y200-MS West Mediterranean	129.00	153.51
M-EM-Y201-MS	Missing Image	DISCOVER: M-EM-Y201-MS Central Mediterranean	129.00	153.51
M-AF-Y214-MS		DISCOVER: M-AF-Y214-MS Cape Verde & Guinea Bissau	129.00	153.51
M-EM-Y202-MS		DISCOVER: M-EM-Y202-MS Mediterranean South Central	129.00	153.51
M-EM-Y203-MS		DISCOVER: M-EM-Y203-MS Adriatic & Ionian Seas	129.00	153.51
M-EM-Y204-MS		DISCOVER: M-EM-Y204-MS Aegean Sea & Sea of Marmara	129.00	153.51
M-EM-Y205-MS		DISCOVER: M-EM-Y205-MS Black Sea & Sea of Azov	129.00	153.51
M-EM-Y206-MS		DISCOVER: M-EM-Y206-MS Mediterranean South East	129.00	153.51
M-EN-Y200-MS		C-MAP DISCOVER: M-EN-Y200-MS Bodø - Kirkenes	129.00	153.51
M-EN-Y201-MS		DISCOVER: M-EN-Y201-MS Kristiansund - Finnsnes	129.00	153.51
M-EN-Y202-MS		DISCOVER: M-EN-Y202-MS Bergen to Brandsfjorden	129.00	153.51
M-EN-Y203-MS		DISCOVER: M-EN-Y203-MS Farsund to Måløy	129.00	153.51
M-EN-Y204-MS		DISCOVER: M-EN-Y204-MS Fiskebäckskil to Lyndgal	129.00	153.51

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
M-EN-Y205-MS		DISCOVER: M-EN-Y205-MS Karlskrona to Emden	129.00	153.51
M-EN-Y206-MS		DISCOVER: M-EN-Y206-MS Torekov to Larvik	129.00	153.51
M-EN-Y207-MS		DISCOVER: M-EN-Y207-MS Malmö to Valdermarsvik	129.00	153.51
M-EN-Y208-MS		DISCOVER: M-EN-Y208-MS Västervik to Valdermarsvik	129.00	153.51
M-EN-Y209-MS		DISCOVER: M-EN-Y209-MS Gulf of Bothnia	129.00	153.51
M-EN-Y210-MS		DISCOVER: M-EN-Y210-MS Scandinavia Inland Waters	129.00	153.51
M-EN-Y211-MS		DISCOVER: M-EN-Y211-MS Finland Lakes	129.00	153.51
M-EN-Y212-MS		DISCOVER: M-EN-Y212-MS Gulf of Finland & Åland Islands Archipelago	129.00	153.51
M-EN-Y213-MS		DISCOVER: M-EN-Y213-MS Latvia, Lithuania & Russia	129.00	153.51
M-EN-Y214-MS		DISCOVER: M-EN-Y214-MS Polish Coast & Inland	129.00	153.51
M-EN-Y215-MS		DISCOVER: M-EN-Y215-MS Germany & Netherland Inland	129.00	153.51
M-EN-Y216-MS		DISCOVER: M-EN-Y216-MS Benelux Inland & Coastal	129.00	153.51
M-EN-Y217-MS		DISCOVER: M-EN-Y217-MS Central Europe Inland	129.00	153.51
M-EN-Y218-MS		DISCOVER: M-EN-Y218-MS Iceland, Faroe, Shetland & Orkney Islands	129.00	153.51
M-EN-Y630-MS		DISCOVER: M-EN-Y630-MS Pechenga to Lumbovskiy Gulf	129.00	153.51
M-EW-Y206-MS		DISCOVER: M-EW-Y206-MS French Inland Waters	129.00	153.51
M-EW-Y207-MS		DISCOVER: M-EW-Y207-MS Bay of Biscay	129.00	153.51
M-EW-Y208-MS		DISCOVER: M-EW-Y208-MS Portugal & Galicia	129.00	153.51

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
M-EW-Y209-MS		DISCOVER: M-EW-Y209-MS Canary Island to Gibraltar	129.00	153.51
M-ME-Y200-MS		DISCOVER: M-ME-Y200-MS Red Sea	129.00	153.51
M-ME-Y201-MS		DISCOVER: M-ME-Y201-MS Persian Gulf to Oman	129.00	153.51
M-RS-Y009-MS		DISCOVER: M-RS-Y009-MS Kyongsong Man to Plastun	129.00	153.51
M-RS-Y221-MS		DISCOVER: M-RS-Y221-MS White Sea	129.00	153.51
M-EW-Y060-MS		DISCOVER: M-EW-Y060-MS Central & West Europe	199.00	236.81
M-RS-Y240-MS		DISCOVER: M-RS-Y240-MS Tauyskaya Bay	83.00	98.77
M-AF-Y003-MS		DISCOVER: M-AF-Y003-MS Antarctica	199.00	236.81
M-AF-Y050-MS		DISCOVER: M-AF-Y050-MS Africa & Arabian Sea	199.00	236.81
M-EM-Y045-MS		DISCOVER: M-EM-Y045-MS Southern Europe	199.00	236.81
M-EN-Y040-MS		DISCOVER: M-EN-Y040-MS Greenland	199.00	236.81
M-EN-Y050-MS		DISCOVER: M-EN-Y050-MS Northern & Central Europe	199.00	236.81
M-EN-Y055-MS		DISCOVER: M-EN-Y055-MS Baltic Sea	199.00	236.81
M-EW-Y200-MS		DISCOVER: M-EW-Y200-MS United Kingdom & Ireland	150.86	179.53

Naviop Kits

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-14666-001		Naviop LOOP S Digital Switching System Kit - Simple, yet powerful control and monitoring features through an integrated sidebar on an MFD showing dedicated functions. 8 fused relay controlled channels + 8 fused channels.	1167.00	1388.73
000-14665-001		Naviop LOOP S+ Digital Switching System Kit - Simple, yet powerful control and monitoring features through an integrated sidebar on an MFD showing dedicated functions. 16 fused relay controlled channels + 16 fused channels.	2017.00	2400.23
000-14664-001		Naviop LOOP M+ Digital Switching System Kit - A customized monitoring and control system sporting dedicated pages with a clear view of power board status, down to the single fuse or relay. 8 fused relay controlled channels + 8 fused channels.	1807.00	2150.33
000-14663-001		Naviop LOOP M+ Digital Switching System Kit - A customized monitoring and control system sporting dedicated pages with a clear view of power board status, down to the single fuse or relay. 16 fused relay controlled channels + 16 fused channels.	2866.00	3410.54

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
31M-316-0		Naviop EGON+ 12V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only	932.00	1109.08
31M-335-0		Naviop EGON+ 24V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only	932.00	1109.08
31M-336-0		Naviop EGON+ Power 12V DC - 8 channels Fuse+Relay	932.00	1109.08
31M-337-0		Naviop EGON+ Power - 24V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only	932.00	1109.08
000-14844-001		Naviop EGON+ 12VDC Replacement Relay	26.45	31.47
C-EGON-01		Naviop EGON Power and CAN Cable - CAN ID 2	83.54	99.41
C-EGON-02		Naviop EGON Power and CAN Cable - CAN ID 2	83.54	99.41
C-EGON-03		Naviop EGON Power and CAN Cable - CAN ID 3	83.54	99.41
C-EGON-04		Naviop EGON Power and CAN Cable - CAN ID 4	83.54	99.41
000-14901-001		Naviop EGON Plug Set- Includes 1x Blue connector, 1x Green connector, 1x Grey connector, 1x Black Connector, 24x EGON Power Contacts, 24x Cable Seals.	52.48	62.45
000-15212-001		Naviop OP-BOX - LOOP M / M+ - Processing and protocols Unit with PLC programming capability.	1029.00	1224.51

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
BERMINI-USAA-1M		Naviop OP-BOX USB Cable	68.92	82.02
C-28576	Missing Image	Naviop CAN Drop Cable NA30	63.19	75.19
C-28574		Naviop CAN Drop Cable for NOVA+ - 1.2m	59.98	71.37
C-34686		Axial DB9 Male Cable for RS323/485 - 2m	32.67	38.88
C-DAU-CABLE		Naviop Wiring Harness for DAU Units - 2m	112.00	133.28
DAU-B-128		Naviop DAU Bridge - CAN ID 128	1125.00	1338.75
DAU-E-136		Naviop DAU Easy - CAN ID 136	1125.00	1338.75
DAU-E-137		Naviop DAU Easy - CAN ID 137	1125.00	1338.75
NA05-0003		Naviop SE NOVA+ Light Board - NOVA+ is a solid state lighting control board designed specifically for use in marine environments, and enables dimmable lighting control of up to 8 separate circuits, each of them being protected by a pull-out fuse. Naviop-CAN connection to the monitoring and control system is available. Only for Naviop LOOP-P Systems.	996.00	1185.24
NA05-0003-H		Naviop SE NOVA+ Light Board w/ Harness - NOVA+ is a solid state lighting control board designed specifically for use in marine environments, and enables dimmable lighting control of up to 8 separate circuits, each of them being protected by a pull-out fuse. Naviop-CAN connection to the monitoring and control system is available. Only for Naviop LOOP-P Systems.	1017.00	1210.23

Naviop Parts

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15756-001		Naviop OP-BOX Programmable 1GHz	1366.00	1625.54
000-14991-001		Naviop AT30 Protocol Converter - N2K To Naviop CAN Gateway for bridging the vessels NMEA2000 network to the Naviop Digital Switching system.	299.00	355.81
31M-316-0		Naviop EGON+ 12V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only	932.00	1109.08
31M-335-0		Naviop EGON+ 24V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only	932.00	1109.08
31M-336-0		Naviop EGON+ Power 12V DC - 8 channels Fuse+Relay	932.00	1109.08
31M-337-0		Naviop EGON+ Power - 24V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only	932.00	1109.08
000-14844-001		Naviop EGON+ 12VDC Replacement Relay	26.45	31.47
C-EGON-01		Naviop EGON Power and CAN Cable - CAN ID 2	83.54	99.41
C-EGON-02		Naviop EGON Power and CAN Cable - CAN ID 2	83.54	99.41
C-EGON-03		Naviop EGON Power and CAN Cable - CAN ID 3	83.54	99.41
C-EGON-04		Naviop EGON Power and CAN Cable - CAN ID 4	83.54	99.41
000-14901-001		Naviop EGON Plug Set- Includes 1x Blue connector, 1x Green connector, 1x Grey connector, 1x Black Connector, 24x EGON Power Contacts, 24x Cable Seals.	52.48	62.45
000-15212-001		Naviop OP-BOX - LOOP M / M+ - Processing and protocols Unit with PLC programming capability.	1029.00	1224.51
BERMINI-USAA-1M		Naviop OP-BOX USB Cable	68.92	82.02
C-28576	Missing Image	Naviop CAN Drop Cable NA30	63.19	75.19
C-28574		Naviop CAN Drop Cable for NOVA+ - 1.2m	59.98	71.37

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
C-34686		Axial DB9 Male Cable for RS323/485 - 2m	32.67	38.88
C-DAU-CABLE		Naviop Wiring Harness for DAU Units - 2m	112.00	133.28
DAU-B-128		Naviop DAU Bridge - CAN ID 128	1125.00	1338.75
DAU-E-136		Naviop DAU Easy - CAN ID 136	1125.00	1338.75
DAU-E-137		Naviop DAU Easy - CAN ID 137	1125.00	1338.75
NA05-0003		Naviop SE NOVA+ Light Board - NOVA+ is a solid state lighting control board designed specifically for use in marine environments, and enables dimmable lighting control of up to 8 separate circuits, each of them being protected by a pull-out fuse. Naviop-CAN connection to the monitoring and control system is available. Only for Naviop LOOP-P Systems.	996.00	1185.24
NA05-0003-H		Naviop SE NOVA+ Light Board w/ Harness - NOVA+ is a solid state lighting control board designed specifically for use in marine environments, and enables dimmable lighting control of up to 8 separate circuits, each of them being protected by a pull-out fuse. Naviop-CAN connection to the monitoring and control system is available. Only for Naviop LOOP-P Systems.	1017.00	1210.23
000-13959-001		NAIS500/400 & Naviop OP-BOX Power & Serial Cable	63.19	75.19

Service Parts

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16297-001		Standard flat mount that ships with HS65 GNSS Compass. This can be used ad replacement.	79.25	94.31
000-14256-001		Replacement fairing block for combined StructureScan® 3D L/H and M/H Through-Hull Transducers.	117.00	139.23
000-14260-001		TotalScan™ Through-Hull Transducer Fairing Block Only	117.00	139.23
000-14503-001		LINKPRO SERVICE TOOL	223.00	265.37
151-10333-001		SERVICE SONARHUB	371.00	441.49

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-0106-72		HST - WSBL 83/200 kHz Heckmontage Geber Tiefe/Temp mit blauem 7 pin Stecker	82.46	98.12
000-0106-77		HST - DFSBL 50/200 kHz Heckmontage-Geber Tiefe/Temperatur - blauer 7 pin Stecker	166.00	197.54
000-0106-94		PTI-WBL - Ice Fishing Geber mit blauem Stecker	106.00	126.14
000-0099-95		TS-1BL Temperatursensor (non-networked)	85.00	101.15
000-10046-001		BSM-1 Adapterkabel 7pin blauer Stecker an offene Enden	31.06	36.96
000-0099-93		XT-12BL Geber Verlängerungskabel 7-pin blauer Stecker	52.47	62.44
000-10976-001		HDI Skimmer® transducer 83/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 6m (20 ft)	155.00	184.45
000-0099-94		XT-20BL 6m Geberverlängerungskabel	52.47	62.44
000-10977-001		HDI Skimmer® transducer 50/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 6 m (20 ft)	305.00	362.95
000-0051-45		TMB-S Trolling-Motor Halterung fürStandard Skimmer® Heckmontagegeber	21.41	25.48
000-0099-44		AC-CAF - AC Adapter an ZigAnzStecker (weiblich) zu 120V Wandsteckdose	46.42	55.24
000-0119-10		CA-8 - ZigAnzStromkabel für alle Lowrance Geräte außer X-96	66.29	78.88

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-10027-001		Quick Release Bracket - GO5 / Vulcan5 / P2005 / I3005 / Mark / Elite	36.41	43.33
000-10909-001		RAM QUICK RELEASE BRACKET 1" BALL: Mark 4 & 5 Elite 3, 4 & 5 Elite Ti 5 & 7 Go5	39.66	47.19
000-10910-001		RAM QUICK RELEASE BRACKET 1.5" BALL: Mark 4 & 5 Elite 3, 4 & 5 Elite Ti 5 & 7 Go5	56.65	67.41
000-10978-001		HDI TROLLING MOTOR ADAPTOR FOR SKIMMER (*only for 83/200/455/800 HDI Skimmer transducer)	27.04	32.18
000-11307-001		SUNCOVER: 4" MARK/ELITE/HOOK	23.99	28.55
000-11308-001		FLUSH MOUNT KIT: 4" MARK/ELITE/HOOK	18.91	22.50

Displays

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16514-001	Missing Image	CAP-2 MFD CONNECTOR CAP SET. CAP-1 Pack + USB A + USB C + HDM	33.28	39.61
000-12742-001		HDMI Cable with vibration resistant and waterproof connector on one end to connect to Navico MFDs with HDMI port.	71.79	85.43
000-12741-001		HDMI Cable with vibration resistant and waterproof connector on one end to connect to Navico MFDs with HDMI port.	120.00	142.80
000-16444-001		Protective suncover for Elite FS 12	62.42	74.28
000-16443-001		Protective suncover for Elite FS 10	46.82	55.71
000-16446-001		Elite™ FS 12 Flushmount kit	46.82	55.71
000-16445-001		Elite™ FS 10 Flushmount kit	46.82	55.71
000-14041-001		2-Wire POWER ONLY cable for Mark, Elite, Hook, Elite Ti, HDS.	34.32	40.84
000-0124-70		CAP-1 - Schutzkappen für die rückseitigen Steckerbuchsen der HDS Serie	22.88	27.23
000-15778-001		SUNCOVER: ELITE-7 FS	36.41	43.33
000-15779-001		SUNCOVER: ELITE-9 FS	41.62	49.52

Sonar

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-15470-001		B744VC ACTIVE INSERT - REPLACEMENT	331.00	393.89
000-11040-001	Missing Image	Adapts LSS-1 transducers to HDS Gen2 Touch units and to LSS-HD modules.	108.90	129.59
000-14963-001	Missing Image	Replacement Ice Mount for LiveSight Transducer	319.99	380.79
000-0127-54		Stromkabel BSM-1, LSS-2	49.94	59.43

Radar

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-10795-001		SC20 Mast mount kit for HALO 20/20+ and Broadband Dome Radars.	642.00	763.98
000-10904-001	Missing Image	Radar-Verlängerungskabel 2 m für Broadband Radarantennen	69.30	82.47
000-10905-001	Missing Image	Radar-Verlängerungskabel 5 m für Broadband Radarantennen	80.85	96.21
000-14551-001		Enables re-use of the existing BR24/3G/4G cable onboard when upgrading to a HALO Dome radar.	69.62	82.84
000-14552-001		Ethernet adapter cable, RJ45 F to 5 Pin male, 1.5 m (4.9 ft). Ships with water proof boot.	44.98	53.53
000-14548-001		Power / Ethernet cable, 10 m (33 ft) for HALO dome radars and B&G Nemesis displays	127.00	151.13
000-14549-001		Power / Ethernet cable, 20 m (65.5 ft) for HALO dome radars and B&G Nemesis displays	192.00	228.48
000-14550-001		Power / Ethernet cable, 30 m (98.5 ft) for HALO dome radars and B&G Nemesis displays	256.00	304.64
000-14547-001		Power / Ethernet cable, 5 m (16.5 ft) for HALO dome radars and B&G Nemesis displays	82.47	98.14

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-16295-001		Transducer, Network cable pulling tools	26.76	31.85

VHF AIS

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-11727-001		RS90/V90 20m (65 ft) Handset cable. Includes phoenix connector and bulkhead mount	89.51	106.51
AA000355		UKW-Antenne Gfk 240 cm	95.32	113.43
AA000358		UKW-Antenne Gfk 100 cm	52.48	62.45
AA000223		Antennenhalterung Kunststoff mit 5 m Kabel	57.83	68.82
AA000224		Antennenhalterung Edelstahl mit 5 m Kabel	127.00	151.13
AA000352		UKW-Antenne Mastmontage	80.33	95.59
AA000400		VHF extension cable 5 m (16 ft)	31.06	36.96
AA000401		VHF mast cable 30 m (98 ft) for 1720 whip antenna. With Quick Fit Connector one end and Masthead connector on the other.	95.32	113.43
000-11564-001		BC-10 VHF Charger w/ US Power Adapter for HH36 and LINK-2 VHF.	56.65	67.41
000-11562-001		BC-10 VHF Charger w/ 12V CIG Plug for HH36 and LINK-2 VHF.	39.66	47.19
000-15859-001		VHF ANTENNA,1Meter Back Fiberglass Stainless Steel, Quick fit fitting.	91.04	108.33
000-14263-001		RS20/V20 Mounting Bracket Knobs	17.14	20.39
000-14066-001		VHF Interface - Type 6. For Simrad RS20/RS40, B&G V20/V60, Lowrance Link-9, Link-6 S	94.25	112.16

Accessories

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
AA000223		Antennenhalterung Kunststoff mit 5 m Kabel	57.83	68.82

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
AA000224		Antennenhalterung Edelstahl mit 5 m Kabel	127.00	151.13
000-16055-001		VHF antenna mount. Heavy-duty stainless steel fold-down antenna mount. With attached 7 m (23 ft) cable. Fastfit connector	127.00	151.13
AA000400		VHF extension cable 5 m (16 ft)	31.06	36.96
AA000401		VHF mast cable 30 m (98 ft) for 1720 whip antenna. With Quick Fit Connector one end and Masthead connector on the other.	95.32	113.43

Autopilot

Main Products

Part Number		Description	RRP excl. (EUR)	RRP incl. (19.0%)
000-12359-001		WR10 BT-1 Base Station Only	288.00	342.72
000-12358-001		WR10 Wireless Remote for Autopilot.	224.00	266.56